


Subject: Transmission media //

3 types $\hookrightarrow$ Simplex, Half Duplex, Full Duplex



Client


Server

in Simplex, either N_1 or N_2 can send data


$\rightarrow$ If N_1 send data N_2 can't respond to N_1 vice.

Disadvantage :- Receiver can't acknowledge the input

$\rightarrow$ Half-Duplex :- Can acknowledge but not at same time.




$\rightarrow$ Full-Duplex :-



can acknowledge at same time.

Subject: / /

→ Circuit switching & Packet switching



Circuit Switching

↳ decide a path for packet transmission

Packet Switching

↳ packet have to reach from source to destination.

* Data transform in network in form of packets

Subject: 1. Circuit Switching


2 Hope by
Hope
technique.

II (i) Resource hold


II [(i) Wastage of Resource

IV (ii) Store & forward technique not here.

→ it means storing packet as soon as all arrive then forward to next router.



Fault tolerance:- will it handle Conjection.



So, it is a fault tolerance technique.
As path is fixed so will forward packets to the fixed path.

Subject:

* Conjection :-

If more no. of packets are coming in less time, then the router buffer will be full in no time, then some packet are dropped then router is congested

→ Source is transferring data.

→ Delay for transferring data from one node to another node is uniform.

→ Connection establish will takes more time as compare to Data Transfer, Connection release.

② Packet switching :-

→ don't hold resources, it share resource.

→ No wastage of resources.

→ No fault tolerance

→ Every node / router can act a source.