

Here are the terraform code files used for cluster agent deployment

```
appdynamics-cluster-agent-terraform/  
├─ main.tf  
├─ variables.tf  
└─ helm-values/  
    └─ cluster-agent-values.yaml
```

Add the following code in the main.tf file

```
#-----  
# AppDynamics Cluster Agent  
#-----  
resource "kubernetes_namespace" "appd" {  
  metadata {  
    name = var.namespace  
    labels = {  
      environment = var.environment  
      managed_by = "terraform"  
    }  
  }  
}  
  
resource "helm_release" "appd_cluster_agent" {  
  name           = "appdynamics-cluster-agent"  
  namespace      = kubernetes_namespace.appd.metadata[0].name  
  create_namespace = false  
  repository     = var.helm_repo_url  
  chart          = var.chart_name  
  version        = var.chart_version != "" ? var.chart_version : null  
  values         = [file(var.values_yaml_path)]  
  atomic         = true  
  timeout        = 900  
}
```

Add the following code in the variables.tf file

```
#-----  
# AppDynamics Cluster Agent Configuration  
#-----  
variable "namespace" {  
  type    = string  
  description = "Namespace to deploy AppDynamics cluster-agent"  
  default = "appdynamics"
```

```

}

variable "helm_repo_url" {
  type    = string
  description = "AppDynamics Helm repository URL"
  default  = "https://appdynamics.jfrog.io/artifactory/appdynamics-cloud-helmcharts/"
}

variable "chart_name" {
  type    = string
  description = "Helm chart name"
  default  = "cluster-agent"
}

variable "chart_version" {
  type    = string
  description = "Helm chart version"
  default  = "1.34.1544"
}

variable "values_yaml_path" {
  type    = string
  description = "Path to the Helm values.yaml file"
  default  = "./helm-values/cluster-agent-values.yaml"
}

```

Create the file `helm-values/cluster-agent-values.yaml` and add the following code in the file for **Dev/Test** environments. The **Yellow** highlighted items will be provided by the MTO Product Team.

```

#to install cluster agent
installClusterAgent: true

# AppDynamics controller info (VALUES TO BE PROVIDED BY THE USER)
controllerInfo:
  url: https://takeda-dev-test.saas.appdynamics.com:443
  account: takeda-dev-test
  accessKey : XXXXXXXX-XXXX-XXXX-XXXX-XXXXXXXXXXXX

# Cluster agent config
clusterAgent:
  nsToMonitorRegex: ^(aevidence-.*|ordino-.*|visynkb-.*)$

```

```
appName: APMS-XXXXX-BSNXXXXXXX-<App-Name>-Dev-Test
```

```
# Subcharts boolean install switches
```

```
install:
```

```
  metrics-server: false
```

And for **Production** environment, use the following code:

```
#to install cluster agent
```

```
installClusterAgent: true
```

```
# AppDynamics controller info (VALUES TO BE PROVIDED BY THE USER)
```

```
controllerInfo:
```

```
  url: https://takeda.saas.appdynamics.com:443
```

```
  account: takeda
```

```
  accessKey : XXXXXXXX-XXXX-XXXX-XXXX-XXXXXXXXXXXX
```

```
# Cluster agent config
```

```
clusterAgent:
```

```
  nsToMonitorRegex: ^(aevidence-.*|ordino-.*|visynkb-.*)$
```

```
  appName: APMS-XXXXX-BSNXXXXXXX-<App-Name>-Dev-Test
```

```
# Subcharts boolean install switches
```

```
install:
```

```
  metrics-server: false
```

Apply the terraform code to deploy the AppDynamics Cluster Agent

```
terraform init
```

```
terraform plan
```

```
terraform apply
```