

LANGCHAIN2

Project5

Source: README.md

Project : LangChain Sample Application

server deploying an OpenAI chat model and a chain to tell a joke about a topic.

Requirements : PYTHON Installation & Setup

Python 3.10.0

```
brew install pyenv pyenv install 3.10.0
```

switch to python 3.10.0

```
pyenv local 3.10.0
```

Create a virtual environment & activate the virtual environment :

MacOS/Linux:

```
python3 -m venv env
source env/bin/activate
```

Windows:

```
python -m venv env
.\env\Scripts\activate
```

Installation:

Install Python 3.6 or higher

use pip3 on a Mac or Linux and pip on Windows

```
pip install -r requirements.txt
pip install langchain python-dotenv fastapi "langserve[all]" uvicorn sse_starlette
```

install LangServe (server and client)

```
pip install "langserve[all]"
```

install server uvicorn ASGI server

```
pip install "uvicorn[standard]"
```

Get an API key

Set the key as an environment variable:

```
export OPENAI_API_KEY='sk-brHeh...A39v5iXsM2'
```

.env file:

```
OPENAI_API_KEY=sk-brHeh...A39v5iXsM2
```

Start the server:

```
uvicorn server:app --reload
```

test the RESTAPI

joke/invoke

```
curl --location --request POST 'http://localhost:8000/joke/invoke' \
  --header 'Content-Type: application/json' \
  --data-raw '{
    "input": {
      "topic": "cats"
    }
  }'
```

joke/batch

```
curl --location --request POST 'http://localhost:8000/joke/batch' \
  --header 'Content-Type: application/json' \
  --data-raw '{
    "inputs": [
      {"topic": "cats"},
      {"topic": "dogs"}
    ]
  }'
```

Try the Playgrounds & Docs :

```
http://localhost:8000/joke/playground/ http://localhost:8000/openai/playground/
```

Display a documentation

```
http://localhost:8000/docs
```

Deploy live to [Render](#)