


Installing a Package



Mosh Hamedani
programmingwithmosh.com

[sign up or log in](#)



underscore



[sign up or log in](#)



Search Criteria

- ☒ Best Overall
- ☐ Quality
- ☐ Popularity
- ☐ Maintenance

Advanced Search

Click to try them out

`scope:request`

837 packages found for "underscore"

underscore jashkenas


JavaScript's functional programming helper library.

📦 1.8.3

camelcase sindresorhus

Convert a dash/dot/underscore/space separated string to camelCase: foo-bar → fooBar

📦 4.1.0



underscore

public



npm install underscore

how? learn more



jashkenas published 3 y...

1.8.3 is the latest of 33 rele...

github.com/jashkenas/und...



dandy@My-Ubuntu: ~/Keep/Node.js/03. Node Package Manager/Applications/02. Package.json

File Edit View Search Terminal Help

dandy@My-Ubuntu:~/Keep/Node.js/03. Node Package Manager/Applications/02. Package.js

on\$ sudo npm i underscore

npm notice created a lockfile as package-lock.json. You should commit this file.

npm WARN 02.-package.json@1.0.0 No description

npm WARN 02.-package.json@1.0.0 No repository field.

+ underscore@1.9.2

added 1 package from 1 contributor and audited 1 package in 8.266s

found 0 vulnerabilities

dandy@My-Ubuntu:~/Keep/Node.js/03. Node Package Manager/Applications/02. Package.js

on\$

03. Installing a Node Package.mp4 - VLC media player

Media Playback Audio Video Subtitle Tools View Help

npm-demo \$

npm-demo \$npm i underscore

npm notice created a lockfile as package-lock.json. You should commit this file.

npm WARN npm-demo@1.0.0 No description

npm WARN npm-demo@1.0.0 No repository field.

+ underscore@1.8.3


added 1 package in 0.553s


npm-demo \$

01:34



03:33





```
File Edit View Search Terminal Help
dandy@My-Ubuntu:~/Keep/Node.js/03. Node Package Manager/Applications/02. Package.json/npm-demo$ sudo npm init --yes
[sudo] password for dandy:
Wrote to /home/dandy/Keep/Node.js/03. Node Package Manager/Applications/02. Package.json/package.json:

{
  "name": "npm-demo",
  "version": "1.0.0",
  "description": "",
  "main": "index.js",
  "scripts": {
    "test": "echo \"Error: no test specified\" && exit 1"
  },
  "keywords": [],
  "author": "",
  "license": "ISC"
}

dandy@My-Ubuntu:~/Keep/Node.js/03. Node Package Manager/Applications/02. Package.json/npm-demo$ cd ..
dandy@My-Ubuntu:~/Keep/Node.js/03. Node Package Manager/Applications/02. Package.json/npm-demo$ sudo npm i underscore
npm notice created a lockfile as package-lock.json. You should commit this file.
npm WARN npm-demo@1.0.0 No description
npm WARN npm-demo@1.0.0 No repository field.

+ underscore@1.9.2
added 1 package from 1 contributor and audited 1 package in 1.343s
found 0 vulnerabilities

dandy@My-Ubuntu:~/Keep/Node.js/03. Node Package Manager/Applications/02. Package.json/npm-demo$
```

```
dandy@My-Ubuntu:~/Keep/Node.js/03. Node Package Manager/Applications/02. Package.json/npm-demo$ cd ..
dandy@My-Ubuntu:~/Keep/Node.js/03. Node Package Manager/Applications/02. Package.json$ cd ..
dandy@My-Ubuntu:~/Keep/Node.js/03. Node Package Manager/Applications$ cd 03.\ Installing\ a\ Node\ Package\
dandy@My-Ubuntu:~/Keep/Node.js/03. Node Package Manager/Applications/03. Installing a Node Package$ mkdir npm-demo
dandy@My-Ubuntu:~/Keep/Node.js/03. Node Package Manager/Applications/03. Installing a Node Package$ cd npm-demo
dandy@My-Ubuntu:~/Keep/Node.js/03. Node Package Manager/Applications/03. Installing a Node Package/npm-demo$ sudo npm init --yes
Wrote to /home/dandy/Keep/Node.js/03. Node Package Manager/Applications/03. Installing a Node Package/npm-demo/package.json:
```

```
{
  "name": "npm-demo",
  "version": "1.0.0",
  "description": "",
  "main": "index.js",
  "scripts": {
    "test": "echo \"Error: no test specified\" && exit 1"
  },
  "keywords": [],
  "author": "",
  "license": "ISC"
}
```

```
npm WARN npm-demo@1.0.0 No description
npm WARN npm-demo@1.0.0 No repository field.
```

```
+ underscore@1.9.2
added 1 package from 1 contributor and audited 1 package in 1.278s
found 0 vulnerabilities
```

```
dandy@My-Ubuntu:~/Keep/Node.js/03. Node Package Manager/Applications/03. Installing a Node Package/npm-demo$
```

ActivitiesVisual Studio Code

992B/s ↓ 1.24KB/s ↑

Wed 20:15

package.json - Applications - Visual Studio Code

FileEditSelectionViewGoRunTerminalHelp

EXPLORER

OPEN EDITORS

APPLICATIONS

OUTLINE

03. Installing a Node Package / ...

node_modules

package-lock.json

package.json

04. Using a Package

05. Package Dependencies

06. NPM Packages and Source Control

07. Semantic Versioning

08. Listing the Installed Packages

09. Viewing Registry Info for a Pack...

10. Installing a Specific Version of a ...

11. Updating Local Packages

12. DevDependencies

13. Uninstalling a Package

14. Working with Global Packages

15. Publishing a Package

16. Updating a Published Package

17. NPM Recap

package.json

03. Installing a Node Package > npm-demo > {} package.json > ...

```
1 {
2   "name": "npm-demo",
3   "version": "1.0.0",
4   "description": "",
5   "main": "index.js",
6   "scripts": {
7     "test": "echo \"Error: no test specified\" && exit 1"
8   },
9   "keywords": [],
10  "author": "",
11  "license": "ISC",
12  "dependencies": {
13    "underscore": "^1.9.2"
14  }
15 }
16
```

DEBUG CONSOLEPROBLEMSOUTPUTTERMINAL

1: bash

dandy@My-Ubuntu:~/Keep/Node.js/03. Node Package Manager/Applications\$

master*

0 0

json

package.json

Ln 1, Col 1

Spaces: 2

UTF-8

LF

JSON

Activities VLC media player ▾ Wed 20:16 • package.json - Applicati

File Edit Selection View Go Run Terminal Help

EXPLORER

OPEN EDITORS

- ✕ {} package.json 03. Installing a ... U

APPLICATIONS

- > 01. Introduction
- > 02. Package.json / npm-demo ●
- ▼ 03. Installing a Node Package / ... ●
 - ▼ node_modules / underscore ●
 - LICENSE U
 - {} package.json U
 - ① README.md U
 - JS underscore-min.js U
 - JS underscore-min.js.map U
 - JS underscore.js U
 - {} package-lock.json U
 - {} package.json U
 - > 04. Using a Package
 - > 05. Package Dependencies
 - > 06. NPM Packages and Source Control
 - > 07. Semantic Versioning
 - > 08. Listing the Installed Packages
 - > 09. Viewing Registry Info for a Pack...
 - > 10. Installing a Specific Version of a ...
 - > 11. Updating Local Packages
 - > 12. DevDependencies
 - > 13. Uninstalling a Package
 - > 14. Working with Global Packages
 - > 15. Publishing a Package
 - > 16. Updating a Published Package
 - > 17. NPM Recap

OUTLINE

{} package.json x

03. Installing a Node Package > npm-demo > {} package.json > .

```
1 {
2   "name": "npm-demo",
3   "version": "1.0.0",
4   "description": "",
5   "main": "index.js",
6   "scripts": {
7     "test": "echo \"Error: no test speci
8   },
9   "keywords": [],
10  "author": "",
11  "license": "ISC",
12  "dependencies": {
13    "underscore": "^1.9.2"
14  }
15
16
```

DEBUG CONSOLE PROBLEMS OUTPUT TERMINAL

dandy@My-Ubuntu:~/Keep/Node.js/03. Node Package Ma

master* ↻ 0 0 0 ✓ json | ✓ package.json

03. Installing a Node Package.mp4 - VLC media player

Media Playback Audio Video Subtitle Tools View Help

EXPLORER

OPEN EDITORS

- package.json

NPM-DEMO

- node_modules
 - underscore
 - LICENSE
 - package.json
 - README.md
 - underscore-min.js
 - underscore-min.map
 - underscore.js
 - package-lock.json
 - package.json

package.json x

```
1 {
2   "name": "npm-demo",
3   "version": "1.0.0",
4   "main": "index.js",
5   "scripts": {
6     "test": "echo \"Error: no test specified\"
7   },
8   "author": "",
9   "license": "ISC",
10  "keywords": [],
11  "description": "",
12  "dependencies": {
13    "underscore": "^1.8.3"
14  }
15
16
```

CODE OUTLINE

02:22 03:33

100%

ActivitiesVisual Studio Code

Wed 20:160B/s0B/s

package.json - Applications - Visual Studio Code

FileEditSelectionViewGoRunTerminalHelp

EXPLORER

OPEN EDITORS

APPLICATIONS

OUTLINE

package.json 03. Installing a ... U

package.json 03. Installing... 1, U

01. Introduction

02. Package.json / npm-demo

03. Installing a Node Package / ...

node_modules / underscore

LICENSE U

package.json 1, U

README.md U

underscore-min.js U

underscore-min.js.map U

underscore.js U

package-lock.json U

package.json U

04. Using a Package

05. Package Dependencies

06. NPM Packages and Source Control

07. Semantic Versioning

08. Listing the Installed Packages

09. Viewing Registry Info for a Pack...

10. Installing a Specific Version of a ...

11. Updating Local Packages

12. DevDependencies

13. Uninstalling a Package

14. Working with Global Packages

15. Publishing a Package

16. Updating a Published Package

17. NPM Recap

package.json .../npm-demo

package.json .../underscore X

03. Installing a Node Package > npm-demo > node_modules > underscore > {} package.json > ...

```
1 {
2   "from": "underscore",
3   "id": "underscore@1.9.2",
4   "inBundle": false,
5   "integrity": "sha512-D39qtimx0c1fI3ya1Lnhk3E9n0NswSKhnffBI0gME9C99fY0kNi04xs8K6pePLhvl1frbDemkaBQ5ikWlLR2HQ==
6   "location": "/underscore",
7   "phantomChildren": {},
8   "requested": {
9     "type": "tag",
10    "registry": true,
11    "raw": "underscore",
12    "name": "underscore",
13    "escapedName": "underscore",
14    "rawSpec": "",
15    "saveSpec": null,
16    "fetchSpec": "latest"
17  },
18  "_requiredBy": [
19    "#USER",
20    "/"
21  ],
22  "_resolved": "Any property starting with _ is valid. /underscore/-/underscore-1.9.2.tgz",
23  "_shasum": "0c8d6f536d6f378a5af264a72f7bec50feb7cf2f",
24  "_spec": "underscore",
25  "_where": "/home/dandy/Keep/Node.js/03. Node Package Manager/Applications/03. Installing a Node Package/npm-de
26  "author": {
27    "name": "Jeremy Ashkenas",
28    "email": "jeremy@documentcloud.org"
29  },
30  "bugs": {
31    "url": "https://github.com/jashkenas/underscore/issues"
32  },
33  "bundleDependencies": false,
34  "deprecated": false,
35  "description": "JavaScript's functional programming helper library.",
36  "devDependencies": {
```

Ln 1, Col 1Spaces: 2UTF-8LFJSON

File Edit View Search Terminal Help

```
dandy@My-Ubuntu:~/Keep/Node.js/03. Node Package Manager/Applications/02. Package.js
on$ in earlier version we were using --save flag to add it to the dependencies list
of package.json of that application but now it is not required
```

03. Installing a Node Package.mp4 - VLC media player

Media Playback Audio Video Subtitle Tools View Help

```
npm-demo $  
npm-demo $ npm i underscore --save
```

03:03

03:33

Activities VLC media player ▾

dandy@My-Ubuntu: ~/Keep/Node.js/03. Node Package Manager/Applications/02. Package.json

File Edit View Search Terminal Help

dandy@My-Ubuntu:~/Keep/Node.js/03. Node Package Manager/Applications/02. Package.js
on\$ in earlier version we were using --save flag to add it to the dependencies list
of package.json of that application but now it is not required

03. Installing a Node Package.mp4 - VLC media player

Media Playback Audio Video Subtitle Tools View Help

package.json x

```
1 {
2   "name": "npm-demo",
3   "version": "1.0.0",
4   "main": "index.js",
5   "scripts": {
6     "test": "echo \"Error: no test specified\" && exit 1"
7   },
8   "author": "",
9   "license": "ISC",
10  "keywords": [],
11  "description": "",
12  "dependencies": {
13    "underscore": "^1.8.3"
14  }
15 }
16
```

03:12 03:33

100%