

Environment Variables



Mosh Hamedani
programmingwithmosh.com

ActivitiesVisual Studio Code

Tue 07:28906B/s228B/s

index.js - Applications - Visual Studio Code

FileEditSelectionViewGoRunTerminalHelp

EXPLORER

OPEN EDITORS

APPLICATIONS

01. Introduction

02. RESTful Services

03. Introducing Express / express-demo

04. Building Your First Web Server

05. Nodemon

06. Environment Variables

07. Route Parameters

08. Handling HTTP GET Requests

09. Handling HTTP POST Requests

10. Calling Endpoints Using Postman

11. Input Validation

12. Handling HTTP PUT Requests

13. Handling HTTP Delete Requests

14. Project- Build the Genres API

15. Building RESTful APIs with Express Recap

OUTLINE

JS index.js

06. Environment Variables > JS index.js > ...

```
2 const app = express();
3 app.get('/',(req, res)=>{
4   res.send('Hello World !!! Its corona-time');
5 });
6 app.get('/api/courses',(req, res)=>{
7   res.send([1, 2, 3]);
8 });
9 //PORT
10 const port = process.env.PORT || 3000
11 app.listen(port,() => console.log(`Listening to port ${port} ....`));
```

DEBUG CONSOLEPROBLEMSOUTPUTTERMINAL

3: node

dandy@My-Ubuntu:~/Keep/Node.js/04. Building RESTful API_s Using Express/Applications/06. Environment Variables\$ export PORT=3333
dandy@My-Ubuntu:~/Keep/Node.js/04. Building RESTful API_s Using Express/Applications/06. Environment Variables\$ nodemon index.js
[nodemon] 2.0.2
[nodemon] to restart at any time, enter `rs`
[nodemon] watching dir(s): *.*
[nodemon] watching extensions: js,mjs,json
[nodemon] starting `node index.js`
Listening to port 3333
[nodemon] restarting due to changes...
[nodemon] starting `node index.js`
Listening to port 3333

master*0 0javascript | index.js

Ln 8, Col 4Spaces: 4UTF-8LFBabel JavaScriptJavaScript Standard Style

localhost:3333

localhost:3333

Apps CODECHEF IDE | Geeksfor... Codingblocks... convolution-n... Coding Blocks... Best C++ For... Hotstar

» Other bookmarks

Hello World !!! Its corona-time



ActivitiesVisual Studio Code

Sat 09:41110B/s ↓0B/s ↑

index.js - Applications - Visual Studio Code

FileEditSelectionViewGoRunTerminalHelp

EXPLORER

OPEN EDITORS

JS index.js 06. Environment VariablesU

APPLICATIONS

01. Introduction

02. RESTful Services

03. Introducing Express

04. Building Your First Web Server

05. Nodemon

06. Environment Variables

JS index.jsU

07. Route Parameters

08. Handling HTTP GET Requests

09. Handling HTTP POST Requests

10. Calling Endpoints Using Postman

11. Input Validation

12. Handling HTTP PUT Requests

13. Handling HTTP Delete Requests

14. Project- Build the Genres API

15. Building RESTful APIs with Express Recap

OUTLINE

JS index.js

06. Environment Variables > JS index.js > ...

```
1  const express = require('express');
2  const app = express();
3  app.get('/',(req, res)=>{
4    res.send('Hello World !!! Its corona-time');
5  });
6  app.get('/api/courses',(req, res)=>{
7    res.send([1, 2, 3]);
8  });
9  //PORT
10 const port = process.env.PORT || 3000
11 app.listen(port,() => console.log(`Listening to port ${port} ....`));
12 // To add environment variable use :
13 // Ubuntu : EXPORT PORT=3333
14 // Windows : SET PORT=3333
```

DEBUG CONSOLEPROBLEMSOUTPUTTERMINAL

1: bash

dandy@My-Ubuntu:~/Keep/Node.js/04. Building RESTful API_s Using Express/Applications\$

master*0 0 0javascript | index.js

Ln 14, Col 27Spaces: 4UTF-8LFBabel JavaScriptJavaScript Standard Style