Name- Ankit Gusain Code PBI-202

University Roll no- 2023031

Student Id- 20051074

Subject- Operating System

Date - 27/08/2021

Ankit Gusain

Ques 2.

Ans-

```
#include <stdio.h>
int absolutevalue(int);
void main()
{
  int queue[25], n, headposition, i, j, K, seek=0,
  maxrange, difference, temp, queue1[20], queue2
  [20], temp1=0, temp2=0;
 Printf("Enter the maximum range of Disk:");
  Scanf("%d", &maxrange);
  Printf("Enter the number of queue requests:");
  Scanf("%d, &n);
  Printf("Enter the initial head position:");
  Scanf("%d", &headposition);
  Printf("Enter the disk positions to be read
        (queue):");
  For (i=1; i<n; i++)
{
  Scanf("%d", &temp);
  if (temp > headposition)
```

Ankit Gusain

```
{
    queue1[temp1] = temp;
    temp1++;
  }
  else
  {
    queue2[temp2] = temp;
    temp2++;
  }
}
For (i = 0; i<temp1 - 1; i++)
{
  For (j = i + 1; j<temp1; j++)
  {
    if (queue[i] > queue1[j])
    {
      temp = queue1[i];
      queue1[i] = queue1[j];
      queue1[j] = temp;
    }
  }
}
For (i=0; i<temp2-1; i++)
{ For (j=i+1; j<temp2; j++)
  { if(queue2[i]<queue2[j])
```

Ankit Gusain

```
        temp = queue2[i];
        queue2[i] = queue2[j];
        queue2[j] = temp;
      }
    }
  }
  For(i=1,j=0;j<temp1;i++,j++)
  {
    queue[i] = queue1[j];
  }
  queue[i] = maxrange;
  For(i=temp1+2,j=0;j<temp2;i++,j++)
  {
    queue[i] = queue2[j];
  }
  queue[i] = 0;
  queue[0] = headposition
  For(j=0;j<=n;j++)
  {
    difference = absolutevalue(queue[j+1]-queue[j]);
    seek = seek + difference
  }
  printf("Total head movement = %d\n", seek);
}
int absolutevalue(int x)
{
```

Ankit Hussain

```
{
  if (x > 0)
  {
    return x;
  }
  else
  {
    return x*-1;
  }
}
```

Ankit Goswami

```
Enter the maximum range of Disk: 100
Enter the number of queue requests: 7
Enter the initial head position: 24
Enter the disk positions to be read(queue): 12
26
24
4
42
8
50
Disk head moves from position 24 to 26 with Seek 2
Disk head moves from position 26 to 42 with Seek 16
Disk head moves from position 42 to 50 with Seek 8
Disk head moves from position 50 to 100 with Seek 50
Disk head moves from position 100 to 24 with Seek 76
Disk head moves from position 24 to 12 with Seek 12
Disk head moves from position 12 to 8 with Seek 4
Disk head moves from position 8 to 4 with Seek 4
Total Seek Time= 172
Average Seek Time= 24.571428


...Program finished with exit code 0
Press ENTER to exit console.
```