



NANYANG
TECHNOLOGICAL
UNIVERSITY

CZ2007- Introduction to Databases

Lab 5- Final Project

Done by:

Vaidyanathan Abhishek (U1923980D)

Anil Ankitha (U1923151C)

Brendan Yeo Jun Wei (U1921733J)

Lee Hong Ying (U1922807A)

Lee Zhen Wei (U1922813B)

Ryan Phuay Qian Hao (U1922240H)

Table Creation

For the purpose of data generation, we decided to create it in such a way that each entity has a unique identifier.

For example, we decided to add the attribute Product ID so that each product is given a unique id. In this way the price of each product can be obtained in a unique way with the help of shop Id and the product ID, rather than to have just the Product name as the unique identifier.

```
CREATE TABLE Employee(  
Employee_ID int NOT NULL,  
Employee_Name varchar(50) NOT NULL,  
Salary int,  
PRIMARY KEY(Employee_ID)  
)
```

```
CREATE TABLE Users(  
User_ID int NOT NULL,  
User_Name varchar(50) NOT NULL,  
PRIMARY KEY(User_ID),  
)
```

```
CREATE TABLE Shops(  
Shop_ID int NOT NULL,  
Shop_Name varchar(50) NOT NULL,  
PRIMARY KEY(Shop_ID)  
)
```

```
CREATE TABLE Orders(  
Order_ID int NOT NULL,  
User_ID int NOT NULL,  
Shipping_Address varchar(250) NOT NULL,  
Order_datetime datetime NOT NULL,  
PRIMARY KEY(Order_ID),  
FOREIGN KEY(User_ID) REFERENCES Users(User_ID),  
)
```

```
CREATE TABLE Products(  
Product_ID int NOT NULL,  
Product_Name varchar(50) NOT NULL,  
Maker varchar(50),  
Category varchar(50)  
PRIMARY KEY(Product_ID)  
)
```

```
CREATE TABLE Complaints(  
Complaints_ID int NOT NULL,  
Employee_ID int,
```

```

User_ID int NOT NULL,
Shop_ID int NOT NULL,
Order_ID int NOT NULL,
Complaints_Status varchar(50),
text varchar(300),
FilledDateTime datetime NOT NULL,
HandledDateTime datetime,
PRIMARY KEY(Complaints_ID),
FOREIGN KEY(Employee_ID) REFERENCES Employee(Employee_ID),
FOREIGN KEY(User_ID) REFERENCES Users(User_ID),
FOREIGN KEY(Shop_ID) REFERENCES Shops(Shop_ID)
ON DELETE CASCADE ON UPDATE CASCADE,
FOREIGN KEY(Order_ID) REFERENCES Orders(Order_ID)
ON DELETE CASCADE ON UPDATE CASCADE,
)

```

```

CREATE TABLE Feedback(
User_ID int NOT NULL,
Product_ID int NOT NULL,
Feedback_datetime datetime NOT NULL,
Comment varchar(250),
Rating int,
PRIMARY KEY(User_ID,Product_ID,Feedback_datetime),
FOREIGN KEY(User_ID) REFERENCES Users(User_ID),
FOREIGN KEY(Product_ID) REFERENCES Products(Product_ID)
ON DELETE CASCADE ON UPDATE CASCADE,
)

```

```

CREATE TABLE ProductInOrder(
Order_ID int NOT NULL,
Product_ID int NOT NULL,
Shop_ID int NOT NULL,
ProductInOrder_Status varchar(50) ,
Order_price float NOT NULL,
Quantity int,
DeliveryDate datetime,
PRIMARY KEY(Order_ID, Product_ID, Shop_ID),
FOREIGN KEY(Order_ID) REFERENCES Orders(Order_ID)
ON DELETE CASCADE ON UPDATE CASCADE,
FOREIGN KEY(Product_ID) REFERENCES Products(Product_ID)
ON DELETE CASCADE ON UPDATE CASCADE,
FOREIGN KEY(Shop_ID) REFERENCES Shops(Shop_ID)
ON DELETE CASCADE ON UPDATE CASCADE
)

```

```

CREATE TABLE ProductInShops(
Shop_ID int NOT NULL,
Product_ID int NOT NULL,
Shop_Price float NOT NULL,

```

```

Quantity int NOT NULL,
PRIMARY KEY(Product_ID),
FOREIGN KEY(Shop_ID) REFERENCES Shops(Shop_ID)
ON DELETE CASCADE ON UPDATE CASCADE,
FOREIGN KEY(Product_ID) REFERENCES Products(Product_ID)
ON DELETE CASCADE ON UPDATE CASCADE,
)

```

```

CREATE TABLE PriceHistory(
Shop_ID int NOT NULL,
Product_ID int NOT NULL,
StartDate DATETIME,
EndDate DATETIME,
Price float NOT NULL
PRIMARY KEY(Shop_ID, Product_ID, StartDate)
FOREIGN KEY(Shop_ID) REFERENCES Shops(Shop_ID)
ON DELETE CASCADE ON UPDATE CASCADE,
FOREIGN KEY(Product_ID) REFERENCES Products(Product_ID)
ON DELETE CASCADE ON UPDATE CASCADE
)

```

Data Generation

Based on the relational schema that we created, the table containing information about Products in orders (ProductInOrder), Products in shops (ProductInShop) and the price history of the products in each shop (PriceHistory) are child entities, which means that they take foreign keys from one or more parent entities. We used manual fill-in for data stored in tables to ensure consistency and interconnection between tables with respect to the primary keys. For example, multiple entries in the table containing information regarding Products in order will have the same as the user id and order id but different product id and even shop id. Furthermore, the entries with the same user id need to share the same mailing address. Thus, it was necessary for us to manually enter the values into each of the tables.

Apart from just trying to insert random values into the tables, dummy values for example for question 2, it required us to have a minimum of 100 entries which have a feedback rating of 5. To test the correctness of our query we made sure to satisfy the above condition so as not to output a NULL table. Similar case with regards to having products specifically made by the brand Samsung and iPhone XS.

```

Eg: INSERT INTO Products (Product_ID,Product_Name,Maker,Category) VALUES
(1,'iPhone XS','Apple','Mobiles');
INSERT INTO Products (Product_ID,Product_Name,Maker,Category) VALUES (2,'iPhone
12','Apple','Mobiles');

```

Constraints

We used cascade triggers for the purpose of restricting the updating and deletion of values from the values in our relational schema. In order to prevent insertion of duplicate rows we use the trigger function ComplaintsUpdate to in order to update the handles date and time only if the status of the particular complaint is changed to 'Addressed'. It's the same when updating the value of date and time for each of the orders.

Cascading was used to prevent updating or deletion made to only one table, for example in the case when a record is deleted in the users table then all the subsequent records in the child tables are also deleted. It's the same when the record is updated, all the tables associated with it are updated as well.

Triggers (Advanced Feature)

1. CREATE TRIGGER ProductInOrderupdate
ON ProductInOrder
AFTER UPDATE
NOT FOR REPLICATION
AS
BEGIN
UPDATE ProductInOrder
SET DeliveryDate = GETDATE()
FROM ProductInOrder P, inserted i , deleted d
WHERE P.Order_ID = i.Order_ID AND P.Product_ID = i.Product_ID AND
i.ProductInOrder_Status = 'Delivered'
END;
GO
2. CREATE TRIGGER ComplaintsUpdate
ON Complaints
AFTER UPDATE
NOT FOR REPLICATION
AS
BEGIN
UPDATE Complaints
SET HandledDateTime = GETDATE()
FROM Complaints C, inserted i, deleted d
WHERE C.Complaints_Id = i.Complaints_ID AND i.Complaints_Status =
'Addressed'
END;

When Price of Product is updated in Product in Shops, Insert new record to record new Price into PriceHistory to store these changes. For new Price Records, StartDateTime will be set to Current Datetime and endDateTime will be null , previous price record's enddate value for same shop and products will be set to current date time to indicate that the pricing has stopped.

This Design allows us to be able to change and record the changes in prices from product in shops table every microsecond accurately. Allowing for recording of timed events such as 11.11 sale.

```
3. CREATE TRIGGER UpdatePriceHistory
ON ProductInShops
AFTER UPDATE
AS
BEGIN
    declare @shopId int;
    declare @productId int;
    declare @startDateTime DATETIME;
    declare @price int;
    select @shopId = ProductInShops.shop_ID from
inserted ProductInShops;
    select @productId = ProductInShops.Product_ID from
inserted ProductInShops;
    select @startDateTime = GetDate()
    select @price = ProductInShops.Shop_Price from
inserted ProductInShops;
begin
UPDATE PriceHistory
SET EndDate = GETDATE()
FROM PriceHistory P, inserted i
WHERE P.EndDate IS NULL and P.Product_ID = @productId and
P.Shop_ID = @shopId
end
INSERT into PriceHistory(Shop_ID,Product_ID,StartDate,Price)
VALUES(@shopId,@productId,@startDateTime,@price)
END;
```

The following are the queries and its results as mentioned in Appendix B:

1	<pre>WITH Phone(Product_ID, Product_Name, Price) AS (SELECT P.Product_ID, P.Product_Name, H.Price From Products P, PriceHistory H WHERE P.Product_ID = H.Product_ID)</pre>	<table><tr><th></th><th>Product_ID</th><th>Product_Name</th><th>Price</th></tr><tr><td>1</td><td>1</td><td>IPhone XS</td><td>1299</td></tr><tr><td>2</td><td>1</td><td>IPhone XS</td><td>1880</td></tr><tr><td>3</td><td>1</td><td>IPhone XS</td><td>1760</td></tr><tr><td>4</td><td>1</td><td>IPhone XS</td><td>1760</td></tr><tr><td>5</td><td>1</td><td>IPhone XS</td><td>1760</td></tr><tr><td>6</td><td>1</td><td>IPhone XS</td><td>1760</td></tr><tr><td>7</td><td>1</td><td>IPhone XS</td><td>1080</td></tr><tr><td>8</td><td>1</td><td>IPhone XS</td><td>1600</td></tr><tr><td>9</td><td>2</td><td>IPhone 12</td><td>2000</td></tr></table>		Product_ID	Product_Name	Price	1	1	IPhone XS	1299	2	1	IPhone XS	1880	3	1	IPhone XS	1760	4	1	IPhone XS	1760	5	1	IPhone XS	1760	6	1	IPhone XS	1760	7	1	IPhone XS	1080	8	1	IPhone XS	1600	9	2	IPhone 12	2000
	Product_ID	Product_Name	Price																																							
1	1	IPhone XS	1299																																							
2	1	IPhone XS	1880																																							
3	1	IPhone XS	1760																																							
4	1	IPhone XS	1760																																							
5	1	IPhone XS	1760																																							
6	1	IPhone XS	1760																																							
7	1	IPhone XS	1080																																							
8	1	IPhone XS	1600																																							
9	2	IPhone 12	2000																																							
	<pre>SELECT Product_Name, AVG(PriceHistory.Price) AS Average_Price FROM Phone, PriceHistory WHERE Product_Name = 'iPhone XS' and Phone.Product_ID = PriceHistory.Product_ID AND StartDate > '2020-07-31' AND EndDate < '2020-09-01' GROUP BY Product_Name;</pre>	<table><tr><th></th><th>Product_Name</th><th>Average_Price</th></tr><tr><td>1</td><td>IPhone XS</td><td>1420</td></tr></table>		Product_Name	Average_Price	1	IPhone XS	1420																																		
	Product_Name	Average_Price																																								
1	IPhone XS	1420																																								

2	<pre>CREATE INDEX PIDINDEX ON Products(Product_ID) CREATE INDEX FIDINDEX ON Feedback(Product_ID) -- Preprocessing step, indexes the variable in an index before the query. no need to run as index has already been created in database</pre>													
	<pre>SELECT P.Product_Name, AVG(F.Rating) AS 'Average Rating', COUNT(F.Rating) AS 'Number of ratings' FROM Products P WITH(INDEX(PIDINDEX)), Feedback F WITH(INDEX(FIDINDEX)) WHERE P.Product_ID = F.Product_ID GROUP BY Product_Name</pre>	<div>Results Messages</div> <table><tr><th></th><th>Product_Name</th><th>Average Rating</th><th>Number of ratings</th></tr><tr><td>1</td><td>IPhone 12</td><td>4</td><td>229</td></tr><tr><td>2</td><td>Samsung S10+</td><td>4</td><td>126</td></tr></table>		Product_Name	Average Rating	Number of ratings	1	IPhone 12	4	229	2	Samsung S10+	4	126
	Product_Name	Average Rating	Number of ratings											
1	IPhone 12	4	229											
2	Samsung S10+	4	126											

	HAVING COUNT(CASE WHEN F.Rating = '5' THEN 1 END) > 100 ORDER BY AVG(F.Rating)	
--	---	--

Assumption: Purchased in June 2020 means order placed in June 2020 and delivery need not be within June

3	<pre>WITH AvgTIME(Product_Name, AvgTime) AS(SELECT Products.Product_Name, AVG(DATEDIFF(DAY, O.Order_datetime, P.DeliveryDate)) as AvgTime FROM Orders O, ProductInOrder P, Products WHERE O.Order_ID = P.Order_ID and O.Order_datetime>= '2020-06- 01' and O.Order_datetime<= '2020-06-30' and P.DeliveryDate is NOT NULL and Products.Product_ID = P.Product_ID GROUP BY Product_Name)</pre>	<table><tr><th colspan="2">Results</th><th>Messages</th></tr><tr><th></th><th>Product_Name</th><th>AvgTime</th></tr><tr><td>1</td><td>Black sports bra</td><td>59</td></tr><tr><td>2</td><td>Black sweatshirt</td><td>70</td></tr><tr><td>3</td><td>Blue Jeans</td><td>51</td></tr><tr><td>4</td><td>Formal shirts</td><td>119</td></tr><tr><td>5</td><td>Fried Tofu</td><td>47</td></tr><tr><td>6</td><td>IPhone 12</td><td>32</td></tr><tr><td>7</td><td>Macbook Pro</td><td>80</td></tr><tr><td>8</td><td>Samsung Galaxy S9</td><td>6</td></tr><tr><td>9</td><td>Samsung Tab</td><td>28</td></tr><tr><td>10</td><td>Samsung TV UHD</td><td>27</td></tr><tr><td>11</td><td>Teal sweatpants</td><td>59</td></tr></table>	Results		Messages		Product_Name	AvgTime	1	Black sports bra	59	2	Black sweatshirt	70	3	Blue Jeans	51	4	Formal shirts	119	5	Fried Tofu	47	6	IPhone 12	32	7	Macbook Pro	80	8	Samsung Galaxy S9	6	9	Samsung Tab	28	10	Samsung TV UHD	27	11	Teal sweatpants	59
Results		Messages																																							
	Product_Name	AvgTime																																							
1	Black sports bra	59																																							
2	Black sweatshirt	70																																							
3	Blue Jeans	51																																							
4	Formal shirts	119																																							
5	Fried Tofu	47																																							
6	IPhone 12	32																																							
7	Macbook Pro	80																																							
8	Samsung Galaxy S9	6																																							
9	Samsung Tab	28																																							
10	Samsung TV UHD	27																																							
11	Teal sweatpants	59																																							
	<pre>SELECT AVG(AvgTime) as AvgTime FROM AvgTIME;</pre>	<table><tr><th colspan="2">Results</th><th>Messages</th></tr><tr><th></th><th>AvgTime</th><th></th></tr><tr><td>1</td><td>52</td><td></td></tr></table>	Results		Messages		AvgTime		1	52																															
Results		Messages																																							
	AvgTime																																								
1	52																																								

4	<pre>WITH Ltable(EID,EName,Latency) AS (select E.Employee_ID,E.Employee_Name, AVG(DATEDIFF(DAY,C.FilledDateT ime,C.HandledDateTime)) as Latency from Complaints C,Employee E where C.Employee_ID = E.Employee_ID GROUP BY E.Employee_ID,E.Employee_Name)</pre>	<table><tr><th></th><th>EID</th><th>EName</th><th>Latency</th></tr><tr><td>1</td><td>10</td><td>Elliott Dotson</td><td>13</td></tr><tr><td>2</td><td>19</td><td>Axel Miranda</td><td>NULL</td></tr><tr><td>3</td><td>36</td><td>Devin Singleton</td><td>NULL</td></tr><tr><td>4</td><td>49</td><td>Isaiah Coffey</td><td>86</td></tr><tr><td>5</td><td>55</td><td>Martina Dale</td><td>29</td></tr><tr><td>6</td><td>59</td><td>Renee Medina</td><td>14</td></tr><tr><td>7</td><td>60</td><td>Robin Ayers</td><td>114</td></tr><tr><td>8</td><td>68</td><td>Bo Evans</td><td>NULL</td></tr><tr><td>9</td><td>78</td><td>Lilah Warren</td><td>35</td></tr><tr><td>1...</td><td>79</td><td>Brianna Flynn</td><td>NULL</td></tr></table>		EID	EName	Latency	1	10	Elliott Dotson	13	2	19	Axel Miranda	NULL	3	36	Devin Singleton	NULL	4	49	Isaiah Coffey	86	5	55	Martina Dale	29	6	59	Renee Medina	14	7	60	Robin Ayers	114	8	68	Bo Evans	NULL	9	78	Lilah Warren	35	1...	79	Brianna Flynn	NULL
	EID	EName	Latency																																											
1	10	Elliott Dotson	13																																											
2	19	Axel Miranda	NULL																																											
3	36	Devin Singleton	NULL																																											
4	49	Isaiah Coffey	86																																											
5	55	Martina Dale	29																																											
6	59	Renee Medina	14																																											
7	60	Robin Ayers	114																																											
8	68	Bo Evans	NULL																																											
9	78	Lilah Warren	35																																											
1...	79	Brianna Flynn	NULL																																											
	<pre>SELECT EID,EName,Latency FROM Ltable WHERE Latency = (SELECT MIN(Latency) FROM Ltable);</pre>	<table><tr><th>EID</th><th>EName</th><th>Latency</th></tr><tr><td>55</td><td>Martina Dale</td><td>29</td></tr></table>	EID	EName	Latency	55	Martina Dale	29																																						
EID	EName	Latency																																												
55	Martina Dale	29																																												

5

WITH
SamsungProducts(ID,PName,Maker
) AS
(select
P.Product_ID,P.Product_Name,P.
Maker
from Products P
where P.Maker ='Samsung')

select S.PName,Product_ID,
COUNT(PS.Product_ID) as
ShopsSellingSamsung
from ProductInShops
PS,SamsungProducts S
where PS.Product_ID = S.ID
GROUP BY PS.Product_ID,
S.PName;

	ID	PName	Maker
1	3	Samsung Galaxy S20	Samsung
2	4	Samsung Galaxy S9	Samsung
3	6	Samsung A70	Samsung
4	9	Samsung S10+	Samsung
5	26	Samsung TV UHD	Samsung
6	29	Samsung Tab	Samsung

ResultsMessages

	PName	Product_ID	ShopsSellingSamsung
1	Samsung Galaxy S20	3	2
2	Samsung Galaxy S9	4	2
3	Samsung A70	6	2
4	Samsung S10+	9	2
5	Samsung TV UHD	26	2
6	Samsung Tab	29	2

Assumption: Payment is received upon successful delivery

6

```
WITH
TotalRevenue(Shop_ID,ShopName,
Revenue) AS
(select S.Shop_ID,S.Shop_Name,
SUM(PO.Order_price *
PO.Quantity) AS Revenue
from ProductInOrder PO,Shops S
where PO.Shop_ID = S.Shop_ID
and PO.DeliveryDate >= '2020-
08-01' and PO.DeliveryDate <=
'2020-08-31'
group by
S.Shop_ID,S.Shop_Name)
```

Results **Messages**

	Shop_ID	Shop_Name	Revenue
1	1	Apple Store MBS	11979
2	4	Adidas	11808
3	5	Nike	23433
4	6	Puma	27914
5	7	Samsung	1504
6	8	G2000	17369
7	9	Zara	168
8	10	Cotton ON	15735

```
select TOP 1 with TIES
ShopName, Revenue
from TotalRevenue
Order by Revenue DESC;
```

Results **Messages**

	ShopName	Revenue
1	Puma	27914

7

```
-- Get user with most
complaints /top complainer
WITH TopC(User_ID) AS (
SELECT
    User_ID
FROM
    Complaints
WHERE
    User_ID = (SELECT TOP 1
with ties User_ID
    FROM Complaints
    GROUP BY User_ID
    ORDER BY COUNT(*) DESC))
```

	User_ID
1	32

```
-- get the products he has
ordered, rank by price in desc
order, select top 1 with ties
Select TOP 1 WITH TIES
PO.Product_ID,
```

	Product_ID	Product_Name	Order_price
1	23	Mustard	314

	Products.Product_Name,Order_price from TopC T, Orders O LEFT JOIN ProductInOrder PO ON O.Order_ID=PO.Order_ID LEFT JOIN Products ON PO.Product_ID = Products.Product_ID where T.User_ID = O.User_ID Order by Order_price DESC;	
--	--	--

Assumption: most purchased refers to the greatest number of items sold instead of number of orders placed

8

```
--select top 5 purchases,
unique user purchase excludes
repeated orders by same user
SELECT TOP 5 with TIES
COUNT(DISTINCT(Orders.User_ID)
) as UniqueUserPurchases,
Product_Name,
SUM(PIO.Quantity) as
NumberOfProductPurchased
FROM ProductInOrder AS PIO
--Join orders, users and
product table
JOIN Orders ON Orders.Order_ID
= PIO.Order_ID
JOIN Users ON Orders.User_ID =
Users.User_ID
JOIN Products ON
Products.Product_ID =
PIO.Product_ID
--filter by month
WHERE DATEPART(month,
Orders.Order_datetime) = 8
--group by pdt name
GROUP BY Product_Name
--filter out only those where
unique purchase count<Total
number of users
HAVING
COUNT(DISTINCT(Orders.User_ID)
) < (SELECT COUNT(User_ID)
FROM Users)
--arrange in desc
```

ResultsMessages

	UniqueUserPurchases	Product_Name	NumberOfProductPurchased
1	7	iPhone 12 mini	199
2	6	Blue Jeans	193
3	4	Samsung Galaxy S9	140
4	3	Google Pixel 4	131
5	3	Formal shirts	111

	ORDER BY NumberOfProductPurchased DESC	
--	---	--

Assumption: Only products that have increases from month 1 to 2 to 3 are considered to be increasingly purchased

9 WITH ProductSales(Product_Name, Product_ID, Month) AS (
SELECT P.Product_Name,
P.Product_ID,
FORMAT(O.Order_datetime,'yyyy-MM') AS Month
FROM Products P, ProductInOrder PO, Orders O
WHERE P.Product_ID =
PO.Product_ID AND PO.Order_ID =
O.Order_ID
GROUP BY P.Product_Name,
P.Product_ID, O.Order_datetime
),

	Product_Name	Product_ID	Month
1	IPhone XS	1	2020-05
2	IPhone XS	1	2020-05
3	IPhone XS	1	2020-05
4	IPhone XS	1	2020-06
5	IPhone XS	1	2020-06
6	IPhone XS	1	2020-08
7	IPhone XS	1	2020-09
8	IPhone XS	1	2020-09
9	IPhone 12	2	2020-06
10	IPhone 12	2	2020-06
11	IPhone 12	2	2020-06
12	IPhone 12	2	2020-07
13	IPhone 12	2	2020-07
14	IPhone 12	2	2020-08
15	IPhone 12	2	2020-08

--Table that counts the
duplicates of each product in
a given month
SalesPerMonth(Product_Name,
Product_ID ,Month, Quantity)
AS (
SELECT Product_Name,
Product_ID, Month, COUNT(*) As
Quantity
FROM ProductSales
GROUP BY Product_Name,
Product_ID, Month
),

	Product_Name	Product_ID	Month	Quantity
1	Acer ideapad	28	2020-05	1
2	Acer ideapad	28	2020-06	2
3	Acer ideapad	28	2020-07	1
4	Acer ideapad	28	2020-08	1
5	Acer ideapad	28	2020-09	2
6	Acer ideapad	28	2020-10	1
7	Apples	21	2020-05	1
8	Apples	21	2020-06	1
9	Apples	21	2020-07	1
10	Apples	21	2020-09	5
11	Bean Sprout	22	2020-06	3
12	Bean Sprout	22	2020-07	1
13	Bean Sprout	22	2020-08	2
14	Bean Sprout	22	2020-09	2
15	Bermuda shorts	18	2020-05	1

--Generate comparison table
with 3 columns of successive
months, returns NULL value if
no previous month found
ComparisonTable(Product_Name,
Product_ID, Month,
Quantity_Month3,

	Product_Name	Product_ID	Month	Quantity_Month3	Quantity_Month2	Quantity_Month1
1	IPhone XS	1	2020-05	3	NULL	NULL
2	IPhone XS	1	2020-06	2	3	NULL
3	IPhone XS	1	2020-08	1	2	3
4	IPhone XS	1	2020-09	2	1	2
5	IPhone 12	2	2020-06	3	NULL	NULL
6	IPhone 12	2	2020-07	2	3	NULL
7	IPhone 12	2	2020-08	2	2	3
8	IPhone 12	2	2020-09	2	2	2
9	IPhone 12	2	2020-10	1	2	2
10	Samsung Galaxy S20	3	2020-05	1	NULL	NULL
11	Samsung Galaxy S20	3	2020-08	5	1	NULL
12	Samsung Galaxy S20	3	2020-09	1	5	1
13	Samsung Galaxy S9	4	2020-05	1	NULL	NULL
14	Samsung Galaxy S9	4	2020-06	3	1	NULL
15	Samsung Galaxy S9	4	2020-07	2	3	1

```

Quantity_Month2,
Quantity_Month1) AS (
SELECT Product_Name,
Product_ID, Month, Quantity AS
'Quantity_Month3',
LAG(Quantity, 1)
OVER(partition by Product_ID
order by Month) AS
'Quantity_Month2',
LAG(Quantity, 2)
OVER(partition by Product_ID
order by Month) AS
'Quantity_Month1'
FROM SalesPerMonth
GROUP BY Product_Name,
Product_ID, Month, Quantity
)

```

```

--Returns all products that
have successively increased
sales over 3 months
SELECT C.Product_Name,
C.Product_ID
FROM ComparisonTable C
WHERE Quantity_Month3 >
Quantity_Month2 AND
Quantity_Month2 >
Quantity_Month1
GROUP BY Product_Name,
Product_ID

```

Results Messages		
	Product_Name	Product_ID
1	Bermuda shorts	18
2	iPhone 12 mini	5
3	Plain t-shirt	19
4	Samsung Tab	29

Additional Query (Given In Lab 5):

QUERY FOR FINDING THE LONGEST AVERAGE DELIVERY TIME FOR EACH SHOP

```
WITH AvgTIME(Product_Name, AvgTime,
Shop_ID) AS(
SELECT Products.Product_Name,
AVG(DATEDIFF(DAY, O.Order_datetime,
P.DeliveryDate)) as AvgTime , P.Shop_ID
FROM Orders O, ProductInOrder P, Products
WHERE O.Order_ID = P.Order_ID and
P.DeliveryDate is NOT NULL and
Products.Product_ID = P.Product_ID
GROUP BY Shop_ID,Product_Name),

MAXTIME(MaxTime, Shop_ID) AS(
SELECT MAX(AvgTime) AS MaxTime, Shop_ID
FROM AvgTIME
GROUP BY Shop_ID)

SELECT MAXTIME.Shop_ID,
Shop_Name,Product_Name, MaxTime
FROM MAXTIME
JOIN AvgTIME ON AvgTIME.AvgTime =
MaxTIME.MaxTime
JOIN Shops ON Shops.Shop_ID =
MAXTIME.Shop_ID
ORDER BY Shop_ID;
```

OUTPUT

	Shop_ID	Shop_Name	Product_Name	MaxTime
1	1	Apple Store MBS	Formal shirts	119
2	2	Apple Store Orchard Road	Teal sweatpants	61
3	3	Apple Store Pasir Ris Cha...	Samsung Galaxy S9	74
4	4	Adidas	Black sports bra	59
5	4	Adidas	Blue Jeans	59
6	4	Adidas	Teal sweatpants	59
7	5	Nike	Black sweatshirt	45
8	5	Nike	Macbook Pro	45
9	6	Puma	Brown Jacket	79
1...	7	Samsung	Macbook Pro	80
1...	8	G2000	IPhone 12 mini	54
1...	9	Zara	Samsung Galaxy S9	75
1...	10	Cotton ON	Samsung Tab	97

Extra Query (Self-made):

Find the Best selling items sold by the top 5 shops that received the best ratings in august 2020 (i.e find trending item)

OUTPUT

```
With TopShop(SID, SName, Revenue)
AS (
SELECT TOP 5 with TIES
PIO.Shop_ID, Shops.Shop_Name,
SUM(PIO.Quantity *
PIO.Order_price) as Revenue
FROM ProductInOrder as PIO
JOIN Shops ON Shops.Shop_ID =
PIO.Shop_ID
JOIN Orders ON Orders.Order_ID =
PIO.Order_ID
WHERE DATEPART(month,
PIO.DeliveryDate) = 8
Group by
PIO.Shop_ID,Shops.Shop_Name
ORDER BY Revenue DESC
),
Items(PName, PID) AS (
Select
P.Product_Name, P.Product_ID
FROMProducts P
JOIN ProductInShops ON
P.Product_ID =
ProductInShops.Product_ID
WHERE ProductInShops.Shop_ID IN
(SELECT SID FROM TopShop)
)

SELECT TOP 3 WITH TIES
PName, PID, AVG(F.Rating) as
AverageRating, SUM(PIO.Quantity)
as AmtSold
FROM Items, ProductInOrder PIO,
Feedback F
WHERE Items.PID = PIO.Product_ID
and Items.PID = F.Product_ID
Group by PName,PID
Order BY AverageRating DESC
```

Results Messages

	PName	PID	AverageRating	AmtSold
1	IPhone 12	2	4	46258
2	Plain t-shirt	19	4	3091
3	Bean Sprout	22	3	2964
4	IPhone XS	1	3	3555
5	Bermuda shorts	18	3	3123

Insert values SQL Commands

--Complaints

```
INSERT INTO Complaints
(Complaints_ID,User_ID,Employee_ID,Shop_ID,Order_ID,
Complaints_Status,text,FilledDateTime,HandledDateTime) VALUES
(1,111,78,10,3,'Addressed', 'Horrible Product ', '2020-07-20
00:05:11 ', '2020-08-24 22:52:03 ');
INSERT INTO Complaints
(Complaints_ID,User_ID,Employee_ID,Shop_ID,Order_ID,Complaints_Statu
s,text,FilledDateTime,HandledDateTime) VALUES
(2,83,55,5,3,'Addressed', 'Took so long to arrive ', '2020-07-07
02:11:56 ', '2020-08-05 21:38:02 ');
INSERT INTO Complaints
(Complaints_ID,User_ID,Employee_ID,Shop_ID,Order_ID,Complaints_Statu
s,text,FilledDateTime,HandledDateTime) VALUES (3,161,79,13,2,'Being
Handled', 'Did not receive product yet. ', '2020-08-12 09:24:24 ',
NULL);
INSERT INTO Complaints
(Complaints_ID,User_ID,Employee_ID,Shop_ID,Order_ID,Complaints_Statu
s,text,FilledDateTime,HandledDateTime) VALUES
(4,32,49,3,2,'Addressed', 'Bad packaging ', '2020-09-06 19:50:40 ',
'2020-10-31 12:56:01 ');
INSERT INTO Complaints
(Complaints_ID,User_ID,Employee_ID,Shop_ID,Order_ID,Complaints_Statu
s,text,FilledDateTime,HandledDateTime) VALUES
(5,127,NULL,4,2,'Pending', 'Expected better. ', '2020-08-11 11:23:08
', NULL);
INSERT INTO Complaints
(Complaints_ID,User_ID,Employee_ID,Shop_ID,Order_ID,Complaints_Statu
s,text,FilledDateTime,HandledDateTime) VALUES
(6,182,NULL,9,1,'Pending','Very bad product ', '2020-08-04 09:03:19
', NULL);
INSERT INTO Complaints
(Complaints_ID,User_ID,Employee_ID,Shop_ID,Order_ID,Complaints_Statu
s,text,FilledDateTime,HandledDateTime) VALUES
(7,170,60,14,2,'Addressed', 'Waste of money ', '2020-07-05 06:45:21
', '2020-08-27 01:59:20 ');
INSERT INTO Complaints
(Complaints_ID,User_ID,Employee_ID,Shop_ID,Order_ID,Complaints_Statu
s,text,FilledDateTime,HandledDateTime) VALUES (8,43,NULL,1,2,
'Pending','Looked better in pictures expected better product. ',
'2020-07-05 13:06:38 ', NULL);
INSERT INTO Complaints
(Complaints_ID,User_ID,Employee_ID,Shop_ID,Order_ID,Complaints_Statu
s,text,FilledDateTime,HandledDateTime) VALUES (9,72,NULL,1,1,
'Pending','Horrible product. waste of money', '2020-06-08 16:29:59
', NULL);
```



```

INSERT INTO Complaints
(Complaints_ID,User_ID,Employee_ID,Shop_ID,Order_ID,Complaints_Statu
s,text,FilledDateTime,HandledDateTime) VALUES
(10,29,NULL,14,2,'Pending', 'Stopped working after a week ', '2020-
08-28 13:47:35 ', NULL);
INSERT INTO Complaints
(Complaints_ID,User_ID,Employee_ID,Shop_ID,Order_ID,Complaints_Statu
s,text,FilledDateTime,HandledDateTime) VALUES
(11,61,10,14,1,'Addressed', 'Not great at all ', '2020-08-18
02:25:47 ', '2020-08-31 09:11:17 ');
INSERT INTO Complaints
(Complaints_ID,User_ID,Employee_ID,Shop_ID,Order_ID,Complaints_Statu
s,text,FilledDateTime,HandledDateTime) VALUES (12,122,19,5,2,'Being
Handled', 'Waste of money ', '2020-08-17 09:09:23 ', NULL);
INSERT INTO Complaints
(Complaints_ID,User_ID,Employee_ID,Shop_ID,Order_ID,Complaints_Statu
s,text,FilledDateTime,HandledDateTime) VALUES (13,87,36,15,3,'Being
Handled', 'Bad Packaging ', '2020-06-09 03:34:19 ', NULL);
INSERT INTO Complaints
(Complaints_ID,User_ID,Employee_ID,Shop_ID,Order_ID,Complaints_Statu
s,text,FilledDateTime,HandledDateTime) VALUES (14,155,68,11,3,'Being
Handled', 'Not worth the price ', '2020-07-23 00:09:09 ', NULL);
INSERT INTO Complaints
(Complaints_ID,User_ID,Employee_ID,Shop_ID,Order_ID,Complaints_Statu
s,text,FilledDateTime,HandledDateTime) VALUES
(15,46,59,3,1,'Addressed', 'Would like to return ', '2020-06-09
07:03:30 ', '2020-06-23 20:01:20 ');
INSERT INTO Complaints
(Complaints_ID,User_ID,Employee_ID,Shop_ID,Order_ID,Complaints_Statu
s,text,FilledDateTime,HandledDateTime) VALUES
(152,46,59,3,1,'Addressed', 'Would like to return ', '2020-06-09
07:03:30 ', '2020-06-23 20:01:20 ');INSERT INTO Complaints
(Complaints_ID,User_ID,Employee_ID,Shop_ID,Order_ID,Complaints_Statu
s,text,FilledDateTime,HandledDateTime) VALUES
(153,46,59,3,1,'Addressed', 'Would like to return ', '2020-06-09
07:03:30 ', '2020-06-23 20:01:20 ');

```

-- Employees

```

INSERT INTO Employee (Employee_ID,Employee_Name,Salary) VALUES (1,
'Carlos Terry ', '1450 ');
INSERT INTO Employee (Employee_ID,Employee_Name,Salary) VALUES (2,
'Martena Griffith ', '2000 ');
INSERT INTO Employee (Employee_ID,Employee_Name,Salary) VALUES (3,
'Kennedy Terry ', '1300 ');
INSERT INTO Employee (Employee_ID,Employee_Name,Salary) VALUES (4,
'Kimberly Benton ', '1700 ');
INSERT INTO Employee (Employee_ID,Employee_Name,Salary) VALUES (5,
'Slade Roberts ', '1700 ');

```

```

INSERT INTO Employee (Employee_ID,Employee_Name,Salary) VALUES (6,
'Darrel Mcmillan ', '1500 ');
INSERT INTO Employee (Employee_ID,Employee_Name,Salary) VALUES (7,
'Wynne Erickson ', '2400 ');
INSERT INTO Employee (Employee_ID,Employee_Name,Salary) VALUES (8,
'Genevieve Henry ', '1700 ');
INSERT INTO Employee (Employee_ID,Employee_Name,Salary) VALUES (9,
'Steven Roberson ', '1700 ');
INSERT INTO Employee (Employee_ID,Employee_Name,Salary) VALUES (10,
'Elliott Dotson ', '1450 ');
INSERT INTO Employee (Employee_ID,Employee_Name,Salary) VALUES (11,
'Alice Bridges ', '1700 ');
INSERT INTO Employee (Employee_ID,Employee_Name,Salary) VALUES (12,
'Alana Vazquez ', '1200 ');
INSERT INTO Employee (Employee_ID,Employee_Name,Salary) VALUES (13,
'Melinda Townsend ', '2000 ');
INSERT INTO Employee (Employee_ID,Employee_Name,Salary) VALUES (14,
'Cedric Wilcox ', '2000 ');
INSERT INTO Employee (Employee_ID,Employee_Name,Salary) VALUES (15,
'Samantha Pollard ', '1900 ');
INSERT INTO Employee (Employee_ID,Employee_Name,Salary) VALUES (16,
'Lael Bradley ', '2300 ');
INSERT INTO Employee (Employee_ID,Employee_Name,Salary) VALUES (17,
'Maris Sykes ', '1700 ');
INSERT INTO Employee (Employee_ID,Employee_Name,Salary) VALUES (18,
'Kyllynn Franks ', '1700 ');
INSERT INTO Employee (Employee_ID,Employee_Name,Salary) VALUES (19,
'Axel Miranda ', '1100 ');
INSERT INTO Employee (Employee_ID,Employee_Name,Salary) VALUES (20,
'Tashya Ashley ', '2400 ');
INSERT INTO Employee (Employee_ID,Employee_Name,Salary) VALUES (21,
'Chava Paul ', '1700 ');
INSERT INTO Employee (Employee_ID,Employee_Name,Salary) VALUES (22,
'Danielle Cleveland ', '1200 ');
INSERT INTO Employee (Employee_ID,Employee_Name,Salary) VALUES (23,
'Jeanette Palmer ', '1200 ');
INSERT INTO Employee (Employee_ID,Employee_Name,Salary) VALUES (24,
'Elijah Hurst ', '1200 ');
INSERT INTO Employee (Employee_ID,Employee_Name,Salary) VALUES (25,
'Isaiah Hodges ', '1200 ');
INSERT INTO Employee (Employee_ID,Employee_Name,Salary) VALUES (26,
'Adria Brady ', '1700 ');
INSERT INTO Employee (Employee_ID,Employee_Name,Salary) VALUES (27,
'Chancellor Atkinson ', '1900 ');
INSERT INTO Employee (Employee_ID,Employee_Name,Salary) VALUES (28,
'Kellie Lane ', '2300 ');
INSERT INTO Employee (Employee_ID,Employee_Name,Salary) VALUES (29,
'Yardley Rutledge ', '1700 ');

```

```
INSERT INTO Employee (Employee_ID,Employee_Name,Salary) VALUES (30,
'Jana Deleon ', '900 ');
INSERT INTO Employee (Employee_ID,Employee_Name,Salary) VALUES (31,
'Jillian Bender ', '1700 ');
INSERT INTO Employee (Employee_ID,Employee_Name,Salary) VALUES (32,
'Mira Dickerson ', '1100 ');
INSERT INTO Employee (Employee_ID,Employee_Name,Salary) VALUES (33,
'Ezekiel Webster ', '900 ');
INSERT INTO Employee (Employee_ID,Employee_Name,Salary) VALUES (34,
'Quentin Sweet ', '1700 ');
INSERT INTO Employee (Employee_ID,Employee_Name,Salary) VALUES (35,
'Kadeem Cummings ', '1500 ');
INSERT INTO Employee (Employee_ID,Employee_Name,Salary) VALUES (36,
'Devin Singleton ', '1300 ');
INSERT INTO Employee (Employee_ID,Employee_Name,Salary) VALUES (37,
'Thomas Kerr ', '1700 ');
INSERT INTO Employee (Employee_ID,Employee_Name,Salary) VALUES (38,
'Macy Horton ', '1450 ');
INSERT INTO Employee (Employee_ID,Employee_Name,Salary) VALUES (39,
'Emery Kemp ', '2400 ');
INSERT INTO Employee (Employee_ID,Employee_Name,Salary) VALUES (40,
'Lee Frank ', '1300 ');
INSERT INTO Employee (Employee_ID,Employee_Name,Salary) VALUES (41,
'Kylan Shaw ', '900 ');
INSERT INTO Employee (Employee_ID,Employee_Name,Salary) VALUES (42,
'Florence Kramer ', '2300 ');
INSERT INTO Employee (Employee_ID,Employee_Name,Salary) VALUES (43,
'Ina Dickerson ', '1000 ');
INSERT INTO Employee (Employee_ID,Employee_Name,Salary) VALUES (44,
'Isaiah Dyer ', '1900 ');
INSERT INTO Employee (Employee_ID,Employee_Name,Salary) VALUES (45,
'Montana Nelson ', '1450 ');
INSERT INTO Employee (Employee_ID,Employee_Name,Salary) VALUES (46,
'Risa Fuentes ', '2400 ');
INSERT INTO Employee (Employee_ID,Employee_Name,Salary) VALUES (47,
'Beck Bond ', '1550 ');
INSERT INTO Employee (Employee_ID,Employee_Name,Salary) VALUES (48,
'Hu Macdonald ', '1100 ');
INSERT INTO Employee (Employee_ID,Employee_Name,Salary) VALUES (49,
'Isaiah Coffey ', '2300 ');
INSERT INTO Employee (Employee_ID,Employee_Name,Salary) VALUES (50,
'Jade Summers ', '1000 ');
INSERT INTO Employee (Employee_ID,Employee_Name,Salary) VALUES (51,
'Zephth Yates ', '2300 ');
INSERT INTO Employee (Employee_ID,Employee_Name,Salary) VALUES (52,
'Wynter Burris ', '1700 ');
INSERT INTO Employee (Employee_ID,Employee_Name,Salary) VALUES (53,
'Joseph Lawson ', '1900 ');
```

```
INSERT INTO Employee (Employee_ID,Employee_Name,Salary) VALUES (54,
'Constance White ', '1900 ');
INSERT INTO Employee (Employee_ID,Employee_Name,Salary) VALUES (55,
'Martina Dale ', '1900 ');
INSERT INTO Employee (Employee_ID,Employee_Name,Salary) VALUES (56,
'Reece Sanchez ', '1100 ');
INSERT INTO Employee (Employee_ID,Employee_Name,Salary) VALUES (57,
'Kibo Roman ', '2300 ');
INSERT INTO Employee (Employee_ID,Employee_Name,Salary) VALUES (58,
'Imelda Aguilar ', '900 ');
INSERT INTO Employee (Employee_ID,Employee_Name,Salary) VALUES (59,
'Renee Medina ', '1500 ');
INSERT INTO Employee (Employee_ID,Employee_Name,Salary) VALUES (60,
'Robin Ayers ', '1100 ');
INSERT INTO Employee (Employee_ID,Employee_Name,Salary) VALUES (61,
'Hadley Roberts ', '1200 ');
INSERT INTO Employee (Employee_ID,Employee_Name,Salary) VALUES (62,
'Madison Chandler ', '1500 ');
INSERT INTO Employee (Employee_ID,Employee_Name,Salary) VALUES (63,
'Warren Terrell ', '1100 ');
INSERT INTO Employee (Employee_ID,Employee_Name,Salary) VALUES (64,
'Suki Fulton ', '1000 ');
INSERT INTO Employee (Employee_ID,Employee_Name,Salary) VALUES (65,
'Geraldine Chapman ', '1300 ');
INSERT INTO Employee (Employee_ID,Employee_Name,Salary) VALUES (66,
'Ezra Sawyer ', '1550 ');
INSERT INTO Employee (Employee_ID,Employee_Name,Salary) VALUES (67,
'Nerea Cantu ', '1000 ');
INSERT INTO Employee (Employee_ID,Employee_Name,Salary) VALUES (68,
'Bo Evans ', '2400 ');
INSERT INTO Employee (Employee_ID,Employee_Name,Salary) VALUES (69,
'Tad Briggs ', '900 ');
INSERT INTO Employee (Employee_ID,Employee_Name,Salary) VALUES (70,
'Jane Guerra ', '1900 ');
INSERT INTO Employee (Employee_ID,Employee_Name,Salary) VALUES (71,
'Autumn Mcdowell ', '1100 ');
INSERT INTO Employee (Employee_ID,Employee_Name,Salary) VALUES (72,
'Malcolm Riddle ', '1550 ');
INSERT INTO Employee (Employee_ID,Employee_Name,Salary) VALUES (73,
'Zachary Stevenson ', '1200 ');
INSERT INTO Employee (Employee_ID,Employee_Name,Salary) VALUES (74,
'Lamar Vang ', '1700 ');
INSERT INTO Employee (Employee_ID,Employee_Name,Salary) VALUES (75,
'Allegra Vinson ', '1300 ');
INSERT INTO Employee (Employee_ID,Employee_Name,Salary) VALUES (76,
'Ariana Harper ', '1700 ');
INSERT INTO Employee (Employee_ID,Employee_Name,Salary) VALUES (77,
'Sigourney Hutchinson ', '1500 ');
```

```

INSERT INTO Employee (Employee_ID,Employee_Name,Salary) VALUES (78,
'Lilah Warren ', '1500 ');
INSERT INTO Employee (Employee_ID,Employee_Name,Salary) VALUES (79,
'Brianna Flynn ', '900 ');
INSERT INTO Employee (Employee_ID,Employee_Name,Salary) VALUES (80,
'Karly Mann ', '1450 ');
INSERT INTO Employee (Employee_ID,Employee_Name,Salary) VALUES (81,
'Shellie Mayer ', '1550 ');
INSERT INTO Employee (Employee_ID,Employee_Name,Salary) VALUES (82,
'Elmo Rice ', '1000 ');
INSERT INTO Employee (Employee_ID,Employee_Name,Salary) VALUES (83,
'Zia Waller ', '1500 ');
INSERT INTO Employee (Employee_ID,Employee_Name,Salary) VALUES (84,
'Laurel Pace ', '2000 ');
INSERT INTO Employee (Employee_ID,Employee_Name,Salary) VALUES (85,
'Austin Walters ', '2000 ');
INSERT INTO Employee (Employee_ID,Employee_Name,Salary) VALUES (86,
'Isadora Pruitt ', '2000 ');
INSERT INTO Employee (Employee_ID,Employee_Name,Salary) VALUES (87,
'Sybil Berry ', '1100 ');
INSERT INTO Employee (Employee_ID,Employee_Name,Salary) VALUES (88,
'Eagan Montgomery ', '1900 ');
INSERT INTO Employee (Employee_ID,Employee_Name,Salary) VALUES (89,
'Anne Gonzales ', '900 ');
INSERT INTO Employee (Employee_ID,Employee_Name,Salary) VALUES (90,
'Knox Moss ', '1700 ');
INSERT INTO Employee (Employee_ID,Employee_Name,Salary) VALUES (91,
'Clark Reid ', '1300 ');
INSERT INTO Employee (Employee_ID,Employee_Name,Salary) VALUES (92,
'Shelly Hughes ', '1000 ');
INSERT INTO Employee (Employee_ID,Employee_Name,Salary) VALUES (93,
'Dahlia Alvarez ', '1450 ');
INSERT INTO Employee (Employee_ID,Employee_Name,Salary) VALUES (94,
'Risa Hyde ', '1000 ');
INSERT INTO Employee (Employee_ID,Employee_Name,Salary) VALUES (95,
'Devin Luna ', '1000 ');
INSERT INTO Employee (Employee_ID,Employee_Name,Salary) VALUES (96,
'Eve Marks ', '1700 ');
INSERT INTO Employee (Employee_ID,Employee_Name,Salary) VALUES (97,
'Thor King ', '1450 ');
INSERT INTO Employee (Employee_ID,Employee_Name,Salary) VALUES (98,
'Erica Oneil ', '1550 ');
INSERT INTO Employee (Employee_ID,Employee_Name,Salary) VALUES (99,
'Rigel Ryan ', '1700 ');
INSERT INTO Employee (Employee_ID,Employee_Name,Salary) VALUES (100,
'Sylvia Sheppard ', '1450 ');

```

--User

```

INSERT INTO Users (User_ID,User_Name) VALUES (1, 'Risa ');

```

```
INSERT INTO Users (User_ID,User_Name) VALUES (2, 'Scarlett ');
INSERT INTO Users (User_ID,User_Name) VALUES (3, 'Skyler ');
INSERT INTO Users (User_ID,User_Name) VALUES (4, 'Nissim ');
INSERT INTO Users (User_ID,User_Name) VALUES (5, 'Keegan ');
INSERT INTO Users (User_ID,User_Name) VALUES (6, 'Lucas ');
INSERT INTO Users (User_ID,User_Name) VALUES (7, 'Brynne ');
INSERT INTO Users (User_ID,User_Name) VALUES (8, 'Vielka ');
INSERT INTO Users (User_ID,User_Name) VALUES (9, 'Amal ');
INSERT INTO Users (User_ID,User_Name) VALUES (10, 'Destiny ');
INSERT INTO Users (User_ID,User_Name) VALUES (11, 'Ora ');
INSERT INTO Users (User_ID,User_Name) VALUES (12, 'Wade ');
INSERT INTO Users (User_ID,User_Name) VALUES (13, 'Amos ');
INSERT INTO Users (User_ID,User_Name) VALUES (14, 'Judah ');
INSERT INTO Users (User_ID,User_Name) VALUES (15, 'Marvin ');
INSERT INTO Users (User_ID,User_Name) VALUES (16, 'Gwendolyn ');
INSERT INTO Users (User_ID,User_Name) VALUES (17, 'Taylor ');
INSERT INTO Users (User_ID,User_Name) VALUES (18, 'Mark ');
INSERT INTO Users (User_ID,User_Name) VALUES (19, 'Anthony ');
INSERT INTO Users (User_ID,User_Name) VALUES (20, 'Odette ');
INSERT INTO Users (User_ID,User_Name) VALUES (21, 'Basia ');
INSERT INTO Users (User_ID,User_Name) VALUES (22, 'Flynn ');
INSERT INTO Users (User_ID,User_Name) VALUES (23, 'Ria ');
INSERT INTO Users (User_ID,User_Name) VALUES (24, 'Hayfa ');
INSERT INTO Users (User_ID,User_Name) VALUES (25, 'Wade ');
INSERT INTO Users (User_ID,User_Name) VALUES (26, 'Ava ');
INSERT INTO Users (User_ID,User_Name) VALUES (27, 'Leslie ');
INSERT INTO Users (User_ID,User_Name) VALUES (28, 'Avram ');
INSERT INTO Users (User_ID,User_Name) VALUES (29, 'Yardley ');
INSERT INTO Users (User_ID,User_Name) VALUES (30, 'Ila ');
INSERT INTO Users (User_ID,User_Name) VALUES (31, 'Ignatius ');
INSERT INTO Users (User_ID,User_Name) VALUES (32, 'Francis ');
INSERT INTO Users (User_ID,User_Name) VALUES (33, 'Sade ');
INSERT INTO Users (User_ID,User_Name) VALUES (34, 'Orla ');
INSERT INTO Users (User_ID,User_Name) VALUES (35, 'Knox ');
INSERT INTO Users (User_ID,User_Name) VALUES (36, 'Carl ');
INSERT INTO Users (User_ID,User_Name) VALUES (37, 'Kareem ');
INSERT INTO Users (User_ID,User_Name) VALUES (38, 'Kasimir ');
INSERT INTO Users (User_ID,User_Name) VALUES (39, 'Karly ');
INSERT INTO Users (User_ID,User_Name) VALUES (40, 'Marsden ');
INSERT INTO Users (User_ID,User_Name) VALUES (41, 'Hamish ');
INSERT INTO Users (User_ID,User_Name) VALUES (42, 'Leigh ');
INSERT INTO Users (User_ID,User_Name) VALUES (43, 'Graiden ');
INSERT INTO Users (User_ID,User_Name) VALUES (44, 'Yoshio ');
INSERT INTO Users (User_ID,User_Name) VALUES (45, 'Kennan ');
INSERT INTO Users (User_ID,User_Name) VALUES (46, 'Bradley ');
INSERT INTO Users (User_ID,User_Name) VALUES (47, 'Scarlet ');
INSERT INTO Users (User_ID,User_Name) VALUES (48, 'Quynn ');
INSERT INTO Users (User_ID,User_Name) VALUES (49, 'Ian ');
INSERT INTO Users (User_ID,User_Name) VALUES (50, 'Odysseus ');
```

```
INSERT INTO Users (User_ID,User_Name) VALUES (51, 'Lionel ');
INSERT INTO Users (User_ID,User_Name) VALUES (52, 'Wyatt ');
INSERT INTO Users (User_ID,User_Name) VALUES (53, 'Lynn ');
INSERT INTO Users (User_ID,User_Name) VALUES (54, 'Thane ');
INSERT INTO Users (User_ID,User_Name) VALUES (55, 'Libby ');
INSERT INTO Users (User_ID,User_Name) VALUES (56, 'Astra ');
INSERT INTO Users (User_ID,User_Name) VALUES (57, 'Latifah ');
INSERT INTO Users (User_ID,User_Name) VALUES (58, 'Yasir ');
INSERT INTO Users (User_ID,User_Name) VALUES (59, 'Aaron ');
INSERT INTO Users (User_ID,User_Name) VALUES (60, 'Reuben ');
INSERT INTO Users (User_ID,User_Name) VALUES (61, 'Dorothy ');
INSERT INTO Users (User_ID,User_Name) VALUES (62, 'Tyler ');
INSERT INTO Users (User_ID,User_Name) VALUES (63, 'Kelsey ');
INSERT INTO Users (User_ID,User_Name) VALUES (64, 'Cole ');
INSERT INTO Users (User_ID,User_Name) VALUES (65, 'Halla ');
INSERT INTO Users (User_ID,User_Name) VALUES (66, 'Hu ');
INSERT INTO Users (User_ID,User_Name) VALUES (67, 'Maggy ');
INSERT INTO Users (User_ID,User_Name) VALUES (68, 'Anne ');
INSERT INTO Users (User_ID,User_Name) VALUES (69, 'Violet ');
INSERT INTO Users (User_ID,User_Name) VALUES (70, 'Maryam ');
INSERT INTO Users (User_ID,User_Name) VALUES (71, 'Ralph ');
INSERT INTO Users (User_ID,User_Name) VALUES (72, 'Graham ');
INSERT INTO Users (User_ID,User_Name) VALUES (73, 'Jasper ');
INSERT INTO Users (User_ID,User_Name) VALUES (74, 'Gisela ');
INSERT INTO Users (User_ID,User_Name) VALUES (75, 'Alfonso ');
INSERT INTO Users (User_ID,User_Name) VALUES (76, 'Dustin ');
INSERT INTO Users (User_ID,User_Name) VALUES (77, 'Megan ');
INSERT INTO Users (User_ID,User_Name) VALUES (78, 'Ezra ');
INSERT INTO Users (User_ID,User_Name) VALUES (79, 'Rigel ');
INSERT INTO Users (User_ID,User_Name) VALUES (80, 'Joel ');
INSERT INTO Users (User_ID,User_Name) VALUES (81, 'Silas ');
INSERT INTO Users (User_ID,User_Name) VALUES (82, 'Joel ');
INSERT INTO Users (User_ID,User_Name) VALUES (83, 'Aretha ');
INSERT INTO Users (User_ID,User_Name) VALUES (84, 'Rinah ');
INSERT INTO Users (User_ID,User_Name) VALUES (85, 'Wayne ');
INSERT INTO Users (User_ID,User_Name) VALUES (86, 'Nora ');
INSERT INTO Users (User_ID,User_Name) VALUES (87, 'Colette ');
INSERT INTO Users (User_ID,User_Name) VALUES (88, 'Ramona ');
INSERT INTO Users (User_ID,User_Name) VALUES (89, 'Lee ');
INSERT INTO Users (User_ID,User_Name) VALUES (90, 'Ella ');
INSERT INTO Users (User_ID,User_Name) VALUES (91, 'Suki ');
INSERT INTO Users (User_ID,User_Name) VALUES (92, 'Shea ');
INSERT INTO Users (User_ID,User_Name) VALUES (93, 'Willow ');
INSERT INTO Users (User_ID,User_Name) VALUES (94, 'Xantha ');
INSERT INTO Users (User_ID,User_Name) VALUES (95, 'Clio ');
INSERT INTO Users (User_ID,User_Name) VALUES (96, 'Mariko ');
INSERT INTO Users (User_ID,User_Name) VALUES (97, 'Elijah ');
INSERT INTO Users (User_ID,User_Name) VALUES (98, 'Blossom ');
INSERT INTO Users (User_ID,User_Name) VALUES (99, 'Keegan ');
```

```
INSERT INTO Users (User_ID,User_Name) VALUES (100, 'Claire ');
INSERT INTO Users (User_ID,User_Name) VALUES (101, 'Jamal ');
INSERT INTO Users (User_ID,User_Name) VALUES (102, 'Mia ');
INSERT INTO Users (User_ID,User_Name) VALUES (103, 'Vance ');
INSERT INTO Users (User_ID,User_Name) VALUES (104, 'Conan ');
INSERT INTO Users (User_ID,User_Name) VALUES (105, 'Wyatt ');
INSERT INTO Users (User_ID,User_Name) VALUES (106, 'Justin ');
INSERT INTO Users (User_ID,User_Name) VALUES (107, 'Declan ');
INSERT INTO Users (User_ID,User_Name) VALUES (108, 'Ifeoma ');
INSERT INTO Users (User_ID,User_Name) VALUES (109, 'Aurelia ');
INSERT INTO Users (User_ID,User_Name) VALUES (110, 'Rama ');
INSERT INTO Users (User_ID,User_Name) VALUES (111, 'Otto ');
INSERT INTO Users (User_ID,User_Name) VALUES (112, 'Maya ');
INSERT INTO Users (User_ID,User_Name) VALUES (113, 'Chloe ');
INSERT INTO Users (User_ID,User_Name) VALUES (114, 'Raphael ');
INSERT INTO Users (User_ID,User_Name) VALUES (115, 'Vanna ');
INSERT INTO Users (User_ID,User_Name) VALUES (116, 'Nolan ');
INSERT INTO Users (User_ID,User_Name) VALUES (117, 'Vera ');
INSERT INTO Users (User_ID,User_Name) VALUES (118, 'Ariel ');
INSERT INTO Users (User_ID,User_Name) VALUES (119, 'Gillian ');
INSERT INTO Users (User_ID,User_Name) VALUES (120, 'Rebekah ');
INSERT INTO Users (User_ID,User_Name) VALUES (121, 'Grant ');
INSERT INTO Users (User_ID,User_Name) VALUES (122, 'Tad ');
INSERT INTO Users (User_ID,User_Name) VALUES (123, 'Genevieve ');
INSERT INTO Users (User_ID,User_Name) VALUES (124, 'Octavius ');
INSERT INTO Users (User_ID,User_Name) VALUES (125, 'Grace ');
INSERT INTO Users (User_ID,User_Name) VALUES (126, 'Cyrus ');
INSERT INTO Users (User_ID,User_Name) VALUES (127, 'Illiana ');
INSERT INTO Users (User_ID,User_Name) VALUES (128, 'James ');
INSERT INTO Users (User_ID,User_Name) VALUES (129, 'Jessica ');
INSERT INTO Users (User_ID,User_Name) VALUES (130, 'Arthur ');
INSERT INTO Users (User_ID,User_Name) VALUES (131, 'Justina ');
INSERT INTO Users (User_ID,User_Name) VALUES (132, 'Kimberly ');
INSERT INTO Users (User_ID,User_Name) VALUES (133, 'Evan ');
INSERT INTO Users (User_ID,User_Name) VALUES (134, 'Alea ');
INSERT INTO Users (User_ID,User_Name) VALUES (135, 'Heidi ');
INSERT INTO Users (User_ID,User_Name) VALUES (136, 'Chester ');
INSERT INTO Users (User_ID,User_Name) VALUES (137, 'Jane ');
INSERT INTO Users (User_ID,User_Name) VALUES (138, 'Francesca ');
INSERT INTO Users (User_ID,User_Name) VALUES (139, 'Gabriel ');
INSERT INTO Users (User_ID,User_Name) VALUES (140, 'Tucker ');
INSERT INTO Users (User_ID,User_Name) VALUES (141, 'Hop ');
INSERT INTO Users (User_ID,User_Name) VALUES (142, 'Julian ');
INSERT INTO Users (User_ID,User_Name) VALUES (143, 'Kelsey ');
INSERT INTO Users (User_ID,User_Name) VALUES (144, 'Hamish ');
INSERT INTO Users (User_ID,User_Name) VALUES (145, 'Deacon ');
INSERT INTO Users (User_ID,User_Name) VALUES (146, 'Mikayla ');
INSERT INTO Users (User_ID,User_Name) VALUES (147, 'Upton ');
INSERT INTO Users (User_ID,User_Name) VALUES (148, 'Beatrice ');
```



```
INSERT INTO Users (User_ID,User_Name) VALUES (149, 'Evan ');
INSERT INTO Users (User_ID,User_Name) VALUES (150, 'Caryn ');
INSERT INTO Users (User_ID,User_Name) VALUES (151, 'Aiko ');
INSERT INTO Users (User_ID,User_Name) VALUES (152, 'Elvis ');
INSERT INTO Users (User_ID,User_Name) VALUES (153, 'Plato ');
INSERT INTO Users (User_ID,User_Name) VALUES (154, 'Anthony ');
INSERT INTO Users (User_ID,User_Name) VALUES (155, 'Olivia ');
INSERT INTO Users (User_ID,User_Name) VALUES (156, 'Bethany ');
INSERT INTO Users (User_ID,User_Name) VALUES (157, 'Shelly ');
INSERT INTO Users (User_ID,User_Name) VALUES (158, 'Nissim ');
INSERT INTO Users (User_ID,User_Name) VALUES (159, 'Cade ');
INSERT INTO Users (User_ID,User_Name) VALUES (160, 'Halla ');
INSERT INTO Users (User_ID,User_Name) VALUES (161, 'Maya ');
INSERT INTO Users (User_ID,User_Name) VALUES (162, 'Maite ');
INSERT INTO Users (User_ID,User_Name) VALUES (163, 'Perry ');
INSERT INTO Users (User_ID,User_Name) VALUES (164, 'Vernon ');
INSERT INTO Users (User_ID,User_Name) VALUES (165, 'Grace ');
INSERT INTO Users (User_ID,User_Name) VALUES (166, 'Pearl ');
INSERT INTO Users (User_ID,User_Name) VALUES (167, 'Shaine ');
INSERT INTO Users (User_ID,User_Name) VALUES (168, 'Micah ');
INSERT INTO Users (User_ID,User_Name) VALUES (169, 'Tamara ');
INSERT INTO Users (User_ID,User_Name) VALUES (170, 'Anthony ');
INSERT INTO Users (User_ID,User_Name) VALUES (171, 'Haley ');
INSERT INTO Users (User_ID,User_Name) VALUES (172, 'Justin ');
INSERT INTO Users (User_ID,User_Name) VALUES (173, 'Theodore ');
INSERT INTO Users (User_ID,User_Name) VALUES (174, 'Karleigh ');
INSERT INTO Users (User_ID,User_Name) VALUES (175, 'Kirestin ');
INSERT INTO Users (User_ID,User_Name) VALUES (176, 'Ginger ');
INSERT INTO Users (User_ID,User_Name) VALUES (177, 'Meghan ');
INSERT INTO Users (User_ID,User_Name) VALUES (178, 'Keelie ');
INSERT INTO Users (User_ID,User_Name) VALUES (179, 'Cameran ');
INSERT INTO Users (User_ID,User_Name) VALUES (180, 'Basil ');
INSERT INTO Users (User_ID,User_Name) VALUES (181, 'Daryl ');
INSERT INTO Users (User_ID,User_Name) VALUES (182, 'Steven ');
INSERT INTO Users (User_ID,User_Name) VALUES (183, 'Charity ');
INSERT INTO Users (User_ID,User_Name) VALUES (184, 'Kaitlin ');
INSERT INTO Users (User_ID,User_Name) VALUES (185, 'Uriel ');
INSERT INTO Users (User_ID,User_Name) VALUES (186, 'Illiana ');
INSERT INTO Users (User_ID,User_Name) VALUES (187, 'Carter ');
INSERT INTO Users (User_ID,User_Name) VALUES (188, 'Colorado ');
INSERT INTO Users (User_ID,User_Name) VALUES (189, 'Paki ');
INSERT INTO Users (User_ID,User_Name) VALUES (190, 'MacKensie ');
INSERT INTO Users (User_ID,User_Name) VALUES (191, 'Constance ');
INSERT INTO Users (User_ID,User_Name) VALUES (192, 'Gretchen ');
INSERT INTO Users (User_ID,User_Name) VALUES (193, 'Francesca ');
INSERT INTO Users (User_ID,User_Name) VALUES (194, 'Aimee ');
INSERT INTO Users (User_ID,User_Name) VALUES (195, 'Octavius ');
INSERT INTO Users (User_ID,User_Name) VALUES (196, 'Diana ');
INSERT INTO Users (User_ID,User_Name) VALUES (197, 'Gary ');
```

```
INSERT INTO Users (User_ID,User_Name) VALUES (198, 'Madeson ');
INSERT INTO Users (User_ID,User_Name) VALUES (199, 'Alec ');
INSERT INTO Users (User_ID,User_Name) VALUES (200, 'Mason ');
```

--PriceHistory

```
INSERT INTO PriceHistory
(Shop_ID,Product_ID,StartDate,EndDate,Price) VALUES (1,1,'2020-08-18
18:47:12','2021-08-02 17:11:34',1299);
INSERT INTO PriceHistory
(Shop_ID,Product_ID,StartDate,EndDate,Price) VALUES (2,1,'2020-08-17
07:02:29','2021-07-28 13:59:35',1880);
INSERT INTO PriceHistory
(Shop_ID,Product_ID,StartDate,EndDate,Price) VALUES (3,1,'2020-08-31
22:18:14','2020-07-27 12:03:05',1080);
INSERT INTO PriceHistory
(Shop_ID,Product_ID,StartDate,EndDate,Price) VALUES (3,1,'2020-08-30
10:01:18','2020-08-17 09:42:14',1760);
INSERT INTO PriceHistory
(Shop_ID,Product_ID,StartDate,EndDate,Price) VALUES (3,1,'2020-05-30
10:01:18','2020-08-17 09:42:14',1760);
INSERT INTO PriceHistory
(Shop_ID,Product_ID,StartDate,EndDate,Price) VALUES (3,1,'2020-04-30
10:01:18','2020-08-17 09:42:14',1760);
INSERT INTO PriceHistory
(Shop_ID,Product_ID,StartDate,EndDate,Price) VALUES (3,1,'2020-03-30
10:01:18','2020-08-17 09:42:14',1760);
INSERT INTO PriceHistory
(Shop_ID,Product_ID,StartDate,EndDate,Price) VALUES (14,1,'2020-05-
24 10:10:20','2021-09-25 07:19:33',1600);
INSERT INTO PriceHistory
(Shop_ID,Product_ID,StartDate,EndDate,Price) VALUES (15,2,'2020-06-
25 15:10:10','2021-09-11 20:25:47',2000);
```

--ProductInShops

```
INSERT INTO ProductinShops (Shop_ID,Product_ID,Shop_Price,Quantity)
VALUES (1,5,221,36);
INSERT INTO ProductinShops (Shop_ID,Product_ID,Shop_Price,Quantity)
VALUES (7,3,294,30);
INSERT INTO ProductinShops (Shop_ID,Product_ID,Shop_Price,Quantity)
VALUES (7,11,112,38);
INSERT INTO ProductinShops (Shop_ID,Product_ID,Shop_Price,Quantity)
VALUES (7,28,93,5);
INSERT INTO ProductinShops (Shop_ID,Product_ID,Shop_Price,Quantity)
VALUES (15,4,199,30);
INSERT INTO ProductinShops (Shop_ID,Product_ID,Shop_Price,Quantity)
VALUES (6,19,359,73);
INSERT INTO ProductinShops (Shop_ID,Product_ID,Shop_Price,Quantity)
VALUES (7,9,302,74);
```

```
INSERT INTO ProductinShops (Shop_ID,Product_ID,Shop_Price,Quantity)
VALUES (4,15,348,99);
INSERT INTO ProductinShops (Shop_ID,Product_ID,Shop_Price,Quantity)
VALUES (3,2,144,56);
INSERT INTO ProductinShops (Shop_ID,Product_ID,Shop_Price,Quantity)
VALUES (7,26,252,38);
INSERT INTO ProductinShops (Shop_ID,Product_ID,Shop_Price,Quantity)
VALUES (9,14,31,33);
INSERT INTO ProductinShops (Shop_ID,Product_ID,Shop_Price,Quantity)
VALUES (14,2,153,21);
INSERT INTO ProductinShops (Shop_ID,Product_ID,Shop_Price,Quantity)
VALUES (9,15,341,41);
INSERT INTO ProductinShops (Shop_ID,Product_ID,Shop_Price,Quantity)
VALUES (2,5,6,35);
INSERT INTO ProductinShops (Shop_ID,Product_ID,Shop_Price,Quantity)
VALUES (15,6,219,54);
INSERT INTO ProductinShops (Shop_ID,Product_ID,Shop_Price,Quantity)
VALUES (14,29,252,94);
INSERT INTO ProductinShops (Shop_ID,Product_ID,Shop_Price,Quantity)
VALUES (2,2,28,23);
INSERT INTO ProductinShops (Shop_ID,Product_ID,Shop_Price,Quantity)
VALUES (15,26,42,64);
INSERT INTO ProductinShops (Shop_ID,Product_ID,Shop_Price,Quantity)
VALUES (14,9,152,3);
INSERT INTO ProductinShops (Shop_ID,Product_ID,Shop_Price,Quantity)
VALUES (10,18,210,80);
INSERT INTO ProductinShops (Shop_ID,Product_ID,Shop_Price,Quantity)
VALUES (10,22,35,30);
INSERT INTO ProductinShops (Shop_ID,Product_ID,Shop_Price,Quantity)
VALUES (14,1,59,93);
INSERT INTO ProductinShops (Shop_ID,Product_ID,Shop_Price,Quantity)
VALUES (9,24,73,4);
INSERT INTO ProductinShops (Shop_ID,Product_ID,Shop_Price,Quantity)
VALUES (14,3,356,9);
INSERT INTO ProductinShops (Shop_ID,Product_ID,Shop_Price,Quantity)
VALUES (7,29,266,16);
INSERT INTO ProductinShops (Shop_ID,Product_ID,Shop_Price,Quantity)
VALUES (3,1,1499,72);
INSERT INTO ProductinShops (Shop_ID,Product_ID,Shop_Price,Quantity)
VALUES (3,5,193,8);
INSERT INTO ProductinShops (Shop_ID,Product_ID,Shop_Price,Quantity)
VALUES (4,18,382,34);
INSERT INTO ProductinShops (Shop_ID,Product_ID,Shop_Price,Quantity)
VALUES (15,1,1599,71);
INSERT INTO ProductinShops (Shop_ID,Product_ID,Shop_Price,Quantity)
VALUES (1,8,282,42);
INSERT INTO ProductinShops (Shop_ID,Product_ID,Shop_Price,Quantity)
VALUES (7,4,285,37);
```

```

INSERT INTO ProductinShops (Shop_ID,Product_ID,Shop_Price,Quantity)
VALUES (1,30,186,45);
INSERT INTO ProductinShops (Shop_ID,Product_ID,Shop_Price,Quantity)
VALUES (2,1,1999,34);
INSERT INTO ProductinShops (Shop_ID,Product_ID,Shop_Price,Quantity)
VALUES (14,6,211,89);

```

--Shop

```

INSERT INTO Shops (Shop_ID,Shop_Name) VALUES (1,'Apple Store MBS');
INSERT INTO Shops (Shop_ID,Shop_Name) VALUES (2,'Apple Store Orchard
Road');
INSERT INTO Shops (Shop_ID,Shop_Name) VALUES (3,'Apple Store Pasir
Ris Changi Airport');
INSERT INTO Shops (Shop_ID,Shop_Name) VALUES (4,'Adidas');
INSERT INTO Shops (Shop_ID,Shop_Name) VALUES (5,'Nike');
INSERT INTO Shops (Shop_ID,Shop_Name) VALUES (6,'Puma');
INSERT INTO Shops (Shop_ID,Shop_Name) VALUES (7,'Samsung');
INSERT INTO Shops (Shop_ID,Shop_Name) VALUES (8,'G2000');
INSERT INTO Shops (Shop_ID,Shop_Name) VALUES (9,'Zara');
INSERT INTO Shops (Shop_ID,Shop_Name) VALUES (10,'Cotton ON');
INSERT INTO Shops (Shop_ID,Shop_Name) VALUES (11,'Fairprice');
INSERT INTO Shops (Shop_ID,Shop_Name) VALUES (12,'Geant');
INSERT INTO Shops (Shop_ID,Shop_Name) VALUES (13,'iStudio');
INSERT INTO Shops (Shop_ID,Shop_Name) VALUES (14,'Challenger');
INSERT INTO Shops (Shop_ID,Shop_Name) VALUES (15,'Harvey Norman');

```

--Products

```

INSERT INTO Products (Product_ID,Product_Name,Maker,Category) VALUES
(1,'IPhone XS','Apple','Mobiles');
INSERT INTO Products (Product_ID,Product_Name,Maker,Category) VALUES
(2,'IPhone 12','Apple','Mobiles');
INSERT INTO Products (Product_ID,Product_Name,Maker,Category) VALUES
(3,'Samsung Galaxy S20','Samsung','Mobiles');
INSERT INTO Products (Product_ID,Product_Name,Maker,Category) VALUES
(4,'Samsung Galaxy S9','Samsung','Mobiles');
INSERT INTO Products (Product_ID,Product_Name,Maker,Category) VALUES
(5,'IPhone 12 mini','Apple','Mobiles');
INSERT INTO Products (Product_ID,Product_Name,Maker,Category) VALUES
(6,'Samsung A70','Samsung','Mobiles');
INSERT INTO Products (Product_ID,Product_Name,Maker,Category) VALUES
(7,'Oppo Reno 2','Oppo','Mobiles');
INSERT INTO Products (Product_ID,Product_Name,Maker,Category) VALUES
(8,'IPhone 11 Pro Max','Apple','Mobiles');
INSERT INTO Products (Product_ID,Product_Name,Maker,Category) VALUES
(9,'Samsung S10+','Samsung','Mobiles');
INSERT INTO Products (Product_ID,Product_Name,Maker,Category) VALUES
(10,'Google Pixel 4','Pixel','Mobiles');
INSERT INTO Products (Product_ID,Product_Name,Maker,Category) VALUES
(11,'Blue Jeans','Zara','Clothing');

```

```

INSERT INTO Products (Product_ID,Product_Name,Maker,Category) VALUES
(12,'White top','Zara','Clothing');
INSERT INTO Products (Product_ID,Product_Name,Maker,Category) VALUES
(13,'Brown Jacket','Zara','Clothing');
INSERT INTO Products (Product_ID,Product_Name,Maker,Category) VALUES
(14,'Teal sweatpants','Adidas','Clothing');
INSERT INTO Products (Product_ID,Product_Name,Maker,Category) VALUES
(15,'Black sports bra','Adidas','Clothing');
INSERT INTO Products (Product_ID,Product_Name,Maker,Category) VALUES
(16,'Sweatshirt','Nike','Clothing');
INSERT INTO Products (Product_ID,Product_Name,Maker,Category) VALUES
(17,'Black sweatshirt','Nike','Clothing');
INSERT INTO Products (Product_ID,Product_Name,Maker,Category) VALUES
(18,'Bermuda shorts','G2000','Clothing');
INSERT INTO Products (Product_ID,Product_Name,Maker,Category) VALUES
(19,'Plain t-shirt','G2000','Clothing');
INSERT INTO Products (Product_ID,Product_Name,Maker,Category) VALUES
(20,'Formal shirts','Cotton on','Clothing');
INSERT INTO Products (Product_ID,Product_Name,Maker,Category) VALUES
(21,'Apples','Gardens market','Grocery');
INSERT INTO Products (Product_ID,Product_Name,Maker,Category) VALUES
(22,'Bean Sprout','Gardens market','Grocery');
INSERT INTO Products (Product_ID,Product_Name,Maker,Category) VALUES
(23,'Mustard','Gardens market','Grocery');
INSERT INTO Products (Product_ID,Product_Name,Maker,Category) VALUES
(24,'Fried Tofu','Gardens market','Grocery');
INSERT INTO Products (Product_ID,Product_Name,Maker,Category) VALUES
(25,'Doritos','AGardens marketpple','Grocery');
INSERT INTO Products (Product_ID,Product_Name,Maker,Category) VALUES
(26,'Samsung TV UHD','Samsung','Electronics');
INSERT INTO Products (Product_ID,Product_Name,Maker,Category) VALUES
(27,'Lenovo Thinkpad','Lenovo','Electronics');
INSERT INTO Products (Product_ID,Product_Name,Maker,Category) VALUES
(28,'Acer ideapad','Acer','Electronics');
INSERT INTO Products (Product_ID,Product_Name,Maker,Category) VALUES
(29,'Samsung Tab','Samsung','Electronics');
INSERT INTO Products (Product_ID,Product_Name,Maker,Category) VALUES
(30,'Macbook Pro','Apple','Electronics');

```

--Orders

```

INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(1,29,'2476 Urna Av.','2020-07-31 23:56:35');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(2,11,'P.O. Box 511, 9361 Diam Avenue','2020-09-29 06:46:51');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(3,18,'573-3392 Faucibus Ave','2020-09-12 03:44:43');

```

```

INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(4,62,'P.O. Box 581, 720 Tristique Rd.','2020-08-28 16:24:52');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(5,44,'8692 Donec Av.','2020-09-09 07:06:18');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(6,77,'P.O. Box 937, 6616 Turpis. St.','2020-06-23 12:14:19');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES (7,32,'Ap
#128-8101 In St.','2020-09-20 07:15:13');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES (8,30,'Ap
#132-6451 Faucibus. Av.','2020-08-01 15:17:44');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(9,28,'P.O. Box 385, 9571 Ipsum. St.','2020-08-26 19:42:16');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(10,7,'P.O. Box 683, 8241 Morbi Avenue','2020-08-31 13:18:24');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES (11,3,'Ap
#405-6806 Proin Road','2020-06-13 13:54:08');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(12,30,'2456 Sit Street','2020-08-23 21:22:30');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(13,40,'4710 Odio Av.','2020-09-26 13:16:48');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(14,22,'408-4102 Enim, Road','2020-09-09 09:23:50');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(15,7,'P.O. Box 613, 4370 Magna. Road','2020-06-22 00:28:59');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES (16,61,'Ap
#823-7879 In Av.','2020-06-04 09:04:53');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(17,50,'P.O. Box 398, 2593 Non Avenue','2020-08-29 11:17:27');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(18,89,'175-4094 Aliquet Rd.','2020-08-29 00:35:50');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(19,89,'P.O. Box 212, 6204 Viverra. Av.','2020-07-17 21:06:20');

```

```

INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(20,6,'P.O. Box 656, 8446 Consequat St.','2020-07-04 06:47:06');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(21,50,'256-2487 Orci, Ave','2020-07-26 07:12:52');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES (22,40,'Ap
#896-5777 Sollicitudin Avenue','2020-07-06 09:31:47');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES (23,83,'Ap
#887-8659 Enim. Street','2020-09-13 01:28:09');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(24,55,'P.O. Box 206, 6408 Lectus Av.','2020-08-04 08:38:03');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(25,83,'9067 Semper Ave','2020-08-13 12:43:49');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(26,49,'9236 Duis Avenue','2020-09-28 11:15:22');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES (27,2,'Ap
#845-6930 Faucibus. Rd.','2020-08-22 01:14:17');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES (28,36,'Ap
#610-1035 Dui. Rd.','2020-08-28 16:37:22');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(29,8,'P.O. Box 566, 5123 Proin Avenue','2020-06-16 02:44:54');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(30,97,'7462 Molestie Ave','2020-07-04 04:37:51');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES (31,53,'Ap
#851-4939 Conubia Rd.','2020-08-17 16:10:30');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(32,41,'P.O. Box 703, 418 Curabitur Street','2020-06-30 16:39:42');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(33,50,'9450 Diam. Rd.','2020-09-12 06:00:52');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES (34,46,'Ap
#666-622 Elit St.','2020-08-21 15:28:59');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(35,43,'P.O. Box 670, 802 Magna. Ave','2020-06-26 11:23:31');

```

```

INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(36,81,'9361 Accumsan Ave','2020-06-15 19:11:14');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(37,64,'P.O. Box 358, 1498 Lacinia. St.','2020-07-01 18:20:43');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES (38,71,'Ap
#850-2999 Egestas Road','2020-08-20 02:16:14');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(39,37,'4098 Ac Road','2020-06-14 18:45:17');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES (40,67,'Ap
#971-7660 Mauris Rd.','2020-09-03 10:02:28');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(41,28,'687-506 Turpis. Avenue','2020-06-20 13:04:11');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(42,49,'752-2619 Lacinia St.','2020-07-19 14:18:11');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES (43,25,'Ap
#937-2609 Amet St.','2020-07-13 09:24:32');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(44,90,'455-2207 Enim, Av.','2020-06-28 19:26:34');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(45,93,'4136 Urna. Road','2020-06-17 18:32:55');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(46,40,'380-270 Orci, Road','2020-06-13 08:35:46');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES (47,39,'Ap
#263-638 Viverra. Avenue','2020-09-24 04:03:56');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES (48,89,'Ap
#605-9684 Non Street','2020-07-31 02:59:35');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES (49,59,'Ap
#870-7746 Ipsum Rd.','2020-06-23 23:15:59');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES (50,36,'Ap
#245-4369 Laoreet Rd.','2020-09-04 18:48:00');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(51,92,'9092 Aliquam Ave','2020-07-24 13:31:22');

```



```

INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES (52,51,'Ap
#127-3560 Augue St.','2020-07-13 22:55:14');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(53,76,'9914 Malesuada St.','2020-06-17 02:33:42');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(54,8,'P.O. Box 386, 8605 Aliquam Street','2020-08-29 03:56:21');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES (55,6,'Ap
#886-4917 Natoque St.','2020-08-10 05:55:41');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(56,86,'513-4531 Erat Street','2020-08-28 08:21:08');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(57,46,'8363 Volutpat. St.','2020-08-25 04:26:12');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(58,46,'7518 Malesuada Ave','2020-07-25 15:22:36');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(59,55,'1295 Tincidunt, St.','2020-08-18 02:18:16');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(60,74,'835-1420 Iaculis Rd.','2020-06-14 19:49:08');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(61,55,'P.O. Box 565, 7183 Vivamus Rd.','2020-07-05 06:53:03');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(62,1,'611-3921 Pharetra Ave','2020-07-07 18:03:44');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES (63,70,'Ap
#279-4070 Iaculis Ave','2020-09-12 20:18:22');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(64,72,'P.O. Box 801, 3884 Duis Rd.','2020-07-30 10:36:09');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(65,1,'P.O. Box 333, 5217 Metus St.','2020-09-08 08:19:04');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(66,37,'463-9414 Nibh Av.','2020-09-06 22:24:52');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(67,74,'P.O. Box 269, 7051 In Avenue','2020-08-08 11:16:27');

```

```

INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES (68,47,'Ap
#132-9637 Id, Avenue','2020-06-01 01:50:04');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(69,95,'3197 Integer Rd.','2020-09-14 16:48:14');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(70,88,'646-3766 Ultricies Street','2020-09-17 19:01:56');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(71,83,'6191 Dui Road','2020-09-05 21:18:31');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES (72,71,'Ap
#819-8762 Dictum St.','2020-08-06 21:13:52');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(73,54,'5904 Rutrum Avenue','2020-07-27 00:58:10');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES (74,2,'Ap
#960-8287 Sollicitudin Avenue','2020-08-31 17:29:22');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(75,19,'P.O. Box 246, 974 Ipsum Av.','2020-08-08 09:51:57');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(76,31,'413-9198 Justo. Rd.','2020-08-02 03:20:20');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(77,21,'P.O. Box 430, 2456 Adipiscing, Av.','2020-05-31 14:34:04');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(78,6,'P.O. Box 342, 6111 Nec Rd.','2020-08-14 10:22:05');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(79,50,'788-7133 Id, Rd.','2020-09-18 00:50:26');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(80,3,'139-5747 Lorem Street','2020-08-26 01:57:14');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(81,17,'P.O. Box 845, 2817 Tellus St.','2020-06-10 10:36:29');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(82,4,'P.O. Box 775, 6065 Nunc St.','2020-08-27 16:17:59');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(83,32,'P.O. Box 521, 9790 Tincidunt St.','2020-06-30 03:55:47');

```

```

INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(84,56,'P.O. Box 927, 6548 Est, St.','2020-09-22 03:30:10');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(85,7,'953-7702 Egestas, St.','2020-09-12 11:40:12');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES (86,28,'Ap
#263-9354 Feugiat. St.','2020-07-08 08:37:11');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES (87,56,'Ap
#877-7345 Ipsum St.','2020-09-17 06:58:46');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(88,6,'567-5500 Aliquet, St.','2020-08-23 18:06:21');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(89,66,'2032 Amet Av.','2020-08-04 05:15:48');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(90,7,'755-4495 Urna. Avenue','2020-09-17 19:57:27');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(91,11,'321-9047 Mus. Rd.','2020-06-16 05:51:20');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(92,18,'2706 Eget, St.','2020-07-14 10:55:02');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(93,52,'600-4825 Urna. Rd.','2020-09-22 08:39:26');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(94,96,'8494 Rhoncus. Ave','2020-06-26 23:54:59');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(95,55,'P.O. Box 280, 6288 Lacus St.','2020-07-22 12:59:47');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(96,5,'3459 Sed St.','2020-07-16 14:01:50');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(97,33,'P.O. Box 195, 3596 Convallis Av.','2020-08-16 08:41:42');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES (98,72,'Ap
#171-5811 Eget Road','2020-08-14 14:03:09');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES (99,11,'Ap
#737-522 Consectetuer Street','2020-08-08 22:53:13');

```

```

INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(100,43,'P.O. Box 754, 3242 Etiam St.','2020-08-11 23:05:02');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(101,3,'7081 Cursus. Ave','2020-10-28 08:16:58');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(102,28,'9478 Integer Ave','2020-09-19 20:58:07');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(103,12,'Ap #445-3710 Primis Ave','2020-08-10 04:29:59');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(104,45,'Ap #617-8675 Odio. Avenue','2020-09-09 21:15:44');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(105,69,'7622 Vitae, St.','2020-06-20 01:06:54');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(106,31,'309-1608 Arcu St.','2020-06-14 18:18:01');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(107,63,'776-6151 A, Avenue','2020-07-26 16:56:09');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(108,62,'Ap #593-5716 Vel Rd.','2020-10-03 22:44:02');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(109,32,'7992 Magnis Rd.','2020-06-08 11:26:12');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(110,21,'4792 Vulputate, Street','2020-07-04 09:51:26');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(111,82,'674-5556 In Avenue','2020-06-02 00:03:51');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(112,51,'P.O. Box 973, 5029 Nibh. St.','2020-08-02 05:02:58');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(113,58,'9190 Donec St.','2020-05-31 08:02:49');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(114,23,'P.O. Box 215, 2200 Sagittis Street','2020-08-29 02:26:33');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES (115,5,'Ap
#292-7010 Nulla Av.','2020-07-19 22:02:19');

```

```

INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(116,57,'P.O. Box 374, 2348 Blandit St.','2020-08-25 13:30:52');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(117,83,'150-8645 Posuere St.','2020-06-28 20:46:02');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(118,79,'Ap #909-9382 Turpis Road','2020-06-15 12:34:49');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(119,64,'Ap #274-2468 Risus. Rd.','2020-06-21 16:25:51');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(120,46,'P.O. Box 988, 4957 Ultricies Rd.','2020-08-13 02:50:19');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(121,32,'P.O. Box 836, 3133 Eros. St.','2020-07-26 05:59:52');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(122,15,'P.O. Box 259, 5680 Mattis Avenue','2020-09-24 21:40:30');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(123,60,'870-1423 Hymenaeos. Av.','2020-08-05 22:02:14');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(124,64,'Ap #713-9971 Nascetur Av.','2020-09-26 17:31:30');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(125,74,'620-1450 Netus Rd.','2020-06-17 23:36:09');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(126,32,'P.O. Box 739, 5224 Duis Rd.','2020-07-02 00:54:39');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(127,73,'9989 Nisl. Street','2020-08-10 21:22:48');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(128,61,'P.O. Box 197, 9718 Duis Avenue','2020-10-11 17:48:43');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(129,60,'P.O. Box 887, 6992 Faucibus Rd.','2020-06-09 02:36:35');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(130,62,'Ap #715-8169 Mollis. Street','2020-08-01 01:51:11');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(131,30,'Ap #629-8306 Elementum Road','2020-06-01 23:46:31');

```

```

INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(132,74,'P.O. Box 514, 9206 Praesent Road','2020-07-14 01:54:18');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(133,68,'P.O. Box 522, 2053 Nulla St.','2020-09-22 07:39:04');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(134,42,'Ap #584-7960 Senectus St.','2020-09-27 20:15:12');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(135,35,'184-6135 Bibendum Av.','2020-06-11 06:34:22');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(136,94,'8568 Libero Rd.','2020-09-13 22:17:37');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(137,38,'381-3713 Sollicitudin Rd.','2020-08-14 17:14:35');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(138,79,'4126 Laoreet, Road','2020-08-25 08:37:13');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(139,79,'393-5256 Donec Street','2020-09-20 23:17:09');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(140,34,'P.O. Box 290, 921 Torquent Ave','2020-08-20 23:14:35');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(141,66,'Ap #297-1501 Duis Rd.','2020-08-14 20:43:07');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(142,57,'P.O. Box 225, 5825 Vulputate Ave','2020-07-04 18:28:18');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(143,22,'Ap #341-5417 Et, Rd.','2020-08-12 10:09:20');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(144,12,'P.O. Box 651, 2342 Tempus Street','2020-08-15 21:46:45');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(145,30,'Ap #148-1205 Ante, Street','2020-06-20 23:18:30');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(146,46,'P.O. Box 487, 6740 Mauris Av.','2020-07-15 20:08:58');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(147,41,'Ap #211-7968 Euismod St.','2020-07-29 18:47:41');

```

```

INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(148,33,'Ap #282-5791 Nullam Av.','2020-06-16 11:31:47');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(149,59,'P.O. Box 191, 626 Sapient Ave','2020-09-14 11:31:59');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(150,82,'P.O. Box 251, 4329 Nunc Ave','2020-09-30 17:18:24');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(151,61,'Ap #629-5831 Ullamcorper, Street','2020-09-15 02:05:10');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(152,11,'633-3332 Lectus Rd.','2020-08-23 05:46:07');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(153,59,'602-5613 Erat. Street','2020-09-15 21:16:56');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(154,34,'9585 Aliquet Rd.','2020-06-10 15:49:29');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(155,93,'826-7528 Erat St.','2020-09-30 23:25:08');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(156,88,'Ap #377-8330 Placerat Ave','2020-06-11 04:20:00');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(157,17,'9757 Nec, St.','2020-06-11 19:24:05');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(158,65,'5152 Metus. Street','2020-06-02 20:30:41');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(159,39,'Ap #576-5640 Consectetur St.','2020-06-20 03:11:29');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(160,14,'Ap #204-6418 Magnis Avenue','2020-06-17 23:48:02');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(161,26,'729-2785 Lobortis Av.','2020-08-06 04:30:04');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(162,40,'934-4004 Sodales. Road','2020-08-22 20:40:21');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(163,22,'P.O. Box 666, 1446 Aliquam St.','2020-10-21 03:23:39');

```

```

INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(164,25,'201-2520 Ante Rd.','2020-09-08 21:17:05');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(165,9,'9361 Ipsum. Rd.','2020-10-06 02:56:25');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(166,23,'P.O. Box 383, 6592 Integer Rd.','2020-10-22 09:03:02');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(167,43,'1458 Magnis St.','2020-10-16 10:34:11');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(168,6,'P.O. Box 127, 5725 Justo. Avenue','2020-08-15 05:27:26');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(169,26,'4089 Cubilia Av.','2020-07-31 08:53:18');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(170,24,'4529 Nec Av.','2020-08-28 04:07:46');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(171,21,'736-1256 Auctor Rd.','2020-09-26 11:16:15');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(172,28,'P.O. Box 337, 7974 Sagittis Street','2020-09-01 00:30:11');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(173,56,'163-2411 Tellus. Rd.','2020-06-20 07:37:55');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(174,82,'7510 Aenean Rd.','2020-07-31 00:07:13');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(175,93,'1222 Cursus Ave','2020-06-25 04:47:10');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(176,80,'Ap #606-8080 Nulla St.','2020-09-14 14:47:25');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(177,40,'7022 Diam St.','2020-08-03 10:12:29');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(178,63,'843-6261 Luctus Av.','2020-07-18 13:25:01');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(179,95,'863-9911 Ultricies Av.','2020-07-06 11:17:41');

```



```

INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(180,91,'P.O. Box 416, 1826 Nec, St.','2020-07-30 12:56:16');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(181,90,'P.O. Box 182, 4430 Duis St.','2020-06-19 11:00:32');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(182,56,'910-7581 Commodo St.','2020-10-18 03:10:27');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(183,95,'5563 Arcu. Rd.','2020-07-09 02:16:50');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(184,58,'Ap #489-8299 Nisi Rd.','2020-07-26 04:39:19');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(185,1,'1289 Quisque St.','2020-10-01 09:48:18');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(186,35,'4614 Nunc Av.','2020-06-05 22:35:21');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES (187,5,'Ap
#323-5197 Quis, St.','2020-06-09 05:38:15');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(188,40,'2032 Gravida. Av.','2020-07-16 15:06:53');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(189,5,'7259 Praesent Rd.','2020-09-22 21:02:06');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(190,92,'799-7440 Duis Street','2020-10-09 21:04:54');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(191,70,'Ap #783-9418 Pharetra Avenue','2020-06-05 05:56:28');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(192,24,'P.O. Box 433, 971 Odio Ave','2020-07-07 05:18:40');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(193,12,'P.O. Box 292, 6699 At, Rd.','2020-07-25 12:27:07');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(194,68,'238-2360 Magna Ave','2020-06-18 14:14:34');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(195,73,'7776 Nibh St.','2020-10-08 13:54:41');

```

```

INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(196,75,'Ap #864-6111 Tempor, Road','2020-06-16 15:40:42');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(197,24,'P.O. Box 743, 1783 Ut Road','2020-07-15 20:31:20');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(198,88,'5233 In Street','2020-07-30 19:27:31');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_Address,order_datetime) VALUES
(199,63,'P.O. Box 495, 6341 Vulputate, Av.','2020-08-29 17:04:10');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_address,Order_datetime) VALUES
(200,107,'Ap #390-7748 Aliquam Avenue','2020-05-25 21:57:15');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_address,Order_datetime) VALUES
(201,127,'Ap #374-1156 Turpis Road','2020-06-07 02:41:29');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_address,Order_datetime) VALUES
(202,135,'496-5509 Sit Avenue','2020-08-05 17:03:07');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_address,Order_datetime) VALUES
(203,181,'866-5394 Commodo St.','2020-07-09 20:49:15');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_address,Order_datetime) VALUES
(204,134,'Ap #679-2352 Consectetuer Street','2020-08-07 03:29:54');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_address,Order_datetime) VALUES
(205,166,'Ap #695-6676 Lobortis Street','2020-05-10 19:13:32');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_address,Order_datetime) VALUES
(206,190,'P.O. Box 330, 6200 Integer St.','2020-07-20 20:40:29');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_address,Order_datetime) VALUES
(207,173,'P.O. Box 548, 2491 Laoreet Ave','2020-08-26 03:07:29');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_address,Order_datetime) VALUES
(208,106,'Ap #661-3574 Tempor Ave','2020-07-05 15:29:33');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_address,Order_datetime) VALUES
(209,146,'Ap #795-3125 Convallis St.','2020-07-12 04:09:22');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_address,Order_datetime) VALUES
(210,165,'238-3110 Massa. Av.','2020-07-14 18:03:48');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_address,Order_datetime) VALUES
(211,159,'P.O. Box 642, 2332 Nulla Road','2020-08-31 02:31:55');

```

```

INSERT INTO Orders
(Order_ID,User_ID,Shipping_address,Order_datetime) VALUES
(212,128,'P.O. Box 910, 5811 Sit Street','2020-09-17 03:26:08');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_address,Order_datetime) VALUES
(213,160,'Ap #881-7366 Eu Road','2020-06-14 20:52:01');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_address,Order_datetime) VALUES
(214,155,'3496 Lorem, Rd.','2020-08-02 14:01:46');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_address,Order_datetime) VALUES
(215,146,'920-9834 Duis Avenue','2020-08-01 15:26:30');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_address,Order_datetime) VALUES
(216,105,'P.O. Box 619, 7345 A, Road','2020-06-13 14:10:28');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_address,Order_datetime) VALUES
(217,106,'P.O. Box 695, 3697 In Rd.','2020-09-02 09:52:00');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_address,Order_datetime) VALUES
(218,164,'303-2104 At Street','2020-09-14 19:01:10');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_address,Order_datetime) VALUES
(219,138,'P.O. Box 202, 915 Ante Street','2020-08-30 13:35:47');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_address,Order_datetime) VALUES
(220,124,'2081 Nullam Road','2020-08-18 04:50:14');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_address,Order_datetime) VALUES
(221,101,'916-9194 Nullam Rd.','2020-09-04 13:47:14');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_address,Order_datetime) VALUES
(222,155,'6670 Eget Ave','2020-08-13 06:42:05');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_address,Order_datetime) VALUES
(223,123,'P.O. Box 875, 9196 Eget, Av.','2020-05-05 07:28:11');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_address,Order_datetime) VALUES
(224,192,'4315 Etiam Rd.','2020-07-12 20:41:02');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_address,Order_datetime) VALUES
(225,156,'Ap #811-9211 Nec Av.','2020-09-28 17:32:29');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_address,Order_datetime) VALUES
(226,128,'765-5212 Lectus Av.','2020-09-11 08:57:18');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_address,Order_datetime) VALUES
(227,116,'Ap #736-6138 In Avenue','2020-09-16 07:07:25');

```

```

INSERT INTO Orders
(Order_ID,User_ID,Shipping_address,Order_datetime) VALUES
(228,189,'P.O. Box 600, 1010 Adipiscing St.','2020-07-14 08:09:42');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_address,Order_datetime) VALUES
(229,114,'Ap #982-3111 At, Ave','2020-06-23 13:54:32');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_address,Order_datetime) VALUES
(230,125,'Ap #289-5044 Felis St.','2020-09-12 11:09:49');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_address,Order_datetime) VALUES
(231,134,'Ap #669-5446 Non Street','2020-07-05 15:53:03');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_address,Order_datetime) VALUES
(232,140,'469-5793 Molestie Avenue','2020-05-03 15:33:38');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_address,Order_datetime) VALUES
(233,107,'4379 Ac Rd.','2020-05-17 21:09:37');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_address,Order_datetime) VALUES
(234,139,'Ap #335-3959 Tempor, Road','2020-08-12 09:22:12');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_address,Order_datetime) VALUES
(235,168,'Ap #777-9780 Erat, Ave','2020-09-15 13:37:09');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_address,Order_datetime) VALUES
(236,121,'Ap #678-990 Suspendisse Rd.','2020-07-19 18:44:45');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_address,Order_datetime) VALUES
(237,143,'Ap #346-1273 Cursus Road','2020-05-11 20:49:22');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_address,Order_datetime) VALUES
(238,181,'9572 Augue Avenue','2020-06-18 12:01:04');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_address,Order_datetime) VALUES
(239,199,'P.O. Box 398, 1653 Aliquet Rd.','2020-05-19 10:07:33');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_address,Order_datetime) VALUES
(240,167,'7682 Amet Av.','2020-05-04 09:59:12');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_address,Order_datetime) VALUES
(241,108,'P.O. Box 984, 9045 Sit Rd.','2020-07-01 16:49:54');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_address,Order_datetime) VALUES
(242,199,'7649 Sociosqu Rd.','2020-07-14 21:04:05');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_address,Order_datetime) VALUES
(243,166,'P.O. Box 231, 6325 Quis St.','2020-09-01 00:24:26');

```

```

INSERT INTO Orders
(Order_ID,User_ID,Shipping_address,Order_datetime) VALUES
(244,117,'652-1236 Integer Rd.','2020-07-01 14:15:50');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_address,Order_datetime) VALUES
(245,199,'3733 Euismod St.','2020-06-26 23:07:54');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_address,Order_datetime) VALUES
(246,165,'530-7575 Ornare, Rd.','2020-09-24 08:48:51');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_address,Order_datetime) VALUES
(247,151,'P.O. Box 788, 6410 Sed Street','2020-09-23 10:31:09');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_address,Order_datetime) VALUES
(248,121,'Ap #937-6652 Tempor Avenue','2020-09-29 10:39:13');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_address,Order_datetime) VALUES
(249,178,'3105 Et Road','2020-06-25 06:07:38');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_address,Order_datetime) VALUES
(250,122,'Ap #713-2856 Sodales. Street','2020-08-13 15:50:09');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_address,Order_datetime) VALUES
(251,136,'P.O. Box 752, 8758 Ad Street','2020-07-27 04:41:26');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_address,Order_datetime) VALUES
(252,105,'3720 Aliquam St.','2020-06-30 07:14:11');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_address,Order_datetime) VALUES
(253,194,'P.O. Box 306, 7139 Venenatis Av.','2020-06-04 05:00:13');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_address,Order_datetime) VALUES
(254,179,'Ap #331-3254 Et Av.','2020-08-27 01:02:50');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_address,Order_datetime) VALUES
(255,155,'8110 Fermentum Av.','2020-09-12 09:52:05');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_address,Order_datetime) VALUES
(256,144,'8640 A St.','2020-09-26 16:30:50');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_address,Order_datetime) VALUES
(257,182,'P.O. Box 675, 3569 Conubia Rd.','2020-05-07 08:47:58');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_address,Order_datetime) VALUES
(258,124,'P.O. Box 510, 7528 Purus. Rd.','2020-05-22 02:19:20');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_address,Order_datetime) VALUES
(259,153,'1036 Malesuada Ave','2020-08-30 10:27:00');

```

```

INSERT INTO Orders
(Order_ID,User_ID,Shipping_address,Order_datetime) VALUES
(260,194,'Ap #803-4430 Rhoncus. Avenue','2020-05-12 15:43:11');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_address,Order_datetime) VALUES
(261,136,'7329 Porttitor Rd.','2020-06-18 11:04:06');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_address,Order_datetime) VALUES
(262,102,'8422 Arcu Rd.','2020-09-07 04:06:17');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_address,Order_datetime) VALUES
(263,196,'1821 In Av.','2020-08-19 02:32:03');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_address,Order_datetime) VALUES
(264,138,'645-1829 Neque St.','2020-07-01 09:20:53');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_address,Order_datetime) VALUES
(265,197,'476-3314 Orci Rd.','2020-09-28 02:30:35');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_address,Order_datetime) VALUES
(266,122,'449 Arcu Rd.','2020-08-05 12:10:44');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_address,Order_datetime) VALUES
(267,177,'5966 Nonummy Street','2020-09-06 22:58:30');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_address,Order_datetime) VALUES
(268,149,'P.O. Box 938, 4800 Auctor Av.','2020-07-13 10:28:42');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_address,Order_datetime) VALUES
(269,100,'7877 Sed Ave','2020-07-26 02:56:51');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_address,Order_datetime) VALUES
(270,155,'P.O. Box 955, 712 Pede St.','2020-05-16 19:25:54');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_address,Order_datetime) VALUES
(271,106,'164-8238 Hymenaeos. Avenue','2020-05-16 20:03:04');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_address,Order_datetime) VALUES
(272,169,'487-4070 Congue, Street','2020-06-29 00:50:49');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_address,Order_datetime) VALUES
(273,170,'773-5283 Eleifend Av.','2020-07-10 15:57:52');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_address,Order_datetime) VALUES
(274,174,'P.O. Box 100, 4729 Molestie Road','2020-08-22 12:39:42');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_address,Order_datetime) VALUES
(275,128,'1836 Donec Street','2020-05-12 02:28:45');

```

```

INSERT INTO Orders
(Order_ID,User_ID,Shipping_address,Order_datetime) VALUES
(276,189,'Ap #328-2255 Dictum St.','2020-08-28 10:06:58');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_address,Order_datetime) VALUES
(277,101,'7446 Sapien. Avenue','2020-07-06 07:36:39');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_address,Order_datetime) VALUES
(278,187,'3319 Lobortis Ave','2020-09-12 01:22:25');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_address,Order_datetime) VALUES
(279,169,'P.O. Box 694, 919 Scelerisque Road','2020-09-01
17:02:08');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_address,Order_datetime) VALUES
(280,141,'Ap #551-7834 Id, St.','2020-09-24 16:22:32');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_address,Order_datetime) VALUES
(281,169,'7519 Turpis Ave','2020-09-04 21:19:40');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_address,Order_datetime) VALUES
(282,128,'4524 Sed Road','2020-05-30 02:46:02');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_address,Order_datetime) VALUES
(283,140,'1636 Cursus St.','2020-06-25 18:21:19');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_address,Order_datetime) VALUES
(284,117,'790-6015 Fusce St.','2020-09-20 06:22:01');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_address,Order_datetime) VALUES
(285,177,'5090 Ut Avenue','2020-07-12 08:25:33');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_address,Order_datetime) VALUES
(286,109,'4904 Parturient Road','2020-08-06 03:12:38');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_address,Order_datetime) VALUES
(287,112,'1674 Eleifend. St.','2020-06-26 10:01:29');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_address,Order_datetime) VALUES
(288,148,'P.O. Box 209, 2843 Lorem St.','2020-05-01 03:34:50');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_address,Order_datetime) VALUES
(289,172,'5520 Ut Rd.','2020-07-25 12:19:16');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_address,Order_datetime) VALUES
(290,121,'1571 Turpis St.','2020-09-16 06:55:01');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_address,Order_datetime) VALUES
(291,187,'7615 Vehicula. Road','2020-06-02 16:19:28');

```

```

INSERT INTO Orders
(Order_ID,User_ID,Shipping_address,Order_datetime) VALUES
(292,144,'9843 Mauris Avenue','2020-08-21 16:57:01');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_address,Order_datetime) VALUES
(293,185,'P.O. Box 382, 6617 Mauris St.','2020-06-08 23:29:23');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_address,Order_datetime) VALUES
(294,171,'541 Purus Rd.','2020-08-18 06:39:26');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_address,Order_datetime) VALUES
(295,181,'974-4223 Posuere Rd.','2020-05-11 15:32:44');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_address,Order_datetime) VALUES
(296,136,'P.O. Box 436, 1510 Amet Road','2020-06-05 05:37:46');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_address,Order_datetime) VALUES
(297,124,'7381 Fusce Rd.','2020-07-01 23:39:09');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_address,Order_datetime) VALUES
(298,198,'P.O. Box 415, 7850 Pellentesque Road','2020-06-07
06:57:37');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_address,Order_datetime) VALUES
(299,117,'2269 Id, St.','2020-09-09 11:03:23');
INSERT INTO Orders
(Order_ID,User_ID,Shipping_address,Order_datetime) VALUES
(300,111,'Ap #538-3442 Diam Street','2020-09-17 19:50:16');

```

--ProductInOrder

```

INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (1,8,8,'Delivered',148,7,'2020-08-03 22:19:30');
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (2,21,2,'Shipping',141,1,NULL);
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (3,24,5,'Ordered',68,14,NULL);

```



```
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (4,5,4,'Ordered',32,22,NULL);
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (5,21,2,'Shipping',137,11,NULL);
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (6,28,5,'Shipping',77,36,NULL);
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (7,15,8,'Packed for delivery',293,9,NULL);
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (8,2,1,'Ordered',224,15,NULL);
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (9,14,1,'Packed for delivery',133,20,NULL);
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (10,11,6,'Ordered',119,43,NULL);
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (11,26,3,'Delivered',182,16,'2020-07-10 03:56:37');
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (12,5,3,'Ordered',259,7,NULL);
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (13,19,5,'Packed for delivery',261,36,NULL);
```

INSERT INTO ProductinOrder

(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery Date) VALUES (14,14,8,'Shipping',256,49,NULL);

INSERT INTO ProductinOrder

(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery Date) VALUES (15,11,3,'Shipping',242,25,NULL);

INSERT INTO ProductinOrder

(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery Date) VALUES (16,12,7,'Packed for delivery',87,14,NULL);

INSERT INTO ProductinOrder

(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery Date) VALUES (17,6,8,'Ordered',138,38,NULL);

INSERT INTO ProductinOrder

(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery Date) VALUES (18,12,2,'Packed for delivery',363,16,NULL);

INSERT INTO ProductinOrder

(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery Date) VALUES (19,7,9,'Delivered',84,2,'2020-08-23 23:41:30');

INSERT INTO ProductinOrder

(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery Date) VALUES (20,26,8,'Ordered',381,40,NULL);

INSERT INTO ProductinOrder

(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery Date) VALUES (21,4,8,'Ordered',90,32,NULL);

INSERT INTO ProductinOrder

(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery Date) VALUES (22,5,1,'Shipping',44,30,NULL);

INSERT INTO ProductinOrder

(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery Date) VALUES (23,15,9,'Ordered',12,34,NULL);

INSERT INTO ProductinOrder

(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery Date) VALUES (24,22,6,'Delivered',202,48,'2020-10-04 21:03:02');

INSERT INTO ProductinOrder

(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery Date) VALUES (25,5,3,'Delivered',248,20,'2020-09-15 20:06:44');

INSERT INTO ProductinOrder

(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery Date) VALUES (26,15,3,'Packed for delivery',320,15,NULL);

INSERT INTO ProductinOrder

(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery Date) VALUES (27,16,9,'Shipping',160,47,NULL);

INSERT INTO ProductinOrder

(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery Date) VALUES (28,14,3,'Packed for delivery',365,44,NULL);

INSERT INTO ProductinOrder

(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery Date) VALUES (29,20,1,'Delivered',44,40,'2020-10-13 02:09:50');

INSERT INTO ProductinOrder

(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery Date) VALUES (30,30,10,'Delivered',15,34,'2020-07-20 23:32:44');

INSERT INTO ProductinOrder

(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery Date) VALUES (31,4,8,'Delivered',98,22,'2020-09-25 07:34:15');

INSERT INTO ProductinOrder

(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery Date) VALUES (32,22,4,'Delivered',223,8,'2020-07-25 03:48:15');

INSERT INTO ProductinOrder

(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery Date) VALUES (33,19,7,'Packed for delivery',314,42,NULL);

```
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (34,20,2,'Packed for delivery',127,39,NULL);
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (35,10,8,'Ordered',82,15,NULL);
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (36,9,7,'Ordered',118,14,NULL);
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (37,11,2,'Ordered',240,18,NULL);
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (38,19,4,'Packed for delivery',1,9,NULL);
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (39,11,10,'Packed for delivery',135,21,NULL);
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (40,16,5,'Delivered',164,33,'2020-09-16 06:53:54');
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (41,4,6,'Shipping',341,45,NULL);
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (42,25,3,'Packed for delivery',344,18,NULL);
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (43,17,5,'Delivered',330,33,'2020-08-27 15:15:58');
```

```
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (44,9,6,'Ordered',174,20,NULL);
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (45,12,7,'Shipping',100,25,NULL);
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (46,27,9,'Ordered',373,28,NULL);
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (47,4,7,'Ordered',400,26,NULL);
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (48,6,7,'Shipping',120,4,NULL);
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (49,8,9,'Shipping',198,41,NULL);
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (50,2,7,'Ordered',143,1,NULL);
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (51,12,5,'Delivered',111,47,'2020-08-05 19:54:09');
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (52,20,2,'Shipping',88,29,NULL);
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (53,28,5,'Ordered',165,24,NULL);
```

```
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (54,15,3,'Delivered',137,32,'2020-09-27 00:28:36');
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (55,26,9,'Ordered',291,18,NULL);
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (56,15,9,'Ordered',109,13,NULL);
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (57,7,6,'Ordered',377,11,NULL);
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (58,25,3,'Packed for delivery',382,16,NULL);
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (59,18,9,'Shipping',379,10,NULL);
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (60,29,2,'Delivered',115,45,'2020-07-12 06:39:37');
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (61,16,1,'Packed for delivery',221,21,NULL);
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (62,28,4,'Delivered',339,34,'2020-08-06 05:23:32');
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (63,20,9,'Ordered',283,2,NULL);
```

```
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (64,11,1,'Packed for delivery',354,50,NULL);
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (65,29,5,'Ordered',52,5,NULL);
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (66,26,10,'Packed for delivery',21,23,NULL);
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (67,5,5,'Shipping',105,5,NULL);
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (68,13,7,'Shipping',382,22,NULL);
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (69,21,8,'Shipping',91,12,NULL);
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (70,10,9,'Packed for delivery',15,1,NULL);
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (71,18,5,'Delivered',50,8,'2020-09-24 15:58:16');
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (72,29,5,'Delivered',98,31,'2020-09-14 11:02:34');
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (73,7,10,'Delivered',251,37,'2020-10-16 14:40:14');
```

INSERT INTO ProductinOrder

(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery Date) VALUES (74,14,4,'Delivered',302,25,'2020-09-17 20:20:00');

INSERT INTO ProductinOrder

(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery Date) VALUES (75,9,6,'Delivered',128,15,'2020-09-25 03:33:04');

INSERT INTO ProductinOrder

(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery Date) VALUES (76,27,3,'Packed for delivery',110,46,NULL);

INSERT INTO ProductinOrder

(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery Date) VALUES (77,5,3,'Shipping',231,37,NULL);

INSERT INTO ProductinOrder

(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery Date) VALUES (78,16,8,'Ordered',83,21,NULL);

INSERT INTO ProductinOrder

(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery Date) VALUES (79,29,2,'Shipping',158,37,NULL);

INSERT INTO ProductinOrder

(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery Date) VALUES (80,25,2,'Delivered',12,33,'2020-09-16 11:52:05');

INSERT INTO ProductinOrder

(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery Date) VALUES (81,6,10,'Packed for delivery',255,50,NULL);

INSERT INTO ProductinOrder

(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery Date) VALUES (82,4,1,'Shipping',123,36,NULL);

INSERT INTO ProductinOrder

(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery Date) VALUES (83,23,2,'Packed for delivery',314,32,NULL);


```
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (84,18,9,'Shipping',378,50,NULL);
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (85,10,9,'Shipping',221,32,NULL);
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (86,15,8,'Ordered',40,44,NULL);
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (87,5,1,'Ordered',96,7,NULL);
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (88,3,1,'Packed for delivery',41,29,NULL);
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (89,20,2,'Packed for delivery',209,32,NULL);
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (90,21,4,'Shipping',246,44,NULL);
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (91,23,9,'Shipping',388,45,NULL);
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (92,22,2,'Ordered',232,22,NULL);
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (93,7,6,'Delivered',141,25,'2020-10-18 22:27:03');
```

```
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (94,4,2,'Delivered',281,14,'2020-07-02 12:42:12');
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (95,15,6,'Delivered',251,46,'2020-08-22 06:45:31');
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (96,20,9,'Ordered',76,28,NULL);
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (97,20,3,'Ordered',235,40,NULL);
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (98,30,7,'Shipping',133,35,NULL);
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (99,3,3,'Ordered',99,13,NULL);
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (100,27,3,'Shipping',138,3,NULL);
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (101,13,7,'Shipping',350,48,NULL);
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (102,9,2,'Shipping',50,13,NULL);
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (103,8,3,'Ordered',67,49,NULL);
```

```
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (104,19,1,'Packed for delivery',311,20,NULL);
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (105,4,3,'Shipping',400,46,NULL);
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (106,30,7,'Delivered',289,32,'2020-09-02 01:04:03');
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (107,6,4,'Ordered',384,48,NULL);
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (108,2,7,'Delivered',264,29,'2020-11-31 20:47:30');
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (109,6,7,'Shipping',229,43,NULL);
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (110,14,4,'Ordered',37,41,NULL);
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (111,19,1,'Ordered',201,19,NULL);
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (112,3,8,'Packed for delivery',346,10,NULL);
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (113,3,7,'Ordered',384,19,NULL);
```

INSERT INTO ProductinOrder

(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery Date) VALUES (114,11,8,'Ordered',7,39,NULL);

INSERT INTO ProductinOrder

(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery Date) VALUES (115,11,2,'Shipping',213,17,NULL);

INSERT INTO ProductinOrder

(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery Date) VALUES (116,5,10,'Packed for delivery',343,49,NULL);

INSERT INTO ProductinOrder

(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery Date) VALUES (117,29,8,'Ordered',323,29,NULL);

INSERT INTO ProductinOrder

(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery Date) VALUES (118,11,6,'Delivered',341,48,'2020-08-05 20:55:49');

INSERT INTO ProductinOrder

(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery Date) VALUES (119,11,4,'Shipping',338,10,NULL);

INSERT INTO ProductinOrder

(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery Date) VALUES (120,11,4,'Packed for delivery',389,14,NULL);

INSERT INTO ProductinOrder

(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery Date) VALUES (121,9,8,'Delivered',82,38,'2020-08-31 11:52:46');

INSERT INTO ProductinOrder

(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery Date) VALUES (122,16,9,'Shipping',76,24,NULL);

INSERT INTO ProductinOrder

(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery Date) VALUES (123,13,5,'Packed for delivery',55,39,NULL);

INSERT INTO ProductinOrder

(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery Date) VALUES (124,10,6,'Delivered',258,45,'2020-10-07 21:33:53');

INSERT INTO ProductinOrder

(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery Date) VALUES (125,15,9,'Ordered',329,3,NULL);

INSERT INTO ProductinOrder

(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery Date) VALUES (126,23,4,'Shipping',119,17,NULL);

INSERT INTO ProductinOrder

(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery Date) VALUES (127,10,4,'Shipping',263,46,NULL);

INSERT INTO ProductinOrder

(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery Date) VALUES (128,30,4,'Ordered',358,28,NULL);

INSERT INTO ProductinOrder

(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery Date) VALUES (129,27,6,'Shipping',262,42,NULL);

INSERT INTO ProductinOrder

(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery Date) VALUES (130,22,6,'Delivered',143,39,'2020-09-24 14:15:11');

INSERT INTO ProductinOrder

(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery Date) VALUES (131,9,6,'Ordered',314,13,NULL);

INSERT INTO ProductinOrder

(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery Date) VALUES (132,13,3,'Packed for delivery',157,16,NULL);

INSERT INTO ProductinOrder

(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery Date) VALUES (133,14,9,'Packed for delivery',300,8,NULL);

```
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (134,5,3,'Ordered',315,6,NULL);
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (135,13,5,'Shipping',368,27,NULL);
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (136,16,6,'Ordered',136,47,NULL);
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (137,3,10,'Shipping',239,48,NULL);
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (138,10,1,'Packed for delivery',291,48,NULL);
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (139,22,5,'Delivered',290,31,'2020-10-18 22:14:20');
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (140,8,5,'Packed for delivery',367,48,NULL);
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (141,3,5,'Shipping',207,1,NULL);
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (142,30,1,'Ordered',361,4,NULL);
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (143,5,2,'Shipping',229,46,NULL);
```

```
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (144,2,9,'Shipping',363,49,NULL);
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (145,18,9,'Shipping',373,39,NULL);
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (146,12,8,'Shipping',293,21,NULL);
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (147,8,10,'Shipping',290,22,NULL);
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (148,1,1,'Shipping',114,27,NULL);
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (149,18,10,'Packed for delivery',371,45,NULL);
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (150,11,2,'Shipping',68,13,NULL);
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (151,23,2,'Ordered',21,45,NULL);
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (152,7,8,'Ordered',270,3,NULL);
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (153,1,9,'Packed for delivery',329,20,NULL);
```

```
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (154,25,8,'Shipping',222,13,NULL);
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (155,28,9,'Packed for delivery',398,3,NULL);
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (156,2,2,'Ordered',304,21,NULL);
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (157,16,10,'Packed for delivery',47,26,NULL);
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (158,12,8,'Ordered',222,6,NULL);
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (159,21,2,'Packed for delivery',82,28,NULL);
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (160,14,5,'Shipping',351,31,NULL);
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (161,23,6,'Packed for delivery',256,39,NULL);
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (162,19,1,'Delivered',218,47,'2020-09-20 00:46:51');
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (163,11,7,'Shipping',241,43,NULL);
```



```
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (164,29,10,'Packed for delivery',92,45,NULL);
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (165,9,9,'Shipping',362,22,NULL);
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (166,10,6,'Shipping',237,49,NULL);
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (167,24,7,'Shipping',89,32,NULL);
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (168,15,5,'Delivered',262,11,'2020-09-13 15:17:07');
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (169,16,8,'Packed for delivery',145,40,NULL);
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (170,4,2,'Packed for delivery',138,40,NULL);
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (171,27,1,'Packed for delivery',141,26,NULL);
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (172,30,4,'Delivered',94,22,'2020-10-16 05:45:08');
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (173,12,7,'Ordered',390,19,NULL);
```

```
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (174,20,4,'Delivered',94,3,'2020-08-06 20:24:14');
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (175,1,7,'Shipping',82,14,NULL);
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (176,20,7,'Delivered',379,14,'2020-10-05 15:24:04');
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (177,11,7,'Shipping',361,41,NULL);
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (178,26,6,'Packed for delivery',249,17,NULL);
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (179,8,7,'Shipping',1,5,NULL);
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (180,26,7,'Shipping',5,2,NULL);
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (181,22,2,'Ordered',61,32,NULL);
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (182,28,9,'Delivered',189,25,'2020-11-11 18:34:45');
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (183,2,9,'Ordered',381,23,NULL);
```

```
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (184,14,8,'Delivered',51,8,'2020-08-25 11:14:09');
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (185,11,4,'Packed for delivery',312,28,NULL);
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (186,12,7,'Shipping',185,24,NULL);
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (187,27,3,'Shipping',342,15,NULL);
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (188,13,10,'Packed for delivery',356,18,NULL);
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (189,1,10,'Shipping',342,47,NULL);
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (190,10,1,'Shipping',328,45,NULL);
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (191,17,1,'Delivered',39,29,'2020-08-14 12:45:52');
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (192,30,7,'Packed for delivery',117,37,NULL);
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (193,30,10,'Shipping',2,17,NULL);
```

```
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (194,25,4,'Shipping',30,28,NULL);
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (195,20,10,'Packed for delivery',234,12,NULL);
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (196,27,7,'Ordered',105,34,NULL);
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (197,23,10,'Delivered',162,17,'2020-09-29 00:32:08');
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (198,26,7,'Packed for delivery',13,32,NULL);
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (199,4,8,'Shipping',249,42,NULL);
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (200,17,7,'Ordered',181,37,NULL);
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (201,7,6,'Ordered',195,30,NULL);
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (202,23,4,'Packed for delivery',90,14,NULL);
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (203,23,10,'Packed for delivery',87,10,NULL);
```

INSERT INTO ProductinOrder

(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery Date) VALUES (204,26,7,'Packed for delivery',221,10,NULL);

INSERT INTO ProductinOrder

(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery Date) VALUES (205,28,10,'Shipping',65,10,NULL);

INSERT INTO ProductinOrder

(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery Date) VALUES (206,7,7,'Shipping',384,45,NULL);

INSERT INTO ProductinOrder

(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery Date) VALUES (207,29,2,'Delivered',121,17,'2020-09-19 00:14:07');

INSERT INTO ProductinOrder

(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery Date) VALUES (208,21,8,'Shipping',187,22,NULL);

INSERT INTO ProductinOrder

(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery Date) VALUES (209,12,8,'Ordered',27,14,NULL);

INSERT INTO ProductinOrder

(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery Date) VALUES (210,13,7,'Delivered',32,47,'2020-08-05 00:15:41');

INSERT INTO ProductinOrder

(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery Date) VALUES (211,6,3,'Delivered',130,40,'2020-09-24 13:14:53');

INSERT INTO ProductinOrder

(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery Date) VALUES (212,8,1,'Ordered',216,38,NULL);

INSERT INTO ProductinOrder

(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery Date) VALUES (213,6,3,'Ordered',204,17,NULL);

INSERT INTO ProductinOrder

(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery Date) VALUES (214,24,8,'Packed for delivery',42,17,NULL);

INSERT INTO ProductinOrder

(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery Date) VALUES (215,26,6,'Shipping',269,11,NULL);

INSERT INTO ProductinOrder

(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery Date) VALUES (216,2,8,'Delivered',129,41,'2020-07-12 10:24:05');

INSERT INTO ProductinOrder

(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery Date) VALUES (217,11,4,'Delivered',298,13,'2020-10-31 12:00:26');

INSERT INTO ProductinOrder

(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery Date) VALUES (218,13,4,'Packed for delivery',153,41,NULL);

INSERT INTO ProductinOrder

(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery Date) VALUES (219,25,2,'Shipping',123,25,NULL);

INSERT INTO ProductinOrder

(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery Date) VALUES (220,10,10,'Delivered',302,37,'2020-09-03 12:18:14');

INSERT INTO ProductinOrder

(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery Date) VALUES (221,29,9,'Ordered',367,19,NULL);

INSERT INTO ProductinOrder

(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery Date) VALUES (222,17,8,'Packed for delivery',81,4,NULL);

INSERT INTO ProductinOrder

(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery Date) VALUES (223,13,6,'Delivered',254,14,'2020-07-23 09:47:12');

```
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (224,15,9,'Delivered',110,38,'2020-08-31 05:49:56');
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (225,4,7,'Delivered',36,25,'2020-10-22 06:59:16');
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (226,15,9,'Ordered',338,28,NULL);
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (227,23,6,'Delivered',142,33,'2020-10-29 08:09:02');
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (228,24,8,'Delivered',325,49,'2020-08-05 06:35:33');
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (229,24,10,'Delivered',214,44,'2020-08-09 06:26:23');
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (230,22,5,'Packed for delivery',198,5,NULL);
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (231,18,10,'Packed for delivery',183,44,NULL);
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (232,1,1,'Packed for delivery',170,49,NULL);
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (233,4,3,'Delivered',339,41,'2020-07-30 00:13:59');
```

```
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (234,11,8,'Ordered',283,21,NULL);
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (235,2,3,'Delivered',210,9,'2020-10-19 07:38:30');
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (236,12,3,'Packed for delivery',101,20,NULL);
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (237,6,2,'Packed for delivery',285,42,NULL);
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (238,29,3,'Packed for delivery',400,1,NULL);
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (239,9,8,'Ordered',64,27,NULL);
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (240,1,2,'Delivered',261,49,'2020-06-08 17:07:25');
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (241,4,9,'Delivered',58,50,'2020-09-14 02:31:34');
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (242,5,8,'Delivered',135,36,'2020-09-06 18:12:26');
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (243,19,2,'Delivered',221,33,'2020-10-14 05:54:00');
```



```
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (244,14,2,'Delivered',281,47,'2020-08-31 05:54:49');
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (245,6,6,'Ordered',148,41,NULL);
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (246,15,6,'Packed for delivery',342,2,NULL);
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (247,8,3,'Shipping',273,39,NULL);
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (248,20,9,'Delivered',260,16,'2020-10-15 15:20:33');
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (249,9,4,'Shipping',108,28,NULL);
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (250,28,4,'Packed for delivery',167,6,NULL);
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (251,27,1,'Delivered',226,48,'2020-08-23 05:48:25');
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (252,23,4,'Ordered',181,8,NULL);
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (253,25,6,'Packed for delivery',355,16,NULL);
```

INSERT INTO ProductinOrder

(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery Date) VALUES (254,1,9,'Shipping',219,10,NULL);

INSERT INTO ProductinOrder

(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery Date) VALUES (255,18,2,'Ordered',255,28,NULL);

INSERT INTO ProductinOrder

(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery Date) VALUES (256,9,9,'Delivered',162,41,'2020-10-22 18:15:42');

INSERT INTO ProductinOrder

(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery Date) VALUES (257,19,5,'Packed for delivery',146,13,NULL);

INSERT INTO ProductinOrder

(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery Date) VALUES (258,9,7,'Ordered',140,48,NULL);

INSERT INTO ProductinOrder

(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery Date) VALUES (259,13,3,'Shipping',180,37,NULL);

INSERT INTO ProductinOrder

(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery Date) VALUES (260,13,5,'Shipping',288,12,NULL);

INSERT INTO ProductinOrder

(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery Date) VALUES (261,22,9,'Packed for delivery',311,43,NULL);

INSERT INTO ProductinOrder

(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery Date) VALUES (262,28,4,'Delivered',295,34,'2020-10-04 08:30:33');

INSERT INTO ProductinOrder

(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery Date) VALUES (263,30,3,'Shipping',243,5,NULL);

```
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (264,5,8,'Ordered',90,26,NULL);
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (265,3,9,'Shipping',187,24,NULL);
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (266,25,2,'Packed for delivery',141,2,NULL);
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (267,5,2,'Shipping',206,7,NULL);
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (268,24,8,'Shipping',247,4,NULL);
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (269,19,9,'Delivered',149,14,'2020-09-11 04:15:33');
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (270,20,10,'Shipping',190,42,NULL);
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (271,18,7,'Delivered',384,33,'2020-06-20 02:14:31');
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (272,16,10,'Packed for delivery',135,9,NULL);
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (273,7,8,'Packed for delivery',104,4,NULL);
```

```
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (274,18,4,'Packed for delivery',105,41,NULL);
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (275,19,7,'Packed for delivery',344,48,NULL);
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (276,9,8,'Packed for delivery',59,25,NULL);
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (277,10,7,'Packed for delivery',215,44,NULL);
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (278,26,5,'Shipping',193,32,NULL);
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (279,23,5,'Delivered',392,48,'2020-10-03 07:40:41');
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (280,18,8,'Packed for delivery',19,49,NULL);
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (281,7,3,'Shipping',83,27,NULL);
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (282,1,8,'Shipping',388,21,NULL);
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (283,2,9,'Delivered',54,38,'2020-07-31 01:33:39');
```

INSERT INTO ProductinOrder

(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery Date) VALUES (284,11,5,'Delivered',183,36,'2020-10-02 21:38:16');

INSERT INTO ProductinOrder

(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery Date) VALUES (285,29,5,'Delivered',333,22,'2020-08-18 02:09:34');

INSERT INTO ProductinOrder

(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery Date) VALUES (286,11,3,'Shipping',176,35,NULL);

INSERT INTO ProductinOrder

(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery Date) VALUES (287,25,3,'Ordered',158,43,NULL);

INSERT INTO ProductinOrder

(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery Date) VALUES (288,21,2,'Shipping',357,36,NULL);

INSERT INTO ProductinOrder

(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery Date) VALUES (289,27,4,'Packed for delivery',180,21,NULL);

INSERT INTO ProductinOrder

(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery Date) VALUES (290,21,2,'Ordered',39,47,NULL);

INSERT INTO ProductinOrder

(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery Date) VALUES (291,15,1,'Delivered',308,19,'2020-07-31 22:24:33');

INSERT INTO ProductinOrder

(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery Date) VALUES (292,25,8,'Ordered',234,35,NULL);

INSERT INTO ProductinOrder

(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery Date) VALUES (293,13,1,'Shipping',348,43,NULL);

```
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (294,5,7,'Ordered',190,50,NULL);
```

```
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (295,29,10,'Delivered',143,34,'2020-08-16 04:35:01');
```

```
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (296,17,6,'Shipping',353,17,NULL);
```

```
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (297,2,3,'Ordered',219,5,NULL);
```

```
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (298,14,10,'Delivered',31,47,'2020-08-05 20:23:27');
```

```
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (299,5,5,'Shipping',190,13,NULL);
```

```
INSERT INTO ProductinOrder
(Order_ID,Product_ID,Shop_ID,ProductinOrder_status,Order_Price,Quantity,Delivery
Date) VALUES (300,29,4,'Delivered',387,14,'2020-10-08 02:04:50');
```

-- Feedback

```
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (132,2,
'2020-07-20 05:10:24 ', 'Will definitely buy again ',5);
```

```
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (129,2,
'2020-06-03 07:24:55 ', 'Will definitely buy again ',5);
```

```
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (148,9,
'2020-09-17 10:50:40 ', 'Impressed ',5);
```

```

INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (122,7,
'2020-08-06 03:25:02 ', 'Good ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (11,19,
'2020-08-24 21:20:16 ', 'Good ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES
(125,12, '2020-06-30 11:47:34 ', 'Impressed ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (38,28,
'2020-08-14 22:11:45 ', 'Not Bad ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (76,23,
'2020-08-10 09:32:19 ', 'Decent Product ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES
(184,24, '2020-07-11 22:40:17 ', 'Decent Product ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (166,1,
'2020-09-04 23:25:54 ', 'Well packaged ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (74,22,
'2020-06-18 08:35:17 ', 'Good ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (32,6,
'2020-09-22 13:10:41 ', 'Nice ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (3,21,
'2020-07-04 08:32:33 ', 'Nice ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (101,1,
'2020-06-03 23:38:29 ', 'A bit torn but okay ',4);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (46,29,
'2020-06-04 17:47:22 ', 'Not Bad ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES
(116,29, '2020-07-20 11:40:05 ', 'Absolutely loved the product!
',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (55,13,
'2020-09-05 15:13:47 ', 'Not Bad ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (100,8,
'2020-08-04 01:08:26 ', 'Absolutely loved the product! ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (89,21,
'2020-08-26 11:45:20 ', 'Came earlier than expected ',5);

```

```

INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES
(199,22, '2020-06-06 22:26:14 ', 'Beautiful design ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES
(186,21, '2020-08-26 07:57:19 ', 'Came earlier than expected ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (42,9,
'2020-09-13 16:21:13 ', 'A bit torn but okay ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES
(102,11, '2020-09-23 16:36:53 ', 'Came earlier than expected ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (90,19,
'2020-06-20 22:10:57 ', 'Nice product. Good packaging ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES
(122,21, '2020-07-27 08:01:48 ', 'Well packaged ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (193,6,
'2020-09-24 02:30:41 ', 'Beautiful design ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES
(122,23, '2020-08-06 04:00:29 ', 'Nice product. Good packaging ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (63,17,
'2020-06-01 05:58:05 ', 'Nice product. Good packaging ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES
(154,18, '2020-07-23 03:08:13 ', 'Beautiful design ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES
(142,22, '2020-07-30 01:58:42 ', 'Good ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES
(190,18, '2020-06-27 22:45:39 ', 'Well packaged ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (9,8,
'2020-09-24 08:40:41 ', 'Impressed ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (30,27,
'2020-07-12 17:44:46 ', 'Well packaged ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (1,21,
'2020-06-22 16:51:54 ', 'Nice ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES
(165,20, '2020-09-07 09:43:28 ', 'Will definitely buy again ',5);

```



```

INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (61,12,
'2020-06-22 05:03:53 ', 'Decent Product ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES
(171,27, '2020-07-19 06:54:56 ', 'Well packaged ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (17,12,
'2020-06-17 17:28:48 ', 'Came earlier than expected ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES
(110,18, '2020-08-11 09:05:13 ', 'A bit torn but okay ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES
(146,23, '2020-09-06 03:49:36 ', 'Good ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (43,8,
'2020-06-23 10:06:04 ', 'A bit torn but okay ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (84,13,
'2020-06-29 22:46:36 ', 'Loved the quality ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (15,15,
'2020-06-30 10:11:19 ', 'Nice product. Good packaging ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES
(185,29, '2020-08-28 22:34:23 ', 'Beautiful design ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (175,4,
'2020-09-12 07:42:34 ', 'Impressed ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (63,19,
'2020-09-16 12:16:35 ', 'Will definitely buy again ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES
(169,17, '2020-09-25 04:12:52 ', 'Great condition ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (34,28,
'2020-08-13 14:52:03 ', 'Not Bad ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (155,4,
'2020-09-11 07:02:49 ', 'Not Bad ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (129,3,
'2020-09-14 14:18:01 ', 'Absolutely loved the product! ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES
(144,19, '2020-09-11 16:59:35 ', 'Great condition ',5);

```

```

INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (55,14,
'2020-06-10 10:42:51 ', 'Nice product. Good packaging ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (49,3,
'2020-06-18 04:01:40 ', 'Loved the quality ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES
(128,10, '2020-09-08 14:38:31 ', 'Nice ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (111,1,
'2020-06-29 00:28:53 ', 'Great condition ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES
(157,30, '2020-07-11 07:44:27 ', 'Not Bad ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES
(118,26, '2020-07-21 01:39:22 ', 'Came earlier than expected ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (33,9,
'2020-09-17 16:10:44 ', 'Decent Product ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES
(170,13, '2020-09-11 21:42:54 ', 'Decent Product ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (64,7,
'2020-09-17 07:04:03 ', 'Impressed ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (190,4,
'2020-06-02 02:53:31 ', 'Beautiful design ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (196,4,
'2020-08-01 07:19:39 ', 'Nice product. Good packaging ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES
(181,29, '2020-07-04 05:35:56 ', 'Impressed ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (97,1,
'2020-06-21 16:55:15 ', 'Good ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (39,22,
'2020-09-23 08:42:40 ', 'Great condition ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (183,7,
'2020-09-13 00:42:45 ', 'Nice product. Good packaging ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (167,2,
'2020-06-09 06:54:18 ', 'Beautiful design ',5);

```

```

INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (143,9,
'2020-07-23 01:10:43 ', 'Great condition ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (31,14,
'2020-08-21 05:35:07 ', 'Great condition ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (1,1,
'2020-08-24 06:36:48 ', 'Beautiful design ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (6,12,
'2020-07-22 12:30:22 ', 'Not Bad ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (62,20,
'2020-06-02 00:20:49 ', 'A bit torn but okay ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES
(152,16, '2020-07-29 08:47:48 ', 'Will definitely buy again ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (132,9,
'2020-07-10 18:34:56 ', 'Good ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (17,8,
'2020-09-01 02:07:04 ', 'Decent Product ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (36,12,
'2020-08-26 12:19:36 ', 'Nice ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (83,15,
'2020-08-15 06:46:30 ', 'Nice ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (20,25,
'2020-09-20 20:14:54 ', 'Will definitely buy again ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (141,2,
'2020-05-31 00:04:34 ', 'Impressed ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (102,4,
'2020-09-18 05:11:24 ', 'Nice ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES
(114,28, '2020-07-06 23:04:59 ', 'Good ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (80,3,
'2020-07-27 17:12:15 ', 'Well packaged ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES
(175,13, '2020-06-04 15:09:15 ', 'Nice product. Good packaging ',5);

```

```

INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES
(146,25, '2020-07-09 14:13:18 ', 'Not Bad ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (54,15,
'2020-09-05 06:56:07 ', 'Absolutely loved the product! ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (176,5,
'2020-07-07 13:26:22 ', 'Will definitely buy again ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (25,7,
'2020-07-10 07:44:09 ', 'Nice product. Good packaging ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES
(163,12, '2020-08-02 04:25:41 ', 'Absolutely loved the product!
',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (131,5,
'2020-09-07 10:57:54 ', 'Good ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (23,30,
'2020-08-08 18:41:50 ', 'Great condition ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES
(191,28, '2020-08-08 03:27:35 ', 'Great condition ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES
(150,14, '2020-08-03 03:23:54 ', 'Impressed ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (62,28,
'2020-07-08 17:34:59 ', 'Not Bad ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES
(125,12, '2020-09-11 15:30:50 ', 'Loved the quality ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (49,19,
'2020-06-03 00:28:06 ', 'Not Bad ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES
(129,14, '2020-09-24 08:55:12 ', 'Absolutely loved the product!
',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (158,8,
'2020-06-15 11:06:38 ', 'Loved the quality ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (76,9,
'2020-08-10 13:03:55 ', 'Came earlier than expected ',5);

```

```

INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (76,13,
'2020-06-18 09:24:26 ', 'Came earlier than expected ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES
(124,20, '2020-06-17 06:54:25 ', 'Decent Product ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (113,3,
'2020-06-18 22:29:10 ', 'Will definitely buy again ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES
(141,29, '2020-08-11 14:49:06 ', 'Decent Product ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (84,14,
'2020-09-15 06:23:57 ', 'Beautiful design ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (88,4,
'2020-08-26 14:07:36 ', 'Loved the quality ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (65,19,
'2020-08-27 14:02:17 ', 'A bit torn but okay ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES
(110,18, '2020-09-22 05:56:12 ', 'Not Bad ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES
(124,24, '2020-06-19 04:20:16 ', 'Decent Product ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (14,29,
'2020-06-29 04:15:58 ', 'Well packaged ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (78,12,
'2020-06-20 09:26:15 ', 'Good ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (30,9,
'2020-06-08 23:18:25 ', 'Nice product. Good packaging ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES
(127,13, '2020-07-14 21:18:36 ', 'Nice product. Good packaging ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (31,17,
'2020-06-18 18:24:59 ', 'Decent Product ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (55,24,
'2020-07-04 07:19:27 ', 'Good ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES
(126,28, '2020-06-14 14:00:18 ', 'Absolutely loved the product!
',5);

```

```

INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES
(185,24, '2020-07-08 04:01:20 ', 'Came earlier than expected ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (33,21,
'2020-08-29 15:11:17 ', 'Impressed ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (116,3,
'2020-07-05 23:53:36 ', 'Will definitely buy again ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES
(145,27, '2020-08-01 19:08:19 ', 'Loved the quality ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (22,25,
'2020-08-10 14:06:37 ', 'Came earlier than expected ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES
(101,11, '2020-07-17 15:51:30 ', 'A bit torn but okay ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES
(102,13, '2020-07-27 01:33:27 ', 'Good ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (191,1,
'2020-05-31 00:06:51 ', 'Beautiful design ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES
(138,21, '2020-06-07 13:19:24 ', 'Came earlier than expected ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (15,16,
'2020-08-21 23:43:26 ', 'Nice ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (190,3,
'2020-08-31 09:25:21 ', 'Will definitely buy again ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES
(138,22, '2020-09-12 08:12:19 ', 'Loved the quality ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (58,4,
'2020-06-28 07:11:49 ', 'Beautiful design ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (51,22,
'2020-07-18 12:41:35 ', 'Came earlier than expected ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (88,26,
'2020-07-04 23:38:53 ', 'Well packaged ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES
(156,30, '2020-08-26 08:04:10 ', 'Good ',5);

```

```

INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (155,2,
'2020-09-21 08:39:49 ', 'Will definitely buy again ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (8,24,
'2020-06-13 19:28:08 ', 'Beautiful design ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (176,6,
'2020-08-28 20:46:58 ', 'Beautiful design ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (33,29,
'2020-09-02 20:19:51 ', 'Not Bad ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (129,1,
'2020-09-04 23:49:28 ', 'Will definitely buy again ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (90,5,
'2020-07-15 03:57:13 ', 'Decent Product ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES
(126,30, '2020-09-18 01:07:18 ', 'Decent Product ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (159,9,
'2020-08-25 18:08:06 ', 'Good ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES
(121,10, '2020-08-17 09:12:55 ', 'A bit torn but okay ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES
(156,19, '2020-07-21 23:50:00 ', 'Impressed ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES
(144,23, '2020-08-25 14:19:13 ', 'Loved the quality ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (62,27,
'2020-07-23 04:47:40 ', 'Nice product. Good packaging ',3);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES
(109,22, '2020-07-18 03:55:14 ', 'Great condition ',4);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES
(198,19, '2020-06-20 06:45:35 ', 'Decent Product ',4);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (72,20,
'2020-08-18 08:14:28 ', 'Nice ',3);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (170,6,
'2020-08-12 22:41:32 ', 'Will definitely buy again ',4);

```

```

INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES
(138,10, '2020-07-30 17:14:41 ', 'Nice product. Good packaging ',1);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (123,8,
'2020-06-09 13:37:07 ', 'Nice ',4);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (197,2,
'2020-08-20 15:05:49 ', 'Came earlier than expected ',2);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (95,14,
'2020-08-04 16:04:34 ', 'Decent Product ',3);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (4,9,
'2020-09-24 23:18:07 ', 'Not Bad ',3);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES
(104,10, '2020-09-15 12:00:44 ', 'Nice product. Good packaging ',4);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (157,8,
'2020-07-07 22:03:48 ', 'Decent Product ',3);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES
(168,10, '2020-07-10 15:31:57 ', 'Not Bad ',3);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (168,1,
'2020-08-14 07:00:32 ', 'A bit torn but okay ',2);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (113,6,
'2020-06-25 00:09:20 ', 'packaging looks torn ',1);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES
(161,29, '2020-08-31 06:02:32 ', 'A bit torn but okay ',1);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES
(153,16, '2020-08-03 09:43:31 ', 'Great condition ',3);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (138,2,
'2020-07-27 07:32:44 ', 'Good ',2);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (134,6,
'2020-09-08 17:22:43 ', 'Loved the quality ',3);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES
(102,23, '2020-07-28 01:36:10 ', 'A bit torn but okay ',3);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (90,27,
'2020-08-11 12:41:25 ', 'Nice ',3);

```



```

INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES
(142,26, '2020-07-05 19:58:39 ', 'Absolutely loved the product!
',3);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (39,14,
'2020-08-15 17:22:57 ', 'Well packaged ',3);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (11,2,
'2020-07-08 05:36:24 ', 'Loved the quality ',2);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES
(126,11, '2020-06-07 07:17:21 ', 'Will definitely buy again ',3);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (62,26,
'2020-09-04 15:53:18 ', 'Absolutely loved the product! ',2);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (189,4,
'2020-07-08 15:49:19 ', 'Great condition ',2);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES
(112,20, '2020-07-31 04:50:45 ', 'Not Bad ',4);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES
(158,16, '2020-08-11 02:54:59 ', 'Nice ',2);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES
(137,28, '2020-09-19 12:39:35 ', 'Beautiful design ',2);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES
(162,23, '2020-07-04 13:29:15 ', 'Will definitely buy again ',4);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (54,13,
'2020-08-01 05:58:30 ', 'Good ',3);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (19,26,
'2020-09-23 04:49:22 ', 'Loved the quality ',4);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (91,17,
'2020-06-11 00:20:53 ', 'Came earlier than expected ',3);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (80,21,
'2020-07-31 07:50:46 ', 'Good ',4);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (53,8,
'2020-06-16 14:54:10 ', 'Not Bad ',2);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES
(182,25, '2020-08-20 21:59:20 ', 'Loved the quality ',4);

```

```

INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (31,5,
'2020-07-31 03:46:53 ', 'Decent Product ',1);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (183,3,
'2020-06-19 01:53:49 ', 'Came earlier than expected ',4);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES
(122,24, '2020-08-23 15:45:52 ', 'Nice product. Good packaging ',2);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES
(123,23, '2020-09-11 10:55:12 ', 'A bit torn but okay ',2);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES
(100,17, '2020-09-12 13:44:49 ', 'Great condition ',4);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES
(189,25, '2020-06-22 02:40:42 ', 'Decent Product ',2);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (2,13,
'2020-08-07 22:08:18 ', 'A bit torn but okay ',2);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (52,26,
'2020-09-14 17:49:32 ', 'Decent Product ',4);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (50,18,
'2020-08-20 07:11:03 ', 'Loved the quality ',2);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (98,20,
'2020-06-28 07:41:32 ', 'Absolutely loved the product! ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (147,3,
'2020-09-07 02:04:34 ', 'Loved the quality ',4);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (42,5,
'2020-07-18 21:25:43 ', 'Decent Product ',1);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (83,6,
'2020-09-16 03:41:32 ', 'Nice ',3);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (133,6,
'2020-07-21 10:36:52 ', 'Absolutely loved the product! ',3);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (177,6,
'2020-07-10 02:40:38 ', 'Well packaged ',3);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (10,9,
'2020-08-22 22:33:10 ', 'Great condition ',2);

```

```

INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (6,22,
'2020-08-25 23:59:26 ', 'room for improvement ',1);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (130,3,
'2020-08-07 03:52:08 ', 'Good ',4);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES
(150,29, '2020-07-16 13:21:53 ', 'Nice product. Good packaging ',1);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES
(108,17, '2020-09-24 15:41:03 ', 'room for improvement ',1);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES
(197,18, '2020-09-11 11:19:54 ', 'Loved the quality ',4);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (98,3,
'2020-08-27 01:01:42 ', 'Beautiful design ',2);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (64,7,
'2020-07-17 08:08:28 ', 'A bit torn but okay ',1);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES
(125,18, '2020-08-13 09:53:49 ', 'Not Bad ',2);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (32,30,
'2020-09-22 18:01:45 ', 'Absolutely loved the product! ',3);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (9,5,
'2020-08-21 16:44:59 ', 'Well packaged ',4);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (129,7,
'2020-06-18 23:20:20 ', 'Great condition ',3);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES
(191,30, '2020-08-20 08:34:53 ', 'Came earlier than expected ',3);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (56,19,
'2020-08-25 00:45:10 ', 'Well packaged ',4);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (90,8,
'2020-07-21 04:07:16 ', 'Not Bad ',1);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (47,22,
'2020-06-27 14:24:00 ', 'Came earlier than expected ',2);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (27,3,
'2020-08-04 12:52:34 ', 'Nice ',2);

```

```

INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (74,27,
'2020-06-20 21:22:59 ', 'Nice ',4);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (23,5,
'2020-07-13 02:54:57 ', 'A bit torn but okay ',1);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (139,3,
'2020-07-21 10:26:04 ', 'Loved the quality ',2);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES
(161,29, '2020-08-18 16:22:10 ', 'Not Bad ',2);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES
(130,24, '2020-08-20 21:38:06 ', 'Nice product. Good packaging ',3);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (44,7,
'2020-06-23 06:57:18 ', 'Loved the quality ',3);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (53,9,
'2020-09-01 13:40:30 ', 'Nice ',3);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES
(177,14, '2020-09-02 09:10:30 ', 'Not Bad ',3);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (80,17,
'2020-07-11 15:16:22 ', 'Good ',2);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (17,23,
'2020-07-24 18:57:42 ', 'Loved the quality ',3);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES
(160,20, '2020-07-06 08:24:56 ', 'Great condition ',3);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (55,12,
'2020-08-27 12:02:20 ', 'Well packaged ',3);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (160,3,
'2020-07-21 19:32:45 ', 'Nice ',1);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (198,1,
'2020-08-16 10:40:59 ', 'A bit torn but okay ',1);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES
(199,25, '2020-08-07 22:06:04 ', 'Impressed ',4);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (158,1,
'2020-06-30 05:40:28 ', 'Not Bad ',4);

```

```

INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (94,7,
'2020-05-31 10:49:20 ', 'Good ',1);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (61,27,
'2020-07-29 07:29:20 ', 'Well packaged ',2);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES
(117,11, '2020-08-28 19:18:57 ', 'Absolutely loved the product!
',2);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (148,3,
'2020-09-05 17:11:13 ', 'A bit torn but okay ',1);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (18,24,
'2020-08-21 06:40:58 ', 'A bit torn but okay ',1);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (68,30,
'2020-07-02 14:43:33 ', 'Will definitely buy again ',3);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES
(193,13, '2020-06-14 13:31:40 ', 'Room for improvement ',1);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (135,1,
'2020-06-22 07:27:05 ', 'Great condition ',3);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES
(188,17, '2020-07-24 22:48:51 ', 'Decent Product ',4);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES
(175,13, '2020-07-02 22:57:15 ', 'Will definitely buy again ',4);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (21,26,
'2020-06-14 15:53:09 ', 'Good ',2);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES
(171,22, '2020-08-10 12:05:01 ', 'A bit torn but okay ',2);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES
(193,12, '2020-08-30 14:30:30 ', 'Will definitely buy again ',3);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES
(174,11, '2020-08-05 08:41:31 ', 'Absolutely loved the product!
',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES
(114,11, '2020-06-17 14:22:34 ', 'Absolutely loved the product!
',5);

```

```

INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (53,23,
'2020-09-20 17:49:12 ', 'Well packaged ',4);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES
(136,24, '2020-08-08 17:01:05 ', 'Impressed ',3);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (128,9,
'2020-07-31 10:14:45 ', 'Beautiful design ',4);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (100,8,
'2020-09-05 04:45:16 ', 'Good ',2);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (11,6,
'2020-08-14 11:45:30 ', 'Beautiful design ',4);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (67,26,
'2020-07-17 05:04:40 ', 'Nice product. Good packaging ',3);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES
(143,29, '2020-07-23 00:47:07 ', 'Beautiful design ',1);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (81,29,
'2020-08-08 12:01:07 ', 'Well packaged ',4);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (86,21,
'2020-08-11 01:37:21 ', 'Impressed ',2);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (12,22,
'2020-09-16 04:34:06 ', 'Good ',2);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (59,11,
'2020-07-03 04:16:56 ', 'Room for improvement ',1);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (4,3,
'2020-07-23 13:36:23 ', 'Came earlier than expected ',1);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (19,2,
'2020-08-18 08:04:04 ', 'Great condition ',1);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES
(156,11, '2020-09-24 10:07:23 ', 'Room for improvement ',1);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (107,5,
'2020-08-01 21:35:24 ', 'Impressed ',4);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES
(186,25, '2020-07-06 17:28:51 ', 'Not Bad ',1);

```

```

INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (168,2,
'2020-08-29 08:33:11 ', 'Well packaged ',2);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (67,28,
'2020-09-22 20:21:26 ', 'A bit torn but okay ',3);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES
(127,17, '2020-08-24 11:20:16 ', 'Nice ',3);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (85,4,
'2020-06-13 00:56:07 ', 'Great condition ',3);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (81,8,
'2020-06-02 22:40:50 ', 'Great condition ',2);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (72,14,
'2020-07-06 01:37:25 ', 'Well packaged ',4);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (96,9,
'2020-07-06 02:17:27 ', 'Great condition ',3);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES
(161,15, '2020-08-06 19:21:47 ', 'Great condition ',4);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (51,14,
'2020-08-18 09:30:26 ', 'Absolutely loved the product! ',4);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES
(167,21, '2020-09-01 03:38:54 ', 'Well packaged ',3);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (179,1,
'2020-08-28 20:54:13 ', 'Came earlier than expected ',2);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES
(139,18, '2020-07-30 07:17:09 ', 'Impressed ',3);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (62,26,
'2020-09-14 15:28:30 ', 'A bit torn but okay ',3);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (142,2,
'2020-09-11 04:58:16 ', 'Well packaged ',4);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (68,14,
'2020-08-05 18:43:16 ', 'Great condition ',3);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES
(181,20, '2020-07-15 22:58:09 ', 'Will definitely buy again ',4);

```

```

INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (8,22,
'2020-06-17 05:46:13 ', 'A bit torn but okay ',1);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (198,5,
'2020-07-03 10:46:15 ', 'Loved the quality ',3);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (8,26,
'2020-06-04 12:47:56 ', 'Nice ',2);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (114,3,
'2020-06-13 21:37:19 ', 'Great condition ',3);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (63,25,
'2020-07-22 13:28:36 ', 'Came earlier than expected ',2);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES
(179,28, '2020-07-22 04:24:28 ', 'Beautiful design ',1);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (162,8,
'2020-08-07 01:16:49 ', 'Absolutely loved the product! ',3);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (19,20,
'2020-06-04 05:20:46 ', 'Will definitely buy again ',4);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (97,25,
'2020-07-26 11:06:09 ', 'Nice product. Good packaging ',3);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES
(122,13, '2020-08-28 01:55:41 ', 'A bit torn but okay ',2);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (21,24,
'2020-08-02 21:22:45 ', 'A bit torn but okay ',2);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (4,30,
'2020-07-18 02:27:00 ', 'Came earlier than expected ',1);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES
(119,23, '2020-09-07 08:59:04 ', 'Impressed ',2);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (88,26,
'2020-08-28 02:31:55 ', 'Impressed ',3);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (199,8,
'2020-06-16 08:49:27 ', 'Absolutely loved the product! ',2);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES
(108,16, '2020-07-25 00:50:04 ', 'Beautiful design ',3);

```



```

INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (86,15,
'2020-07-09 03:31:59 ', 'Impressed ',4);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES
(198,25, '2020-06-24 12:27:08 ', 'Beautiful design ',2);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES
(107,22, '2020-08-11 15:39:47 ', 'A bit torn but okay ',2);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES
(124,15, '2020-09-17 16:23:33 ', 'Good ',2);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES
(137,28, '2020-08-16 10:54:57 ', 'Came earlier than expected ',2);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (165,4,
'2020-09-18 23:10:37 ', 'Nice ',2);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (64,3,
'2020-09-20 18:07:17 ', 'Beautiful design ',4);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (89,9,
'2020-07-31 09:26:34 ', 'Beautiful design ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES
(121,14, '2020-09-04 20:38:52 ', 'Beautiful design ',3);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (80,2,
'2020-08-22 20:45:01 ', 'Not Bad ',3);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (54,14,
'2020-09-09 17:10:45 ', 'Nice ',3);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (149,3,
'2020-07-01 01:22:25 ', 'A bit torn but okay ',1);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES
(117,17, '2020-06-20 07:38:02 ', 'Nice ',3);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES
(155,17, '2020-08-23 20:13:32 ', 'Will definitely buy again ',4);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (24,3,
'2020-06-01 03:45:21 ', 'Beautiful design ',4);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES
(112,12, '2020-08-11 11:48:22 ', 'A bit torn but okay ',2);

```

```

INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (28,16,
'2020-08-29 10:43:30 ', 'Impressed ',3);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES
(123,19, '2020-08-13 03:02:33 ', 'Loved the quality ',2);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (171,8,
'2020-09-23 00:05:03 ', 'Beautiful design ',3);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES
(101,24, '2020-07-10 13:25:48 ', 'Well packaged ',1);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES
(126,20, '2020-06-13 12:37:11 ', 'Will definitely buy again ',4);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (17,21,
'2020-06-23 10:40:19 ', 'Good ',3);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES
(135,17, '2020-06-03 07:20:12 ', 'Room for improvement ',1);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (84,5,
'2020-07-14 00:49:04 ', 'Room for improvement ',1);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (45,15,
'2020-07-08 11:41:13 ', 'Room for improvement ',1);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (79,5,
'2020-09-06 19:41:08 ', 'Well packaged ',3);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES
(163,24, '2020-07-25 18:59:06 ', 'Nice product. Good packaging ',3);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES
(104,17, '2020-07-05 14:42:29 ', 'Great condition ',3);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (24,21,
'2020-09-14 08:19:03 ', 'Impressed ',3);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES
(143,12, '2020-07-26 18:23:54 ', 'Nice product. Good packaging ',3);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES
(148,25, '2020-06-21 18:36:05 ', 'Decent Product ',3);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (48,5,
'2020-09-13 18:28:35 ', 'Nice ',2);

```

```

INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (46,6,
'2020-08-29 14:18:06 ', 'Nice product. Good packaging ',3);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (54,29,
'2020-06-06 01:23:32 ', 'Nice product. Good packaging ',3);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (25,23,
'2020-07-09 01:12:08 ', 'Room for improvement ',1);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (1,12,
'2020-07-26 05:43:58 ', 'Good ',3);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (173,9,
'2020-09-06 21:54:13 ', 'Nice ',4);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES
(147,18, '2020-09-03 09:54:31 ', 'Well packaged ',3);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (10,21,
'2020-08-11 13:37:04 ', 'Great condition ',4);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (78,2,
'2020-07-03 17:11:47 ', 'Decent Product ',3);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (117,6,
'2020-07-19 17:22:20 ', 'A bit torn but okay ',2);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (177,1,
'2020-07-05 03:25:59 ', 'Will definitely buy again ',4);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES
(190,19, '2020-07-07 07:21:56 ', 'Room for improvement ',1);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (69,20,
'2020-07-16 12:47:00 ', 'Beautiful design ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (101,1,
'2020-08-12 09:29:48 ', 'Good ',2);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (92,1,
'2020-09-04 03:16:58 ', 'Decent Product ',4);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (80,8,
'2020-07-25 05:50:42 ', 'Nice ',2);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (181,3,
'2020-07-12 01:48:20 ', 'A bit torn but okay ',4);

```

```

INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (117,2,
'2020-06-15 18:29:04 ', 'Room for improvement ',1);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (85,14,
'2020-07-19 19:06:58 ', 'Impressed ',4);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES
(102,15, '2020-08-21 07:55:41 ', 'Nice product. Good packaging ',3);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (132,2,
'2020-07-20 05:10:24 ', 'Good Product! ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (129,2,
'2020-06-03 07:24:55 ', 'Fantastic product ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (148,2,
'2020-09-17 10:50:40 ', 'will recommend friends to buy ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (122,2,
'2020-08-06 03:25:02 ', 'Good ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (11,2,
'2020-08-24 21:20:16 ', 'Good ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (125,2,
'2020-06-30 11:47:34 ', 'Impressed ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (38,2,
'2020-08-14 22:11:45 ', 'Not Bad ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (76,2,
'2020-08-10 09:32:19 ', 'i like the colour ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (184,2,
'2020-07-11 22:40:17 ', 'the design is beautiful ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (166,2,
'2020-09-04 23:25:54 ', 'Well package ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (74,2,
'2020-06-18 08:35:17 ', 'beautiful product ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (32,2,
'2020-09-22 13:10:41 ', 'Nice ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (3,2,
'2020-07-04 08:32:33 ', 'Nice ',5);

```

```

INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (101,2,
'2020-06-03 23:38:29 ', 'Have been waiting for this phone ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (46,2,
'2020-06-04 17:47:22 ', 'colour is beautiful ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (116,2,
'2020-07-20 11:40:05 ', 'Absolutely loved the product! ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (55,2,
'2020-09-05 15:13:47 ', 'Not Bad ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (100,2,
'2020-08-04 01:08:26 ', 'Absolutely loved the product! ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (89,2,
'2020-08-26 11:45:20 ', 'love the product ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (199,2,
'2020-06-06 22:26:14 ', 'Beautiful design ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (186,2,
'2020-08-26 07:57:19 ', 'Came earlier than expected ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (42,2,
'2020-09-13 16:21:13 ', 'not bad ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (102,2,
'2020-09-23 16:36:53 ', 'Came earlier than expected ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (90,2,
'2020-06-20 22:10:57 ', 'Nice product. Good packaging ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (122,2,
'2020-07-27 08:01:48 ', 'Well packaged ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (193,2,
'2020-09-24 02:30:41 ', 'Beautiful design ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (122,2,
'2020-08-06 04:00:29 ', 'Nice product. Good packaging ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (63,2,
'2020-06-01 05:58:05 ', 'Nice product. Good packaging ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (154,2,
'2020-07-23 03:08:13 ', 'Beautiful design ',5);

```

```

INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (142,2,
'2020-07-30 01:58:42 ', 'Good ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (190,2,
'2020-06-27 22:45:39 ', 'Well packaged ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (9,2,
'2020-09-24 08:40:41 ', 'love the product ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (30,2,
'2020-07-12 17:44:46 ', 'Well packaged ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (1,2,
'2020-06-22 16:51:54 ', 'Nice ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (165,2,
'2020-09-07 09:43:28 ', 'like the colour ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (61,2,
'2020-06-22 05:03:53 ', 'have been waiting for this Product ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (171,2,
'2020-07-19 06:54:56 ', 'Well packaged ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (17,2,
'2020-06-17 17:28:48 ', 'Came earlier than expected ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (110,2,
'2020-08-11 09:05:13 ', 'have been waiting for this Product ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (146,2,
'2020-09-06 03:49:36 ', 'Good ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (43,2,
'2020-06-23 10:06:04 ', 'have been waiting for this Product ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (84,2,
'2020-06-29 22:46:36 ', 'Loved the quality ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (15,2,
'2020-06-30 10:11:19 ', 'Nice product. Good packaging ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (185,2,
'2020-08-28 22:34:23 ', 'Beautiful design ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (175,2,
'2020-09-12 07:42:34 ', 'Impressed ',5);

```

```

INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (63,2,
'2020-09-16 12:16:35 ', 'love the product ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (169,2,
'2020-09-25 04:12:52 ', 'Great ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (34,2,
'2020-08-13 14:52:03 ', 'Not Bad ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (155,2,
'2020-09-11 07:02:49 ', 'Not Bad ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (129,2,
'2020-09-14 14:18:01 ', 'Absolutely loved the product! ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (144,2,
'2020-09-11 16:59:35 ', 'Great condition ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (55,2,
'2020-06-10 10:42:51 ', 'Nice product. Good packaging ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (49,2,
'2020-06-18 04:01:40 ', 'Loved the quality ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (128,2,
'2020-09-08 14:38:31 ', 'Nice ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (111,2,
'2020-06-29 00:28:53 ', 'will recommend friends to buy ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (157,2,
'2020-07-11 07:44:27 ', 'Not Bad ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (118,2,
'2020-07-21 01:39:22 ', 'Came earlier than expected ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (33,2,
'2020-09-17 16:10:44 ', 'will recommend friends to buy ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (170,2,
'2020-09-11 21:42:54 ', 'will recommend friends to buy ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (64,2,
'2020-09-17 07:04:03 ', 'Impressed ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (190,2,
'2020-06-02 02:53:31 ', 'Beautiful design ',5);

```

```

INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (196,2,
'2020-08-01 07:19:39 ', 'Nice product. Good packaging ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (181,2,
'2020-07-04 05:35:56 ', 'Impressed ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (97,2,
'2020-06-21 16:55:15 ', 'Good ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (39,2,
'2020-09-23 08:42:40 ', 'Great condition ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (183,2,
'2020-09-13 00:42:45 ', 'Nice product. Good packaging ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (167,2,
'2020-06-09 06:54:18 ', 'Beautiful design ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (143,2,
'2020-07-23 01:10:43 ', 'Great product ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (31,2,
'2020-08-21 05:35:07 ', 'Great product ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (1,2,
'2020-08-24 06:36:48 ', 'Beautiful design ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (6,2,
'2020-07-22 12:30:22 ', 'Not Bad ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (62,2,
'2020-06-02 00:20:49 ', 'Beautiful design ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (152,2,
'2020-07-29 08:47:48 ', 'Beautiful design ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (132,2,
'2020-07-10 18:34:56 ', 'Good ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (17,2,
'2020-09-01 02:07:04 ', 'Beautiful design ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (36,2,
'2020-08-26 12:19:36 ', 'Nice ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (83,2,
'2020-08-15 06:46:30 ', 'Nice ',5);

```



```

INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (20,2,
'2020-09-20 20:14:54 ', 'will recommend friends to buy ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (141,2,
'2020-05-31 00:04:34 ', 'Impressed ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (102,2,
'2020-09-18 05:11:24 ', 'Nice ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (114,2,
'2020-07-06 23:04:59 ', 'Good ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (80,2,
'2020-07-27 17:12:15 ', 'Well packaged ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (175,2,
'2020-06-04 15:09:15 ', 'Nice product. Good packaging ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (146,2,
'2020-07-09 14:13:18 ', 'Not Bad ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (54,2,
'2020-09-05 06:56:07 ', 'Absolutely loved the product! ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (176,2,
'2020-07-07 13:26:22 ', 'Will definitely buy again ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (25,2,
'2020-07-10 07:44:09 ', 'Nice product. Good packaging ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (163,2,
'2020-08-02 04:25:41 ', 'Absolutely loved the product! ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (131,2,
'2020-09-07 10:57:54 ', 'Good ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (23,2,
'2020-08-08 18:41:50 ', 'Great condition ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (191,2,
'2020-08-08 03:27:35 ', 'Great condition ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (150,2,
'2020-08-03 03:23:54 ', 'Impressed ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (62,2,
'2020-07-08 17:34:59 ', 'Not Bad ',5);

```

```

INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (125,2,
'2020-09-11 15:30:50 ', 'Loved the quality ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (49,2,
'2020-06-03 00:28:06 ', 'Not Bad ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (129,2,
'2020-09-24 08:55:12 ', 'Absolutely loved the product! ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (158,2,
'2020-06-15 11:06:38 ', 'Loved the quality ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (76,2,
'2020-08-10 13:03:55 ', 'Came earlier than expected ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (76,2,
'2020-06-18 09:24:26 ', 'Came earlier than expected ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (124,2,
'2020-06-17 06:54:25 ', 'Decent Product ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (113,2,
'2020-06-18 22:29:10 ', 'will recommend friends to buy ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (141,2,
'2020-08-11 14:49:06 ', 'Decent Product ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (84,2,
'2020-09-15 06:23:57 ', 'Beautiful design ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (88,2,
'2020-08-26 14:07:36 ', 'Loved the quality ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (65,2,
'2020-08-27 14:02:17 ', 'A bit torn but okay ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (110,2,
'2020-09-22 05:56:12 ', 'Not Bad ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (124,2,
'2020-06-19 04:20:16 ', 'Decent Product ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (14,2,
'2020-06-29 04:15:58 ', 'Well packaged ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (78,2,
'2020-06-20 09:26:15 ', 'Good ',5);

```

```

INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (30,2,
'2020-06-08 23:18:25 ', 'Nice product. Good packaging ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (127,2,
'2020-07-14 21:18:36 ', 'Nice product. Good packaging ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (31,2,
'2020-06-18 18:24:59 ', 'Decent Product ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (55,2,
'2020-07-04 07:19:27 ', 'Good ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (126,2,
'2020-06-14 14:00:18 ', 'Absolutely loved the product! ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (185,2,
'2020-07-08 04:01:20 ', 'Came earlier than expected ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (33,2,
'2020-08-29 15:11:17 ', 'Impressed ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (116,2,
'2020-07-05 23:53:36 ', 'Will definitely buy again ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (145,2,
'2020-08-01 19:08:19 ', 'Loved the quality ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (22,2,
'2020-08-10 14:06:37 ', 'Came earlier than expected ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (101,2,
'2020-07-17 15:51:30 ', 'A bit torn but okay ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (102,2,
'2020-07-27 01:33:27 ', 'Good ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (191,2,
'2020-05-31 00:06:51 ', 'Beautiful design ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (138,2,
'2020-06-07 13:19:24 ', 'Came earlier than expected ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (15,2,
'2020-08-21 23:43:26 ', 'Nice ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (190,2,
'2020-08-31 09:25:21 ', 'Will definitely buy again ',5);

```

```

INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (138,2,
'2020-09-12 08:12:19 ', 'Loved the quality ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (58,2,
'2020-06-28 07:11:49 ', 'Beautiful design ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (51,2,
'2020-07-18 12:41:35 ', 'Came earlier than expected ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (88,2,
'2020-07-04 23:38:53 ', 'Well packaged ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (156,2,
'2020-08-26 08:04:10 ', 'Good ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (155,2,
'2020-09-21 08:39:49 ', 'will recommend friends to buy ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (8,2,
'2020-06-13 19:28:08 ', 'Beautiful design ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (176,2,
'2020-08-28 20:46:58 ', 'Beautiful design ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (33,2,
'2020-09-02 20:19:51 ', 'Not Bad ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (129,2,
'2020-09-04 23:49:28 ', 'will recommend friends to buy ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (90,2,
'2020-07-15 03:57:13 ', 'Decent Product ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (126,2,
'2020-09-18 01:07:18 ', 'Decent Product ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (159,2,
'2020-08-25 18:08:06 ', 'Good ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (121,2,
'2020-08-17 09:12:55 ', 'A bit torn but okay ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (156,2,
'2020-07-21 23:50:00 ', 'Impressed ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (144,2,
'2020-08-25 14:19:13 ', 'Loved the quality ',5);

```

```

INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (62,2,
'2020-07-23 04:47:40 ', 'Nice product. Good packaging ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (109,2,
'2020-07-18 03:55:14 ', 'Great condition ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (198,2,
'2020-06-20 06:45:35 ', 'Decent Product ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (72,2,
'2020-08-18 08:14:28 ', 'Wonderful ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (170,2,
'2020-08-12 22:41:32 ', 'Will definitely buy again ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (138,2,
'2020-07-30 17:14:41 ', 'Nice product. Good packaging ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (123,2,
'2020-06-09 13:37:07 ', 'Nice ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (197,2,
'2020-08-20 15:05:49 ', 'Came earlier than expected ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (95,2,
'2020-08-04 16:04:34 ', 'Decent Product ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (4,2,
'2020-09-24 23:18:07 ', 'Not Bad ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (104,2,
'2020-09-15 12:00:44 ', 'Nice product. Good packaging ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (157,2,
'2020-07-07 22:03:48 ', 'Decent Product ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (168,2,
'2020-07-10 15:31:57 ', 'Not Bad ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (168,2,
'2020-08-14 07:00:32 ', 'Decent Product ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (113,2,
'2020-06-25 00:09:20 ', 'Will definitely buy again ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (161,2,
'2020-08-31 06:02:32 ', 'will recommend friends to buy ',5);

```

```

INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (153,2,
'2020-08-03 09:43:31 ', 'Great condition ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (138,2,
'2020-07-27 07:32:44 ', 'Good ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (134,2,
'2020-09-08 17:22:43 ', 'Loved the quality ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (102,2,
'2020-07-28 01:36:10 ', 'will recommend friends to buy ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (90,2,
'2020-08-11 12:41:25 ', 'Nice ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (142,2,
'2020-07-05 19:58:39 ', 'Absolutely loved the product! ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (39,2,
'2020-08-15 17:22:57 ', 'Well packaged ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (11,2,
'2020-07-08 05:36:24 ', 'Loved the quality ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (126,2,
'2020-06-07 07:17:21 ', 'Will definitely buy again ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (62,2,
'2020-09-04 15:53:18 ', 'Absolutely loved the product! ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (189,2,
'2020-07-08 15:49:19 ', 'Great condition ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (112,2,
'2020-07-31 04:50:45 ', 'Not Bad ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (158,2,
'2020-08-11 02:54:59 ', 'Nice ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (137,2,
'2020-09-19 12:39:35 ', 'Beautiful design ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (162,2,
'2020-07-04 13:29:15 ', 'Nice product. Good packaging ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (54,2,
'2020-08-01 05:58:30 ', 'Good ',5);

```

```

INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (19,2,
'2020-09-23 04:49:22 ', 'Loved the quality ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (91,2,
'2020-06-11 00:20:53 ', 'Came earlier than expected ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (80,2,
'2020-07-31 07:50:46 ', 'Good ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (53,2,
'2020-06-16 14:54:10 ', 'Not Bad ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (182,2,
'2020-08-20 21:59:20 ', 'Loved the quality ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (31,2,
'2020-07-31 03:46:53 ', 'Decent Product ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (183,2,
'2020-06-19 01:53:49 ', 'Came earlier than expected ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (122,2,
'2020-08-23 15:45:52 ', 'Nice product. Good packaging ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (123,2,
'2020-09-11 10:55:12 ', 'Decent Product ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (100,2,
'2020-09-12 13:44:49 ', 'Great condition ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (189,2,
'2020-06-22 02:40:42 ', 'Decent Product ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (2,2,
'2020-08-07 22:08:18 ', 'Decent Product ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (52,2,
'2020-09-14 17:49:32 ', 'Decent Product ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (50,2,
'2020-08-20 07:11:03 ', 'Loved the quality ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (98,2,
'2020-06-28 07:41:32 ', 'Absolutely loved the product! ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (147,2,
'2020-09-07 02:04:34 ', 'Loved the quality ',5);

```

```

INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (42,2,
'2020-07-18 21:25:43 ', 'Decent Product ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (83,2,
'2020-09-16 03:41:32 ', 'Nice ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (133,2,
'2020-07-21 10:36:52 ', 'Absolutely loved the product! ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (177,2,
'2020-07-10 02:40:38 ', 'Well packaged ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (10,2,
'2020-08-22 22:33:10 ', 'Great condition ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (6,2,
'2020-08-25 23:59:26 ', 'Not Bad ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (130,2,
'2020-08-07 03:52:08 ', 'Good ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (150,2,
'2020-07-16 13:21:53 ', 'Nice product. Good packaging ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (108,2,
'2020-09-24 15:41:03 ', 'Loved the quality ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (197,2,
'2020-09-11 11:19:54 ', 'Loved the quality ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (98,2,
'2020-08-27 01:01:42 ', 'Beautiful design ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (64,2,
'2020-07-17 08:08:28 ', 'Decent Product ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (125,2,
'2020-08-13 09:53:49 ', 'Not Bad ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (32,2,
'2020-09-22 18:01:45 ', 'Absolutely loved the product! ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (9,2,
'2020-08-21 16:44:59 ', 'Well packaged ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (129,2,
'2020-06-18 23:20:20 ', 'Great condition ',5);

```



```

INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (191,2,
'2020-08-20 08:34:53 ', 'Came earlier than expected ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (56,2,
'2020-08-25 00:45:10 ', 'Well packaged ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (90,2,
'2020-07-21 04:07:16 ', 'Not Bad ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (47,2,
'2020-06-27 14:24:00 ', 'Came earlier than expected ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (27,2,
'2020-08-04 12:52:34 ', 'Nice ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (74,2,
'2020-06-20 21:22:59 ', 'Nice ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (23,2,
'2020-07-13 02:54:57 ', 'Well packaged ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (139,2,
'2020-07-21 10:26:04 ', 'Loved the quality ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (161,2,
'2020-08-18 16:22:10 ', 'Not Bad ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (130,2,
'2020-08-20 21:38:06 ', 'Nice product. Good packaging ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (44,2,
'2020-06-23 06:57:18 ', 'Loved the quality ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (53,2,
'2020-09-01 13:40:30 ', 'Nice ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (177,2,
'2020-09-02 09:10:30 ', 'Not Bad ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (80,2,
'2020-07-11 15:16:22 ', 'Good ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (17,2,
'2020-07-24 18:57:42 ', 'Loved the quality ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (160,2,
'2020-07-06 08:24:56 ', 'Great condition ',5);

```

```

INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (55,2,
'2020-08-27 12:02:20 ', 'Well packaged ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (160,2,
'2020-07-21 19:32:45 ', 'Nice ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (8,9,
'2020-06-04 12:47:56 ', 'Nice ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (114,9,
'2020-06-13 21:37:19 ', 'Great condition ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (63,9,
'2020-07-22 13:28:36 ', 'Came earlier than expected ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (179,9,
'2020-07-22 04:24:28 ', 'Beautiful design ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (162,9,
'2020-08-07 01:16:49 ', 'Absolutely loved the product! ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (19,9,
'2020-06-04 05:20:46 ', 'Will definitely buy again ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (97,9,
'2020-07-26 11:06:09 ', 'Nice product. Good packaging ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (122,9,
'2020-08-28 01:55:41 ', 'Well packaged ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (21,9,
'2020-08-02 21:22:45 ', 'Well packaged ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (4,9,
'2020-07-18 02:27:00 ', 'Came earlier than expected ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (119,9,
'2020-09-07 08:59:04 ', 'Impressed ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (88,9,
'2020-08-28 02:31:55 ', 'Impressed ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (199,9,
'2020-06-16 08:49:27 ', 'Absolutely loved the product! ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (108,9,
'2020-07-25 00:50:04 ', 'Beautiful design ',5);

```

```

INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (86,9,
'2020-07-09 03:31:59 ', 'Impressed ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (198,9,
'2020-06-24 12:27:08 ', 'Beautiful design ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (107,9,
'2020-08-11 15:39:47 ', 'Well packaged ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (124,9,
'2020-09-17 16:23:33 ', 'Good ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (137,9,
'2020-08-16 10:54:57 ', 'Came earlier than expected ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (165,9,
'2020-09-18 23:10:37 ', 'Nice ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (64,9,
'2020-09-20 18:07:17 ', 'Beautiful design ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (89,9,
'2020-07-31 09:26:34 ', 'Beautiful design ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (121,9,
'2020-09-04 20:38:52 ', 'Beautiful design ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (80,9,
'2020-08-22 20:45:01 ', 'Not Bad ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (54,9,
'2020-09-09 17:10:45 ', 'Nice ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (149,9,
'2020-07-01 01:22:25 ', 'Well packaged ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (117,9,
'2020-06-20 07:38:02 ', 'Nice ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (155,9,
'2020-08-23 20:13:32 ', 'Will definitely buy again ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (24,9,
'2020-06-01 03:45:21 ', 'Beautiful design ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (112,9,
'2020-08-11 11:48:22 ', 'A bit torn but okay ',5);

```

```

INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (28,9,
'2020-08-29 10:43:30 ', 'Impressed ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (123,9,
'2020-08-13 03:02:33 ', 'Loved the quality ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (171,9,
'2020-09-23 00:05:03 ', 'Beautiful design ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (101,9,
'2020-07-10 13:25:48 ', 'Well packaged ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (126,9,
'2020-06-13 12:37:11 ', 'Will definitely buy again ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (17,9,
'2020-06-23 10:40:19 ', 'Good ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (135,9,
'2020-06-03 07:20:12 ', 'Not Bad ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (84,9,
'2020-07-14 00:49:04 ', 'Not Bad ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (45,9,
'2020-07-08 11:41:13 ', 'Decent Product ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (79,9,
'2020-09-06 19:41:08 ', 'Well packaged ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (163,9,
'2020-07-25 18:59:06 ', 'Nice product. Good packaging ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (104,9,
'2020-07-05 14:42:29 ', 'Great condition ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (24,9,
'2020-09-14 08:19:03 ', 'Impressed ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (143,9,
'2020-07-26 18:23:54 ', 'Nice product. Good packaging ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (148,9,
'2020-06-21 18:36:05 ', 'Decent Product ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (48,9,
'2020-09-13 18:28:35 ', 'Nice ',5);

```

```

INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (46,9,
'2020-08-29 14:18:06 ', 'Nice product. Good packaging ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (161,9,
'2020-08-31 06:02:32 ', 'will recommend friends to buy ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (153,9,
'2020-08-03 09:43:31 ', 'Great condition ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (138,9,
'2020-07-27 07:32:44 ', 'Good ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (134,9,
'2020-09-08 17:22:43 ', 'Loved the quality ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (102,9,
'2020-07-28 01:36:10 ', 'will recommend friends to buy ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (90,9,
'2020-08-11 12:41:25 ', 'Nice ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (142,9,
'2020-07-05 19:58:39 ', 'Absolutely loved the product! ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (39,9,
'2020-08-15 17:22:57 ', 'Well packaged ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (11,9,
'2020-07-08 05:36:24 ', 'Loved the quality ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (126,9,
'2020-06-07 07:17:21 ', 'Will definitely buy again ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (62,9,
'2020-09-04 15:53:18 ', 'Absolutely loved the product! ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (189,9,
'2020-07-08 15:49:19 ', 'Great condition ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (112,9,
'2020-07-31 04:50:45 ', 'Not Bad ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (158,9,
'2020-08-11 02:54:59 ', 'Nice ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (137,9,
'2020-09-19 12:39:35 ', 'Beautiful design ',5);

```

```

INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (162,9,
'2020-07-04 13:29:15 ', 'Nice product. Good packaging ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (54,9,
'2020-08-01 05:58:30 ', 'Good ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (19,9,
'2020-09-23 04:49:22 ', 'Loved the quality ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (91,9,
'2020-06-11 00:20:53 ', 'Came earlier than expected ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (80,9,
'2020-07-31 07:50:46 ', 'Good ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (53,9,
'2020-06-16 14:54:10 ', 'Not Bad ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (182,9,
'2020-08-20 21:59:20 ', 'Loved the quality ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (31,9,
'2020-07-31 03:46:53 ', 'Decent Product ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (183,9,
'2020-06-19 01:53:49 ', 'Came earlier than expected ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (122,9,
'2020-08-23 15:45:52 ', 'Nice product. Good packaging ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (123,9,
'2020-09-11 10:55:12 ', 'Decent Product ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (100,9,
'2020-09-12 13:44:49 ', 'Great condition ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (189,9,
'2020-06-22 02:40:42 ', 'Decent Product ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (2,9,
'2020-08-07 22:08:18 ', 'Decent Product ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (52,9,
'2020-09-14 17:49:32 ', 'Decent Product ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (50,9,
'2020-08-20 07:11:03 ', 'Loved the quality ',5);

```

```

INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (98,9,
'2020-06-28 07:41:32 ', 'Absolutely loved the product! ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (147,9,
'2020-09-07 02:04:34 ', 'Loved the quality ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (42,9,
'2020-07-18 21:25:43 ', 'Decent Product ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (83,9,
'2020-09-16 03:41:32 ', 'Nice ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (133,9,
'2020-07-21 10:36:52 ', 'Absolutely loved the product! ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (177,9,
'2020-07-10 02:40:38 ', 'Well packaged ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (10,9,
'2020-08-22 22:33:10 ', 'Great condition ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (6,9,
'2020-08-25 23:59:26 ', 'Not Bad ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (130,9,
'2020-08-07 03:52:08 ', 'Good ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (150,9,
'2020-07-16 13:21:53 ', 'Nice product. Good packaging ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (108,9,
'2020-09-24 15:41:03 ', 'Loved the quality ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (197,9,
'2020-09-11 11:19:54 ', 'Loved the quality ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (98,9,
'2020-08-27 01:01:42 ', 'Beautiful design ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (64,9,
'2020-07-17 08:08:28 ', 'Decent Product ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (125,9,
'2020-08-13 09:53:49 ', 'Not Bad ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (32,9,
'2020-09-22 18:01:45 ', 'Absolutely loved the product! ',5);

```

```

INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (9,9,
'2020-08-21 16:44:59 ', 'Well packaged ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (129,9,
'2020-06-18 23:20:20 ', 'Great condition ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (191,9,
'2020-08-20 08:34:53 ', 'Came earlier than expected ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (56,9,
'2020-08-25 00:45:10 ', 'Well packaged ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (90,9,
'2020-07-21 04:07:16 ', 'Not Bad ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (47,9,
'2020-06-27 14:24:00 ', 'Came earlier than expected ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (27,9,
'2020-08-04 12:52:34 ', 'Nice ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (74,9,
'2020-06-20 21:22:59 ', 'Nice ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (23,9,
'2020-07-13 02:54:57 ', 'Well packaged ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (139,9,
'2020-07-21 10:26:04 ', 'Loved the quality ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (161,9,
'2020-08-18 16:22:10 ', 'Not Bad ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (130,9,
'2020-08-20 21:38:06 ', 'Nice product. Good packaging ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (44,9,
'2020-06-23 06:57:18 ', 'Loved the quality ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (53,9,
'2020-09-01 13:40:30 ', 'Nice ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (177,9,
'2020-09-02 09:10:30 ', 'Not Bad ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (80,9,
'2020-07-11 15:16:22 ', 'Good ',5);

```



```
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (17,9,
'2020-07-24 18:57:42 ', 'Loved the quality ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (160,9,
'2020-07-06 08:24:56 ', 'Great condition ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (55,9,
'2020-08-27 12:02:20 ', 'Well packaged ',5);
INSERT INTO Feedback
(User_ID,Product_ID,Feedback_DateTime,Comment,Rating) VALUES (160,9,
'2020-07-21 19:32:45 ', 'Nice ',5);
```