

SevaPulse Public Citizen Feedback Report

Public Transparency Document – Citizens can review feedback by Area and Department.

| | | | |
|-----------------|--|-----------------------|--|
| Filter by Area: | | Filter by Department: | |
|-----------------|--|-----------------------|--|

| Rating | Citizen Feedback | Area | Department |
|--------|---|----------------|--------------|
| 1 | Very satisfied with department response. | Malviya Nagar | Health |
| 4 | Resolution was delayed significantly. | Jaipur Central | Health |
| 5 | Very satisfied with department response. | Vaishali Nagar | Water Supply |
| 2 | Unsatisfactory handling of complaint. | Mansarovar | Health |
| 4 | Average response time but issue fixed. | Jaipur Central | Health |
| 2 | Still waiting for proper resolution. | Sanganer | Roads |
| 2 | Very satisfied with department response. | Mansarovar | Roads |
| 2 | Good coordination and timely updates. | Mansarovar | Health |
| 1 | Needs better communication. | Mansarovar | Health |
| 4 | Good coordination and timely updates. | Vaishali Nagar | Sanitation |
| 3 | Appreciate the quick support. | Mansarovar | Health |
| 1 | Good coordination and timely updates. | Vaishali Nagar | Sanitation |
| 5 | Average response time but issue fixed. | Jaipur Central | Health |
| 4 | Average response time but issue fixed. | Sanganer | Sanitation |
| 4 | Good coordination and timely updates. | Mansarovar | Sanitation |
| 2 | Average response time but issue fixed. | Jaipur Central | Water Supply |
| 5 | Complaint resolved quickly and efficiently. | Malviya Nagar | Roads |
| 4 | Resolution was delayed significantly. | Jaipur Central | Water Supply |
| 1 | Needs better communication. | Mansarovar | Electricity |
| 5 | Appreciate the quick support. | Sanganer | Sanitation |
| 2 | Good coordination and timely updates. | Sanganer | Roads |
| 3 | Appreciate the quick support. | Malviya Nagar | Water Supply |
| 2 | Still waiting for proper resolution. | Vaishali Nagar | Electricity |
| 4 | Unsatisfactory handling of complaint. | Jaipur Central | Electricity |
| 4 | Still waiting for proper resolution. | Jaipur Central | Sanitation |
| 2 | Very satisfied with department response. | Malviya Nagar | Roads |
| 4 | Average response time but issue fixed. | Mansarovar | Electricity |
| 2 | Process was smooth and transparent. | Vaishali Nagar | Water Supply |
| 3 | Average response time but issue fixed. | Sanganer | Sanitation |
| 1 | Still waiting for proper resolution. | Vaishali Nagar | Sanitation |

| Rating | Citizen Feedback | Area | Department |
|--------|---|----------------|--------------|
| 5 | Good coordination and timely updates. | Jaipur Central | Health |
| 4 | Resolution was delayed significantly. | Mansarovar | Roads |
| 3 | Average response time but issue fixed. | Malviya Nagar | Health |
| 1 | Still waiting for proper resolution. | Malviya Nagar | Water Supply |
| 1 | Good coordination and timely updates. | Sanganer | Roads |
| 1 | Needs better communication. | Jaipur Central | Sanitation |
| 1 | Process was smooth and transparent. | Malviya Nagar | Sanitation |
| 1 | Appreciate the quick support. | Mansarovar | Health |
| 5 | Average response time but issue fixed. | Vaishali Nagar | Roads |
| 1 | Good coordination and timely updates. | Mansarovar | Health |
| 1 | Needs better communication. | Mansarovar | Roads |
| 1 | Needs better communication. | Sanganer | Sanitation |
| 3 | Complaint resolved quickly and efficiently. | Mansarovar | Roads |
| 3 | Still waiting for proper resolution. | Vaishali Nagar | Health |
| 5 | Process was smooth and transparent. | Malviya Nagar | Health |
| 1 | Process was smooth and transparent. | Sanganer | Electricity |
| 2 | Complaint resolved quickly and efficiently. | Jaipur Central | Roads |
| 4 | Unsatisfactory handling of complaint. | Jaipur Central | Health |
| 3 | Very satisfied with department response. | Mansarovar | Health |
| 4 | Process was smooth and transparent. | Jaipur Central | Water Supply |
| 4 | Very satisfied with department response. | Malviya Nagar | Sanitation |
| 1 | Process was smooth and transparent. | Mansarovar | Sanitation |
| 3 | Average response time but issue fixed. | Mansarovar | Electricity |
| 2 | Appreciate the quick support. | Malviya Nagar | Roads |
| 3 | Still waiting for proper resolution. | Malviya Nagar | Electricity |
| 1 | Unsatisfactory handling of complaint. | Jaipur Central | Electricity |
| 3 | Unsatisfactory handling of complaint. | Sanganer | Sanitation |
| 4 | Still waiting for proper resolution. | Mansarovar | Health |
| 2 | Complaint resolved quickly and efficiently. | Mansarovar | Sanitation |
| 1 | Average response time but issue fixed. | Malviya Nagar | Roads |
| 1 | Unsatisfactory handling of complaint. | Jaipur Central | Water Supply |
| 5 | Very satisfied with department response. | Malviya Nagar | Sanitation |
| 3 | Unsatisfactory handling of complaint. | Malviya Nagar | Water Supply |
| 2 | Resolution was delayed significantly. | Vaishali Nagar | Roads |
| 1 | Process was smooth and transparent. | Malviya Nagar | Roads |
| 5 | Unsatisfactory handling of complaint. | Vaishali Nagar | Roads |
| 1 | Complaint resolved quickly and efficiently. | Sanganer | Water Supply |

| Rating | Citizen Feedback | Area | Department |
|--------|---|----------------|--------------|
| 4 | Good coordination and timely updates. | Malviya Nagar | Sanitation |
| 2 | Complaint resolved quickly and efficiently. | Vaishali Nagar | Electricity |
| 3 | Good coordination and timely updates. | Sanganer | Electricity |
| 3 | Process was smooth and transparent. | Jaipur Central | Roads |
| 2 | Good coordination and timely updates. | Jaipur Central | Electricity |
| 4 | Process was smooth and transparent. | Mansarovar | Electricity |
| 5 | Very satisfied with department response. | Mansarovar | Sanitation |
| 5 | Appreciate the quick support. | Malviya Nagar | Water Supply |
| 5 | Very satisfied with department response. | Sanganer | Electricity |
| 5 | Unsatisfactory handling of complaint. | Vaishali Nagar | Electricity |
| 2 | Process was smooth and transparent. | Mansarovar | Water Supply |
| 4 | Resolution was delayed significantly. | Sanganer | Water Supply |
| 1 | Average response time but issue fixed. | Jaipur Central | Health |
| 3 | Needs better communication. | Jaipur Central | Water Supply |
| 2 | Very satisfied with department response. | Mansarovar | Water Supply |
| 2 | Still waiting for proper resolution. | Sanganer | Roads |
| 2 | Complaint resolved quickly and efficiently. | Jaipur Central | Health |
| 5 | Average response time but issue fixed. | Jaipur Central | Roads |
| 1 | Complaint resolved quickly and efficiently. | Sanganer | Electricity |
| 2 | Appreciate the quick support. | Malviya Nagar | Electricity |
| 1 | Average response time but issue fixed. | Jaipur Central | Health |
| 1 | Resolution was delayed significantly. | Sanganer | Health |
| 1 | Unsatisfactory handling of complaint. | Mansarovar | Sanitation |
| 4 | Needs better communication. | Mansarovar | Water Supply |
| 2 | Needs better communication. | Mansarovar | Health |
| 1 | Good coordination and timely updates. | Sanganer | Roads |
| 3 | Process was smooth and transparent. | Malviya Nagar | Water Supply |
| 2 | Good coordination and timely updates. | Jaipur Central | Sanitation |
| 2 | Unsatisfactory handling of complaint. | Vaishali Nagar | Electricity |
| 3 | Unsatisfactory handling of complaint. | Jaipur Central | Sanitation |
| 4 | Needs better communication. | Vaishali Nagar | Roads |
| 3 | Complaint resolved quickly and efficiently. | Vaishali Nagar | Water Supply |
| 3 | Resolution was delayed significantly. | Vaishali Nagar | Electricity |
| 4 | Very satisfied with department response. | Jaipur Central | Health |
| 4 | Complaint resolved quickly and efficiently. | Malviya Nagar | Electricity |
| 5 | Appreciate the quick support. | Malviya Nagar | Water Supply |
| 4 | Resolution was delayed significantly. | Sanganer | Health |

| Rating | Citizen Feedback | Area | Department |
|--------|---|----------------|--------------|
| 2 | Very satisfied with department response. | Jaipur Central | Health |
| 1 | Resolution was delayed significantly. | Vaishali Nagar | Electricity |
| 3 | Good coordination and timely updates. | Mansarovar | Roads |
| 1 | Very satisfied with department response. | Jaipur Central | Health |
| 1 | Good coordination and timely updates. | Malviya Nagar | Sanitation |
| 2 | Very satisfied with department response. | Vaishali Nagar | Electricity |
| 2 | Complaint resolved quickly and efficiently. | Jaipur Central | Sanitation |
| 1 | Resolution was delayed significantly. | Jaipur Central | Water Supply |
| 4 | Average response time but issue fixed. | Mansarovar | Sanitation |
| 1 | Needs better communication. | Sanganer | Electricity |
| 4 | Very satisfied with department response. | Mansarovar | Electricity |
| 3 | Very satisfied with department response. | Jaipur Central | Electricity |
| 2 | Still waiting for proper resolution. | Mansarovar | Health |
| 4 | Good coordination and timely updates. | Vaishali Nagar | Electricity |
| 1 | Resolution was delayed significantly. | Malviya Nagar | Water Supply |
| 1 | Process was smooth and transparent. | Malviya Nagar | Sanitation |
| 2 | Needs better communication. | Mansarovar | Health |
| 4 | Process was smooth and transparent. | Mansarovar | Water Supply |
| 1 | Good coordination and timely updates. | Sanganer | Sanitation |
| 3 | Very satisfied with department response. | Sanganer | Water Supply |
| 4 | Process was smooth and transparent. | Malviya Nagar | Sanitation |
| 4 | Unsatisfactory handling of complaint. | Jaipur Central | Health |
| 4 | Average response time but issue fixed. | Mansarovar | Electricity |
| 2 | Very satisfied with department response. | Mansarovar | Roads |
| 3 | Complaint resolved quickly and efficiently. | Jaipur Central | Water Supply |
| 5 | Appreciate the quick support. | Sanganer | Roads |
| 3 | Resolution was delayed significantly. | Vaishali Nagar | Sanitation |
| 3 | Very satisfied with department response. | Sanganer | Water Supply |
| 1 | Appreciate the quick support. | Vaishali Nagar | Electricity |
| 1 | Average response time but issue fixed. | Sanganer | Health |
| 4 | Needs better communication. | Jaipur Central | Sanitation |
| 5 | Appreciate the quick support. | Sanganer | Health |
| 4 | Needs better communication. | Mansarovar | Water Supply |
| 3 | Average response time but issue fixed. | Mansarovar | Electricity |
| 3 | Resolution was delayed significantly. | Vaishali Nagar | Roads |
| 5 | Average response time but issue fixed. | Malviya Nagar | Water Supply |
| 5 | Resolution was delayed significantly. | Sanganer | Health |

| Rating | Citizen Feedback | Area | Department |
|--------|---|----------------|--------------|
| 4 | Resolution was delayed significantly. | Vaishali Nagar | Sanitation |
| 1 | Complaint resolved quickly and efficiently. | Jaipur Central | Roads |
| 3 | Resolution was delayed significantly. | Jaipur Central | Sanitation |
| 4 | Good coordination and timely updates. | Jaipur Central | Health |
| 2 | Good coordination and timely updates. | Mansarovar | Sanitation |
| 5 | Complaint resolved quickly and efficiently. | Malviya Nagar | Health |
| 5 | Very satisfied with department response. | Jaipur Central | Health |
| 4 | Needs better communication. | Vaishali Nagar | Sanitation |
| 1 | Process was smooth and transparent. | Mansarovar | Water Supply |
| 2 | Needs better communication. | Vaishali Nagar | Electricity |
| 3 | Process was smooth and transparent. | Vaishali Nagar | Electricity |
| 5 | Good coordination and timely updates. | Sanganer | Electricity |
| 1 | Very satisfied with department response. | Vaishali Nagar | Electricity |
| 3 | Average response time but issue fixed. | Mansarovar | Electricity |
| 3 | Unsatisfactory handling of complaint. | Sanganer | Roads |
| 3 | Complaint resolved quickly and efficiently. | Sanganer | Health |
| 2 | Needs better communication. | Malviya Nagar | Water Supply |
| 1 | Good coordination and timely updates. | Mansarovar | Health |
| 5 | Still waiting for proper resolution. | Malviya Nagar | Roads |
| 3 | Process was smooth and transparent. | Jaipur Central | Water Supply |
| 1 | Complaint resolved quickly and efficiently. | Jaipur Central | Sanitation |
| 3 | Good coordination and timely updates. | Sanganer | Electricity |
| 2 | Still waiting for proper resolution. | Sanganer | Sanitation |
| 4 | Average response time but issue fixed. | Mansarovar | Electricity |
| 4 | Appreciate the quick support. | Malviya Nagar | Roads |
| 3 | Unsatisfactory handling of complaint. | Jaipur Central | Sanitation |
| 1 | Still waiting for proper resolution. | Sanganer | Water Supply |
| 3 | Unsatisfactory handling of complaint. | Mansarovar | Sanitation |
| 4 | Process was smooth and transparent. | Malviya Nagar | Roads |
| 3 | Complaint resolved quickly and efficiently. | Mansarovar | Water Supply |
| 5 | Appreciate the quick support. | Malviya Nagar | Sanitation |
| 1 | Still waiting for proper resolution. | Malviya Nagar | Water Supply |
| 3 | Unsatisfactory handling of complaint. | Malviya Nagar | Water Supply |
| 4 | Appreciate the quick support. | Mansarovar | Electricity |
| 1 | Needs better communication. | Sanganer | Water Supply |
| 1 | Unsatisfactory handling of complaint. | Sanganer | Electricity |
| 3 | Needs better communication. | Jaipur Central | Water Supply |

| Rating | Citizen Feedback | Area | Department |
|--------|---|----------------|--------------|
| 1 | Good coordination and timely updates. | Malviya Nagar | Sanitation |
| 1 | Needs better communication. | Jaipur Central | Sanitation |
| 4 | Resolution was delayed significantly. | Vaishali Nagar | Health |
| 5 | Unsatisfactory handling of complaint. | Jaipur Central | Health |
| 2 | Unsatisfactory handling of complaint. | Malviya Nagar | Health |
| 2 | Still waiting for proper resolution. | Sanganer | Electricity |
| 2 | Process was smooth and transparent. | Sanganer | Roads |
| 4 | Needs better communication. | Mansarovar | Electricity |
| 5 | Needs better communication. | Jaipur Central | Sanitation |
| 2 | Average response time but issue fixed. | Mansarovar | Health |
| 1 | Average response time but issue fixed. | Sanganer | Electricity |
| 1 | Complaint resolved quickly and efficiently. | Sanganer | Health |
| 4 | Needs better communication. | Mansarovar | Sanitation |
| 3 | Complaint resolved quickly and efficiently. | Sanganer | Electricity |
| 1 | Still waiting for proper resolution. | Sanganer | Roads |
| 3 | Average response time but issue fixed. | Sanganer | Sanitation |
| 5 | Unsatisfactory handling of complaint. | Jaipur Central | Health |
| 1 | Complaint resolved quickly and efficiently. | Jaipur Central | Water Supply |
| 1 | Very satisfied with department response. | Mansarovar | Water Supply |
| 3 | Needs better communication. | Mansarovar | Health |
| 1 | Still waiting for proper resolution. | Sanganer | Electricity |
| 1 | Still waiting for proper resolution. | Sanganer | Sanitation |
| 5 | Unsatisfactory handling of complaint. | Mansarovar | Health |
| 1 | Process was smooth and transparent. | Mansarovar | Water Supply |
| 4 | Good coordination and timely updates. | Vaishali Nagar | Health |
| 2 | Appreciate the quick support. | Vaishali Nagar | Sanitation |
| 4 | Average response time but issue fixed. | Sanganer | Roads |
| 1 | Resolution was delayed significantly. | Mansarovar | Roads |
| 4 | Appreciate the quick support. | Vaishali Nagar | Health |
| 3 | Appreciate the quick support. | Mansarovar | Sanitation |
| 2 | Complaint resolved quickly and efficiently. | Sanganer | Health |
| 2 | Resolution was delayed significantly. | Sanganer | Health |
| 3 | Good coordination and timely updates. | Mansarovar | Roads |
| 5 | Appreciate the quick support. | Vaishali Nagar | Electricity |
| 1 | Needs better communication. | Malviya Nagar | Water Supply |
| 3 | Very satisfied with department response. | Jaipur Central | Electricity |
| 5 | Good coordination and timely updates. | Vaishali Nagar | Sanitation |

| Rating | Citizen Feedback | Area | Department |
|--------|---|----------------|--------------|
| 2 | Appreciate the quick support. | Malviya Nagar | Health |
| 2 | Resolution was delayed significantly. | Malviya Nagar | Roads |
| 3 | Appreciate the quick support. | Mansarovar | Electricity |
| 3 | Resolution was delayed significantly. | Sanganer | Water Supply |
| 3 | Appreciate the quick support. | Mansarovar | Sanitation |
| 5 | Very satisfied with department response. | Sanganer | Roads |
| 4 | Unsatisfactory handling of complaint. | Mansarovar | Electricity |
| 3 | Complaint resolved quickly and efficiently. | Vaishali Nagar | Water Supply |
| 4 | Complaint resolved quickly and efficiently. | Sanganer | Sanitation |
| 2 | Resolution was delayed significantly. | Malviya Nagar | Electricity |
| 1 | Good coordination and timely updates. | Jaipur Central | Roads |
| 4 | Complaint resolved quickly and efficiently. | Malviya Nagar | Electricity |
| 5 | Unsatisfactory handling of complaint. | Mansarovar | Water Supply |
| 1 | Very satisfied with department response. | Vaishali Nagar | Water Supply |
| 1 | Resolution was delayed significantly. | Malviya Nagar | Electricity |
| 2 | Average response time but issue fixed. | Vaishali Nagar | Sanitation |
| 3 | Complaint resolved quickly and efficiently. | Mansarovar | Roads |
| 2 | Still waiting for proper resolution. | Sanganer | Electricity |
| 4 | Unsatisfactory handling of complaint. | Vaishali Nagar | Sanitation |
| 4 | Appreciate the quick support. | Mansarovar | Roads |
| 4 | Still waiting for proper resolution. | Vaishali Nagar | Sanitation |
| 4 | Average response time but issue fixed. | Vaishali Nagar | Water Supply |
| 2 | Very satisfied with department response. | Malviya Nagar | Electricity |
| 1 | Still waiting for proper resolution. | Sanganer | Sanitation |
| 3 | Needs better communication. | Jaipur Central | Roads |
| 2 | Very satisfied with department response. | Sanganer | Sanitation |
| 2 | Good coordination and timely updates. | Sanganer | Sanitation |
| 5 | Still waiting for proper resolution. | Mansarovar | Electricity |
| 1 | Still waiting for proper resolution. | Mansarovar | Electricity |
| 5 | Appreciate the quick support. | Sanganer | Electricity |
| 2 | Still waiting for proper resolution. | Sanganer | Water Supply |
| 4 | Unsatisfactory handling of complaint. | Jaipur Central | Water Supply |
| 5 | Good coordination and timely updates. | Vaishali Nagar | Health |
| 5 | Complaint resolved quickly and efficiently. | Jaipur Central | Sanitation |
| 4 | Average response time but issue fixed. | Jaipur Central | Water Supply |
| 2 | Process was smooth and transparent. | Malviya Nagar | Electricity |
| 5 | Average response time but issue fixed. | Mansarovar | Health |

| Rating | Citizen Feedback | Area | Department |
|--------|---|----------------|--------------|
| 4 | Good coordination and timely updates. | Mansarovar | Water Supply |
| 5 | Good coordination and timely updates. | Sanganer | Water Supply |
| 3 | Complaint resolved quickly and efficiently. | Malviya Nagar | Electricity |
| 3 | Resolution was delayed significantly. | Sanganer | Sanitation |
| 1 | Process was smooth and transparent. | Malviya Nagar | Sanitation |
| 5 | Still waiting for proper resolution. | Vaishali Nagar | Sanitation |
| 5 | Average response time but issue fixed. | Vaishali Nagar | Roads |
| 4 | Needs better communication. | Mansarovar | Sanitation |
| 1 | Average response time but issue fixed. | Jaipur Central | Water Supply |
| 1 | Very satisfied with department response. | Sanganer | Health |
| 3 | Appreciate the quick support. | Jaipur Central | Water Supply |
| 1 | Resolution was delayed significantly. | Sanganer | Health |
| 4 | Appreciate the quick support. | Mansarovar | Electricity |
| 1 | Complaint resolved quickly and efficiently. | Sanganer | Roads |
| 1 | Needs better communication. | Sanganer | Water Supply |
| 3 | Still waiting for proper resolution. | Sanganer | Water Supply |
| 2 | Appreciate the quick support. | Mansarovar | Health |
| 3 | Very satisfied with department response. | Mansarovar | Electricity |
| 2 | Unsatisfactory handling of complaint. | Sanganer | Health |
| 3 | Appreciate the quick support. | Malviya Nagar | Health |
| 4 | Average response time but issue fixed. | Malviya Nagar | Electricity |
| 5 | Unsatisfactory handling of complaint. | Vaishali Nagar | Roads |
| 3 | Resolution was delayed significantly. | Sanganer | Sanitation |
| 3 | Process was smooth and transparent. | Vaishali Nagar | Electricity |
| 2 | Average response time but issue fixed. | Mansarovar | Electricity |
| 4 | Good coordination and timely updates. | Jaipur Central | Electricity |
| 1 | Still waiting for proper resolution. | Sanganer | Electricity |
| 2 | Process was smooth and transparent. | Mansarovar | Electricity |
| 1 | Average response time but issue fixed. | Vaishali Nagar | Sanitation |
| 2 | Appreciate the quick support. | Mansarovar | Health |
| 3 | Needs better communication. | Malviya Nagar | Health |
| 3 | Needs better communication. | Vaishali Nagar | Electricity |
| 1 | Appreciate the quick support. | Sanganer | Sanitation |
| 4 | Resolution was delayed significantly. | Sanganer | Water Supply |
| 2 | Process was smooth and transparent. | Malviya Nagar | Health |
| 4 | Good coordination and timely updates. | Jaipur Central | Roads |
| 5 | Needs better communication. | Sanganer | Electricity |

| Rating | Citizen Feedback | Area | Department |
|--------|---|----------------|--------------|
| 4 | Unsatisfactory handling of complaint. | Mansarovar | Sanitation |
| 1 | Still waiting for proper resolution. | Malviya Nagar | Water Supply |
| 3 | Very satisfied with department response. | Sanganer | Water Supply |
| 3 | Average response time but issue fixed. | Vaishali Nagar | Roads |
| 5 | Average response time but issue fixed. | Malviya Nagar | Health |
| 2 | Complaint resolved quickly and efficiently. | Mansarovar | Electricity |
| 5 | Unsatisfactory handling of complaint. | Sanganer | Sanitation |
| 5 | Process was smooth and transparent. | Vaishali Nagar | Health |
| 2 | Process was smooth and transparent. | Vaishali Nagar | Electricity |
| 5 | Average response time but issue fixed. | Sanganer | Roads |
| 2 | Appreciate the quick support. | Jaipur Central | Sanitation |
| 2 | Still waiting for proper resolution. | Jaipur Central | Sanitation |
| 3 | Resolution was delayed significantly. | Malviya Nagar | Water Supply |
| 3 | Resolution was delayed significantly. | Sanganer | Water Supply |
| 1 | Very satisfied with department response. | Sanganer | Health |
| 4 | Process was smooth and transparent. | Jaipur Central | Health |
| 5 | Very satisfied with department response. | Jaipur Central | Electricity |
| 5 | Very satisfied with department response. | Vaishali Nagar | Water Supply |
| 3 | Unsatisfactory handling of complaint. | Mansarovar | Water Supply |
| 4 | Average response time but issue fixed. | Malviya Nagar | Sanitation |
| 5 | Needs better communication. | Malviya Nagar | Health |
| 2 | Appreciate the quick support. | Mansarovar | Health |
| 5 | Resolution was delayed significantly. | Mansarovar | Roads |
| 5 | Unsatisfactory handling of complaint. | Jaipur Central | Water Supply |
| 2 | Appreciate the quick support. | Jaipur Central | Health |
| 4 | Good coordination and timely updates. | Malviya Nagar | Electricity |
| 5 | Resolution was delayed significantly. | Vaishali Nagar | Sanitation |
| 4 | Resolution was delayed significantly. | Vaishali Nagar | Electricity |
| 1 | Resolution was delayed significantly. | Malviya Nagar | Electricity |
| 2 | Resolution was delayed significantly. | Malviya Nagar | Electricity |
| 2 | Unsatisfactory handling of complaint. | Malviya Nagar | Health |
| 3 | Needs better communication. | Sanganer | Health |
| 2 | Very satisfied with department response. | Sanganer | Electricity |
| 3 | Complaint resolved quickly and efficiently. | Jaipur Central | Roads |
| 3 | Unsatisfactory handling of complaint. | Sanganer | Health |
| 3 | Very satisfied with department response. | Jaipur Central | Roads |
| 1 | Still waiting for proper resolution. | Sanganer | Water Supply |

| Rating | Citizen Feedback | Area | Department |
|--------|---|----------------|--------------|
| 4 | Appreciate the quick support. | Jaipur Central | Water Supply |
| 2 | Unsatisfactory handling of complaint. | Malviya Nagar | Sanitation |
| 3 | Resolution was delayed significantly. | Mansarovar | Sanitation |
| 1 | Still waiting for proper resolution. | Mansarovar | Water Supply |
| 5 | Very satisfied with department response. | Vaishali Nagar | Water Supply |
| 3 | Unsatisfactory handling of complaint. | Sanganer | Health |
| 3 | Very satisfied with department response. | Mansarovar | Sanitation |
| 4 | Very satisfied with department response. | Sanganer | Water Supply |
| 1 | Appreciate the quick support. | Jaipur Central | Electricity |
| 1 | Appreciate the quick support. | Malviya Nagar | Electricity |
| 3 | Resolution was delayed significantly. | Vaishali Nagar | Health |
| 5 | Average response time but issue fixed. | Malviya Nagar | Health |
| 5 | Good coordination and timely updates. | Malviya Nagar | Electricity |
| 3 | Complaint resolved quickly and efficiently. | Mansarovar | Electricity |
| 2 | Needs better communication. | Jaipur Central | Water Supply |
| 2 | Appreciate the quick support. | Vaishali Nagar | Roads |
| 1 | Complaint resolved quickly and efficiently. | Vaishali Nagar | Health |
| 3 | Average response time but issue fixed. | Sanganer | Health |
| 2 | Appreciate the quick support. | Vaishali Nagar | Electricity |
| 1 | Appreciate the quick support. | Mansarovar | Sanitation |
| 2 | Very satisfied with department response. | Malviya Nagar | Roads |
| 3 | Still waiting for proper resolution. | Malviya Nagar | Electricity |
| 4 | Very satisfied with department response. | Sanganer | Electricity |
| 1 | Complaint resolved quickly and efficiently. | Sanganer | Sanitation |
| 4 | Process was smooth and transparent. | Mansarovar | Sanitation |
| 4 | Unsatisfactory handling of complaint. | Mansarovar | Electricity |
| 4 | Average response time but issue fixed. | Sanganer | Sanitation |
| 2 | Average response time but issue fixed. | Mansarovar | Sanitation |
| 2 | Process was smooth and transparent. | Vaishali Nagar | Health |
| 1 | Complaint resolved quickly and efficiently. | Malviya Nagar | Health |
| 3 | Resolution was delayed significantly. | Jaipur Central | Electricity |
| 2 | Unsatisfactory handling of complaint. | Sanganer | Roads |
| 5 | Still waiting for proper resolution. | Mansarovar | Water Supply |
| 1 | Needs better communication. | Jaipur Central | Water Supply |
| 5 | Appreciate the quick support. | Malviya Nagar | Roads |
| 4 | Process was smooth and transparent. | Malviya Nagar | Roads |
| 3 | Needs better communication. | Sanganer | Water Supply |

| Rating | Citizen Feedback | Area | Department |
|--------|---|----------------|--------------|
| 3 | Complaint resolved quickly and efficiently. | Malviya Nagar | Roads |
| 1 | Still waiting for proper resolution. | Vaishali Nagar | Health |
| 2 | Unsatisfactory handling of complaint. | Sanganer | Sanitation |
| 2 | Still waiting for proper resolution. | Malviya Nagar | Health |
| 2 | Unsatisfactory handling of complaint. | Sanganer | Roads |
| 5 | Needs better communication. | Jaipur Central | Electricity |
| 2 | Process was smooth and transparent. | Vaishali Nagar | Health |
| 3 | Resolution was delayed significantly. | Jaipur Central | Sanitation |
| 3 | Unsatisfactory handling of complaint. | Mansarovar | Sanitation |
| 1 | Unsatisfactory handling of complaint. | Malviya Nagar | Sanitation |
| 4 | Average response time but issue fixed. | Vaishali Nagar | Roads |
| 2 | Complaint resolved quickly and efficiently. | Vaishali Nagar | Roads |
| 2 | Good coordination and timely updates. | Malviya Nagar | Health |
| 4 | Average response time but issue fixed. | Vaishali Nagar | Health |
| 1 | Process was smooth and transparent. | Jaipur Central | Electricity |
| 5 | Very satisfied with department response. | Jaipur Central | Water Supply |
| 3 | Average response time but issue fixed. | Jaipur Central | Health |
| 2 | Very satisfied with department response. | Vaishali Nagar | Water Supply |
| 3 | Appreciate the quick support. | Malviya Nagar | Health |
| 3 | Very satisfied with department response. | Vaishali Nagar | Sanitation |
| 3 | Average response time but issue fixed. | Jaipur Central | Health |
| 4 | Resolution was delayed significantly. | Malviya Nagar | Sanitation |
| 3 | Complaint resolved quickly and efficiently. | Malviya Nagar | Electricity |
| 3 | Very satisfied with department response. | Malviya Nagar | Health |
| 3 | Process was smooth and transparent. | Mansarovar | Electricity |
| 1 | Process was smooth and transparent. | Sanganer | Electricity |
| 1 | Good coordination and timely updates. | Vaishali Nagar | Water Supply |
| 5 | Appreciate the quick support. | Malviya Nagar | Electricity |
| 3 | Complaint resolved quickly and efficiently. | Sanganer | Water Supply |
| 2 | Complaint resolved quickly and efficiently. | Malviya Nagar | Electricity |
| 5 | Average response time but issue fixed. | Mansarovar | Sanitation |
| 4 | Good coordination and timely updates. | Jaipur Central | Health |
| 2 | Still waiting for proper resolution. | Mansarovar | Sanitation |
| 5 | Average response time but issue fixed. | Jaipur Central | Sanitation |
| 3 | Good coordination and timely updates. | Mansarovar | Roads |
| 2 | Unsatisfactory handling of complaint. | Jaipur Central | Water Supply |
| 2 | Appreciate the quick support. | Malviya Nagar | Electricity |