11/5/23, 12:50 PM Explore - LeetCode

◆ Back to Explore (/explore/)



Nail the

Uber Interview

	Overview
	Uber is one of the largest unicorn companies in the world. Uber's interview is very concise and many of their interview questions are straightforward. Your technical on-site interviews may be done on an actual laptop, or it might be on a whiteboard. You will also
	Arrays and Strings
	Arrays and Strings are by far the most important data structures in all technical interviews. Clear understanding of these concepts should get you a long way.
	Linked Lists
	Linked list questions are usually pretty easy and may not be asked frequently by Uber, however according to our user survey, many have encountered Merge Two Sorted Lists, which is most certainly followed up by the classic Merge k Sorted Lists problem.
	Trees and Graphs
	Trees and Graphs are important concepts. In almost all of your interviews, you will be asked questions that can be solved efficiently using these data structures.
0	Heaps, Queues, and, Stacks Heaps, queues, and stacks are all popular data structures in technical interviews. You need to know these inside and out.
	Recursion and Backtracking
	Many interview questions are centered around recursion and backtracking. Check out these frequently asked questions: Letter Combinations of a Phone Number and Subsets.
	Sorting and Searching
	Searching and sorting related problems are quite often asked in Uber interviews.
	Dynamic Programming
	Dynamic programming questions are unique in that they offer a series of follow-ups that interviewers can use to test candidates. According to our user survey, some of the most frequently asked Dynamic Programming questions at Uber include: Word Break
	Design

Apart from questions that are geared more towards algorithms and problem solving, Uber has more open-ended design questions. So be prepared for some potential Design & System Design questions as well. LRU Cache is quite often asked during an Uber

	Others Here are other types of problems you may encounter in an Uber interview.	
Q	Discuss	(/discuss/explore/uber)

Introduction







Uber is one of the largest unicorn companies in the world. Uber's interview is very concise and many of their interview questions are straightforward. Your technical on-site interviews may be done on an actual laptop, or it might be on a whiteboard. You will also have one non-technical discussion with a hiring manager on aspects such as culture fit during the interview.

We organized this list so you can get well-prepared for your Uber interview.

2 topics - share ideas and ask questions about this card

Arrays and Strings	
☐ Ӣ Two Sum	
☐ ☑ Find First and Last Position of El	
☐ ☑ Group Anagrams	
☐ ⓓ Text Justification	
☐ ⓓ Minimum Window Substring	
☐ Ӣ Validate IP Address	
Linked Lists	
☐ Merge Two Sorted Lists	
☐ Merge k Sorted Lists	
Trees and Graphs	
☐ ☑ Reconstruct Itinerary	
☐ ☑ Evaluate Division	

☐ ☑ Find Duplicate Subtrees
☐ ⓓ Print Binary Tree
☐ 🖟 Serialize and Deserialize N-ary Tr
Heaps, Queues, and, Stacks
☐ ☑ Trapping Rain Water
☐ ⓓ Basic Calculator
✓ 🖟 Meeting Rooms II
☐ ⓓ Task Scheduler
☐ ☑ Exclusive Time of Functions
☐ ☑ Employee Free Time
Recursion and Backtracking
☐ ☑ Letter Combinations of a Phone
☐ Ø Subsets
Sorting and Searching
☐ Ӣ Merge Intervals
☐ Ø Word Ladder II
☐ Ӣ Number of Islands
☐ Ø Walls and Gates
☐ Ӣ Remove Invalid Parentheses
☐
☐ Ӣ Max Area of Island
☐ ⓓ Bus Routes
☐ ⑤ Shortest Bridge

Dynamic Programming	
☐ ⓓ Word Break	
☐ Ӣ Perfect Squares	
☐ Ӣ Russian Doll Envelopes	
☐	₽
☐ ⓓ Cherry Pickup	
Design	
☐ Ӣ LRU Cache	
☐	
☐ Ӣ Moving Average from Data Strea	₽
☐	₽
☐ ☑ Logger Rate Limiter	₽
☐ ☑ Design Hit Counter	₽
☐ ☑ Design Hit Counter ☐ ☑ Insert Delete GetRandom O(1)	-
	•
☐	
☐ ☑ Insert Delete GetRandom O(1) ☐ ☑ Design Search Autocomplete Sys	
☐ ☑ Insert Delete GetRandom O(1) ☐ ☑ Design Search Autocomplete Sys Others	
□ Insert Delete GetRandom O(1) □ Image: Design Search Autocomplete Sys Others Others Usual Valid Sudoku	
□ Insert Delete GetRandom O(1) □ Image: Design Search Autocomplete Sys Others Use Valid Sudoku Candy	
□ ☑ Insert Delete GetRandom O(1) □ ☑ Design Search Autocomplete Sys Others Others □ ☑ Valid Sudoku □ ☑ Candy □ ☑ Fraction to Recurring Decimal	
□ Insert Delete GetRandom O(1) □ Design Search Autocomplete Sys Others □ Image: Design Search Autocomplete Sys Others □ Image: Design Search Autocomplete Sys Others □ Image: Design Search Autocomplete Sys Image: Design Search Autocomplete Sys □ Image: Design Search Autocomplete Sys	
□ Insert Delete GetRandom O(1) □ Design Search Autocomplete Sys Others □ Design Search Autocomplete Sys Others □ Design Search Autocomplete Sys Others □ Design Search Autocomplete Sys □ Design Search Autocomplete Sys □ Design Search Autocomplete Sys □ Design Search Autocomplete Sys □ Design Search Autocomplete Sys □ Design Search Autocomplete Sys □ Design Search Autocomplete Sys □ Design Search Autocomplete Sys □ Design Search Autocomplete Sys □ Design Search Autocomplete Sys □ Design Search Autocomplete Sys □ Design Search Autocomplete Sys	

11/5/23, 12:50 PM Explore - LeetCode

☐ ⓓ Construct Quad Tree
☐ ☑ Random Pick with Weight
Copyright © 2023 LeetCode
Help Center (/support) Jobs (/jobs) Bug Bounty (/bugbounty) Online Interview (/interview/) Students (/student) Terms (/terms)
Privacy Policy (/privacy)
United States (/region)