

# Cucumber Report

Nov 29, 2024, 12:34:40 AM

Start : Nov 29, 12:31:06.308 AM

End : Nov 29, 12:34:39.299 AM

Duration : 3 m 32.991 s

Features



Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 10  
FAILED - 2  
SKIPPED - 0


PASSED - 55  
FAILED - 2  
SKIPPED - 11




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Create Plant Supply Order in SF using this Script</u>	3 m 32.991 s	12	10	2	0	68	55	2	11

#	Feature Name	Scenario Name
1	<u>Create Plant Supply Order in SF using this Script</u>	<u>User mark the Supply Check for the order</u>
2		<u>User creates an order, captures the subtotal, and order number</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@plant	12	10	2	0	1	0	1	0




#	Feature Name	T	P	F	S	Duration
1	Create Plant Supply Order in SF using this Script	12	10	2	0	3 m 32.991 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Create Plant Supply Order in SF using this Script</u>	<u>Setting up enviroment for the the project</u>	2	2	0	0	3.135 s
2		<u>User logs in to Salesforce</u>	4	4	0	0	13.097 s
3		<u>User navigates to a specific account from the homepage</u>	4	4	0	0	6.511 s
4		<u>User creates an opportunity with a specific product and quantity</u>	9	9	0	0	46.179 s
5		<u>User processes an opportunity to the sales team and fills required documents</u>	12	12	0	0	17.579 s
6		<u>User sends the file to pricing to the category team</u>	4	4	0	0	7.118 s
7		<u>User updates the customer-accepted price after receiving pricing from the category</u>	8	8	0	0	12.757 s
8		<u>User accepted all SKU's</u>	2	2	0	0	8.699 s
9		<u>User check the TDC and completes TDC validations</u>	4	4	0	0	2.994 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
10		<u>User mark the Supply Check for the order</u>	8	1	1	6	44.122 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
11	<u>Create Plant Supply Order in SF using this Script</u>	<u>User request PI to Seller team</u>	4	4	0	0	6.386 s
12		<u>User creates an order, captures the subtotal, and order number</u>	7	1	1	5	43.119 s



## Create Plant Supply Order in SF using this Script



<div>FAILED</div> <div>DURATION - 3 m 32.991 s</div>		<div>Scenarios</div> <div>Total - 12</div> <div>Pass - 10</div> <div>Fail - 2</div> <div>Skip - 0</div>		<div></div>	<div>Steps</div> <div>Total - 68</div> <div>Pass - 55</div> <div>Fail - 2</div> <div>Skip - 11</div>		<div></div>
/ 12:31:06.308 AM // 12:34:39.299 AM /							

## Setting up enviroment for the the project

<div><div>PASSED</div><div>DURATION - 3.135 s</div></div>		<div></div>	<div>Steps Total - 2 Pass - 2 Fail - 0 Skip - 0</div>	<div></div>
/ 12:31:06.316 AM // 12:31:09.451 AM /				
Create Plant Supply Order in SF using this Script				
@plant				



#	Step / Hook Details	Status	Duration
1	Given Set the browser and driver for the automation "chrome"	PASSED	2.957 s
2	And User passes driver to the other pages and files	PASSED	0.065 s

## User logs in to Salesforce

<div>PASSED</div>	<div>DURATION - 13.097 s</div>	<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 12:31:09.606 AM // 12:31:22.703 AM /</div>				
<div>Create Plant Supply Order in SF using this Script</div>				
<div>@plant</div>				



#	Step / Hook Details	Status	Duration
1	Given the user navigates to the Salesforce login page "https://jswoneplatforms--uat.sandbox.lightning.force.com/lightning/page/home"	PASSED	3.195 s
2	When the user enters the username "ankit.sharma@jsw.in.uat"	PASSED	0.245 s
3	And the user enters the password "@Ankit123"	PASSED	0.192 s
4	And the user clicks on the login button	PASSED	9.456 s

### User navigates to a specific account from the homepage

PASSED	DURATION - 6.511 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 12:31:23.102 AM // 12:31:29.613 AM /				
Create Plant Supply Order in SF using this Script				
@plant				

#	Step / Hook Details	Status	Duration
1	Given the user opens the search tab	PASSED	0.341 s
2	When the user searches for the item "OBEROI REALTY LTD"	PASSED	3.453 s
3	And the user clicks on the search result for "OBEROI REALTY LTD" accounts	PASSED	1.089 s
4	And the user opens the account "OBEROI REALTY LTD"	PASSED	1.614 s



### User creates an opportunity with a specific product and quantity

PASSED	DURATION - 46.179 s		Steps Total - 9 Pass - 9 Fail - 0 Skip - 0	
/ 12:31:29.810 AM // 12:32:15.989 AM /				
Create Plant Supply Order in SF using this Script				
@plant				

#	Step / Hook Details	Status	Duration
1	Given the user is on the account page	PASSED	0.000 s



#	Step / Hook Details	Status	Duration
2	When the user creates a quick opportunity	PASSED	6.334 s
3	And the user adds a new opportunity	PASSED	1.310 s
4	And the user searches for the product "MS HR Coil 2062:2011 E250A"	PASSED	34.907 s
5	And the user selects the product "MS HR Coil 2062:2011 E250A"	PASSED	2.164 s
6	And the user sets the quantity to "5"	PASSED	0.192 s
7	And the user sets the thickness to "10"	PASSED	0.399 s
8	And the user selects the width as "1500"	PASSED	0.140 s
9	And the user saves the opportunity	PASSED	0.699 s

### User processes an opportunity to the sales team and fills required documents

PASSED	DURATION - 17.579 s		<div>Steps</div> <div>Total - 12</div> <div>Pass - 12</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 12:32:16.052 AM // 12:32:33.631 AM /				
Create Plant Supply Order in SF using this Script				
@plant				



#	Step / Hook Details	Status	Duration
1	Given the user is on the opportunity processing page	PASSED	0.000 s
2	When the user clicks on the process opportunity button	PASSED	8.788 s
3	And the user selects to edit the opportunity	PASSED	2.462 s
4	And the user edits the delivery type to "Self pickup"	PASSED	0.686 s
5	And the user selected the Delivery address "A-104507"	PASSED	1.147 s
6	And the user edits the delivery time to "2" days	PASSED	0.437 s
7	And the user edits the special message to "Urgent delivery needed"	PASSED	0.294 s
8	When the user searches for the source seller "tuka rajat seller"	PASSED	0.319 s
9	And the user selects the source seller "tuka rajat seller"	PASSED	2.107 s
10	And the user Selects the source seller type "Marketplace"	PASSED	0.543 s
11	And the user edits the cost price to "100"	PASSED	0.180 s
12	And the user saves the opportunity	PASSED	0.602 s

### User sends the file to pricing to the category team

<div><div>PASSED</div><div>DURATION - 7.118 s</div></div>		<div></div>	<div><div>Steps</div><div>Total - 4</div><div>Pass - 4</div><div>Fail - 0</div><div>Skip - 0</div></div>	<div></div>
/ 12:32:33.665 AM // 12:32:40.783 AM /				
Create Plant Supply Order in SF using this Script				
@plant				



#	Step / Hook Details	Status	Duration
1	When Sales team clicks on the price awaiting section	PASSED	2.371 s
2	And the user selected the category user "Mfg Category"	PASSED	2.852 s
3	And the user saves the category	PASSED	0.163 s
4	And the user saves the opportunity	PASSED	1.716 s

### User updates the customer-accepted price after receiving pricing from the category

<div>PASSED</div>	<div>DURATION - 12.757 s</div>	<div></div>	<div>Steps</div> <div>Total - 8</div> <div>Pass - 8</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
/ 12:32:40.827 AM // 12:32:53.584 AM /				
Create Plant Supply Order in SF using this Script				
@plant				



#	Step / Hook Details	Status	Duration
1	Given the user clicks on the process opportunity button for pricing	PASSED	1.695 s
2	And User click on Override prices button as True	PASSED	2.773 s
3	And User selects the Reason for override "Price not available"	PASSED	0.621 s
4	When the user selects the category price as "110"	PASSED	0.234 s
5	When user sets the customer-accepted price to "120"	PASSED	0.665 s
6	And the user saves the opportunity for pricing	PASSED	0.717 s
7	And the user verifies the customer-accepted price	PASSED	4.374 s
8	And the user saves the opportunity for pricing	PASSED	1.647 s

**User accepted all SKU's**

<div>PASSED</div> <div>DURATION - 8.699 s</div>		<div></div>	<div>Steps</div> <div>Total - 2</div> <div>Pass - 2</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 12:32:53.605 AM // 12:33:02.304 AM /</div>				
<div>Create Plant Supply Order in SF using this Script</div>				
<div>@plant</div>				



#	Step / Hook Details	Status	Duration
1	When user accepted All SKUs	PASSED	3.487 s
2	And user click on proceed button	PASSED	5.187 s

**User check the TDC and completes TDC validations**

<div>PASSED</div> <div>DURATION - 2.994 s</div>		<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
/ 12:33:02.355 AM // 12:33:05.349 AM /				
Create Plant Supply Order in SF using this Script				
@plant				


#	Step / Hook Details	Status	Duration
1	Given User click edit button to edit for TDC upload	PASSED	2.104 s
2	And User checked the TDC uploaded	PASSED	0.108 s
3	And User checked PO Uploaded	PASSED	0.134 s
4	Then user saved the changes in Opportunity page	PASSED	0.629 s

**User mark the Supply Check for the order**

<div>FAILED</div> <div>DURATION - 44.122 s</div>			<div>Steps</div> <div>Total - 8</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 6</div>	
/ 12:33:05.465 AM // 12:33:49.587 AM /				
Create Plant Supply Order in SF using this Script				
@plant				



#	Step / Hook Details	Status	Duration
1	Given User click edit button to edit for supply	PASSED	3.163 s
2	And User check the TDC sent to customer <pre> org.openqa.selenium.TimeoutException: Expected condition failed: waiting for presence of element located by: By.xpath: //input[@name='TDC_Sent_to_Customer__c'] (tried for 30 second(s) with 500 milliseconds interval)   at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84)   at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:228)   at Utils.Functionalities.waitForPresence(Functionalities.java:154)   at Pages.OpportunityPage.TDCsent2Customer(OpportunityPage.java:103)   at Stepdefination.Plant.OpprtunityPageSteps.checkTDC2Customer(OpprtunityPageSteps.java:40)   at ?.User check the TDC sent to customer(file:///C:/Users/V_Ankit.Sharma/Downloads/erp-flow-checker-QA-3-cash_and_carry_portal/SF_Op53_43/src/test/resources/features/plantOrder.feature:103) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[@name='TDC_Sent_to_Customer__c']"} (Session info: chrome=131.0.6778.86) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.18.1', revision: 'b1d3319b48' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '22.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e4fa802fe107f634b461fd0f765c9987, findElement {using=xpath, value=//input[@name='TDC_Sent_to_Customer__c']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.86, chrome: {chromedriverVersion: 131.0.6778.85 (3d81e41b6f3a..., userDataDir: C:\Users\V_ANKI~1\SH\AAppDa...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59907}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59907/devtoo..., se:cdpVersion: 131.0.6778.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e4fa802fe107f634b461fd0f765c9987           at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)           at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)           at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)           at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)           at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)           at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)           at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)           at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) </pre>	FAILED	40.721 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:519) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:356) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350) at org.openqa.selenium.support.ui.ExpectedConditions\$6.apply(ExpectedConditions.java:171) at org.openqa.selenium.support.ui.ExpectedConditions\$6.apply(ExpectedConditions.java:168) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:203) at Utils.Functionalities.waitForPresence(Functionalities.java:154) at Pages.OpportunityPage.TDCsent2Customer(OpportunityPage.java:103) at Stepdefination.Plant.OpprtunityPageSteps.checkTDC2Customer(OpprtunityPageSteps.java:40) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) </pre>		

#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runFeatures\$6(CucumberExecutionContext.java:148) at io.cucumber.core.runtime.CucumberExecutionContext.execute(CucumberExecutionContext.java:163) at io.cucumber.core.runtime.CucumberExecutionContext.runFeatures(CucumberExecutionContext.java:146) at io.cucumber.junit.Cucumber\$StartAndFinishTestRun.evaluate(Cucumber.java:226) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.junit.runner.JUnitCore.run(JUnitCore.java:137) at com.intellij.junit4.JUnit4IdeaTestRunner.startRunnerWithArgs(JUnit4IdeaTestRunner.java:69) at com.intellij.rt.junit.IdeaTestRunner\$Repeater\$1.execute(IdeaTestRunner.java:38) at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11) at com.intellij.rt.junit.IdeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35) at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:232) at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:55) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
3	And User check the TDC sent to Plant	SKIPPED	0.000 s
4	And User check the TDC validation	SKIPPED	0.000 s
5	When Check the feasibility of the order	SKIPPED	0.000 s
6	When Choose yes for the feasibility	SKIPPED	0.006 s
7	And Then User filled the advance % "40"	SKIPPED	0.000 s
8	Then user saved the changes in Opportunity page	SKIPPED	0.000 s
	AFTER - AppHooks.ApplicationsHooks.takeScreenshotOnFailure(io.cucumber.java.Scenario)	PASSED	0.213 s
	User mark the Supply Check for the order		
			



User request PI to Seller team



<div>PASSED</div>	<div>DURATION - 6.386 s</div>	<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 12:33:49.760 AM // 12:33:56.146 AM /</div>				
<div>Create Plant Supply Order in SF using this Script</div>				
<div>@plant</div>				

#	Step / Hook Details	Status	Duration
1	When the user clicks on the process opportunity button	PASSED	0.417 s
2	When the user saves the opportunity	PASSED	2.008 s
3	Then the user requests PI to the seller	PASSED	2.438 s
4	And the user saves the final order	PASSED	1.510 s

### User creates an order, captures the subtotal, and order number

<div>FAILED</div> <div>DURATION - 43.119 s</div>		<div></div>	<div>Steps</div> <div>Total - 7</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 5</div>	<div></div>
<div>/ 12:33:56.180 AM // 12:34:39.299 AM /</div>				
<div>Create Plant Supply Order in SF using this Script</div>				
<div>@plant</div>				

#	Step / Hook Details	Status	Duration
1	Given the user is on the account page for order creation	PASSED	2.073 s
2	When the user clicks on the create order button org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of element located by By.xpath: //button[text()='Create Order'] (tried for 30 second(s) with 500 milliseconds interval) Build info: version: '4.18.1', revision: 'b1d3319b48' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '22.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.86, chrome: {chromedriverVersion: 131.0.6778.85 (3d81e41b6f3a..., userDataDir: C:\Users\V_ANKI~1.SHA\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59907}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59907/devtoo..., se.cdpVersion: 131.0.6778.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators:	FAILED	40.671 s

#	Step / Hook Details	Status	Duration
	<pre>true} Session ID: e4fa802fe107f634b461fd0f765c9987 at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:228) at Utils.Functionalities.waitLocatedXpath(Functionalities.java:149) at Pages.AccountPage.createOrderButton(AccountPage.java:150) at Stepdefination.Ordercreation.CreateOrderPageSteps.userClicksOnCreateOrderButton(CreateOrderPageSteps.java:47) at ?.the user clicks on the create order button(file:///C:/Users/V_Ankit.Sharma/Downloads/erp-flow-checker-QA-3-cash_and_carry_portal/SF_Op53_43/src/test/resources/features/plantOrder.feature:133) * Not displayable characters are replaced by '?'. </pre>		
3	And the user captures the subtotal for the order	SKIPPED	0.000 s
4	Then the user prints the subtotal and indicates it as the total value for the order	SKIPPED	0.000 s
5	And the user clicks on the button to create an order for coils	SKIPPED	0.008 s
6	And the user captures the order number	SKIPPED	0.000 s
7	Then the user prints the order number	SKIPPED	0.000 s
	AFTER - AppHooks.ApplicationsHooks.takeScreenshotOnFailure(io.cucumber.java.Scenario)	PASSED	0.329 s
	User creates an order, captures the subtotal, and order number		
	