

Cucumber Report

Dec 4, 2024, 12:12:31 PM

Start : Dec 04, 12:12:30.174 PM

End : Dec 04, 12:12:30.887 PM

Duration : 0.713 s

Features



Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 11
SKIPPED - 0


PASSED - 1
FAILED - 11
SKIPPED - 46




| Feature | | Scenario | | | | Step | | | |
|--|----------|----------|---|----|---|------|---|----|----|
| Name | Duration | T | P | F | S | T | P | F | S |
| <u>Create Order for Construct account on UAT</u> | 0.713 s | 11 | 0 | 11 | 0 | 58 | 1 | 11 | 46 |

| # | Feature Name | Scenario Name |
|----|--|---|
| 1 | <u>Create Order for Construct account on UAT</u> | <u>Setting up enviroment for the the project</u> |
| 2 | | <u>User logs in to Salesforce</u> |
| 3 | | <u>Sales team Went to the User account and to the site</u> |
| 4 | | <u>Sales team creates a cement opportunity on a site</u> |
| 5 | | <u>User processes the opportunities and set the delivery process</u> |
| 6 | | <u>Sales team select the seller and gave the cost price</u> |
| 7 | | <u>Sales team confirms the customer accepted price</u> |
| 8 | | <u>User request PI to Category team</u> |
| 9 | | <u>User request PI to Seller team</u> |
| 10 | | <u>User updates the seller PI and sends it to the seller</u> |
| 11 | | <u>User creates an order, captures the subtotal, and order number</u> |


| TAG | Scenario | | | | Feature | | | |
|-------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|
| Name | <i>T</i> | <i>P</i> | <i>F</i> | <i>S</i> | <i>T</i> | <i>P</i> | <i>F</i> | <i>S</i> |
| @regression | 11 | 0 | 11 | 0 | 1 | 0 | 1 | 0 |
| @uatconst | 11 | 0 | 11 | 0 | 1 | 0 | 1 | 0 |
| @tmt | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |



| # | Feature Name | T | P | F | S | Duration |
|---|---|----|---|----|---|----------|
| 1 | Create Order for Construct account on UAT | 11 | 0 | 11 | 0 | 0.713 s |





| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|--|--|----|---|---|---|----------|
| 1 | <u>Create Order for Construct account on UAT</u> | <u>Setting up enviroment for the the project</u> | 2 | 0 | 1 | 1 | 0.138 s |
| 2 | | <u>User logs in to Salesforce</u> | 3 | 0 | 1 | 2 | 0.053 s |
| 3 | | <u>Sales team Went to the User account and to the site</u> | 5 | 0 | 1 | 4 | 0.019 s |
| 4 | | <u>Sales team creates a cement opportunity on a site</u> | 5 | 0 | 1 | 4 | 0.027 s |
| 5 | | <u>User processes the opportunities and set the delivery process</u> | 8 | 1 | 1 | 6 | 0.022 s |
| 6 | | <u>Sales team select the seller and gave the cost price</u> | 10 | 0 | 1 | 9 | 0.015 s |
| 7 | | <u>Sales team confirms the customer accepted price</u> | 5 | 0 | 1 | 4 | 0.008 s |
| 8 | | <u>User request PI to Category team</u> | 5 | 0 | 1 | 4 | 0.010 s |
| 9 | | <u>User request PI to Seller team</u> | 4 | 0 | 1 | 3 | 0.005 s |
| 10 | | <u>User updates the seller PI and sends it to the seller</u> | 3 | 0 | 1 | 2 | 0.006 s |





| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|---|--|---|---|---|---|----------|
| 11 | Create Order for Construct account on UAT | User creates an order, captures the subtotal, and order number | 8 | 0 | 1 | 7 | 0.017 s |

Create Order for Construct account on UAT



| | | | | | |
|--|---------------------------|--|---|---|---|
| FAILED | DURATION - 0.713 s | Scenarios Total - 11 Pass - 0 Fail - 11 Skip - 0 |  | Steps Total - 58 Pass - 1 Fail - 11 Skip - 46 |  |
| / 12:12:30.174 PM // 12:12:30.887 PM / | | | | | |
| | | | | | |

Setting up enviroment for the the project

| | | | | |
|---|--|---|---|--|
| <div>FAILED</div> <div>DURATION - 0.138 s</div> | | <div></div> | <div>Steps</div> <div>Total - 2</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 1</div> | <div></div> |
| / 12:12:30.195 PM // 12:12:30.333 PM / | | | | |
| Create Order for Construct account on UAT | | | | |
| @regression @uatconst | | | | |



| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| 1 | Given Set the file and driver and configuration | FAILED | 0.021 s |
| | Step undefined | | |
| 2 | Given the user navigates to the Salesforce login page "https://jswoneplatforms--uat.sandbox.lightning.force.com/lightning/page/home" | SKIPPED | 0.001 s |

User logs in to Salesforce

| | | | | |
|---|--|--|---|---|
| <div>FAILED</div> <div>DURATION - 0.053 s</div> | |  | <div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div> |  |
| / 12:12:30.512 PM // 12:12:30.565 PM / | | | | |
| Create Order for Construct account on UAT | | | | |
| @regression @uatconst | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | When the user enters the username "ankit.sharma@jsw.in.uat" java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.findElement(org.openqa.selenium.By)" because "this.driver" is null at Pages.LoginPage.usernameSF(LoginPage.java:17) at Stepdefination.Ordercreation.LoginSteps.userEntersUsername(LoginSteps.java:23) at ?.the user enters the username "ankit.sharma@jsw.in.uat"(file:///C:/Users/V_Ankit.Sharma/Downloads/erp-flow-checker-QA-3-cash_and_carry_portal/SF_Op53_43/src/test/resources/features/UatConstruct.feature:12) * Not displayable characters are replaced by '?'. | FAILED | 0.032 s |
| 2 | And the user enters the password "@Ankit123" | SKIPPED | 0.002 s |
| 3 | And the user clicks on the login button | SKIPPED | 0.001 s |
| | AFTER - AppHooks.ApplicationsHooks.takeScreaenshotOnFailure(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at AppHooks.ApplicationsHooks.takeScreaenshotOnFailure(ApplicationsHooks.java:43) | FAILED | 0.006 s |



Sales team Went to the User account and to the site

| | | | | |
|---|--------------------|---|--|---|
| FAILED | DURATION - 0.019 s |  | Steps Total - 5 Pass - 0 Fail - 1 Skip - 4 |  |
| / 12:12:30.592 PM // 12:12:30.611 PM / | | | | |
| Create Order for Construct account on UAT | | | | |
| @regression @uatconst | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given the user is on the home page java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.findElement(org.openqa.selenium.By)" because "this.driver" is null at Pages.HomePage.openSearchTab(HomePage.java:17) at Stepdefination.Construct.reachSiteSteps.navigateToHomePage(reachSiteSteps.java:16) at ?.the user is on the home page(file:///C:/Users/V_Ankit.Sharma/Downloads/erp-flow-checker-QA-3-cash_and_carry_portal/SF_Op53_43/src/test/resources/features/UatConstruct.feature:21) * Not displayable characters are replaced by '?'. | FAILED | 0.007 s |
| 2 | When they search for account "TURBO ENERGY PRIVATE LIMITED" | SKIPPED | 0.000 s |
| 3 | And they click on the account for "TURBO ENERGY PRIVATE LIMITED" | SKIPPED | 0.001 s |



| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| 4 | And they moved to the site tab | SKIPPED | 0.000 s |
| 5 | Then they should be on the "Gujarat International" site page | SKIPPED | 0.001 s |
| | AFTER - AppHooks.ApplicationsHooks.takeScreenshotOnFailure(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at AppHooks.ApplicationsHooks.takeScreenshotOnFailure(ApplicationsHooks.java:43) | FAILED | 0.002 s |

Sales team creates a cement opportunity on a site

| | | | | |
|---|--------------------|--|--|---|
| FAILED | DURATION - 0.027 s |  | Steps Total - 5 Pass - 0 Fail - 1 Skip - 4 |  |
| / 12:12:30.644 PM // 12:12:30.671 PM / | | | | |
| Create Order for Construct account on UAT | | | | |
| @regression @tmt @uatconst | | | | |



| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given they creates an opportunity java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.support.ui.WebDriverWait.until(java.util.function.Function)" because "Utils.Functionalities.wait" is null at Utils.Functionalities.waitLocatedXpath(Functionalities.java:149) at Pages.SitePage.quickOpportunity(SitePage.java:20) at Stepdefination.Construct.createOpportunitySteps.quickOpportunityCreation(createOpportunitySteps.java:15) at ?.they creates an opportunity(file:///C:/Users/V_Ankit.Sharma/Downloads/erp-flow-checker-QA-3-cash_and_carry_portal/SF_Op53_43/src/test/resources/features/UatConstruct.feature:32) * Not displayable characters are replaced by '?'. 2 | FAILED | 0.018 s |
| 2 | And they select the TMT option | SKIPPED | 0.000 s |
| 3 | And they select the subgrate type of TMT "FE_500D" | SKIPPED | 0.001 s |
| 4 | And User selects the "12" of TMT and with the "100" | SKIPPED | 0.001 s |
| 5 | And they save the cement opportunity | SKIPPED | 0.000 s |
| | AFTER - AppHooks.ApplicationsHooks.takeScreenshotOnFailure(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at AppHooks.ApplicationsHooks.takeScreenshotOnFailure(ApplicationsHooks.java:43) | FAILED | 0.001 s |

User processes the opportunities and set the delivery process

| | | | | |
|---|--|---|---|--|
| <div>FAILED</div> <div>DURATION - 0.022 s</div> | | <div></div> | <div>Steps</div> <div>Total - 8</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 6</div> | <div></div> |
| / 12:12:30.705 PM // 12:12:30.727 PM / | | | | |
| Create Order for Construct account on UAT | | | | |
| @regression @uatconst | | | | |



| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given the user is on the opportunity processing page | PASSED | 0.004 s |
| 2 | When the user clicks on the process opportunity button java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.support.ui.WebDriverWait.until(java.util.function.Function)" because "Utils.Functionalities.wait" is null at Utils.Functionalities.waitLocatedXpath(Functionalities.java:149) at Pages.ProcessOpportunity.processOpportunitybutton(ProcessOpportunity.java:129) at Stepdefinition.Ordercreation.ProcessOpportunityDefination.the_user_clicks_on_the_process_opportunity_button(ProcessOpportunityDefination.java:39) at ?.the user clicks on the process opportunity button(file:///C:/Users/V_Ankit.Sharma/Downloads/erp-flow-checker-QA-3-cash_and_carry_portal/SF_Op53_43/src/test/resources/features/UatConstruct.feature:56) * Not displayable characters are replaced by '?'. | FAILED | 0.001 s |
| 3 | And the user selects to edit the opportunity | SKIPPED | 0.000 s |
| 4 | And the user edits the delivery type to "Self pickup" | SKIPPED | 0.000 s |
| 5 | And the user selected the Delivery address "A-104477" | SKIPPED | 0.001 s |
| 6 | And the user edits the delivery time to "2" days | SKIPPED | 0.001 s |
| 7 | And Then User filled the advance % "100" | SKIPPED | 0.000 s |
| 8 | And the user edits the special message to "Urgent delivery needed" | SKIPPED | 0.001 s |
| | AFTER - AppHooks.ApplicationsHooks.takeScreaenshotOnFailure(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at AppHooks.ApplicationsHooks.takeScreaenshotOnFailure(ApplicationsHooks.java:43) | FAILED | 0.001 s |

Sales team select the seller and gave the cost price

| | | | | |
|---|--|--|--|---|
| <div>FAILED</div> <div>DURATION - 0.015 s</div> | |  | <div>Steps</div> <div>Total - 10</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 9</div> |  |
| / 12:12:30.749 PM // 12:12:30.764 PM / | | | | |
| Create Order for Construct account on UAT | | | | |
| @regression @uatconst | | | | |



| # | Step / Hook Details | Status | Duration |
|----|---|---------|----------|
| 1 | When the user searches for the source seller "Vee" java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.support.ui.WebDriverWait.until(java.util.function.Function)" because "Utils.Functionalities.wait" is null at Utils.Functionalities.waitLocatedXpath(Functionalities.java:149) at Pages.ProcessOpportunity.searchSouceSeller(ProcessOpportunity.java:234) at Stepdefination.Ordercreation.ProcessOpportunityDefination.the_user_searches_for_the_source_seller(ProcessOpportunityDefination.java:105) at ?.the user searches for the source seller "Vee"(file:///C:/Users/V_Ankit.Sharma/Downloads/erp-flow-checker-QA-3-cash_and_carry_portal/SF_Op53_43/src/test/resources/features/UatConstruct.feature:69) * Not displayable characters are replaced by '?'. | FAILED | 0.001 s |
| 2 | And the user selects the source seller "Vee" | SKIPPED | 0.001 s |
| 3 | And the user Selects the source seller type "Marketplace" | SKIPPED | 0.001 s |
| 4 | And the user edits the cost price to "100" | SKIPPED | 0.001 s |
| 5 | When the user selects the category price as "150" | SKIPPED | 0.001 s |
| 6 | And the user saves the opportunity | SKIPPED | 0.000 s |
| 7 | And the opportunity is processed to the Category team for pricing | SKIPPED | 0.000 s |
| 8 | And the user performs the category user test with Category team "Mfg Category" | SKIPPED | 0.000 s |
| 9 | And the user saves the category | SKIPPED | 0.000 s |
| 10 | And the user saves the opportunity | SKIPPED | 0.000 s |
| | AFTER - AppHooks.ApplicationsHooks.takeScreaenshotOnFailure(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at AppHooks.ApplicationsHooks.takeScreaenshotOnFailure(ApplicationsHooks.java:43) | FAILED | 0.001 s |

Sales team confirms the customer accepted price

| | | | | |
|---|--|---|---|--|
| <div>FAILED</div> <div>DURATION - 0.008 s</div> | | <div></div> | <div>Steps</div> <div>Total - 5</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 4</div> | <div></div> |
| / 12:12:30.778 PM // 12:12:30.786 PM / | | | | |
| Create Order for Construct account on UAT | | | | |
| @regression @uatconst | | | | |



| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | When the user clicks on the process opportunity button java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.support.ui.WebDriverWait.until(java.util.function.Function)" because "Utils.Functionalities.wait" is null at Utils.Functionalities.waitLocatedXpath(Functionalities.java:149) at Pages.ProcessOpportunity.processOpportunitybutton(ProcessOpportunity.java:129) at Stepdefination.Ordercreation.ProcessOpportunityDefination. the_user_clicks_on_the_process_opportunity_button(ProcessOpportunityDefination.java:39) at ?.the user clicks on the process opportunity button(file:///C:/Users/V_Ankit.Sharma/Downloads/erp-flow-checker-QA-3-cash_and_carry_portal/SF_Op53_43/src/test/resources/features/UatConstruct.feature:86) * Not displayable characters are replaced by '?'. | FAILED | 0.001 s |
| 2 | When user sets the customer-accepted price to "160" | SKIPPED | 0.000 s |
| 3 | And the user saves the opportunity | SKIPPED | 0.001 s |
| 4 | And the user verifies the customer-accepted price | SKIPPED | 0.000 s |
| 5 | And the user saves the opportunity for sales team | SKIPPED | 0.001 s |
| | AFTER - AppHooks.ApplicationsHooks.takeScreaenshotOnFailure(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at AppHooks.ApplicationsHooks.takeScreaenshotOnFailure(ApplicationsHooks.java:43) | FAILED | 0.001 s |

User request PI to Category team

| <div>FAILED</div> <div>DURATION - 0.010 s</div> | |  <table border="1"><caption>Line Graph Data</caption><thead><tr><th>Step</th><th>Value</th></tr></thead><tbody><tr><td>1</td><td>0.00</td></tr><tr><td>2</td><td>0.00</td></tr><tr><td>3</td><td>0.00</td></tr><tr><td>4</td><td>0.00</td></tr><tr><td>5</td><td>0.00</td></tr></tbody></table> | Step | Value | 1 | 0.00 | 2 | 0.00 | 3 | 0.00 | 4 | 0.00 | 5 | 0.00 | <div>Steps</div> <div>Total - 5</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 4</div> |  <div>5</div> |
|---|-------|---|------|-------|---|------|---|------|---|------|---|------|---|------|---|--|
| Step | Value | | | | | | | | | | | | | | | |
| 1 | 0.00 | | | | | | | | | | | | | | | |
| 2 | 0.00 | | | | | | | | | | | | | | | |
| 3 | 0.00 | | | | | | | | | | | | | | | |
| 4 | 0.00 | | | | | | | | | | | | | | | |
| 5 | 0.00 | | | | | | | | | | | | | | | |
| / 12:12:30.802 PM // 12:12:30.812 PM / | | | | | | | | | | | | | | | | |
| Create Order for Construct account on UAT | | | | | | | | | | | | | | | | |
| @regression @uatconst | | | | | | | | | | | | | | | | |



| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| 1 | When the user clicks on the process opportunity button <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.support.ui.WebDriverWait.until(java.util.function.Function)" because "Utils.Functionalities.wait" is null at Utils.Functionalities.waitLocatedXpath(Functionalities.java:149) at Pages.ProcessOpportunity.processOpportunitybutton(ProcessOpportunity.java:129) at Stepdefination.Ordercreation.ProcessOpportunityDefination.the_user_clicks_on_the_process_opportunity_button(ProcessOpportunityDefination.java:39) at ?.the user clicks on the process opportunity button(file:///C:/Users/V_Ankit.Sharma/Downloads/erp-flow-checker-QA-3-cash_and_carry_portal/SF_Op53_43/src/test/resources/features/UatConstruct.feature:97) * Not displayable characters are replaced by '?'. </pre> | FAILED | 0.001 s |
| 2 | When the user saves the opportunity | SKIPPED | 0.001 s |
| 3 | When the user requests PI to the category team | SKIPPED | 0.001 s |
| 4 | And the user performs the category user test with Category team "Mfg Category" | SKIPPED | 0.000 s |
| 5 | And the user saves the category user | SKIPPED | 0.000 s |
| | AFTER - AppHooks.ApplicationsHooks.takeScreaenshotOnFailure(io.cucumber.java.Scenario) <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at AppHooks.ApplicationsHooks.takeScreaenshotOnFailure(ApplicationsHooks.java:43) </pre> | FAILED | 0.001 s |

User request PI to Seller team

| | | | | |
|---|--|--|---|---|
| <div>FAILED</div> <div>DURATION - 0.005 s</div> | |  | <div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 3</div> |  |
| / 12:12:30.825 PM // 12:12:30.830 PM / | | | | |
| Create Order for Construct account on UAT | | | | |
| @regression @uatconst | | | | |



| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| 1 | Given User processed opportunity to send PI to seller <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.support.ui.WebDriverWait.until(java.util.function.Function)" because "Utils.Functionalities.wait" is null at Utils.Functionalities.waitLocatedXpath(Functionalities.java:149) at Pages.ProcessOpportunity.requestPiToSeller(ProcessOpportunity.java:324) at Stepdefinition.Ordercreation.RequestPiToSellerSteps.userProcessedOpportunity(RequestPiToSellerSteps.java:17) at ?.User processed opportunity to send PI to seller(file:///C:/Users/V_Ankit.Sharma/Downloads/erp-flow-checker-QA-3-cash_and_carry_portal/SF_Op53_43/src/test/resources/features/UatConstruct.feature:108) * Not displayable characters are replaced by '?'. </pre> | FAILED | 0.002 s |
| 2 | When the user saves the opportunity | SKIPPED | 0.000 s |
| 3 | Then the user requests PI to the seller | SKIPPED | 0.000 s |
| 4 | And user saved the opportunity | SKIPPED | 0.000 s |
| | AFTER - AppHooks.ApplicationsHooks.takeScreaenshotOnFailure(io.cucumber.java.Scenario) <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at AppHooks.ApplicationsHooks.takeScreaenshotOnFailure(ApplicationsHooks.java:43) </pre> | FAILED | 0.001 s |

User updates the seller PI and sends it to the seller

| | | | | |
|---|--|--|---|---|
| <div>FAILED</div> <div>DURATION - 0.006 s</div> | |  | <div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div> |  |
| / 12:12:30.846 PM // 12:12:30.852 PM / | | | | |
| Create Order for Construct account on UAT | | | | |
| @regression @uatconst | | | | |

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| 1 | Given the user navigates to the file page java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.support.ui.WebDriverWait.until(java.util.function.Function)" because "Utils.Functionalities.wait" is null at Utils.Functionalities.waitLocatedXpath(Functionalities.java:149) at Pages.AccountPage.filePage(AccountPage.java:89) at Stepdefination.Ordercreation.ChooseSellerPIsteps.userNavigatesToFilePage(ChooseSellerPIsteps.java:13) at ?.the user navigates to the file page(file:///C:/Users/V_Ankit.Sharma/Downloads/erp-flow-checker-QA-3-cash_and_carry_portal/SF_Op53_43/src/test/resources/features/UatConstruct.feature:114) * Not displayable characters are replaced by '?'. | FAILED | 0.001 s |
| 2 | And the user chooses the seller PI | SKIPPED | 0.000 s |
| 3 | And the user sets the seller PI | SKIPPED | 0.001 s |
| | AFTER - AppHooks.ApplicationsHooks.takeScreaenshotOnFailure(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at AppHooks.ApplicationsHooks.takeScreaenshotOnFailure(ApplicationsHooks.java:43) | FAILED | 0.001 s |

User creates an order, captures the subtotal, and order number

| | | | | |
|---|--------------------|---|--|--|
| FAILED | DURATION - 0.017 s |  | Steps Total - 8 Pass - 0 Fail - 1 Skip - 7 |  |
| / 12:12:30.870 PM // 12:12:30.887 PM / | | | | |
| Create Order for Construct account on UAT | | | | |
| @regression @uatconst | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given the user is on the account page for order creation java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.navigate()" because the return value of "Utils.BrowsserSetup.getDriver()" is null at Stepdefination.Ordercreation.CreateOrderPageSteps.userIsOnAccountPage(CreateOrderPageSteps.java:27) at ?.the user is on the account page for order creation(file:///C:/Users/V_Ankit.Sharma/Downloads/erp-flow-checker-QA-3-cash_and_carry_portal/SF_Op53_43/src/test/resources/features/UatConstruct.feature:120) * Not displayable characters are replaced by '?'. | FAILED | 0.003 s |
| 2 | When the user clicks on the create order button | SKIPPED | 0.001 s |
| 3 | And the user captures the subtotal for the order | SKIPPED | 0.001 s |

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| 4 | Then the user prints the subtotal and indicates it as the total value for the order | SKIPPED | 0.001 s |
| 5 | And the user clicks on the button to create an order for coils | SKIPPED | 0.001 s |
| 6 | And the user captures the order number | SKIPPED | 0.000 s |
| 7 | Then the user prints the order number | SKIPPED | 0.000 s |
| 8 | And the date and time of the report is given | SKIPPED | 0.000 s |
| | AFTER - AppHooks.ApplicationsHooks.takeScreaenshotOnFailure(io.cucumber.java.Scenario) | FAILED | 0.001 s |
| | java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at AppHooks.ApplicationsHooks.takeScreaenshotOnFailure(ApplicationsHooks.java:43) | | |