

Cucumber Report

Sep 13, 2024, 3:42:06 PM

Start : Sep 13, 3:39:09.098 PM

End : Sep 13, 3:42:04.393 PM

Duration : 2 m 55.295 s

Features



Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 8
FAILED - 3
SKIPPED - 0


PASSED - 54
FAILED - 3
SKIPPED - 7




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Create Order in SF using this Script</u>	2 m 55.295 s	11	8	3	0	64	54	3	7

#	Feature Name	Scenario Name
1	<u>Create Order in SF using this Script</u>	<u>User requests PI to the category team</u>
2		<u>User updates the seller PI and sends it to the seller</u>
3		<u>User creates an order, captures the subtotal, and order number</u>

TAG	Scenario				Feature			
Name	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>
@create	11	8	3	0	1	0	1	0
@smoke	2	2	0	0	1	0	1	0




#	Feature Name	T	P	F	S	Duration
1	Create Order in SF using this Script	11	8	3	0	2 m 55.295 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Create Order in SF using this Script</u>	<u>Setting up enviroment for the the project</u>	2	2	0	0	4.686 s
2		<u>User logs in to Salesforce</u>	3	3	0	0	6.664 s
3		<u>User navigates to a specific account from the homepage</u>	4	4	0	0	4.651 s
4		<u>User creates an opportunity with a specific product and quantity</u>	9	9	0	0	9.437 s
5		<u>User processes an opportunity to the sales team and fills required documents</u>	11	11	0	0	38.935 s
6		<u>User sends the file to pricing to the category team</u>	4	4	0	0	9.218 s
7		<u>User updates the customer-accepted price after receiving pricing from the category</u>	4	4	0	0	13.548 s
8		<u>User requests PI to the category team</u>	11	7	1	3	38.835 s
9		<u>User request PI to Seller team</u>	4	4	0	0	14.975 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
10		<u>User updates the seller PI and sends it to the seller</u>	4	3	1	0	7.323 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
11	Create Order in SF using this Script	User creates an order, captures the subtotal, and order number	8	3	1	4	26.546 s

Create Order in SF using this Script



FAILED	DURATION - 2 m 55.295 s	Scenarios Total - 11 Pass - 8 Fail - 3 Skip - 0		Steps Total - 64 Pass - 54 Fail - 3 Skip - 7	
/ 3:39:09.098 PM // 3:42:04.393 PM /					

Setting up enviroment for the the project

<div><div>PASSED</div><div>DURATION - 4.686 s</div></div>		<div></div>	<div>Steps Total - 2 Pass - 2 Fail - 0 Skip - 0</div>	<div></div>
/ 3:39:09.108 PM // 3:39:13.794 PM /				
Create Order in SF using this Script				
@create				

#	Step / Hook Details	Status	Duration
1	Given Set the file and driver and configuration	PASSED	2.718 s
2	Given the user navigates to the Salesforce login page "https://jswoneplatforms--prdreplica.sandbox.my.salesforce.com/"	PASSED	1.833 s



User logs in to Salesforce

<div><div>PASSED</div><div>DURATION - 6.664 s</div></div>		<div></div>	<div>Steps Total - 3 Pass - 3 Fail - 0 Skip - 0</div>	<div></div>
/ 3:39:13.984 PM // 3:39:20.648 PM /				
Create Order in SF using this Script				
@create				

#	Step / Hook Details	Status	Duration
1	When the user enters the username "v_ankit.sharma@jsw.in"	PASSED	0.279 s



#	Step / Hook Details	Status	Duration
2	And the user enters the password "@Ankit123"	PASSED	0.359 s
3	And the user clicks on the login button	PASSED	6.013 s

User navigates to a specific account from the homepage

PASSED		DURATION - 4.651 s			Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 3:39:20.693 PM // 3:39:25.344 PM /						
Create Order in SF using this Script						
@create @smoke						

#	Step / Hook Details	Status	Duration
1	Given the user opens the search tab	PASSED	0.232 s
2	When the user searches for the item "KANJUR BEER & WINES"	PASSED	1.803 s
3	And the user clicks on the search result for "KANJUR BEER & WINES" accounts	PASSED	0.876 s
4	And the user opens the account "KANJUR BEER & WINES"	PASSED	1.726 s



User creates an opportunity with a specific product and quantity

PASSED		DURATION - 9.437 s			Steps Total - 9 Pass - 9 Fail - 0 Skip - 0	
/ 3:39:25.392 PM // 3:39:34.829 PM /						
Create Order in SF using this Script						
@create @smoke						

#	Step / Hook Details	Status	Duration
1	Given the user is on the account page	PASSED	0.002 s
2	When the user creates a quick opportunity	PASSED	3.888 s
3	And the user adds a new opportunity	PASSED	1.269 s
4	And the user searches for the product "MS HR Coil 2062:2011 E250A"	PASSED	0.947 s



#	Step / Hook Details	Status	Duration
5	And the user selects the product "MS HR Coil 2062:2011 E250A"	PASSED	1.872 s
6	And the user sets the quantity to "10"	PASSED	0.376 s
7	And the user sets the thickness to "1000"	PASSED	0.401 s
8	And the user selects the width as "1500"	PASSED	0.079 s
9	And the user saves the opportunity	PASSED	0.577 s

User processes an opportunity to the sales team and fills required documents

PASSED		DURATION - 38.935 s			Steps Total - 11 Pass - 11 Fail - 0 Skip - 0	
/ 3:39:34.854 PM // 3:40:13.789 PM /						
Create Order in SF using this Script						
@create						



#	Step / Hook Details	Status	Duration
1	Given the user is on the opportunity processing page	PASSED	0.002 s
2	When the user clicks on the process opportunity button	PASSED	6.963 s
3	And the user selects to edit the opportunity	PASSED	2.319 s
4	And the user edits the delivery type to "Self pickup"	PASSED	0.545 s
5	And the user edits the delivery time to "2" days	PASSED	1.137 s
6	And the user edits the special message to "Urgent delivery needed"	PASSED	0.331 s
7	And the user searches for the source seller "Vee"	PASSED	0.208 s
8	And Then User filled the advance % "5"	PASSED	0.228 s
9	And the user selects the source seller "Vee"	PASSED	26.363 s
10	And the user edits the cost price to "100"	PASSED	0.230 s
11	And the user saves the opportunity	PASSED	0.592 s

User sends the file to pricing to the category team

<div>PASSED</div> <div>DURATION - 9.218 s</div>		<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
/ 3:40:13.809 PM // 3:40:23.027 PM /				
Create Order in SF using this Script				
@create				

#	Step / Hook Details	Status	Duration
1	When Sales team clicks on the price awaiting section	PASSED	3.598 s
2	And the user performs the category user test	PASSED	3.365 s
3	And the user saves the category	PASSED	0.140 s
4	And the user saves the opportunity	PASSED	2.105 s

User updates the customer-accepted price after receiving pricing from the category


<div>PASSED</div>	<div>DURATION - 13.548 s</div>	<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 3:40:23.056 PM // 3:40:36.604 PM /</div>				
<div>Create Order in SF using this Script</div>				
<div>@create</div>				

#	Step / Hook Details	Status	Duration
1	Given the user clicks on the process opportunity button for pricing	PASSED	1.595 s
2	When the user selects the category price as "100"	PASSED	10.986 s
3	When user sets the customer-accepted price to "100"	PASSED	0.372 s
4	And the user saves the opportunity for pricing	PASSED	0.587 s



User requests PI to the category team

FAILED	DURATION - 38.835 s	<table border="1"> <caption>Step Durations (s)</caption> <thead> <tr> <th>Step</th> <th>Duration (s)</th> </tr> </thead> <tbody> <tr><td>1</td><td>1.345</td></tr> <tr><td>2</td><td>1.670</td></tr> <tr><td>3</td><td>22.058</td></tr> <tr><td>4</td><td>4.170</td></tr> <tr><td>5</td><td>2.342</td></tr> <tr><td>6</td><td>0.234</td></tr> <tr><td>7</td><td>1.818</td></tr> <tr><td>8</td><td>4.999</td></tr> </tbody> </table>	Step	Duration (s)	1	1.345	2	1.670	3	22.058	4	4.170	5	2.342	6	0.234	7	1.818	8	4.999	Steps Total - 11 Pass - 7 Fail - 1 Skip - 3	
Step	Duration (s)																					
1	1.345																					
2	1.670																					
3	22.058																					
4	4.170																					
5	2.342																					
6	0.234																					
7	1.818																					
8	4.999																					
/ 3:40:36.626 PM // 3:41:15.461 PM /																						
Create Order in SF using this Script																						
@create																						

#	Step / Hook Details	Status	Duration
1	Given the user clicks on the process opportunity button for PI to category team	PASSED	1.345 s
2	And the user saves the opportunity first	PASSED	1.670 s
3	And the user verifies the customer-accepted price	PASSED	22.058 s
4	And the user requests PI to the category team	PASSED	4.170 s
5	And the user selected the "category user test"	PASSED	2.342 s
6	And the user saves the category user	PASSED	0.234 s
7	And the user saves the opportunity for sales	PASSED	1.818 s
8	Then Check stage of the opportunity is "Awaiting PI"	FAILED	4.999 s
	<p>org.openqa.selenium.InvalidSelectorException: invalid selector from javascript error: {"status":32,"value":"Unable to locate an element with the xpath expression 'because of the following error:\nSyntaxError: Failed to execute 'evaluate' on 'Document': The string " is not a valid XPath expression."' } (Session info: chrome=128.0.6613.138) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#invalid-selector-exception Build info: version: '4.18.1', revision: 'b1d3319b48' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '22.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e9368a65acccefcf8609ee42a63dbb4, findElement {value=, using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 128.0.6613.138, chrome: {chromedriverVersion: 128.0.6613.137 (fe621c5aa2d..., userDataDir: C:\Users\V_ANKI~1.SHA\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63614}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:63614/devtoo..., se.cdpVersion: 128.0.6613.138, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e9368a65acccefcf8609ee42a63dbb4</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)</p>		



#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:519) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:356) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350) at org.openqa.selenium.support.ui.ExpectedConditions\$6.apply(ExpectedConditions.java:171) at org.openqa.selenium.support.ui.ExpectedConditions\$6.apply(ExpectedConditions.java:168) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:203) at Pages.AccountPage.stageOfOpportunity(AccountPage.java:166) at Stepdefinition.Ordercreation.RequestPiToCategorySteps.check_stage_of_the_opportunity_is(RequestPiToCategorySteps.java:46) at ?.Check stage of the opportunity is "Awaiting PI"(file:///C:/Users/v_ankit.sharma/Downloads/erp-flow-checker-QA-3-cash_and_carry_portal/SF_Op53_43/src/test/resources/features/CreateOrder.feature:94) * Not displayable characters are replaced by '?'. </pre>		
9	Then User Went to SKU requirement page	SKIPPED	0.003 s
10	Then User selected the SKU number "0"	SKIPPED	0.001 s
11	Then Click on the Opportunity Page	SKIPPED	0.000 s
	AFTER - AppHooks.ApplicationsHooks.takeScreenshotOnFailure(io.cucumber.java.Scenario)	PASSED	0.177 s
	User requests PI to the category team		
			

User request PI to Seller team

PASSED		DURATION - 14.975 s			<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 3:41:15.491 PM // 3:41:30.466 PM /						
Create Order in SF using this Script						
@create						

#	Step / Hook Details	Status	Duration
1	Given User processed opportunity to send PI to seller	PASSED	9.777 s
2	And the user saves the final order	PASSED	1.734 s
3	Then the user requests PI to the seller	PASSED	1.879 s
4	And the user saves the final order	PASSED	1.576 s


User updates the seller PI and sends it to the seller

<div>FAILED</div> <div>DURATION - 7.323 s</div>		<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 3</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
/ 3:41:30.499 PM // 3:41:37.822 PM /				
Create Order in SF using this Script				
@create				



#	Step / Hook Details	Status	Duration
1	Given the user navigates to the file page	PASSED	1.466 s
2	And the user chooses the seller PI	PASSED	0.682 s
3	And the user sets the seller PI	PASSED	2.156 s
4	Then the stage of the opportunity is now "Awaiting Payment"	FAILED	2.759 s

org.openqa.selenium.InvalidSelectorException: invalid selector from javascript error: {"status":32,"value":"Unable to locate an element with the xpath expression because of the following error:\nSyntaxError: Failed to execute 'evaluate' on 'Document': The string \" is not a valid XPath expression.\""} (Session info: chrome=128.0.6613.138) For documentation on this error, please visit: <https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#invalid-selector-exception> Build info: version: '4.18.1', revision: 'b1d3319b48' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '22.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e9368a65acccefcf8609ee42a63dbb4, findElement {value=, using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 128.0.6613.138, chrome: {chromedriverVersion: 128.0.6613.137 (fe621c5aa2d..., userDataDir: C:\Users\V_ANKI~1.SHA\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63614}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63614/devtoo..., se:cdpVersion: 128.0.6613.138, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e9368a65acccefcf8609ee42a63dbb4

at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)
at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:519) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:356) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350) at org.openqa.selenium.support.ui.ExpectedConditions\$6.apply(ExpectedConditions.java:171) at org.openqa.selenium.support.ui.ExpectedConditions\$6.apply(ExpectedConditions.java:168) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:203) at Pages.AccountPage.stageOfOpportunity(AccountPage.java:166) at Stepdefination.Ordercreation.ChooseSellerPIsteps.stageOfOpportunityIs(ChooseSellerPIsteps.java:31) at ?.the stage of the opportunity is now "Awaiting Payment"(file:///C:/Users/v_ankit.sharma/Downloads/erp-flow-checker-QA-3-cash_and_carry_portal/SF_Op53_43/src/test/resources/features/CreateOrder.feature:113) * Not displayable characters are replaced by '?'. </pre>		
	AFTER - AppHooks.ApplicationsHooks.takeScreenshotOnFailure(io.cucumber.java.Scenario)	PASSED	0.242 s
	User updates the seller PI and sends it to the seller		
			

User creates an order, captures the subtotal, and order number

<div>FAILED</div> <div>DURATION - 26.546 s</div>		<div></div>	<div>Steps</div> <div>Total - 8</div> <div>Pass - 3</div> <div>Fail - 1</div> <div>Skip - 4</div>	<div></div>
<div>/ 3:41:37.847 PM // 3:42:04.393 PM /</div>				
<div>Create Order in SF using this Script</div>				
<div>@create</div>				

#	Step / Hook Details	Status	Duration
1	Given the user is on the account page for order creation	PASSED	0.730 s

#	Step / Hook Details	Status	Duration
2	And User approves the approval history	PASSED	4.862 s
3	When the user clicks on the create order button	PASSED	0.707 s
4	<p>And the user captures the subtotal for the order</p> <pre> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[contains(@class, 'slds-col') and //span[contains(text(), 'Amount due')]]/following-sibling::div/span"} (Session info: chrome=128.0.6613.138) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/ troubleshooting/errors#no-such-element-exception Build info: version: '4.18.1', revision: 'b1d3319b48' System info: os.name: 'Windows 11', os. arch: 'amd64', os.version: '10.0', java.version: '22.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e9368a65acccefcf8609ee42a63dbb4, findElement {value="//div[contains(@class, 'slds-col') and //span[contains(text(), 'Amount due')]]/following-sibling::div/span, using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 128.0.6613.138, chrome: {chromedriverVersion: 128.0.6613.137 (fe621c5aa2d..., userDataDir: C:\Users\V_ANKI~1.SHA\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63614}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63614/devtoo..., se:cdpVersion: 128.0.6613.138, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e9368a65acccefcf8609ee42a63dbb4 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:519) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:356) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350) at Utils.Functionalities.xpathELem(Functionalities.java:137) at Pages.AccountPage.subTotalCreateOrder(AccountPage.java:216) at Stepdefination.Ordercreation.CreateOrderPageSteps.userCapturesSubtotalForOrder(CreateOrderPageSteps.java:59) at ?.the user captures the subtotal for the order(file:///C:/Users/v_ankit.sharma/Downloads/erp-flow-checker-QA-3-cash_and_carry_portal/ SF_Op53_43/src/test/resources/features/CreateOrder.feature:123) * Not displayable characters are replaced by '?'. </pre>	FAILED	20.089 s
5	Then the user prints the subtotal and indicates it as the total value for the order	SKIPPED	0.001 s
6	And the user clicks on the button to create an order for coils	SKIPPED	0.001 s
7	And the user captures the order number	SKIPPED	0.001 s
8	Then the user prints the order number	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
	AFTER - AppHooks.ApplicationsHooocks.takeScreaenshotOnFailure(io.cucumber.java.Scenario)	PASSED	0.144 s
	User creates an order, captures the subtotal, and order number		
	