

Cucumber Report

Dec 11, 2024, 1:37:39 AM

Start : Dec 11, 1:34:56.119 AM

End : Dec 11, 1:37:35.088 AM

Duration : 2 m 38.969 s

Features



Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 10
FAILED - 1
SKIPPED - 0


PASSED - 53
FAILED - 1
SKIPPED - 5




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Create Order for Construct account on UAT</u>	2 m 38.969 s	11	10	1	0	59	53	1	5

#	Feature Name	Scenario Name
1	<u>Create Order for Construct account on UAT</u>	<u>User creates an order, captures the subtotal, and order number</u>


TAG	Scenario				Feature			
Name	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>
@regression	11	10	1	0	1	0	1	0
@uatconst	11	10	1	0	1	0	1	0
@tmt	1	1	0	0	1	0	1	0



#	Feature Name	T	P	F	S	Duration
1	Create Order for Construct account on UAT	11	10	1	0	2 m 38.969 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Create Order for Construct account on UAT</u>	<u>Setting up enviroment for the the project</u>	2	2	0	0	2.530 s
2		<u>User logs in to Salesforce</u>	4	4	0	0	12.746 s
3		<u>Sales team Went to the User account and to the site</u>	5	5	0	0	11.396 s
4		<u>Sales team creates a cement opportunity on a site</u>	5	5	0	0	11.628 s
5		<u>User processes the opportunities and set the delivery process</u>	8	8	0	0	13.708 s
6		<u>Sales team select the seller and gave the cost price</u>	10	10	0	0	10.250 s
7		<u>Sales team confirms the customer accepted price</u>	5	5	0	0	14.197 s
8		<u>User request PI to Category team</u>	5	5	0	0	17.130 s
9		<u>User request PI to Seller team</u>	4	4	0	0	31.792 s
10		<u>User updates the seller PI and sends it to the seller</u>	3	3	0	0	6.584 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
11	Create Order for Construct account on UAT	User creates an order, captures the subtotal, and order number	8	2	1	5	25.877 s

Create Order for Construct account on UAT



FAILED	DURATION - 2 m 38.969 s	Scenarios Total - 11 Pass - 10 Fail - 1 Skip - 0		Steps Total - 59 Pass - 53 Fail - 1 Skip - 5	
/ 1:34:56.119 AM // 1:37:35.088 AM /					

Setting up enviroment for the the project

<div>PASSED</div> <div>DURATION - 2.530 s</div>		<div></div>	<div>Steps</div> <div>Total - 2</div> <div>Pass - 2</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 1:34:56.125 AM // 1:34:58.655 AM /</div>				
<div>Create Order for Construct account on UAT</div>				
<div>@regression @uatconst</div>				



#	Step / Hook Details	Status	Duration
1	Given Set the browser and driver for the automation "chrome"	PASSED	2.354 s
2	And User passes driver to the other pages and files	PASSED	0.082 s

User logs in to Salesforce

<div>PASSED</div> <div>DURATION - 12.746 s</div>			Steps		
/ 1:34:58.797 AM // 1:35:11.543 AM /			Total - 4		
Create Order for Construct account on UAT			Pass - 4		
@regression @uatconst			Fail - 0		
				Skip - 0	



#	Step / Hook Details	Status	Duration
1	Given the user navigates to the Salesforce login page "https://jswoneplatforms--uat.sandbox.lightning.force.com/lightning/page/home"	PASSED	3.903 s
2	When the user enters the username "ankit.sharma@jsw.in.uat"	PASSED	0.157 s
3	And the user enters the password "@Ankit123"	PASSED	0.095 s
4	And the user clicks on the login button	PASSED	8.586 s

Sales team Went to the User account and to the site

PASSED	DURATION - 11.396 s		Steps Total - 5 Pass - 5 Fail - 0 Skip - 0	
/ 1:35:11.977 AM // 1:35:23.373 AM /				
Create Order for Construct account on UAT				
@regression @uatconst				



#	Step / Hook Details	Status	Duration
1	Given the user is on the home page	PASSED	0.430 s
2	When they search for account "TURBO ENERGY PRIVATE LIMITED"	PASSED	2.809 s
3	And they click on the account for "TURBO ENERGY PRIVATE LIMITED"	PASSED	0.867 s
4	And they moved to the site tab	PASSED	6.372 s
5	Then they should be on the "Gujarat International" site page	PASSED	0.899 s

Sales team creates a cement opportunity on a site

PASSED	DURATION - 11.628 s		Steps Total - 5 Pass - 5 Fail - 0 Skip - 0	
/ 1:35:23.415 AM // 1:35:35.043 AM /				
Create Order for Construct account on UAT				
@regression @tmt @uatconst				


#	Step / Hook Details	Status	Duration
1	Given they creates an opportunity	PASSED	7.555 s
2	And they select the TMT option	PASSED	2.075 s
3	And they select the subgrate type of TMT "FE_500D"	PASSED	0.439 s
4	And User selects the "12" of TMT and with the "100"	PASSED	0.143 s
5	And they save the cement opportunity	PASSED	1.355 s

User processes the opportunities and set the delivery process

PASSED	DURATION - 13.708 s		Steps Total - 8 Pass - 8 Fail - 0 Skip - 0	
/ 1:35:35.152 AM // 1:35:48.860 AM /				
Create Order for Construct account on UAT				
@regression @uatconst				


#	Step / Hook Details	Status	Duration
1	Given the user is on the opportunity processing page	PASSED	0.002 s
2	When the user clicks on the process opportunity button	PASSED	8.007 s
3	And the user selects to edit the opportunity	PASSED	2.520 s
4	And the user edits the delivery type to "Self pickup"	PASSED	0.474 s
5	And the user selected the Delivery address "A-104477"	PASSED	1.609 s
6	And the user edits the delivery time to "2" days	PASSED	0.483 s
7	And Then User filled the advance % "100"	PASSED	0.210 s
8	And the user edits the special message to "Urgent delivery needed"	PASSED	0.350 s

Sales team select the seller and gave the cost price



#	Step / Hook Details	Status	Duration
1	When the user searches for the source seller "Vee"	PASSED	0.345 s
2	And the user selects the source seller "Vee"	PASSED	0.739 s
3	And the user Selects the source seller type "Marketplace"	PASSED	0.540 s
4	And the user edits the cost price to "100"	PASSED	0.338 s
5	When the user selects the category price as "150"	PASSED	0.242 s
6	And the user saves the opportunity	PASSED	0.551 s
7	And the opportunity is processed to the Category team for pricing	PASSED	2.754 s
8	And the user performs the category user test with Category team "Mfg Category"	PASSED	2.486 s
9	And the user saves the category	PASSED	0.137 s
10	And the user saves the opportunity	PASSED	2.002 s



Sales team confirms the customer accepted price



#	Step / Hook Details	Status	Duration
1	When the user clicks on the process opportunity button	PASSED	0.445 s
2	When user sets the customer-accepted price to "160"	PASSED	1.865 s
3	And the user saves the opportunity	PASSED	0.526 s



#	Step / Hook Details	Status	Duration
4	And the user verifies the customer-accepted price	PASSED	9.695 s
5	And the user saves the opportunity for sales team	PASSED	1.656 s

User request PI to Category team

PASSED	DURATION - 17.130 s		Steps Total - 5 Pass - 5 Fail - 0 Skip - 0	
/ 1:36:13.642 AM // 1:36:30.772 AM /				
Create Order for Construct account on UAT				
@regression @uatconst				

#	Step / Hook Details	Status	Duration
1	When the user clicks on the process opportunity button	PASSED	0.982 s
2	When the user saves the opportunity	PASSED	1.876 s
3	When the user requests PI to the category team	PASSED	11.235 s
4	And the user performs the category user test with Category team "Mfg Category"	PASSED	2.753 s
5	And the user saves the category user	PASSED	0.192 s



User request PI to Seller team

PASSED	DURATION - 31.792 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 1:36:30.800 AM // 1:37:02.592 AM /				
Create Order for Construct account on UAT				
@regression @uatconst				

#	Step / Hook Details	Status	Duration
1	Given User processed opportunity to send PI to seller	PASSED	4.374 s
2	When the user saves the opportunity	PASSED	1.588 s
3	Then the user requests PI to the seller	PASSED	25.721 s



#	Step / Hook Details	Status	Duration
4	And user saved the opportunity	PASSED	0.092 s

User updates the seller PI and sends it to the seller

<div>PASSED</div> <div>DURATION - 6.584 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 1:37:02.604 AM // 1:37:09.188 AM /</div>			
<div>Create Order for Construct account on UAT</div>			
<div>@regression @uatconst</div>			

#	Step / Hook Details	Status	Duration
1	Given the user navigates to the file page	PASSED	1.209 s
2	And the user chooses the seller PI	PASSED	1.664 s
3	And the user sets the seller PI	PASSED	3.707 s

User creates an order, captures the subtotal, and order number

<div>FAILED</div> <div>DURATION - 25.877 s</div>		<div></div>	<div>Steps</div> <div>Total - 8</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 5</div>	<div></div>
/ 1:37:09.211 AM // 1:37:35.088 AM /				
Create Order for Construct account on UAT				
@regression @uatconst				

#	Step / Hook Details	Status	Duration
1	Given the user is on the account page for order creation	PASSED	2.560 s
2	When the user clicks on the create order button	PASSED	2.754 s
3	And the user captures the subtotal for the order	FAILED	20.070 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[contains(@class, 'slds-col') and ./span[contains(text(), 'Amount due')]]/following-sibling::div/span"} (Session info: chrome=131.0.6778.86) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.18.1', revision: 'b1d3319b48' System info: os.name: 'Windows 11', os.arch: 'amd64',		

#	Step / Hook Details	Status	Duration
	<p>os.version: '10.0', java.version: '22.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [6e9318201313d3c04a5a73812b4eb0f0, findElement {using=xpath, value=//div[contains(@class, 'slds-col') and //span[contains(text(), 'Amount due')]]/following-sibling::div/span}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.86, chrome: {chromedriverVersion: 131.0.6778.87 (ce31cae94873..., userDataDir: C:\Users\V_ANKI~1.SHA\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:49224}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:49224/devtoo..., se:cdpVersion: 131.0.6778.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 6e9318201313d3c04a5a73812b4eb0f0</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:519) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:356) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350) at Utils.Functionalities.xpathELem(Functionalities.java:140) at Pages.AccountPage.subTotalCreateOrder(AccountPage.java:210) at Stepdefinition.Ordercreation.CreateOrderPageSteps.userCapturesSubtotalForOrder(CreateOrderPageSteps.java:59) at ?.the user captures the subtotal for the order(file:///C:/Users/V_Ankit.Sharma/Downloads/erp-flow-checker-QA-3-cash_and_carry_portal/SF_Op53_43/src/test/resources/features/Construct.feature:123) * Not displayable characters are replaced by '?'. </p>		
4	Then the user prints the subtotal and indicates it as the total value for the order	SKIPPED	0.003 s
5	And the user clicks on the button to create an order for coils	SKIPPED	0.001 s
6	And the user captures the order number	SKIPPED	0.001 s
7	Then the user prints the order number	SKIPPED	0.001 s
8	And the date and time of the report is given	SKIPPED	0.003 s
	AFTER - AppHooks.ApplicationsHooks.takeScreenshotOnFailure(io.cucumber.java.Scenario)	PASSED	0.444 s
	User creates an order, captures the subtotal, and order number		

#	Step / Hook Details	Status	Duration
			