

Feature		Scer	nario			St	ер					
Name	Duration	T	P	F	S	T	P	F	S			
Profile based order creation	1 m 58.376 s	7	6	1	0	27	25	1	1			


FAIL & SKIP SCENARIOS -- 3 --

#	Feature Name	Scenario Name
1	Profile based order creation	Sales user logs out

TAG		Scer	nario		Feature				
Name	T	P	F	S	T	P	F	S	
@pricing	7	6	1	0	1	0	1	0	


FEATURES SUMMARY

-- 5 --



#	Feature Name	T	P	F	S	Duration
1	Profile based order creation	7	6	1	0	1 m 58.376 s

SCENARIOS SUMMARY -- 6 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Profile based order creation	Setting up enviroment for the the project	1	1	0	0	2.703 s
2		<u>User logs in to Salesforce</u>	4	4	0	0	3.566 s
3		User navigates to a specific account from the homepage	3	3	0	0	20.512 s
4		User creates Multiple opportunity with a specific product and quantity	4	4	0	0	29.075 s
5		User processes an opportunity to the sales team and fills required documents	8	8	0	0	11.337 s
6		User Handover the Opportunity to the Category Team	5	5	0	0	8.105 s
7		Sales user logs out	2	0	1	1	42.829 s

DETAILED SECTION -- 7 --

Profile based order creation

FAILED	DURATION - 1 m 58.376 s	Scenarios		Steps	4
		Total - 7		Total - 27	
/ 12:22:40.955 PM //	12:24:39.331 PM /	Pass - 6	7	Pass - 25	27
		Fail - 1		Fail - 1	21
		Skip - 0		Skip - 1	

Setting up enviroment for the the project



	#	Step / Hook Details	Status	Duration
1	-	Given Set the file and driver and configuration	PASSED	2.632 s


User logs in to Salesforce

PASSED	DURATION - 3.566 s	2]		1	1 1	Steps	
/ 12:22:43.781 F	PM // 12:22:47.347 PM /	1.5 -				Total - 4	
		1 -				 Pass - 4 Fail - 0	4
Profile based or	rder creation	0.5 -				 Skip - 0	
@pricing		0 -		<u> </u>			
			1	2	3 4		

;	#	Step / Hook Details	Status	Duration
1		Given the user navigates to the Salesforce login page "https://jswoneplatformsuat.sandbox.lightning.force.	PASSED	0.955 s
		com/lightning/page/home"		
2		When the user enters the username "salestestuseruat@yopmail.com.uat"	PASSED	0.909 s


#	Step / Hook Details	Status	Duration
3	And the user enters the password "Salesuser123"	PASSED	0.076 s
4	And the user clicks on the login button	PASSED	1.610 s

User navigates to a specific account from the homepage



#	Step / Hook Details	Status	Duration
1	When the user searches for the item "OBEROI REALTY LTD"	PASSED	17.951 s
2	And the user clicks on the search result for "OBEROI REALTY LTD" accounts	PASSED	0.699 s
3	And the user opens the account "OBEROI REALTY LTD"	PASSED	1.852 s


User creates Multiple opportunity with a specific product and quantity



#				Step	/ Hoo	k Deta	ils					Status	Duration
1	Given the user is on the accou	en the user is on the account page											0.000 s
2	When the user creates a quick	hen the user creates a quick opportunity											8.808 s
3	And Add multiple products in S	SKU accor	ding to g	jiven Data								PASSED	19.798 s
	Product MS HR Coil 2062:2011 E250A	Quantity 10	UOM Primary	Thickness 2.5	Width 1250	Length	Diameter						


#	Step / Hook Details						Status	Duration	
	MS HR Sheet 2062:2011 E250A	15	Primary	2.5	1250	1500			
	MS HR Coil 2062:2011 E250A	10	Primary	2.5	1500				
	MS HR Sheet 2062:2011 E250A	15	Primary	2.5	1500	1500			
4	Then the user saves the oppor	tunity						PASSED	0.460 s

User processes an opportunity to the sales team and fills required documents




#	Step / Hook Details	Status	Duration
1	Given the user is on the opportunity processing page	PASSED	0.001 s
2	When the user clicks on the process opportunity button	PASSED	7.611 s
3	And the user selects to edit the opportunity	PASSED	1.700 s
4	And the user edits the delivery type to "JOTS"	PASSED	0.539 s
5	And the user selected the Delivery address "A-104507"	PASSED	0.891 s
6	And Then User filled the advance % "30"	PASSED	0.145 s
7	And the user edits the delivery time to "2" days	PASSED	0.238 s
8	And the user edits the special message to "Urgent delivery needed"	PASSED	0.199 s

User Handover the Opportunity to the Category Team



#	Step / Hook Details	Status	Duration
1	And the user saves the opportunity	PASSED	0.462 s
2	When Sales team clicks on the price awaiting section	PASSED	3.410 s
3	And the user selected the category user "Mfg Category"	PASSED	2.715 s
4	And the user saves the category	PASSED	0.058 s
5	And the user saves the opportunity	PASSED	1.453 s

Sales user logs out



#	Step / Hook Details	Status	Duration
1	Given user clicks on account button	FAILED	42.638 s
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for presence of element located by: By.xpath: //span[@class='uilmage' and @data-aura-class='uilmage' and ./img[@title='User']] (tried for 30 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:228) at Pages.HomePage.LoggedUserIconButton(HomePage.java:29) at Stepdefination.Sales.AccountPageSteps.UserAccountIconButtonClick(AccountPageSteps.java:36) at ?.user clicks on account button(file://l/C:/Users/V_Ankit.Sharma/Downloads/erp-flow-checker-QA-3-cash_and_carry_portal/ SF_Op53_43/src/test/resources/features/PricingEngine.feature:61) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath", "selector":"//span[@class='uilmage' and @data-aura-class='uilmage' and ./img[@title='User']]"} (Session info: chrome=130.0.6723.117) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/ errors#no-such-element-exception Build info: version: '4.18.1', revision: 'b1d3319b48' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '22.0.1' Driver info: org.openqa.selenium.chrome-ChromeDriver Commant: [59ca948aa0eaf64dad55e8868a015914, findElement {using=xpath, value=//span[@class='uilmage' and @data-aura-class='uilmage' and ./img[@title='User']]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 130.0.6723.117, chrome: {chromedriverVersion: 130.0.6723.116 (6ac35f94ae3, userDataDir: C:\Users\V_ANKI-1.SHA\appDa}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50541}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50541/devtoo, se:cdpVersion: 130.0.6723.117, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, page		

#	Step / Hook Details	Status	Duration
	webauthn:virtualAuthenticators: true} Session ID: 59ca948aa0eaf64dad55e8868a015914		
	at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)		
	at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:519)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:356)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$6.apply(ExpectedConditions.java:171)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$6.apply(ExpectedConditions.java:168)		
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:203)		
	at Pages.HomePage.LoggedUserIconButton(HomePage.java:29)		
	at Stepdefination.Sales.AccountPageSteps.UserAccountIconButtonClick(AccountPageSteps.java:36)		
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:580)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:56)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)		
	at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28)		

DETAILED SECTION -- 12 --

		Duration
at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)		
at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)		
at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)		
at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)		
at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)		
at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137)		
at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196)		
at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89)		
at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)		
at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)		
at io.cucumber.junit.Cucumber\$StartAndFinishTestRun.evaluate(Cucumber.java:226)		
at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
at org.junit.runner.JUnitCore.run(JUnitCore.java:137)		
* Not displayable characters are replaced by '?'.		
And User clicks on log out button	SKIPPED	0.000 s
AFTER - AppHoocks.ApplicationsHoocks.takeScraenshotOnFailure(io.cucumber.java.Scenario)	PASSED	0.176 s
Sales user logs out		
	at io.cucumber.junit.FeatureRunner.run(FaetureRunner.java:147) at io.cucumber.junit.Cucumber.run(FeatureRunner.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:329) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runFeatures\$6(CucumberExecutionContext.java:148) at io.cucumber.core.runtime.CucumberExecutionContext.evecute(CucumberExecutionContext.java:146) at io.cucumber.core.runtime.CucumberExecutionContext.evecute(CucumberExecutionContext.java:146) at io.cucumber.junit.Cucumber\$startAndFinishTestRun.evaluate(Cucumber.java:226) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.junit.runners.ParentRunner.starRunner.starRunner.starRunner.java:69) at com.intellij.rt.junit.JunitGore.run(JunitCore.java:137) at com.intellij.rt.junit.JunitGater.stRunner.starRunnerWithArgs(JunitAldeaTestRunner.java:35) at com.intellij.rt.junit.IdeaTestRunner\$Repeater\$1.execute(IdeaTestRunner.java:35) at com.intellij.rt.junit.JunitStarter.prepareStreamsAndStart(JUnitStarter.java:232) at com.intellij.rt.junit.JunitStarter.prepareStreamsAndStart(JUnitStarter.java:232) at com.intellij.rt.junit.JunitStarter.prepareStreamsAndStart(JUnitStarter.java:232) at com.intellij.rt.junit.JunitStarter.prepareStreamsAndStart(JUnitStarter.java:232) at com.intellij.rt.junit.JunitStarter.prepareStreamsAndStart(JUnitStarter.java:232) at com.intellij.rt.junit.JunitStarter.main(JUnitStarter.java:55) * Not displayable characters are replaced by '	at io.cucumber.junit.FeatureRunner.run(ParentRunner.java:137) at io.cucumber.junit.Cucumber.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.run(FiatureRunner.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.punit.Cucumber.runChild(Cucumber.java:391) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:391) at org.junit.runners.ParentRunner.st.cshedule(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner.sc.ecutionContext.lambda\$runFeatures\$6(CucumberExecutionContext.java:148) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runFeatures\$6(CucumberExecutionContext.java:148) at io.cucumber.core.runtime.CucumberExecutionContext.tunFeatures(CucumberExecutionContext.java:148) at io.cucumber.junit.CucumberStartAndFinishTestRun.evaluate(CucumberExecutionContext.java:146) at io.cucumber.junit.Cucumber\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.sc.ecute(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:306) at org.junit.runner.sc.ecutionContext.gava:137) at com.intellij.junit.JunitCore.run(JunitCore.sc.gava:137) at com.intellij.junit.JunitCore.run(JunitCore.sc.gava:137) at com.intellij.junit.JunitCore.run(JunitCore.sc.gava:137) at com.intellij.rt.junit.JudeaTestRunner\$Repeater\$1.execute(deaTestRunner.java:38) at com.intellij.rt.junit.JudeaTestRunner\$Repeater.st.execute(deaTestRunner.java:39) at com.intellij.rt.junit.JunitStarter.prepareStreamsAndStart(JunitStarter.java:232) at com.intellij.rt.junit.JunitStarter.man(JUnitStarter.java:55) *Not displayable characters are replaced by '?'. And User clicks on log out button SKIPPED AFTER - AppHoocks.ApplicationsHoocks.takeScraenshotOnFailure(io.cucumber.java.Scenario)