


Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Create Order for Construct account on UAT	2 m 23.538 s	11	10	1	0	57	51	1	5

FAIL & SKIP SCENARIOS -- 3 --

#	Feature Name	Scenario Name
1	Create Order for Construct account on UAT	User creates an order, captures the subtotal, and order number


TAG	Scenario			Fea	ture			
Name	T	P	F	S	T	P	F	S
@uatconst	11	10	1	0	1	0	1	0
@tmt	1	1	0	0	1	0	1	0

FEATURES SUMMARY -- 5 --




#	Feature Name	T	P	F	S	Duration
1	Create Order for Construct account on UAT	11	10	1	0	2 m 23.538 s

SCENARIOS SUMMARY




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Create Order for Construct account on	Setting up enviroment for the the project	2	2	0	0	5.549 s
	<u>UAT</u>						
2		<u>User logs in to Salesforce</u>	3	3	0	0	5.310 s
3		Sales team Went to the User account and to the site	5	5	0	0	5.758 s
4		Sales team creates a cement opportunity on a site	5	5	0	0	3.863 s
5		User processes the opportunities and set the delivery	7	7	0	0	11.004 s
		process					
6		Sales team select the seller and gave the cost price	10	10	0	0	7.889 s
7		Sales team confirms the customer accepted price	5	5	0	0	14.909 s
8		<u>User request PI to Category team</u>	5	5	0	0	6.746 s
9		<u>User request PI to Seller team</u>	4	4	0	0	32.244 s
10		<u>User updates the seller PI and sends it to the seller</u>	3	3	0	0	6.379 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
11	Create Order for Construct account on	User creates an order, captures the subtotal, and order	8	2	1	5	43.581 s
	<u>UAT</u>	<u>number</u>					

Create Order for Construct account on UAT




Setting up enviroment for the the project




#	Step / Hook Details	Status	Duration
1	Given Set the file and driver and configuration	PASSED	1.950 s
2	Given the user navigates to the Salesforce login page "https://jswoneplatformsuat.sandbox.lightning.force.	PASSED	3.506 s
	com/lightning/page/home"		

User logs in to Salesforce



#	Step / Hook Details	Status	Duration
1	When the user enters the username "ankit.sharma@jsw.in.uat"	PASSED	0.193 s
2	And the user enters the password "@Ankit123"	PASSED	0.100 s
3	And the user clicks on the login button	PASSED	5.012 s

Sales team Went to the User account and to the site



#	Step / Hook Details	Status	Duration
1	Given the user is on the home page	PASSED	0.122 s
2	When they search for account "TURBO ENERGY PRIVATE LIMITED"	PASSED	1.335 s
3	And they click on the account for "TURBO ENERGY PRIVATE LIMITED"	PASSED	0.787 s
4	And they moved to the site tab	PASSED	2.918 s
5	Then they should be on the "Gujarat International" site page	PASSED	0.575 s


Sales team creates a cement opportunity on a site

PASSED	DURATION - 3.863 s	2 -						Steps	
/ 3·05·19 910 P	M // 3:05:23.773 PM /	1.5 -	🚣					Total - 5	
7 3.03.13.310 1 1	W// 0.00.20.770 / W//	1 -		· - <u>- </u>				Pass - 5	_
Create Order fo	r Construct account on UAT	0.5						Fail - 0	3
@tmt @uatcons	st	0 -						Skip - 0	
			1	2	3	4	5		

#	Step / Hook Details	Status	Duration
1	Given they creates an opportunity	PASSED	1.484 s
2	And they select the TMT option	PASSED	0.876 s


#	Step / Hook Details	Status	Duration
3	And they select the subgrate type of TMT "FE_500D"	PASSED	0.190 s
4	And User selects the "12" of TMT and with the "100"	PASSED	0.126 s
5	And they save the cement opportunity	PASSED	1.184 s

User processes the opportunities and set the delivery process



#	Step / Hook Details	Status	Duration
1	Given the user is on the opportunity processing page	PASSED	0.001 s
2	When the user clicks on the process opportunity button	PASSED	7.035 s
3	And the user selects to edit the opportunity	PASSED	2.203 s
4	And the user edits the delivery type to "Self pickup"	PASSED	0.294 s
5	And the user selected the Delivery address "A-104449"	PASSED	1.017 s
6	And the user edits the delivery time to "2" days	PASSED	0.225 s
7	And the user edits the special message to "Urgent delivery needed"	PASSED	0.223 s


Sales team select the seller and gave the cost price



DETAILED SECTION -- 11 --

#	Step / Hook Details	Status	Duration
1	When the user searches for the source seller "Vee"	PASSED	0.144 s
2	And the user selects the source seller "Vee"	PASSED	0.521 s
3	And the user Selects the source seller type "JOPL"	PASSED	0.352 s
4	And the user edits the cost price to "100"	PASSED	0.156 s
5	When the user selects the category price as "150"	PASSED	0.175 s
6	And the user saves the opportunity	PASSED	0.435 s
7	And the opportunity is processed to the Category team for pricing	PASSED	2.146 s
8	And the user performs the category user test with Category team "Mfg Category"	PASSED	2.455 s
9	And the user saves the category	PASSED	0.056 s
10	And the user saves the opportunity	PASSED	1.442 s


Sales team confirms the customer accepted price



#	Step / Hook Details	Status	Duration
1	When the user clicks on the process opportunity button	PASSED	0.448 s
2	When user sets the customer-accepted price to "160"	PASSED	1.597 s
3	And the user saves the opportunity	PASSED	0.434 s
4	And the user verifies the customer-accepted price	PASSED	10.977 s
5	And the user saves the opportunity for sales team	PASSED	1.445 s


User request PI to Category team

DETAILED SECTION -- 12 --



#	Step / Hook Details	Status	Duration
1	When the user clicks on the process opportunity button	PASSED	0.449 s
2	When the user saves the opportunity	PASSED	1.738 s
3	When the user requests PI to the category team	PASSED	2.481 s
4	And the user performs the category user test with Category team "Mfg Category"	PASSED	2.008 s
5	And the user saves the category user	PASSED	0.067 s


User request PI to Seller team



#	Step / Hook Details	Status	Duration
1	Given User processed opportunity to send PI to seller	PASSED	5.033 s
2	When the user saves the opportunity	PASSED	1.462 s
3	Then the user requests PI to the seller	PASSED	24.671 s
4	And user saved the opportunity	PASSED	1.075 s


User updates the seller PI and sends it to the seller

DETAILED SECTION -- 13 --



#	Step / Hook Details	Status	Duration
1	Given the user navigates to the file page	PASSED	1.197 s
2	And the user chooses the seller PI	PASSED	1.579 s
3	And the user sets the seller PI	PASSED	3.599 s

User creates an order, captures the subtotal, and order number



			1	2	3	4	5	6	7	8		
#		Step /	Hook	Details	3						Status	Duration
1	Given the user is on the account page for order creat	tion									PASSED	1.499 s
2	When the user clicks on the create order button										PASSED	21.897 s
3	And the user captures the subtotal for the order										FAILED	20.018 s
	org.openqa.selenium.NoSuchElementException: no such e {"method":"xpath", "selector":"//div[contains(@class, 'slds-crinfo: chrome=129.0.6668.90) For documentation on this enerrors#no-such-element-exception Build info: version: '4.18 os.version: '10.0', java.version: '22.0.1' Driver info: org.ope [0a7788939a106bfb652a969a5617ed0c, findElement {usin due')]]/following-sibling::div/span}] Capabilities {acceptInse {chromedriverVersion: 129.0.6668.100 (cf58cba358d, us goog:chromeOptions: {debuggerAddress: localhost:62822} windows, proxy: Proxy(), se:cdp: ws://localhost:62822/devt	ol') and ./. ror, pleas 3.1', revisi nqa.seler g=xpath, cureCerts erDataDir , network	/span[c se visit: ion: 'b1 nium.ch value= s: false r: C:\Us cConne	contains(t https://w .d3319b4 nrome.Ch =//div[con , browser sers\V_Al .ctionEna	ext(), 'Amo ww.selenion 8' System romeDriven tains(@cla 'Name: cho NKI~1.SHo bled: false	ount due') um.dev/do info: os.r er Comma ass, 'slds- rome, bro A\AppDa. e, pageLo.	and: col) and: col) and . col) and . coserVers}, fedcm adStrateg	ation/webo ndows 11 .//span[co sion: 129.0 n:accounts ny: normal	driver/troul ', os.arch: ontains(tex 0.6668.90 s: true, l, platform	bleshooting 'amd64', ct(), 'Amoun , chrome: Name:	/	

DETAILED SECTION -- 14 --

#	Step / Hook Details	Status	Duration
	false, timeouts: (implicit: 0, pageLoad: 300000, script: 30000), unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:extension:largeBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:prf: true, webauthn:extension:largeBlob: true, webauthn:extension:prf: draw:160) at org.openqa.selenium.remote.extension:prf: true, webauthfilence.extensionsecodec.decode(W3CHttpResponseCodec.decode(W3CHttpResponseCodec.		
4	Then the user prints the subtotal and indicates it as the total value for the order	SKIPPED	0.000 s
5	And the user clicks on the button to create an order for coils	SKIPPED	0.000 s
6	And the user captures the order number	SKIPPED	0.000 s
7	Then the user prints the order number	SKIPPED	0.000 s
8	And the date and time of the report is given	SKIPPED	0.000 s
	AFTER - AppHoocks.ApplicationsHoocks.takeScraenshotOnFailure(io.cucumber.java.Scenario)	PASSED	0.148 s
	User creates an order, captures the subtotal, and order number	1	