

Cucumber Report

Dec 12, 2024, 1:40:38 PM

Start : Dec 12, 1:35:41.601 PM

End : Dec 12, 1:40:37.135 PM

Duration : 4 m 55.534 s

Features



Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 6
FAILED - 6
SKIPPED - 0


PASSED - 36
FAILED - 6
SKIPPED - 20




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Create Order for Construct account on UAT</u>	4 m 55.534 s	12	6	6	0	62	36	6	20

#	Feature Name	Scenario Name
1	<u>Create Order for Construct account on UAT</u>	<u>Sales team select the seller and gave the cost price</u>
2		<u>Sales team confirms the customer accepted price</u>
3		<u>User request PI to Category team</u>
4		<u>User request PI to Seller team</u>
5		<u>User updates the seller PI and sends it to the seller</u>
6		<u>User creates an order, captures the subtotal, and order number</u>

TAG	Scenario				Feature			
Name	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>
@regression	12	6	6	0	1	0	1	0
@uatconst	12	6	6	0	1	0	1	0
@cement	1	1	0	0	1	0	1	0



#	Feature Name	T	P	F	S	Duration
1	Create Order for Construct account on UAT	12	6	6	0	4 m 55.534 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Create Order for Construct account on UAT</u>	<u>Setting up enviroment for the the project</u>	2	2	0	0	3.359 s
2		<u>User logs in to Salesforce</u>	4	4	0	0	10.374 s
3		<u>User changes the App According to the Profile</u>	3	3	0	0	1.262 s
4		<u>Sales team Went to the User account and to the site</u>	5	5	0	0	10.938 s
5		<u>Sales team creates a cement opportunity on a site</u>	5	5	0	0	6.631 s
6		<u>User processes the opportunities and set the delivery process</u>	8	8	0	0	29.455 s
7		<u>Sales team select the seller and gave the cost price</u>	10	4	1	5	32.237 s
8		<u>Sales team confirms the customer accepted price</u>	5	1	1	3	42.007 s
9		<u>User request PI to Category team</u>	5	2	1	2	43.407 s
10		<u>User request PI to Seller team</u>	4	0	1	3	40.687 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
11	<u>Create Order for Construct account on UAT</u>	<u>User updates the seller PI and sends it to the seller</u>	3	1	1	1	41.912 s
12		<u>User creates an order, captures the subtotal, and order number</u>	8	1	1	6	32.969 s

Create Order for Construct account on UAT



FAILED	DURATION - 4 m 55.534 s	Scenarios Total - 12 Pass - 6 Fail - 6 Skip - 0		Steps Total - 62 Pass - 36 Fail - 6 Skip - 20	
/ 1:35:41.601 PM // 1:40:37.135 PM /					

Setting up enviroment for the the project

<div><div>PASSED</div><div>DURATION - 3.359 s</div></div>	<div></div>	Steps	<div></div>
/ 1:35:41.601 PM // 1:35:44.960 PM /		Total - 2	
Create Order for Construct account on UAT		Pass - 2	
@regression @uatconst		Fail - 0	
		Skip - 0	



#	Step / Hook Details	Status	Duration
1	Given Set the browser and driver for the automation "chrome"	PASSED	3.164 s
2	And User passes driver to the other pages and files	PASSED	0.062 s

User logs in to Salesforce

<div><div>PASSED</div><div>DURATION - 10.374 s</div></div>		<div></div>	<div><div>Steps</div><div>Total - 4</div><div>Pass - 4</div><div>Fail - 0</div><div>Skip - 0</div></div>	<div></div>
/ 1:35:45.055 PM // 1:35:55.429 PM /				
Create Order for Construct account on UAT				
@regression @uatconst				



#	Step / Hook Details	Status	Duration
1	Given the user navigates to the Salesforce login page "https://jswoneplatforms--uat.sandbox.lightning.force.com/lightning/page/home"	PASSED	1.723 s
2	When the user enters the username "ankit.sharma@jsw.in.uat"	PASSED	0.254 s
3	And the user enters the password "@Bhuvi176"	PASSED	0.211 s
4	And the user clicks on the login button	PASSED	8.176 s

User changes the App According to the Profile

PASSED	DURATION - 1.262 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 1:35:55.460 PM // 1:35:56.722 PM /				
Create Order for Construct account on UAT				
@regression @uatconst				

#	Step / Hook Details	Status	Duration
1	Given User clicks on the App section of Salesforce	PASSED	0.189 s
2	And User searches for the "MSME Construct" for work	PASSED	0.767 s
3	And User selects the "MSME Construct"	PASSED	0.299 s



Sales team Went to the User account and to the site

PASSED		DURATION - 10.938 s			Steps Total - 5 Pass - 5 Fail - 0 Skip - 0			
/ 1:35:56.745 PM // 1:36:07.683 PM /								
Create Order for Construct account on UAT								
@regression @uatconst								

#	Step / Hook Details	Status	Duration
1	Given the user is on the home page	PASSED	0.294 s
2	When they search for account "TURBO ENERGY PRIVATE LIMITED"	PASSED	2.855 s



#	Step / Hook Details	Status	Duration
3	And they click on the account for "TURBO ENERGY PRIVATE LIMITED"	PASSED	0.696 s
4	And they moved to the site tab	PASSED	6.104 s
5	Then they should be on the "Gujarat International" site page	PASSED	0.978 s

Sales team creates a cement opportunity on a site

PASSED		DURATION - 6.631 s			Steps Total - 5 Pass - 5 Fail - 0 Skip - 0	
/ 1:36:07.705 PM // 1:36:14.336 PM /						
Create Order for Construct account on UAT						
@regression @cement @uatconst						

#	Step / Hook Details	Status	Duration
1	Given they creates an opportunity	PASSED	3.088 s
2	And they select the cement option	PASSED	1.942 s
3	And they choose the cement brand "JSW"	PASSED	0.279 s
4	When they specify the cement type as "OPC-53" with quantity "100"	PASSED	0.123 s
5	And they save the cement opportunity	PASSED	1.191 s



User processes the opportunities and set the delivery process

PASSED	DURATION - 29.455 s		Steps Total - 8 Pass - 8 Fail - 0 Skip - 0	
/ 1:36:14.344 PM // 1:36:43.799 PM /				
Create Order for Construct account on UAT				
@regression @uatconst				

#	Step / Hook Details	Status	Duration
1	Given the user is on the opportunity processing page	PASSED	0.000 s
2	When the user clicks on the process opportunity button	PASSED	23.828 s

#	Step / Hook Details	Status	Duration
3	And the user selects to edit the opportunity	PASSED	2.729 s
4	And the user edits the delivery type to "Self pickup"	PASSED	0.303 s
5	And the user selected the Delivery address "A-104477"	PASSED	1.633 s
6	And the user edits the delivery time to "2" days	PASSED	0.449 s
7	And Then User filled the advance % "100"	PASSED	0.179 s
8	And the user edits the special message to "Urgent delivery needed"	PASSED	0.326 s


Sales team select the seller and gave the cost price

<div>FAILED</div> <div>DURATION - 32.237 s</div>		<div></div>	<div>Steps</div> <div>Total - 10</div> <div>Pass - 4</div> <div>Fail - 1</div> <div>Skip - 5</div>	<div></div>
<div>/ 1:36:43.814 PM // 1:37:16.051 PM /</div>				
<div>Create Order for Construct account on UAT</div>				
<div>@regression @uatconst</div>				



#	Step / Hook Details	Status	Duration
1	When the user searches for the source seller "Vee"	PASSED	0.195 s
2	And the user selects the source seller "Vee"	PASSED	0.699 s
3	And the user Selects the source seller type "Marketplace"	PASSED	0.499 s
4	And the user edits the cost price to "100"	PASSED	0.236 s
5	When the user selects the category price as "150"	FAILED	30.462 s

org.openqa.selenium.TimeoutException: Expected condition failed: waiting for element to be clickable: By.xpath: //input[@name='Category_Price__c'] (tried for 30 second(s) with 500 milliseconds interval) Build info: version: '4.18.1', revision: 'b1d3319b48' System info: os: name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '22.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.86, chrome: {chromedriverVersion: 131.0.6778.108 (3b014839fbc..., userDataDir: C:\Users\V_ANKI~1.SHA\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:55172}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:55172/devtoo..., se:cdpVersion: 131.0.6778.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f72495a03794d19f986f08e516ace1bd


at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84)
at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:228)
at Utils.Functionalities.waitLocatedXpath(Functionalities.java:150)
at Pages.ProcessOpportunity.categoryPrice(ProcessOpportunity.java:184)

#	Step / Hook Details	Status	Duration
	at Stepdefinition.Ordercreation.ProcessOpportunityDefination.the_user_selects_the_category_price_as(ProcessOpportunityDefination.java:94) at ?.the user selects the category price as "150"(file:///C:/Users/V_Ankit.Sharma/Downloads/erp-flow-checker-QA-3-cash_and_carry_portal/SF_Op53_43/src/test/resources/features/Construct.feature:84) * Not displayable characters are replaced by '?'.		
6	And the user saves the opportunity	SKIPPED	0.001 s
7	And the opportunity is processed to the Category team for pricing	SKIPPED	0.000 s
8	And the user performs the category user test with Category team "Mfg Category"	SKIPPED	0.000 s
9	And the user saves the category	SKIPPED	0.001 s
10	And the user saves the opportunity	SKIPPED	0.001 s
	AFTER - AppHooks.ApplicationsHooks.takeScraenshotOnFailure(io.cucumber.java.Scenario)	PASSED	0.132 s
	Sales team select the seller and gave the cost price		
			



Sales team confirms the customer accepted price

FAILED DURATION - 42.007 s / 1:37:16.083 PM // 1:37:58.090 PM / Create Order for Construct account on UAT @regression @uatconst		Steps Total - 5 Pass - 1 Fail - 1 Skip - 3	
---	---	--	--


#	Step / Hook Details	Status	Duration
1	When the user clicks on the process opportunity button	PASSED	1.252 s
2	When user sets the customer-accepted price to "160" org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of element located by By.xpath: //input[@name='Final_Distributor_Quote__c'] (tried for 30 second(s) with 500 milliseconds interval) Build info: version: '4.18.1', revision: 'b1d3319b48' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '22.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.86, chrome: {chromedriverVersion: 131.0.6778.108 (3b014839fbc..., userDataDir: C:\Users\V_ANKI~1\SHA\AppData...}, fedcm:accounts: true, goog:chromeOptions:	FAILED	40.627 s

#	Step / Hook Details	Status	Duration
	<pre>{debuggerAddress: localhost:55172}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:55172/devtoo..., se.cdpVersion: 131.0.6778.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f72495a03794d19f986f08e516ace1bd at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:228) at Utils.Functionalities.waitLocatedXpath(Functionalities.java:149) at Pages.ProcessOpportunity.customerFinalPrice(ProcessOpportunity.java:271) at Stepdefinition.Ordercreation.CustomerPricingSteps.user_sets_the_customer_accepted_price_to(CustomerPricingSteps.java:23) at ?.user sets the customer-accepted price to "160"(file:///C:/Users/V_Ankit.Sharma/Downloads/erp-flow-checker-QA-3-cash_and_carry_portal/SF_Op53_43/src/test/resources/features/Construct.feature:98) * Not displayable characters are replaced by '?'. </pre>		
3	And the user saves the opportunity	SKIPPED	0.000 s
4	And the user verifies the customer-accepted price	SKIPPED	0.000 s
5	And the user saves the opportunity for sales team	SKIPPED	0.000 s
	AFTER - AppHooks.ApplicationsHooks.takeScreenshotOnFailure(io.cucumber.java.Scenario)	PASSED	0.120 s
	Sales team confirms the customer accepted price		
			



User request PI to Category team


<div>FAILED</div> <div>DURATION - 43.407 s</div>			<div>Steps</div> <div>Total - 5</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 2</div>	
/ 1:37:58.102 PM // 1:38:41.509 PM /				
Create Order for Construct account on UAT				
@regression @uatconst				

#	Step / Hook Details	Status	Duration
1	When the user clicks on the process opportunity button	PASSED	1.212 s
2	When the user saves the opportunity	PASSED	1.501 s



#	Step / Hook Details	Status	Duration
3	<p>When the user requests PI to the category team</p> <p>org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of element located by By.xpath: //button[text()='Request PI to Category'] (tried for 30 second(s) with 500 milliseconds interval) Build info: version: '4.18.1', revision: 'b1d3319b48' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '22.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.86, chrome: {chromedriverVersion: 131.0.6778.108 (3b014839fbc..., userDataDir: C:\Users\V_ANKI~1.SHA\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:55172}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:55172/devtoo..., se.cdpVersion: 131.0.6778.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f72495a03794d19f986f08e516ace1bd</p> <p>at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:228) at Utils.Functionalities.waitLocatedXpath(Functionalities.java:149) at Pages.ProcessOpportunity.requestPiToCategory(ProcessOpportunity.java:297) at Stepdefinition.Ordercreation.RequestPiToCategorySteps.the_user_requests_pi_to_the_category_team(RequestPiToCategorySteps.java:25) at ?.the user requests PI to the category team(file:///C:/Users/V_Ankit.Sharma/Downloads/erp-flow-checker-QA-3-cash_and_carry_portal/SF_Op53_43/src/test/resources/features/Construct.feature:110) * Not displayable characters are replaced by '?'. </p>	FAILED	40.555 s
4	And the user performs the category user test with Category team "Mfg Category"	SKIPPED	0.001 s
5	And the user saves the category user	SKIPPED	0.001 s
	AFTER - AppHooks.ApplicationsHooks.takeScreenshotOnFailure(io.cucumber.java.Scenario)	PASSED	0.133 s
	User request PI to Category team		
			


User request PI to Seller team

<div>FAILED</div> <div>DURATION - 40.687 s</div>			<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 3</div>	
/ 1:38:41.541 PM // 1:39:22.228 PM /				
Create Order for Construct account on UAT				
@regression @uatconst				



#	Step / Hook Details	Status	Duration
1	<p>Given User processed opportunity to send PI to seller</p> <p>org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of element located by By.xpath: //button[text()='Request PI to Seller'] (tried for 30 second(s) with 500 milliseconds interval) Build info: version: '4.18.1', revision: 'b1d3319b48' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '22.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.86, chrome: {chromedriverVersion: 131.0.6778.108 (3b014839fbc..., userDataDir: C:\Users\V_ANKI~1.SHA\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:55172}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:55172/devtoo..., se:cdpVersion: 131.0.6778.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f72495a03794d19f986f08e516ace1bd</p> <p>at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:228) at Utils.Functionalities.waitLocatedXpath(Functionalities.java:149) at Pages.ProcessOpportunity.requestPiToSeller(ProcessOpportunity.java:324) at Stepdefinition.Ordercreation.RequestPiToSellerSteps.userProcessedOpportunity(RequestPiToSellerSteps.java:17) at ?.User processed opportunity to send PI to seller(file:///C:/Users/V_Ankit.Sharma/Downloads/erp-flow-checker-QA-3-cash_and_carry_portal/SF_Op53_43/src/test/resources/features/Construct.feature:119) * Not displayable characters are replaced by '?'.</p>	FAILED	40.572 s
2	When the user saves the opportunity	SKIPPED	0.000 s
3	Then the user requests PI to the seller	SKIPPED	0.000 s
4	And user saved the opportunity	SKIPPED	0.000 s
	AFTER - AppHooks.ApplicationsHooks.takeScreenshotOnFailure(io.cucumber.java.Scenario)	PASSED	0.111 s
	User request PI to Seller team		
			

User updates the seller PI and sends it to the seller

<div>FAILED</div> <div>DURATION - 41.912 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	
/ 1:39:22.243 PM // 1:40:04.155 PM /				
Create Order for Construct account on UAT				
@regression @uatconst				

#	Step / Hook Details	Status	Duration
1	Given the user navigates to the file page	PASSED	1.189 s
2	And the user chooses the seller PI org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of all elements located by By.xpath: //div[@class='slds'] (tried for 30 second(s) with 500 milliseconds interval) Build info: version: '4.18.1', revision: 'b1d3319b48' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '22.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.86, chrome: {chromedriverVersion: 131.0.6778.108 (3b014839fbc..., userDataDir: C:\Users\V_ANKI~1.SHA\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:55172}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:55172/devtoo..., se:cdpVersion: 131.0.6778.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f72495a03794d19f986f08e516ace1bd at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:228) at Pages.AccountPage.filesList(AccountPage.java:229) at Pages.AccountPage.chooseSellerPI(AccountPage.java:115) at Stepdefination.Ordercreation.ChooseSellerPISteps.userChoosesSellerPI(ChooseSellerPISteps.java:19) at ?.the user chooses the seller PI(file:///C:/Users/V_Ankit.Sharma/Downloads/erp-flow-checker-QA-3-cash_and_carry_portal/SF_Op53_43/src/test/resources/features/Construct.feature:126) * Not displayable characters are replaced by '?'.	FAILED	40.600 s
3	And the user sets the seller PI	SKIPPED	0.000 s
	AFTER - AppHooks.ApplicationsHooks.takeScreenshotOnFailure(io.cucumber.java.Scenario)	PASSED	0.117 s
	User updates the seller PI and sends it to the seller 		

User creates an order, captures the subtotal, and order number

<div>FAILED</div> <div>DURATION - 32.969 s</div>			<div>Steps</div> <div>Total - 8</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 6</div>	
/ 1:40:04.166 PM // 1:40:37.135 PM /				
Create Order for Construct account on UAT				
@regression @uatconst				

#	Step / Hook Details	Status	Duration
1	Given the user is on the account page for order creation	PASSED	0.381 s
2	When the user clicks on the create order button org.openqa.selenium.WebDriverException: disconnected: unable to send message to renderer (failed to check if window was closed: disconnected: not connected to DevTools) (Session info: chrome=131.0.6778.86) Build info: version: '4.18.1', revision: 'b1d3319b48' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '22.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f72495a03794d19f986f08e516ace1bd, findElement {value=//button[text()='Create Order'], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.86, chrome: {chromedriverVersion: 131.0.6778.108 (3b014839fbc..., userDataDir: C:\Users\V_ANKI~1.SHA\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:55172}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:55172/devtoo..., se:cdpVersion: 131.0.6778.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f72495a03794d19f986f08e516ace1bd at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:519) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:356) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350) at org.openqa.selenium.support.ui.ExpectedConditions\$7.apply(ExpectedConditions.java:194) at org.openqa.selenium.support.ui.ExpectedConditions\$7.apply(ExpectedConditions.java:190)	FAILED	32.569 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:203) at Utils.Functionalities.waitLocatedXpath(Functionalities.java:149) at Pages.AccountPage.createOrderButton(AccountPage.java:150) at Stepdefination.Ordercreation.CreateOrderPageSteps.userClicksOnCreateOrderButton(CreateOrderPageSteps.java:47) at ?.the user clicks on the create order button(file:///C:/Users/V_Ankit.Sharma/Downloads/erp-flow-checker-QA-3-cash_and_carry_portal/SF_Op53_43/src/test/resources/features/Construct.feature:132) * Not displayable characters are replaced by '?'.		
3	And the user captures the subtotal for the order	SKIPPED	0.001 s
4	Then the user prints the subtotal and indicates it as the total value for the order	SKIPPED	0.001 s
5	And the user clicks on the button to create an order for coils	SKIPPED	0.001 s
6	And the user captures the order number	SKIPPED	0.001 s
7	Then the user prints the order number	SKIPPED	0.000 s
8	And the date and time of the report is given	SKIPPED	0.000 s
	AFTER - AppHooks.ApplicationsHooks.takeScreaenshotOnFailure(io.cucumber.java.Scenario) org.openqa.selenium.WebDriverException: disconnected: not connected to DevTools (failed to check if window was closed: disconnected: not connected to DevTools) (Session info: chrome=131.0.6778.86) Build info: version: '4.18.1', revision: 'b1d3319b48' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '22.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f72495a03794d19f986f08e516ace1bd, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.86, chrome: {chromedriverVersion: 131.0.6778.108 (3b014839fbc..., userDataDir: C:\Users\V_ANKI~1.SHA\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:55172}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:55172/devtoo..., se:cdpVersion: 131.0.6778.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f72495a03794d19f986f08e516ace1bd at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:519) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:592) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:596) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:322) at AppHooks.ApplicationsHooks.takeScreaenshotOnFailure(ApplicationsHooks.java:43)	FAILED	0.004 s