

# Cucumber Report

May 30, 2024, 11:23:17 AM

Start : May 30, 11:22:23.705 AM

End : May 30, 11:23:15.427 AM

Duration : 51.722 s

Features



Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 8  
FAILED - 1  
SKIPPED - 0


PASSED - 36  
FAILED - 1  
SKIPPED - 6




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Profile based order creation</u>	51.722 s	9	8	1	0	43	36	1	6

#	Feature Name	Scenario Name
1	<u>Profile based order creation</u>	<u>Category user updates the Price and seller for the Opportunity</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@profile	9	8	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Profile based order creation</u>	9	8	1	0	51.722 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Profile based order creation</u>	<u>Setting up enviroment for the the project</u>	1	1	0	0	2.497 s
2		<u>User logs in to Salesforce</u>	4	4	0	0	8.257 s
3		<u>User navigates to a specific account from the homepage</u>	3	3	0	0	5.967 s
4		<u>Sales user initiates the Opportunity</u>	10	10	0	0	8.976 s
5		<u>User processes an opportunity to the sales team and fills required documents</u>	8	8	0	0	10.555 s
6		<u>User sends the file to pricing to the category team</u>	4	4	0	0	6.771 s
7		<u>Sales logs out</u>	2	2	0	0	1.970 s
8		<u>Category team logs inside of the system</u>	3	3	0	0	5.332 s
9		<u>Category user updates the Price and seller for the Opportunity</u>	8	1	1	6	1.056 s

## Profile based order creation



<b>FAILED</b>	DURATION - 51.722 s	Scenarios Total - 9 Pass - 8 Fail - 1 Skip - 0		Steps Total - 43 Pass - 36 Fail - 1 Skip - 6	
/ 11:22:23.705 AM // 11:23:15.427 AM /					

## Setting up enviroment for the the project

<div>PASSED</div>	<div>DURATION - 2.497 s</div>	<div></div>	<div>Steps</div> <div>Total - 1</div> <div>Pass - 1</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 11:22:23.711 AM // 11:22:26.208 AM /</div>				
<div>Profile based order creation</div>				
<div>@profile</div>				

#	Step / Hook Details	Status	Duration
1	Given Set the file and driver and configuration	PASSED	2.417 s



## User logs in to Salesforce

<div>PASSED</div> <div>DURATION - 8.257 s</div>		<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 11:22:26.359 AM // 11:22:34.616 AM /</div>				
<div>Profile based order creation</div>				
<div>@profile</div>				

#	Step / Hook Details	Status	Duration
1	Given the user navigates to the Salesforce login page "https://jswoneplatforms--prdreplica.sandbox.my.salesforce.com/"	PASSED	1.641 s
2	When the user enters the username "salestestuser@jsw.in.replica"	PASSED	0.282 s



#	Step / Hook Details	Status	Duration
3	And the user enters the password "Spring@25"	PASSED	0.141 s
4	And the user clicks on the login button	PASSED	6.180 s

### User navigates to a specific account from the homepage

PASSED	DURATION - 5.967 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 11:22:34.649 AM // 11:22:40.616 AM /				
Profile based order creation				
@profile				

#	Step / Hook Details	Status	Duration
1	When the user searches for the item "Test Account B"	PASSED	4.027 s
2	And the user clicks on the search result for "Test Account B" accounts	PASSED	0.752 s
3	And the user opens the account "Test Account B"	PASSED	1.179 s

### Sales user initiates the Opportunity



PASSED	DURATION - 8.976 s		Steps Total - 10 Pass - 10 Fail - 0 Skip - 0	
/ 11:22:40.647 AM // 11:22:49.623 AM /				
Profile based order creation				
@profile				

#	Step / Hook Details	Status	Duration
1	Given User is on the Account page	PASSED	0.001 s
2	And User click on the dropdown and click on the quick opportunity button	PASSED	1.729 s
3	When User choose the manufacturing type of Opportunity	PASSED	1.107 s
4	And the user adds a new opportunity	PASSED	0.317 s
5	And the user searches for the product "MS HR Coil 2062:2011 E250A"	PASSED	0.407 s




#	Step / Hook Details	Status	Duration
6	And the user selects the product "MS HR Coil 2062:2011 E250A"	PASSED	1.381 s
7	And the user sets the quantity to "5"	PASSED	0.262 s
8	And the user sets the thickness to "1000"	PASSED	0.227 s
9	And the user selects the width as "1500"	PASSED	1.204 s
10	And the user saves the opportunity	PASSED	2.321 s

### User processes an opportunity to the sales team and fills required documents

PASSED	DURATION - 10.555 s		Steps Total - 8 Pass - 8 Fail - 0 Skip - 0	
/ 11:22:49.653 AM // 11:23:00.208 AM /				
Profile based order creation				
@profile				


#	Step / Hook Details	Status	Duration
1	Given the user is on the opportunity processing page	PASSED	0.001 s
2	When the user clicks on the process opportunity button	PASSED	4.656 s
3	And the user selects to edit the opportunity	PASSED	1.965 s
4	And the user edits the delivery type to "Self pickup"	PASSED	0.409 s
5	And the user edits the delivery time to "2" days	PASSED	0.556 s
6	And the user edits the special message to "Urgent delivery needed"	PASSED	0.362 s
7	And the user saves the opportunity	PASSED	2.324 s
8	And User saves the Opportunity name	PASSED	0.267 s

### User sends the file to pricing to the category team





#	Step / Hook Details	Status	Duration
1	When Sales team clicks on the price awaiting section	PASSED	1.400 s
2	And the user performs the category user test	PASSED	2.824 s
3	And the user saves the category	PASSED	0.165 s
4	And the user saves the opportunity	PASSED	2.368 s

### Sales logs out





#	Step / Hook Details	Status	Duration
1	Given user clicks on account button	PASSED	0.455 s
2	And User clicks on log out button	PASSED	1.507 s

### Category team logs inside of the system

<div>PASSED</div>	<div>DURATION - 5.332 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 11:23:09.022 AM // 11:23:14.354 AM /</div>				
<div>Profile based order creation</div>				
<div>@profile</div>				

#	Step / Hook Details	Status	Duration
1	When the user enters the username "category123@gmail.com"	PASSED	2.072 s
2	And the user enters the password "Category@123"	PASSED	0.197 s
3	And the user clicks on the login button	PASSED	3.057 s

### Category user updates the Price and seller for the Opportunity

FAILED	DURATION - 1.056 s		<div>Steps</div> <div>Total - 8</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 6</div>	
/ 11:23:14.371 AM // 11:23:15.427 AM /				
Profile based order creation				
@profile				

#	Step / Hook Details	Status	Duration
1	Given Category team Searches the opportunity	PASSED	0.802 s
2	And User opens the Opportunity page org.openqa.selenium.JavascriptException: javascript error: {"status":32,"value":{"message":"Unable to locate an element with the xpath expression //mark[@class='data-match' and contains(text(),)] because of the following error:\nSyntaxError: Failed to execute 'evaluate' on 'Document': The string '//mark[@class='data-match' and contains(text(),)]' is not a valid XPath expression."}} (Session info: chrome=125.0.6422.78) Build info: version: '4.18.1', revision: 'b1d3319b48' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '22.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [10ab72e5a447b1071fd0290927c696a2, findElement {value=//mark[@class='data-match' and contains(text(),)], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 125.0.6422.78, chrome: {chromedriverVersion: 125.0.6422.78 (14db42ec38ad..., userDataDir: C:\Users\V_ANKI~1\SH\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:65492}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:65492/devtoo..., se.cdpVersion: 125.0.6422.78, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true,	FAILED	0.039 s

#	Step / Hook Details	Status	Duration
	<p>webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 10ab72e5a447b1071fd0290927c696a2</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)  at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:519)  at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:356)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350)  at Utils.Functionalities.xpathELem(Functionalities.java:130)  at Pages.HomePage.openOpportunity(HomePage.java:24)  at Stepdefination.Ordercreation.CategoryUserSteps.openTheOpportunity(CategoryUserSteps.java:25)  at ?.User opens the Opportunity page(file:///C:/Users/v_anvit.sharma/Downloads/erp-flow-checker-QA-3-cash_and_carry_portal/SF_Op53_43/src/test/resources/features/profileBasedOrder.feature:77)  * Not displayable characters are replaced by '?'. </p>		
3	When the user clicks on the process opportunity button	SKIPPED	0.003 s
4	And the user searches for the source seller "Vee"	SKIPPED	0.000 s
5	And the user selects the source seller "Vee"	SKIPPED	0.000 s
6	And the user selects the category price as "160"	SKIPPED	0.000 s
7	And the user edits the cost price to "150"	SKIPPED	0.000 s
8	And the user saves the opportunity	SKIPPED	0.001 s
	AFTER - AppHooks.ApplicationsHooks.takeScreenshotOnFailure(io.cucumber.java.Scenario)	PASSED	0.198 s
	Category user updates the Price and seller for the Opportunity		
	