

Slide 1:

cEP SD

“AKA AUTISM SPECTRUM DISORDER

Tey ay see ST

‘4 peti Seles

-SYMPTOMS INVOLVE: © 3. ey

“IMPAIRMENTS: IN SOCIAL: COMMUNICATION AND INTERACTION  
RESTRICTED AND REPETITIVE BEHAVIORS ~ “-) ’

te tl. 4

Lo a

Slide 2:

TYPICAL BRAIN AUTISTIC BRAIN

iy iy

Slide 3:

TYPICAL BRAIN AUTISTIC BRAIN

we eo

UNUSUALLY RAPID. GROWTH  
IN INFANCY AND EARLY CHILDHOOD

ATYPICAL PATTERNS OF CONNECTIVITY:

Slide 4:

RISK FACTORS & MECHANISMS

P-: VCa

“RISK IS STRONGLY-INFLUENCED BY:GENETICS, BUT  
ENVIRONMENT,ALSO LIKELY PLAYS A LARGE ROLE

ces ee

er

Ce ee ae }

eer hg

BAS zee

ofr, ay,

Slide 5:

RISK FACTORS & MECHANISMS

"RISK IS STRONGLY\*INFLUENCED BY:GENETICS, BUT ENVIRONMENT,ALSO LIKELY PLAYS A KARGE ROLE

whet LE, ae - A

ce Gedy ese 2

eeeatisy he

2 3 Le nate

cfr 4

Slide 6:

RISK FACTORS & MECHANISMS

"RISK IS STRONGLY:INFLUENCED BY: GENETICS, BUT ENVIRONMENT,ALSO LIKELY. PLAYS A LARGE ROLE

coc ie ace ie

as eA Ale

=RISK FACTORS TYPICALLY ASSOCIATED WITH PRENATAL OR PERINATAL PERIOD; 2 2": -a\*@ +

(E.G, ADVANCED PARENTAL AGE. BIRTH COMPLICAY rloNS)

SEE os

ea:

Slide 7:

RISK FACTORS & MECHANISMS

Pac VE

"RISK IS STRONGLYNFLUENCED BY\*GENETICS, BUT ENVIRONMENT,ALSO LIKELY. PLAYS-A LARGE ROLE

og "ee ge pre oe

Sa Melt An Poe

=RISK FACTORS TYPICALLY ASSOCIATED WITH PRENATAL OR PERINATAL PERIOD, =r <del

~IE.6, ADVANCED PARENTAL AGE, BIRTH COMPLICATIONS)

<- gf Lis

Slide 8:

## RISK FACTORS & MECHANISMS

PTO

“RISK IS STRONGLY INFLUENCED BY GENETICS, BUT ENVIRONMENT, ALSO, LIKELY PLAYS A LARGE ROLE

‘4 Gay Nett Seba oN

“RISK FACTORS TYPICALLY ASSOCIATED WITH PRENATAL OR PERINATAL PERIOD, 0-2 “ed Sef

~[E.G., ADVANCED PARENTAL AGE, BIRTH. COMPLICATIONS)

“UNCLEAR HOW RISK FACTORS MIGHT INTERFERE WITH DEVELOPMENT ieae

POSSIBILITIES INCLUDE EPIGENETIC EFFECTS, INFLAMMATION, ‘OXIDATIVE STRESS; DAMAGE DUE TO HYPOXIA

Slide 9:

## RISK FACTORS & MECHANISMS

>. On

“RISK IS STRONGLY INFLUENCED BY GENETICS, BUT ENVIRONMENT, ALSO LIKELY PLAYS A LARGE ROLE a “e “oh a be op \

ft a, hed Fe

“RISK FACTORS TYPICALLY, ASSOCIATED WITH PRENATAL OR PERINATAL PERIOD , 0 = te 74 “i +)

~(E.G., ADVANCED P; RENTAL. AGE, BIRTH, COMPLICATIONS)

“UNCLEAR HOW RISK FACTORS MIGHT INTERFERE WITH DEVELOPMENT Ss ary

“POSSIBILITIES INCLUDE EPIGENETIC EFFECTS, INFLAMMATION, OXIDATIVE STRESS, DAMAGE. DUE TO HYPOXIA

Slide 10:

## RISK FACTORS & MECHANISMS

se

“RISK IS STRONGLY INFLUENCED BY GENETICS, BUT ENVIRONMENT, ALSO LIKELY PLAYS A LARGE ROLE aed “te yt bts me

feeds hed ew

=RISK FACTORS TYPICALLY, ASSOCIATED WITH PRENATAL  
OR PERINATAL PERIOD, 2" -d <sup>TM</sup>eh

wTE.G., ADVANCED PARENTAL AGE, BIRTH COMPLICATIONS)

fog of plas

"UNCLEAR HOW RISK FACTORS. MIGHT INTERFERE WITH  
DEVELOPMENT aon

~POSSIBILITIES INCLUDE EPIGENETIC;;EFFECTS, INFLAMMATION,  
OXIDATIVE STRESS, DAMAGE DUE TQ,HYPGXIA,

Slide 11:

[WWW.NEUROCHALLENGED.COM](http://WWW.NEUROCHALLENGED.COM)