# Bike Sharing Demand Prediction

Vikas Kumar Manjhi

With Team Member





PROBLEM DESCRIPTION

3

**BUSINESS UNDERSTANDING** 

4

EXPLORATORY DATA ANALYSIS

5

MODEL BUILDING

16

CONCLUSION

31

## PROBLEM DESCRIPTION

Currently Rental bikes are introduced in many urban cities for the enhancement of mobility comfort. It is important to make the rental bike available and accessible to the public at the right time as it lessens the waiting time. Eventually, providing the city with a stable supply of rental bikes becomes a major concern. The crucial part is the prediction of bike count required at each hour for the stable supply of rental bikes.



#### BUSINESS UNDERSTANDING

- Bike rentals have become a popular service in recent years and it seems people are using it more often. With relatively cheaper rates and ease of pick up and drop at own convenience is what making this business thrive.
- Mostly used by people having no personal vehicles and also to avoid congested public transport that's why they prefer rental bike.
- Therefore the business to strive and profit more, it has to be always ready and supply no. of bikes at different locations, to fulfill the demand.
- Our project goal is a pre planned set of bike count values that can be a handy solution to meet all demands.

#### DATA SUMMARY

[4]:	Date	Rented Bike Count	Hour	Temperature(°C)	Humidity(%)	Wind speed (m/s)	Visibility (10m)	Dew point temperature(°C)	Solar Radiation (MJ/m2)	Rainfall(mm)	Snowfall (cm)	Seasons	Holiday	Functioning Day
	<b>0</b> 01/12/2017	254	0	-5.2	37	2.2	2000	-17.6	0.0	0.0	0.0	Winter	No Holiday	Yes
	1 01/12/2017	204	1	-5.5	38	0.8	2000	-17.6	0.0	0.0	0.0	Winter	No Holiday	Yes
	<b>2</b> 01/12/2017	173	2	-6.0	39	1.0	2000	-17.7	0.0	0.0	0.0	Winter	No Holiday	Yes
	<b>3</b> 01/12/2017	107	3	-6.2	40	0.9	2000	-17.6	0.0	0.0	0.0	Winter	No Holiday	Yes
	<b>4</b> 01/12/2017	78	4	-6.0	36	2.3	2000	-18.6	0.0	0.0	0.0	Winter	No Holiday	Yes

- This dataset contain 8760 rows and 14 columns
- Three categorical feature 'Seasons', 'Holiday' & 'Functioning Day'
- One datetime column 'Date'
- We have some numerical type variable such ad temperature, humidity, wind, visibility, dew point temp, solar radiation, rainfall, snowfall which shows the environmental conditions for that particular hour of the day.

#### DATA SUMMARY

- There are no missing values present.
- There are no Duplicate values present.
- There are no null values.
- The dependent variable is 'rented bike count' which we need to make predictions on.
- The dataset shows hourly rental data for one year(1 December 2017 to 31 November 2018)(365 days).
- · We changed the feature 'Date' to Day, Month and Year.

#### **FEATURE TYPES**

#### FEATURES

#### **NUMERICAL**

- Hour
- Temp
- Humidity
- Wind
- Rainfall
- Snow
- Visibility
- Solar Radiation
- Day
- Month
- Year

#### CATEGORICAL

- Seasons
- Holiday
- Functioning day


#### TARGET VARIABLE

**Rented Bike Count** 


#### FEATURE SUMMARY

- Date: year-month-day
- Rented Bike count Count of bikes rented at each hour
- Hour Hour of he day
- Temperature-Temperature in Celsius
- Humidity %
- Windspeed m/s
- Visibility 10m
- Dew point temperature Celsius
- Solar radiation MJ/m2
- Rainfall mm
- Snowfall cm
- Seasons Winter, Spring, Summer, Autumn
- Holiday Holiday/No holiday
- Functional Day NoFunc(Non Functional Hours), Fun(Functional hours)


#### UNIQUE FEATURE OF DATASET




## Month wise analysis




## Season by analysis



#### VISUALIZING DISTRIBUTION





#### CHECKING OUTLIERS



• We see outliers in some columns like Solar radiation, Wind, Rainfall, and Snowfall but lets not treat them because they may not be outliers as snowfall, rainfall etc. themselves are rare event in some countries.


#### DEPENDENT VARIABLE





- Earlier the distribution of the target variable was positively skewed. We tried to make this distribution somewhat close to normal distribution.
- First we apply log transform but it did not give desired result, er finally applied square root transformation. We got the favorable results, the skewness value was dropped, which is comparatively closer to the normal distribution.

#### MULTICOLLINEARITY ANALYSIS



#### MODEL BUILDING PREREQUISITE

#### Feature Scaling :-

#### Standardization:

- It is a step of data pre processing which is applied to independent variables or features of data. It basically helps to normalize the data within a particular range. Sometimes, it also helps in speeding up the calculations in an algorithm.
- Standardization or Z-Score Normalization is the transformation of features by subtracting from mean and dividing by standard deviation. This is often called as Z-score.

 $X_new = (X - mean)/Std$ 

#### MODEL BUILDING PREREQUISITE

#### Normalization:-


Normalization scales our feature to a predefined range (normally the (0-1) or (-1 to 1) range), independently of the statistical distribution they follow.
 It does this using minimum and maximum values of each feature in the dataset.

$$X' = \frac{X - X_{min}}{X_{max} - X_{min}}$$

#### MODEL BUILDING PREREQUISITE

- Defining a new function called tnt\_model which takes model, X\_train, y\_train, X\_test, y\_test and print evaluation matrix like MSE, RMSE, R2, Adejusted R2. Also plots the feature importance based on the algorithm used.
- We also defined range of values for hyperparameters such as:
- 1. Number of trees: n\_estimators =[80,100,150]
- 2. Maximum depth of trees: [15,20,30]
- 3. Min no of sample required for split a node: [40,60]

#### LINEAR REGRESSION



- We plotted the graph of actual and predicted dependent variable 'Rented bike count'.
- Since the performance of simple linear model is not so good. We experienced with some complex models.


MSE : 122612.82171875217

RMSE : 350.16113679098106

R2: 0.6275808915385301

Adjusted R2 : 0.6245792406931296

## LASSO REGRESSION




==========Evalution Matrix================

MSE : 122612.82171875225 RMSE : 350.16113679098123 R2 : 0.6275808915385299

Adjusted R2: 0.6245792406931294

==========Evalution Matrix================

#### RIDGE REGRESSION




MSE: 122707.52217188077 RMSE: 350.29633479652733 R2: 0.6272932523028396

Adjusted R2: 0.6242892831216305

=========Evalution Matrix================

## **ELASTICNET REGRESSION**




MSE : 122619.00248662304 RMSE : 350.16996228492104 R2 : 0.6275621183300859

Adjusted R2 : 0.6245603161750031

=======Evalution Matrix============

## POLYNOMIAL REGRESSION




MSE : 91784.72368001401 RMSE : 302.9599374174975 R2 : 0.7212168802239922


Adjusted R2: 0.7189699235879161

========Evalution Matrix===============

#### DECISION TREE REGRESSOR



DecisionTreeRegressor performs well better than linear and regularization reg with a test R2 score is more than 75%




MSE: 66885.2666666666

RMSE : 258.6218603804919

R2 : 0.7962511574151434

Adjusted R2 : 0.7949396706122983

#### RANDOM FOREST REGRESSOR




MSE: 47630.46072929933 RMSE: 218.24403939008124 R2: 0.8549059945631543

Adjusted R2 : 0.8539720561373539

========Evalution Matrix==============

#### GRADIENT BOOSTING



MSE: 44134.998591562195


RMSE : 210.08331345340636

R2 : 0.8655540251438273

Adjusted R2 : 0.8646886257654427

=======Evalution Matrix============

## EXTREME GRADIENT BOOSTING



 XGBoost regressor emerges as the best model according to the evolution matrix score. =========Evalution Matrix===============

MSE: 32714.972084680037


RMSE: 180.8728063714389

R2 : 0.9003422124237208

Adjusted R2 : 0.8997007370094368

=======Evalution Matrix=============


#### EXTREME GRADIENT BOOSTING



#### Matrics of different Models

₽		Models	Mean_square_error	Root_Mean_square_error	R2	Adjusted_R2
	0	Linear	122612.821719	350.161137	0.627581	0.624579
	1	Lasso	122612.821719	350.161137	0.627581	0.624579
	2	Ridge	122707.522172	350.296335	0.627293	0.624289
	3	Elasticnet	122619.002487	350.169962	0.627562	0.624560
	4	Polynomial	91784.723680	302.959937	0.721217	0.718970
	5	Decision_Tree	66885.266667	258.621860	0.796251	0.794940
	6	Random_Forest	47630.460729	218.244039	0.854906	0.853972
	7	Gradient_Boosting	44134.998592	210.083313	0.865554	0.864689
	8	Xtreme_GB	32714.972085	180.872806	0.900342	0.899701
	8	Xtreme_GB	32714.972085	180.872806	0.900342	0.899701

## Model Accuracy



#### Conclusion

- The independent variable in the data does not have a good linear relation with the target variable so the simple linear model was not performing good on this data. Tree based algorithm perform well in this case.
- There is a surge of high demand in the morning 8AM and in evening 6PM as the people might be going to their work at morning 8AM and returning from their work at the evening 6PM.
- After performing the various models the Gradient Boosting and Extreme Gradient
  Boosting found to be the best model that can be used for the Bike Sharing
  Demand Prediction since the performance metrics (mse,rmse) shows lower and
  (r2,adjusted\_r2) shows a higher value for the Gradient Boosting and Extreme
  Gradient Boosting models!
- We can use either Gradient Boosting and Extreme Gradient Boosting model for the bike rental stations.

#### summary

we believe in giving 110%. By using our next-generation data architecture, we help organizations virtually manage agile workflows. We thrive because of our market knowledge and great team behind our product. As our CEO says, "Efficiencies will come from proactively transforming how we do business."



## Thank you

Vikas Kumar Manjhi vikasmanjhi.it@gmail.com