TECHNICAL SPECIFICATION & METHOD DESIGN DOCUMENT

Website Traffic Analysis

End-to-End Data Engineering Pipeline, SQL Analytics & Interactive Power BI Implementation

AUTHOR	ROLE & ORG	TOOLS USED	DOCUMENT STATUS
Ankush Saini	DA Intern @ SYNTECXHUB	Python, MySQL, Power BI	Final

1. Executive Summary & Project Overview

This Method Design Document (MDD) provides the authoritative technical specification and methodological blueprint for the **Website Traffic Analysis** project. Built to support digital marketing strategies and server infrastructure planning, the project implements an enterprise-grade **Extract, Load, Transform (ELT)** data pipeline that extracts raw digital events, loads them programmatically into a relational data warehouse using Python, executes advanced cleaning and Exploratory Data Analysis (EDA) in MySQL, and surfaces operational intelligence through a dual-page interactive Microsoft Power BI dashboard.

Website traffic serves as the primary pulse of online enterprise. Granular analysis of acquisition channels, user engagement duration, and temporal traffic fluctuations allows leadership to optimize customer acquisition costs (CAC), target digital ad spend, and scale server compute resources dynamically to meet high-concurrency demand.

1.1 Project Objectives

- **Automated Ingestion Pipeline:** Programmatically ingest raw web analytics CSV data using Python (`pandas` , `SQLAlchemy`) into a relational MySQL database without manual user intervention.
- **Data Warehouse Management:** Construct and optimize a relational database schema (`website_traffic_db`) to serve as a single source of truth for downstream analytical reporting.
- **SQL Data Sanitization:** Standardize verbose column identifiers, perform rigorous quality assurance null checks, and cleanse string anomalies utilizing SQL DDL and DML operations.
- **Temporal Feature Engineering:** Parse composite timestamp strings (`YYYYMMDDHH`) into discrete, queryable temporal dimensions (Calendar Date, Hour of Day, and Day of Week).
- **Exploratory Data Analysis (SQL):** Uncover baseline macro KPIs, channel-specific engagement depth, and hourly diurnal traffic cycles using aggregations, grouping sets, and Common Table Expressions (CTEs) with window ranking functions.
- **Dual-Page Power BI Intelligence:** Architect and implement a high-impact, interactive 2-page Power BI dashboard (`Website analysis dashboard.pbix` / `.pbit`) offering executive macro summaries and user engagement deep-dives.
- **Technical Method Documentation:** Maintain an exhaustive, auditable technical design document aligning the data architecture, SQL queries, and visual reporting interface.

1.2 Scope & Project Deliverables

DELIVERABLE	FORMAT / ARTIFACT	SCOPE & RESPONSIBILITY
Data Ingestion Engine	`load_data.py`	Automated script parsing CSV exports, sanitizing headers, and loading 3,182 records into MySQL.
Relational Warehouse	`website_traffic_db`	MySQL database hosting raw, staging, and feature-engineered analytical tables.
SQL Analytics Scripts	`traffic_analysis.sql`	Executable SQL scripts encompassing schema DDL, null validation, feature engineering, and CTEs.
Cleaned Analytical Dataset	`clean_data.csv`	Pristine 12-feature tabular dataset exported from MySQL for direct ingestion into BI models.
Interactive BI Dashboard	`Website analysis dashboard.pbix`	Dual-page Power BI report featuring `Overview` and `User Engagement` analytical canvases.
Method Design Document	`Website_Traffic_Analysis_MDD.pdf`	Comprehensive documentation of pipeline architecture, methodology, visual guide, and audit findings.

2. Dataset Architecture & Data Dictionary

2.1 Source & Extraction Context

The underlying data originates from an enterprise web analytics export (data-export (1).csv), capturing user acquisition, session depth, and interaction telemetry aggregated at hourly intervals across multiple digital marketing channels over the month of April 2024.

2.2 Dataset Health & Summary Metrics

- **Raw Records Ingested:** 3,182 rows
- **Processed Clean Records:** 3,182 rows (100% record retention, zero data loss)
- **Raw Features:** 10 columns
- **Engineered Clean Features:** 12 columns (+2 net features: `formatted_date`, `hour_of_day`, and `day_name` parsed from raw timestamp)
- **Target North-Star Metrics:** Active Users (133K), Total Sessions (163K), Total Events (771K), Average Engagement Rate (50%), Average Engagement Time (67 seconds)

2.3 Comprehensive Data Dictionary

COLUMN NAME	SQL TYPE	ORIGIN	DESCRIPTION & BUSINESS LOGIC
`session_primary_channel_group`	VARCHAR(50)	Raw (Renamed)	User acquisition marketing channel (e.g., Direct, Organic Social, Organic Search, Referral).
`date_hour`	VARCHAR(15)	Raw Export	Composite timestamp string representing year, month, day, and hour in YYYYMMDDHH format.
`users`	INT	Raw Export	Count of distinct unique individuals visiting the website during the observation window.
`sessions`	INT	Raw Export	Total count of discrete browsing sessions initiated by users.
`engaged_sessions`	INT	Raw Export	Sessions lasting longer than 10 seconds, viewing ≥2 pages, or triggering a conversion event.
`average_engagement_time_per_session`	FLOAT	Raw Export	Average duration (in seconds) during which the site was actively focused in the user's browser.
`engaged_sessions_per_user`	FLOAT	Raw Export	Ratio of engaged sessions relative to total unique users (engaged_sessions / users).
`events_per_session`	FLOAT	Raw Export	Mean volume of telemetry interactions (button clicks, scrolls, form submits) per session.
`engagement_rate`	FLOAT	Raw Export	Proportion of sessions classified as engaged (engaged_sessions / sessions, range 0.0 - 1.0).
`event_count`	INT	Raw Export	Total aggregate count of raw interaction events triggered across all sessions.
`formatted_date`	DATE	Engineered (SQL)	Extracted calendar date (YYYY-MM-DD) parsed from characters 1–8 of date_hour.
`hour_of_day`	INT	Engineered (SQL)	Extracted 24-hour clock integer (0–23) parsed from characters 9–10 of date_hour.
`day_name`	VARCHAR(15)	Engineered (SQL)	Extracted day of the week (e.g., Monday, Wednesday) derived via SQL DAYNAME().

3. Methodology & System Architecture

The project follows an **Extract, Load, Transform (ELT)** architectural paradigm. Data is ingested raw to preserve fidelity, transformed in-database leveraging MySQL's computational speed, and delivered to Power BI as a clean star-schema compatible dataset.

LAYER	COMPONENT & FUNCTION	TECHNOLOGY STACK	DATA ARTIFACT / OUTPUT
1. Ingestion	Automated CSV parsing & database push	Python 3 (pandas, SQLAlchemy)	`website_traffic_db.traffic_data`
2. Cleaning	Null auditing, header normalization, TRIM	MySQL Workbench 8.0 (DDL / DML)	Sanitized relational table
3. Feature Eng.	Temporal string parsing (Date, Hour, Day)	MySQL Built-in Date/Time Functions	Augmented 12-feature table
4. EDA Layer	KPI rollups, hourly grouping, CTE window ranks	MySQL Analytical Queries & Views	Behavioral Result Sets & clean_data.csv
5. Visualization	Interactive executive & behavioral dashboards	Power BI Desktop (PBIX / PBIT)	Dual-page interactive report with slicers

4. Data Pre-Processing & Engineering Pipeline

Step 1: Automated Ingestion via Python (load_data.py)

To eliminate error-prone manual CSV imports, a Python script programmatically establishes a secure database connection using `SQLAlchemy`, sanitizes column headers by substituting whitespace with underscores and lowercasing strings, and batch-loads all 3,182 records into MySQL:

```
import pandas as pd
from sqlalchemy import create_engine

# 1. Read raw analytics export
df = pd.read_csv("data-export (1).csv")

# 2. Normalize column headers for database compliance
df.columns = [col.strip().lower().replace(" ", "_") for col in df.columns]

# 3. Create database engine and load records
DATABASE_URI = "mysql+mysqlconnector://root:password@localhost:3306/website_traffic_db"
engine = create_engine(DATABASE_URI)

df.to_sql(name="traffic_data", con=engine, if_exists="replace", index=False)
print(f"Successfully ingested {len(df):,} records into website_traffic_db.traffic_data")
```

Step 2: Quality Assurance & Comprehensive Null Auditing (SQL)

Data completeness was verified across all columns using an automated SQL query that subtracts the non-null count from the total row count:

```
SELECT
    COUNT(*) - COUNT(session_primary_channel_group) AS channel_nulls,
    COUNT(*) - COUNT(date_hour)                      AS date_hour_nulls,
    COUNT(*) - COUNT(users)                          AS users_nulls,
    COUNT(*) - COUNT(sessions)                       AS sessions_nulls,
    COUNT(*) - COUNT(engaged_sessions)              AS engaged_sessions_nulls,
    COUNT(*) - COUNT(engagement_rate)               AS engagement_rate_nulls
FROM traffic_data;
```

Audit Result: Zero null values detected across all core metric attributes, validating high reporting completeness.

Step 3: Column Standardization & Data Hygiene (SQL)

```
-- 1. Rename cumbersome analytics export column header
ALTER TABLE traffic_data
CHANGE COLUMN `session_primary_channel_group_(default_channel_group)`
              `session_primary_channel_group` VARCHAR(50);

-- 2. Strip leading/trailing whitespaces to prevent grouped aggregation anomalies
UPDATE traffic_data
SET session_primary_channel_group = TRIM(session_primary_channel_group);
```

Step 4: Temporal Feature Engineering (SQL)

The raw composite string `date_hour` (e.g., `'2024041514'`) prevents direct time-series analysis. Three dedicated temporal columns were engineered:

```
-- Add engineered feature columns
ALTER TABLE traffic_data
ADD COLUMN formatted_date DATE,
ADD COLUMN hour_of_day INT UNSIGNED,
ADD COLUMN day_name VARCHAR(15);

-- Populate engineered features using native SQL functions
UPDATE traffic_data
SET
    formatted_date = STR_TO_DATE(LEFT(date_hour, 8), '%Y%m%d'),
    hour_of_day    = CAST(RIGHT(date_hour, 2) AS UNSIGNED),
    day_name       = DAYNAME(STR_TO_DATE(LEFT(date_hour, 8), '%Y%m%d'));
```

5. Exploratory Data Analysis & SQL Insights

5.1 Macro Key Performance Indicators

```
SELECT
    SUM(users)                                  AS total_users,
    SUM(sessions)                               AS total_sessions,
    SUM(event_count)                           AS total_events,
    ROUND(AVG(average_engagement_time_per_session), 1) AS avg_engagement_time_sec,
    ROUND(AVG(engagement_rate) * 100, 2)        AS avg_engagement_rate_pct
FROM traffic_data;
```

ACTIVE USERS	TOTAL SESSIONS	TOTAL EVENTS	AVG ENG. TIME	AVG ENG. RATE
133.4K	**163.0K**	**771.0K**	**67 sec**	**50.0%**
Total unique visitors	Browsing sessions	Interactions logged	Duration per session	Healthy site benchmark

5.2 Channel Performance & Efficiency Matrix

Evaluating volume versus user engagement reveals that high-volume acquisition channels do not always deliver the highest engagement depth:

MARKETING CHANNEL GROUP	ACTIVE USERS	VOLUME SHARE	TOTAL SESSIONS	AVG ENG. TIME	ENG. RATE	STRATEGIC CHANNEL CLASSIFICATION
Organic Social	47,600	35.7%	61,000	53 sec	54.5%	Volume Driver (High reach, moderate time)
Direct	30,000	22.5%	37,000	46 sec	45.9%	Brand Awareness (Loyal, repeat visitors)
Organic Search	28,400	21.3%	33,000	47 sec	57.7%	Intent-Driven (High conversion intent)
Referral	26,800	20.1%	31,000	93 sec	66.2%	High-Value (Very high time and engagement)
Organic Video	121	0.1%	135	180 sec	71.4%	Niche High-Engagement (3.0x site avg time)
Unassigned	540	0.4%	559	79 sec	1.4%	Tracking Anomaly (Low engagement, untagged)
Email	6	<0.01%	10	73 sec	33.3%	Underutilized Channel (Needs campaign scaling)

5.3 Temporal Traffic Patterns & Diurnal Cycles (Hourly)

```
SELECT
    hour_of_day,
    SUM(users) AS hourly_users,
    SUM(sessions) AS hourly_sessions,
    ROUND(AVG(engagement_rate) * 100, 2) AS hourly_eng_rate
FROM traffic_data
GROUP BY hour_of_day
ORDER BY hourly_users DESC;
```

Key Finding: Operational traffic exhibits a pronounced evening surge, peaking consistently between **7:00 PM and 9:00 PM (19:00–21:00)**. During this window, active concurrent users exceed daytime baselines by over 45%, providing the optimal target window for marketing pushes and dynamic server scaling.

5.4 Advanced Window Ranking: Top Channel by Hour (SQL CTE)

To observe whether user acquisition channels shift during different parts of the day, a Common Table Expression (CTE) utilizing `DENSE_RANK() OVER (PARTITION BY ... ORDER BY ...)` was executed:

```
WITH HourlyChannelTraffic AS (
    SELECT
        hour_of_day,
        session_primary_channel_group,
        SUM(users) AS total_users,
        DENSE_RANK() OVER (
            PARTITION BY hour_of_day
            ORDER BY SUM(users) DESC
        ) as channel_rank
    FROM traffic_data
    GROUP BY hour_of_day, session_primary_channel_group
)
SELECT
    hour_of_day,
    session_primary_channel_group AS dominant_channel,
    total_users
FROM HourlyChannelTraffic
WHERE channel_rank = 1
ORDER BY hour_of_day;
```

Analytical Takeaway: While **Organic Search** holds dominant market share during early morning business hours (8:00 AM – 11:00 AM), **Organic Social** captures over 60% of total inbound volume during the evening leisure peak (7:00 PM – 10:00 PM).

6. Power BI Dashboard Architecture & Visual Design

6.1 Dual-Page Analytical Architecture

Unlike preliminary draft mockups, the production Power BI solution is structured into a cohesive **2-Page Executive Application** designed for seamless stakeholder exploration:

- **Page 1: Overview:** Macro health metrics, traffic volume time-series trends, overall channel market share, and engagement duration by source.
- **Page 2: User Engagement:** Deep behavioral analysis, weekday distribution of traffic volume, engagement rate comparisons across channels, and key strategic insights.

6.2 Persistent Left-Rail Slicer Navigation & Filters

Both pages incorporate a persistent dark-themed navigation rail on the left canvas containing:

- **Timeline Filter (Date Range Slider):** Enables end-users to zoom across the entire observation window (April 2024) or isolate individual marketing campaigns.
- **Traffic Sources (Interactive Tile Slicer):** Vertical buttons allowing instant cross-filtering across all seven marketing groups (*Unassigned, Referral, Organic Video, Organic Social, Organic Search, Email, Direct*).

6.3 Page 1: Executive Overview Canvas




Figure 1: Power BI Dashboard Page 1 — Executive Overview Canvas (Captured from live Power BI Desktop runtime)

Visual Components on Page 1:

1. **Executive KPI Banner (Top Horizontal Bar):**
   - `Active Users` : **133K** unique visitors
   - `Total Sessions` : **163K** visits (*Note: See Section 7 for label standardization*)
   - `Total Events` : **771K** interaction points
   - `Average Engagement Time` : **67 sec** per visit
   - `Average Engagement Rate` : **50%** engaged session proportion
2. **Total Sources (Donut Chart — Top Right):** Displays proportional acquisition volume. Organic Social (48K / 35.65%) leads, followed by Direct (30K / 22.51%), Organic Search (28K / 21.27%), and Referral (27K / 20.06%).
3. **Traffic Trends Over Time (Area Chart — Center Bottom):** Plots daily volatility for both *Total Users* and *Sum of Sessions* across April 2024, revealing periodic weekday traffic surges.
4. **Average Engagement Time by Source (Horizontal Bar Chart — Bottom Right):** Highlights duration depth. Organic Video (180 sec) and Referral (99 sec) outperform the site-wide baseline, while Direct (46 sec) and Organic Search (47 sec) demonstrate faster browsing patterns.

6.4 Page 2: User Engagement & Behavioral Analysis Canvas




Figure 2: Power BI Dashboard Page 2 — User Engagement Canvas (Captured from live Power BI Desktop runtime)

Visual Components on Page 2:

1. **Executive KPI Banner (Persistent Top Bar):** Replicates the North-Star metrics (Active Users, Total Sessions, Total Events, Avg Engagement Time, Avg Engagement Rate) to ensure continuous analytical orientation during drill-downs.
2. **Traffic by the Day of the Week (Donut Chart with Central KPI — Top Right):**
   - Central Callout: **133.4K Active Users**.
   - Distribution: **Wednesday** generates the maximum traffic volume, followed closely by Friday and Thursday. Weekends (Saturday and Sunday) experience a noticeable dip in raw volume.
   - Interactive Cross-Filtering: Clicking any day slice filters the entire page to isolate day-specific channel engagement.
3. **Average Engagement Rate by Source (Vertical Column Chart — Bottom Center):**
   - Visualizes conversion quality across channels: Organic Video leads at **71.4%**, Referral achieves **66.2%**, Organic Search captures **57.7%**, and Organic Social records **54.5%**.
   - Direct records **45.9%**, Email achieves **33.3%**, and Unassigned lags at **1.4%**.
4. **Key Strategic Insights Panel (Executive Narrative Card — Bottom Right):**
   - `1` Organic Social generated the highest overall traffic volume.
   - `2` Wednesday recorded the maximum aggregate browsing sessions.
   - `3` Peak traffic occurred between 7:00 PM and 9:00 PM (backed by SQL EDA).
   - `4` Average engagement rate remained stable around 50%.

7. Quality Assurance Audit & Required Dashboard Updates

A rigorous comparative audit between the underlying SQL dataset, the MDD documentation, and the live Power BI Desktop implementation identified specific visual label bugs and structural enhancements that must be executed in Power BI Desktop:

COMPONENT	CURRENT DASHBOARD STATE	REQUIRED PRODUCTION FIX	IMPACT & RATIONALE
KPI Card 5 Header	`"Average Engagement Time" (Value: 50 %)`	`"Average Engagement Rate"`	CRITICAL FIX On both pages, Card 5 is mislabeled with the title of Card 4, creating stakeholder confusion between duration (seconds) and rate (%).
KPI Card 2 Header	`"Total Session" (Singular)`	`"Total Sessions" (Plural)`	FORMATTING Harmonizes pluralization across all cards (*Active Users, Total Sessions, Total Events*).
Area Chart Title	`"Traffic Trends Overtime"`	`"Traffic Trends Over Time"`	GRAMMAR Corrects typo: "overtime" refers to extra labor hours, whereas "over time" denotes temporal trend progression.
Insight #3 Visual Link	`"Peak traffic between 7 PM and 9 PM"`	Add Tooltip / Document SQL Link	AUDIT GROUNDING The 7–9 PM peak was discovered via SQL EDA. Adding an hourly distribution tooltip or clarifying the SQL backing reinforces data credibility.
Slicer Header Case	`"Traffic sources"`	`"Traffic Sources"`	CONSISTENCY Aligns with Title Case formatting used in "Timeline Filter".
MDD Section 6 Alignment	Described 1-page layout with phantom hourly heatmap & matrix	Fully updated in MDD v2.0 to reflect true 2-page implementation	RESOLVED Synchronizes MDD documentation with the actual Power BI visual architecture.

8. Strategic Business Recommendations

Synthesizing insights from the automated SQL pipeline and the interactive Power BI dashboard yields five concrete, actionable business initiatives:

1. **Reallocate Marketing Capital to High-Engagement Channels:**
   While *Organic Social* drives 35.7% of total visitors, its engagement duration is relatively modest (53 seconds). In contrast, **Referral** delivers 26,800 visitors with an exceptional **93-second** engagement time and **66.2%** engagement rate, while **Organic Video** achieves **180 seconds** and **71.4%** engagement. Marketing budgets should be reallocated toward premium referral partnerships and video content creation, where visitors exhibit 1.5x to 3.0x greater brand affinity.
2. **Dynamic Server Auto-Scaling & Concurrency Management:**
   The SQL temporal analysis confirms a heavy diurnal surge peaking between **7:00 PM and 9:00 PM** daily. Server infrastructure teams should configure cloud compute auto-scaling policies to spin up additional server instances at 6:30 PM (30 minutes prior to peak), mitigating latency and preventing checkout/browsing timeouts during high-traffic evening hours.
3. **Day-of-Week Content Publishing Schedule:**
   The Day of Week analysis demonstrates that **Wednesday** generates the maximum browsing sessions, followed by Friday and Thursday. High-impact promotional announcements, product launches, and

conversion-focused newsletters should be deployed on Wednesday mornings. Conversely, weekend traffic dips in raw volume but retains steady engagement; publishing in-depth editorial blogs and long-form guides on weekends aligns with leisurely reader browsing behavior.

4. **Channel-Specific Dayparting for Paid Digital Ads:**
   The CTE window ranking revealed that *Organic Search* captures the dominant share of early business hours (8:00 AM – 11:00 AM), whereas *Organic Social* dominates the evening leisure block (7:00 PM – 10:00 PM). Digital advertising teams should employ **dayparting** on Google Search Ads during morning hours, while concentrating Meta, TikTok, and YouTube ad spend in the evening window to mirror user browsing habits.
5. **Tracking Governance & UTM Standardization:**
   The presence of 540 visitors and 559 sessions categorized as *Unassigned* (recording an abysmal 1.4% engagement rate) points to untagged internal campaigns or stripped HTTP referrers. Implementing strict UTM tagging guidelines and parameter governance across all marketing outreach will ensure 100% clean attribution in future pipeline cycles.

9. Tools, Technologies & Environment Specifications

TOOL / FRAMEWORK	VERSION / RELEASE	OPERATIONAL RESPONSIBILITY IN PIPELINE
Python 3	3.10+	Core scripting language for automated data ingestion, type conversions, and validation.
Pandas & SQLAlchemy	2.0+ / 2.0+	Data manipulation, automated column sanitization, and high-speed database engine connection.
MySQL Workbench	8.0 Community	Relational database storage, DDL schema creation, DML cleaning, and CTE window queries.
Power BI Desktop	May 2024+ Engine	Interactive 2-page dashboard creation, visual canvas design, DAX measures, and slicer UX.
WeasyPrint / Chromium	Modern Engine	Technical PDF generation ensuring pixel-perfect typesetting, vectors, and documentation styling.

10. Limitations & Future Engineering Roadmap

- **Integration of Geographic & Demographic Dimensions:** The current export aggregates behavior solely by channel and timestamp. Future engineering cycles will ingest IP-to-Country geolocation tables and Google Analytics demographic tables to enable regional marketing segmentation.
- **Conversion Funnel & Revenue Telemetry:** While session engagement is tracked, micro-conversions (cart additions, newsletter signups) and macro-conversions (completed revenue) are absent. Future iterations will join CRM and Stripe/payment gateway tables to calculate true Return on Ad Spend (ROAS).
- **Automated Machine Learning Time-Series Forecasting:** Leveraging the cleaned temporal dataset (`clean_data.csv`), future roadmap deliverables include deploying a Python forecasting pipeline utilizing **Prophet** or **ARIMA** to project daily traffic volumes 30 days ahead with 95% confidence intervals.
- **ETL Orchestration via Apache Airflow:** Transitioning from standalone Python load scripts to an orchestrated Apache Airflow DAG to automate nightly incremental extracts, data validation assertions (Great Expectations), and automated Power BI dataset refreshes.