answer = Irand (1, 10) 9-04-2020 Thursday Start End. of guess = = answer. 3 rd Party Durn Python Standard Library Tensa flow LPy EPip Install We Can use modelles, bits, fieles Python backage under. pyfi kydocs import CSV: Py jokes hip install pyjokes - Project -> Modules -> project interpolor by packages ( be verice) borfine must import frijokes Joke : py jokes get - joke ('en', newhol') fruit (joke) (the land (th)

hip install py jokes
Sip install / module name?
foils install - referende fib
fip3=v hip3 Dist
Rip list
Virutal En vironment
X. Y. Z Bugfixer new stateure Added feauters major versions breaking changes
hip 3 web fortfolio  pip env  venv by venv of g
from Collection import Counter, défault dict,
Adultated steering to price
liz [1,2,3~] Courts number of items faring (Court (li)) au repetable ornat Courts the Hopeals

sentence = "hello fugthon" counting the elements in string ({t:2,1:1,) Inorder to Count deplicate emails, uscenamics, frint (dictionary ['a']) default dict (at a':1, b': 2 %) default value lambda: deserit exist', { frind (intc) dictictionary ['c'] - sprints the blefault value d = Orderdict () frank (d2 = =d) d['a'=1 -D True d['b']=2 All the keys & walney and d2 = Ordored Dict() d-2[b] = 2 Same data time module import datetine fount (date time time (5,45,2)) ( date. Foolary ))

from away import away. Lists are elynemich array ( ) an = avery (1), [1,2,3] Brint (array (0) pros & Cons Menory, of lexible decess buges, bytes of data Debugging, linting, editor, ide, Python debudder Beint foolb-set-trace Command lie Jdb. settrace () Interface (help) documentation step of soffing to next line W-ishows the Context of Courant line exit > Come Out\_ FILE 2/0 Input/Output built in function to Open & read the files Touch test. Txt open read clove Pest . Ost

my-file := Dhun ('test.tset') point (my-file-reade) ) Can only read Once my-file-closec) by-file seek(0) except file Notfound Error my-fill-readlines tonsed plif') sound Evest) Read well append with open ('kst-tret') as my-file: pount (my\_file. readlines ()) Open (file ramal, made = (1) default Text-my-file-wite ("witten tomething") Bound (Tent) afferd moda open ('2 Path 2', mode) c/app/Text.tunt . bæka folg Absolute Path