

EXP-05

- **AIM:-** To create a **dynamic product filter** using **JavaScript DOM manipulation**, where products are shown/hidden based on the category selected from a dropdown menu.
- **THEORY:-** **DOM (Document Object Model)** represents the structure of a webpage in a tree-like format.
 - Using **JavaScript DOM manipulation**, we can access HTML elements (getElementById, querySelectorAll) and dynamically change their properties (style, classList).
 - By assigning each product a **data-category attribute**, JavaScript can filter and display only those products that match the user's selection from the dropdown.
 - This technique is commonly used in **e-commerce sites** for filtering products by category, price, brand, etc.
- **CODE:-**

```
<!DOCTYPE html>

<html lang="en">

<head>

  <meta charset="UTF-8">

  <title>Dynamic Product Filter</title>

  <style>

    body { font-family: Arial, sans-serif; padding: 20px; }

    select { padding: 5px; margin-bottom: 20px; }

    .product { padding: 10px; border: 1px solid #ccc; margin: 5px 0;
border-radius: 5px; }

    .hidden { display: none; }

  </style>

</head>

<body>

  <h2>Product List</h2>
```

```
<!-- Dropdown filter -->
<label for="categoryFilter">Filter by Category:</label>
<select id="categoryFilter">
  <option value="all">All</option>
  <option value="electronics">Electronics</option>
  <option value="clothing">Clothing</option>
  <option value="books">Books</option>
</select>

<!-- Product list -->
<div id="productList">
  <div class="product" data-category="electronics">Smartphone</div>
  <div class="product" data-category="electronics">Laptop</div>
  <div class="product" data-category="clothing">T-Shirt</div>
  <div class="product" data-category="clothing">Jeans</div>
  <div class="product" data-category="books">JavaScript Guide</div>
  <div class="product" data-category="books">Novel</div>
</div>

<script>
  // DOM Elements
  const filterDropdown = document.getElementById("categoryFilter");
  const products = document.querySelectorAll(".product");

  // Event listener for dropdown change
  filterDropdown.addEventListener("change", function() {
    const selectedCategory = this.value;
```


```

products.forEach(product => {
    const category = product.getAttribute("data-category");

    if (selectedCategory === "all" || category === selectedCategory) {
        product.classList.remove("hidden");
    } else {
        product.classList.add("hidden");
    }
});
});
</script>
</body>
</html>

```

- **OUTPUT:-**



- **LEARNING OUTCOMES:-**

- ✓ Understand how to use **DOM manipulation** to dynamically show/hide elements.
- ✓ Apply **event handling** (`addEventListener`) for interactive web features.

- ✓ Use **data attributes** (`data-category`) for custom filtering logic.
- ✓ Implement a **basic product filtering system** similar to real-world e-commerce platforms.