

Centre Name: ACE-HCMC-2-FPT.

Address: 590 Cach Mang Thang 8, District 3, Ho Chi Minh City, Viet Nam.

Coffee Shop

Design Document

| | | |
|--------------------|----------------------------|-----------------------|
| Supervisor: | Mr. HOANG DUC QUANG | |
| Semester: | 4 | |
| Batch No: | T1.1810E0.PRJ4 | |
| Group No: | 4 | |
| Order: | Full name | Roll No. |
| 1. | NGUYEN HAI LONG | Student1151437 |
| 2. | NGUYEN DINH KIEN | Student1148305 |
| 3. | CAO DANG XUAN DUONG | Student1151426 |
| 4. | LE HUU AN | Student1151445 |

August 2020

Contents

| | |
|---|----|
| REVIEW 1 | 3 |
| 1. Introduction..... | 4 |
| 2. Existing Scenario..... | 4 |
| 3. Customer Requirement Specification | 4 |
| 4. Functional Requirement Specification | 5 |
| 4.1 Guests (unregistered customers)..... | 5 |
| 4.2 Member..... | 6 |
| 4.3 Administrator | 6 |
| 5. System Requirements | 8 |
| 5.1 Hardware Requirements | 8 |
| 5.2 Software Requirements..... | 8 |
| 6. Technologies | 8 |
| 7. Scope of project | 8 |
| Task sheet Review 1 | 9 |
| REVIEW 2 | 10 |
| 1. Use case | 11 |
| 1.1 Guests | 11 |
| 1.2 Employee | 12 |
| 1.3 Admin | 13 |
| 2. Sequence Diagram..... | 14 |
| 2.1 Sequence of Guests | 14 |
| 2.2 Sequence of Admin | 23 |
| 2.3 ERD of the application | 39 |
| 2.4 Class Diagram | 40 |
| TASK SHEET REVIEW 2 | 41 |
| REVIEW III | 42 |
| 1. Database Diagram:..... | 43 |
| 2. Site Map | 46 |
| 2.1 Site map of use..... | 46 |
| 3. Interface | 46 |
| 3.1 Interface or user | 46 |
| 3.2 Interface or admin and employee..... | 52 |
| TASK SHEET REVIEW 3 | 56 |

REVIEW 1

1. Introduction

From the love for Vietnam and the passion for coffee, in 1999, Black Coffee® brand was born with the desire to elevate Vietnam's long-standing coffee heritage and spread pride, harmonious connection between tradition with modernity.

Starting with packaged coffee products in HoChiMinh in 2000, we have rapidly grown and expanded into a famous coffee shop brand and have been continuously expanding domestic and overseas since 2002.

Over the long haul, we have constantly brought delicious coffee products, comparable in a comfortable and polite space. Our coffee cups are not merely familiar drinks but also carry on a cultural mission that reflects a part of the modern lifestyle of the Vietnamese people.

Up to now, Black Coffee® still maintains manual coffee sorting to select the best quality coffee beans, roast freshly every day and serve customers with a bright smile on their lips. Our secret to success is this: great space, excellent products and attentive service at the right price. So they need a website to sell products online, manage their business such as sale orders, revenue, profit,

As a seller with an eCommerce website, you can tell your customers about your company, showcase your products and get sale orders online in order to further expand the business.

2. Existing Scenario

Nowadays, online shopping is an important and potential market. After gathering enough information about the product and the saler, online customers can decide to buy it or not without coming to the store.

To widen the company's market and aim to online customers, Black Coffee® must reach online customers in an attractive, trusty and completely way.

3. Customer Requirement Specification

Website will be an online sales channel to provide customers information about the product, order online at the website at given time.

For customers, they can:

- Search products by name.
- Filter products by categories, types and price.
- View detailed information about the product.
- Track recently orders.
- Register a member account, logged in system to rate stars for products, leave comments, manage own profile, order online.

For administrator, they have full access (create, read, update, delete) to every information of the website after logging in by admin account.

4. Functional Requirement Specification

4.1 Guests (unregistered customers)

4.1.1 Description

Guests can use basic functions of the website such as:

- Viewing product details, shop information.
- Contact shop via submit form.
- Searching products
- Filtering products by category, brand.
- View shopping cart
- Signing up to become members.

4.1.2 Functional Requirement

When guests access the home page, there should be:

- Top bar shows some important items such as hotline number, text box to search product, register / login button.
 - Guests can search product by name, category.
 - Guests can register member account.
- Website provides a page for guests to register a member account by providing necessary information: email (unique), password, name, mobile, address.
- Menu bar including: Home, category, coffee, contact us, faq, shopping cart icon.
 - Shopping cart is available for both members and guests.
 - Guests can add products to shopping cart while surfing the website.
 - Guests can view shopping cart.
- Slideshow: new product, hot product, promotion,...
- List of featured products: new, best selling, best rating, most viewed.
- Guests can filter products by categories, brands or price.
 - Web page should have a section to show all categories with types in every category, all brands, a seek bar to choose price between a range.
 - List of filtered products will appear after customer click on the link of above section. List should show products in grid view or list view.
 - List should have pagination function, which let guests to choose the number of items in each displayed page (page size).
- Slide of Brands
- Footer

4.2 Member

4.2.1 Description

Guests can register on the website to become a member. After having their accounts, they can still do all function as guests but they will be able to access more features after login.

After login, they can:

- Update their information.
- Change password.
- Restore password.
- Manage their orders.
- Manage feedback.
- All guests functions.

4.2.2 Functional Requirements

- Customer can login into the system with account credentials: email, password.

After login:

- Member can modify his/her profile: change password, name, mobile, address.
- Member account can view shopping cart, check out order:
 - If current customer is Member (register), continue to check out and create order.
 - If current customer is Guest (not register), require sign-in or create an account to continue.
- Manage their orders:
 - view all orders.
 - check order details.
 - print order details.
- All feedback
 - If current customer is Member (register), display leaving comment section.
 - If current customer is Guest (not register), require login if customer wants to leave comment

4.3 Administrator

4.3.1 Description

Admins are shop's staffs. After login, they will manage information related to products and customers, follow customers' orders, diagnostic shop's business status via number of sales and charts.

4.3.2 Functional Requirement

Via admins' pages, after log in using email and password, admins can:

- Manage information related to products and customers, admins:
 - Create data is product table
 - Read data is product table
 - Update data in product table
 - Delete data in product table
 - Create data is category table
 - Read data is category table
 - Update data in category table
 - Delete data in category table
 - Create data is customers table
 - Read data is customers table
 - Update data in customers table
 - Delete data in customers table
 - Create data is inventory table
 - Read data is inventory table
 - Update data in inventory table
 - Delete data in inventory table
 - Create data is order table
 - Read data is order table
 - Update data in order table
 - Delete data in order table
 - Create data is user table
 - Read data is user table
 - Update data in user table
 - Delete data in user table
- Track customers' orders:

Have a page to change the orders' status with values (listed base on real order): processing (default - 1), shipping (2) and completed (3).
- Can view reports:

Website provides a page for admin account to view Statistics & Reports about:

 - Total revenue
 - Total orders
 - Total accounts

- Products: Top selling, Most viewed, Top rating

5. System Requirements

5.1 Hardware Requirements

- Pentium IV CPU 2.80 Ghz or higher.
- 2048 Mb of RAM or higher.

5.2 Software Requirements

- Windows XP, Win 7, Win 8 or Win 10.
- MySQL 8.0 or higher.
- Eclipse 4.15.0 or higher
- JavaEE 8 SDK.
- Java Development Kit (JDK) 1.8
- Tomcat Server 9.0.
- Google Chrome, Microsoft Edge.

6. Technologies

- Spring Security
- Spring Boot
- Spring Data JPA
- HTML
- CSS
- Thymeleaf
- Javascript

7. Scope of project

There are some functions not to be included in this project as follows:

- Manage the shipping.
- Manage payment methods visa credit card.

Task sheet Review 1

| Project Ref. No. | | Project Name: Laptop Shop | Date of Preparation of Activity Plan | | |
|------------------|-----------------|--------------------------------------|--------------------------------------|-------------------|------------------|
| No. | Task | Description | Start Date | Complete Date | Team member |
| 01 | Review 1 | Problem Definition | 26/08/2020 | 30/08/2020 | All team member. |
| 02 | | Customer Requirements Specifications | | | |
| 03 | | Functional Requirement Specification | | | |
| 04 | | System Requirements | | | |
| 05 | | Technologies | | | |
| 06 | | Scope of project | | | |


**Signature of Team Leader
Supervisor**

Signature of


REVIEW 2

1. Use case


1.1 Guests



1.2 Employee



1.3 Admin




2 Sequence Diagram

2.1 Sequence of Guests


2.1.1 Sign Up




| | | |
|-------------------------|---|---|
| Author | | |
| Use Case Name | Sing up | |
| Actors | Guest | |
| Description | Signup account for login website to order | |
| Requirements | Guest must provide personal's information | |
| Pre-conditions | | |
| Post-conditions | Success: The user account will be created Failed: Refill information | |
| Basic flow | Actor action: 1. Actor clicks "SignUp" link in home page 3. Actor provides registration's information 4. Actor click "SignUp" button. | System Response: 2. System redirects to Registration company page with following control: "Username" text field "Password" text field "Email" text field "Phone" text field 5. System validates information 6. System inserts data into database and redirect to home page |
| Alternative flow | Actor action: 1. Actor clicks other link | System responses: 2. System redirects to other page. |
| Exception | Actor action: o "Username" cannot be blank o "Username" is invalid o "Password" cannot be blank o "Password" is invalid o "Email" cannot be blank o "Email" is invalid o "Phone" cannot be blank o "Phone" is invalid | System Response: o "Username" cannot be blank o "Username" has already exist o "Username" invalid o "Password" cannot be blank o "Password" invalid o "Email" cannot be blank o "Email" invalid o "Phone" cannot be blank o "Phone" invalid |




2.1.2 Login




| | | |
|-------------------------|---|--|
| Author | | |
| Use Case Name | Login | |
| Actors | Guest | |
| Description | Guest want to login to order, view history, view edit profile | |
| Requirements | Guest must provide Email and Password | |
| Pre-conditions | | |
| Post-conditions | Success: Login success Failed: Refill information and try to login again | |
| Basic flow | Actor action: 1. Actor clicks "Login" link in home page 3. Actor provides Email and Password 4. Actor enters Email and Password, the click on the "Login" button | System Response: 2. System redirects to Login page with following control: o. "Email" textfield o. "Password" textfield 5. System validates information 6. System check the customer email and password in database. If correct page will redirect to Home page. Otherwise, redirect to login page |
| Alternative flow | Actor action: 1. Actor clicks other link | System responses: 2. System redirects to other page. |
| Exception | Actor action: o. "Email" cannot be blank o. "Password" cannot be blank | System Response: o. "Email" cannot be blank o. "Email" invalid o. "Password" cannot be blank o. "Password" invalid |




2.1.3 Order




| | | |
|-------------------------|---|---|
| Author | | |
| Use Case Name | Order | |
| Actors | User | |
| Description | User want to order product | |
| Requirements | User must login before order | |
| Pre-conditions | | |
| Post-conditions | Success: Order success Failed: Refill information | |
| Basic flow | Actor action: 1. Actor clicks "Product" link 2. Actor choose product with quantity 3. Actort click checkout button | System Response: 4. System redirects to input form with following control: o. "Address" text field o. "Payment" text field 5. System validates information 6. System check in database and sends mail "Your order is succeeded." |
| Alternative flow | Actor action: 1. Actor clicks other link | System responses: 2. System redirects to other page. |
| Exception | Actor action: o. "Address" can blank o. "Payment" can blank | System Response: o. "Address" can blank o. "Payment" can blank |




2.1.4 Edit Profile




| Author | | |
|------------------|--|--|
| Use Case Name | Edit Profile | |
| Actors | User | |
| Description | User want to edit to change his/her account information | |
| Requirements | Member must provide account's information that wants to change | |
| Pre-conditions | | |
| Post-conditions | Success: The user Client account will be changed Failed: Refill information | |
| Basic flow | Actor action: 1. Actor clicks "Edit Profile" link 3. Actor change account's information 4. Actor click "Update" button. | System Response: 2. System redirects to input form with following control: o. "Name" text field o. "Phone" text field o. "Password" text field o. "Email" text field 5. System validates information 6. System updates data into database and sends message "Your account info has been updated." |
| Alternative flow | Actor action: 1. Actor clicks other link | System responses: 2. System redirects to other page. |
| Exception | Actor action: o. "Name" can blank o. "Password" can blank o. "Phone" can blank o. "Email" can blank | System Response: o. "Name" invalid o. "Password" invalid o. "Phone" invalid o. "Email" invalid |




2.1.5 Log Out



| | | |
|-------------------------|---|---|
| Author | | |
| Use Case Name | Log Out | |
| Actors | User | |
| Description | User want to logout from website | |
| Requirements | | |
| Pre-conditions | | |
| Post-conditions | Success: Logged out | |
| Basic flow | Actor action: 1. Actor clicks "Logout" link in home page | System Response: 2. System destroy the user session and redirect to home page. |
| Alternative flow | Actor action: 1. Actor clicks other link | System responses: 2. System redirects to other page. |



2.1.6 The flow of the application for Visitor



Description:

- **Home:** The home page is used to facilitate navigation to other pages on the site by providing links to prioritize and recent articles and pages, and possibly a search box.

- **Product:** Allowing users view all product with category.

- **About us:** Allowing users to understand more about our.


- **Contact-us:** Allows users to know about information and communication methods.

- **Login :** Allow visitors to sign in the website using their accounts and then switch to their member page.


- **Register:** A register is an authoritative list of one kind of information.

2.2 Sequence of Admin


2.2.1 Login



| | | |
|-------------------------|---|--|
| Author | | |
| Use Case Name | Login | |
| Actors | Admin | |
| Description | Admin want to login to system to manage all data | |
| Requirements | Admin must provide Username and Password | |
| Pre-conditions | | |
| Post-conditions | Success: Log in success Failed: Refill information and try to login again | |
| Basic flow | Actor action: 1. Actor clicks “Login” link in home page 3. Actor provides Username and Password 4. Actor enters Username and Password, the click on the “Login” button | System Response: 2. System redirects to Login page with following control: <ul style="list-style-type: none">• “Username” textfield• “Password” textfield 5. System validates information 6. System check the customer username and password in database. If correct page will redirect to Home page. Otherwise, redirect this page |
| Alternative flow | Actor action: 1. Actor clicks other link | System responses: 2. System redirects to other page. |
| Exception | Actor action: <ul style="list-style-type: none">• “Username” cannot be blank• “Password” cannot be blank | System Response: <ul style="list-style-type: none">• “Username” cannot be blank• “Username” invalid• “Password” cannot be blank• “Password” invalid |




2.2.2 Edit Customer




| | |
|------------------------|---|
| Author | |
| Use Case Name | Edit Customer |
| Actors | Admin |
| Description | Admin edit customer |
| Requirements | Admin must log in to edit customer |
| Pre-conditions | |
| Post-conditions | Success: The customer will be added Failed: Refill information |


| | | |
|-------------------------|---|---|
| Basic flow | <p>Actor action:</p> <ol style="list-style-type: none"> 1. Actor clicks “Edit customer” link 3. Actor input customer information 4. Actor click “Add” button. | <p>System Response:</p> <ol style="list-style-type: none"> 2. System redirects to company form with following control: <ul style="list-style-type: none"> • “customer_email” text field • “customer_password” text field • “customer_phone” number • “total_expense” number 5. System validates information 6. System updates data into database and sends message “Your customer info has been add.” |
| Alternative flow | <p>Actor action:</p> <ol style="list-style-type: none"> 1. Actor clicks other link | <p>System responses:</p> <ol style="list-style-type: none"> 2. System redirects to other page. |
| Exception | <p>Actor action:</p> <ul style="list-style-type: none"> • “customer_email” can blank • “customer_password” can blank • “customer_phone” can blank • “total_expense” can blank | <p>System Response:</p> <ul style="list-style-type: none"> • “customer_email” can blank • “customer_password” can blank • “customer_phone” can blank • “total_expense” can blank |




2.2.3 Edit Product



| | | |
|-------------------------|--|--|
| Author | | |
| Use Case Name | Edit Product | |
| Actors | Admin | |
| Description | Admin edit product | |
| Requirements | Admin must log in to edit product | |
| Pre-conditions | | |
| Post-conditions | Success: The category will be added Failed: Refill information | |
| Basic flow | Actor action: 1. Actor clicks "Edit Product" link 5. Actor input product's information 6. Actor click "Add" button. | System Response: 2. System redirects to company form with following control: <ul style="list-style-type: none">• "productName" text field• "description" text field• "category" number 5. System validates information 6. System updates data into database and sends message "Your category info has been add." |
| Alternative flow | Actor action: 1. Actor clicks other link | System responses: 2. System redirects to other page. |
| Exception | Actor action: <ul style="list-style-type: none">• "productName" can blank• "description" can blank• "category" can blank | System Response: <ul style="list-style-type: none">• "productName" can blank• "description" can blank• "category" can blank |




2.2.4 Edit Category




| | | |
|------------------------|--|---|
| Author | | |
| Use Case Name | Edit Category | |
| Actors | Admin | |
| Description | Admin add category, edit category | |
| Requirements | Admin must log in to add, edit category | |
| Pre-conditions | | |
| Post-conditions | Success: The category will be added Failed: Refill information | |
| Basic flow | Actor action: 1. Actor clicks "Edit Category" link 3. Actor change account's information 4. Actor click "Add" button. | System Response: 2. System redirects to company form with following control: <input type="checkbox"/> "CategoryName" text field 5. System validates information 6. System updates data into database and sends message "Your category info has been add." |


| | | |
|-------------------------|--|---|
| Alternative flow | Actor action: 1. Actor clicks other link | System responses: 2. System redirects to other page. |
| Exception | Actor action: <input type="checkbox"/> "CategoryName" can not blank | System Response: <input type="checkbox"/> "CategoryName" invalid |




2.2.5 Create Ingredient



| | | |
|-------------------------|--|---|
| Author | | |
| Use Case Name | Add Ingredient | |
| Actors | Admin | |
| Description | Admin add Ingredient | |
| Requirements | Admin add Ingredient | |
| Pre-conditions | | |
| Post-conditions | Success: Ingredient will be added Failed: Refill information | |
| Basic flow | <p>Actor action:</p> <ol style="list-style-type: none"> 1. Actor clicks “Add Ingredient” link 3. Actor change form’s information 4. Actor click “Add” button. | <p>System Response:</p> <ol style="list-style-type: none"> 2. System redirects to company form with following control: <ul style="list-style-type: none"> • “ingredient_name” text field • “vendor_name” text field 5. System validates information 6. System updates data into database and sends message “Ingredient added successful.” |
| Alternative flow | <p>Actor action:</p> <ol style="list-style-type: none"> 1. Actor clicks other link | <p>System responses:</p> <ol style="list-style-type: none"> 2. System redirects to other page. |
| Exception | <p>Actor action:</p> <ul style="list-style-type: none"> □ “ingredient_name” can not blank | <p>System Response:</p> <ul style="list-style-type: none"> □ “ingredient_name” invalid |




2.2.6 Edit Ingredient:




| | |
|------------------------|--|
| Author | |
| Use Case Name | Edit Ingredient |
| Actors | Admin |
| Description | Admin edit Ingredient |
| Requirements | Admin must login to edit Ingredient |
| Pre-conditions | |
| Post-conditions | Success: Ingredient will be edited Failed: Refill information |

| | | |
|-------------------------|--|--|
| Basic flow | <p>Actor action:</p> <ol style="list-style-type: none"> 2. Actor clicks “Edit Ingredient” link 5. Actor change form’s information 6. Actor click “Save” button. | <p>System Response:</p> <ol style="list-style-type: none"> 3. System redirects to company form with following control: <ul style="list-style-type: none"> • “ingredient_name” text field • “vendor_name” text field 7. System validates information 8. System updates data into database and sends message “Ingredient edited successful.” |
| Alternative flow | <p>Actor action:</p> <ol style="list-style-type: none"> 1. Actor clicks other link | <p>System responses:</p> <ol style="list-style-type: none"> 2. System redirects to other page. |
| Exception | <p>Actor action:</p> <ul style="list-style-type: none"> □ “ingredient_name” can not blank | <p>System Response:</p> <ul style="list-style-type: none"> □ “ingredient_name” invalid |




2.2.7 Delete Ingredient:



| | |
|------------------------|--|
| Author | |
| Use Case Name | Delete Ingredient |
| Actors | Admin |
| Description | Admin delete Ingredient |
| Requirements | Admin must login to delete Ingredient |
| Pre-conditions | |
| Post-conditions | Success: Ingredient will be edited Failed: Refill information |


| | | |
|-------------------------|---|---|
| Basic flow | Actor action: 1. Actor clicks “Delete Ingredient” link 3. Actor click “Confirm” button. | System Response: 2. System display confirm message |
| Alternative flow | Actor action: 1. Actor clicks other link | System responses: 2. System redirects to other page. |
| Exception | Actor action: | System Response: |

2.2.8 View Order




| | | |
|-------------------------|---|--|
| Author | | |
| Use Case Name | View Order | |
| Actors | Admin | |
| Description | Admin change status of order | |
| Requirements | Admin must log in to change status | |
| Pre-conditions | | |
| Post-conditions | Success: The status of order will be change Failed: Refill information | |
| Basic flow | Actor action: 1. Actor clicks “Order” link 3. Actor view Order | System Response: 2. System redirects to Order page |
| Alternative flow | Actor action: 1. Actor clicks other link | System responses: 2. System redirects to other page. |
| Exception | Actor action: <input type="checkbox"/> Click link “Order” | System Response: <input type="checkbox"/> redirects to Order page |

2.2.9 View Report




| | | |
|-------------------------|--|---|
| Author | | |
| Use Case Name | View Report | |
| Actors | Admin | |
| Description | Admin change status of order | |
| Requirements | Admin must log in to change status | |
| Pre-conditions | | |
| Post-conditions | Success: The status of order will be change Failed: Refill information | |
| Basic flow | Actor action: 1. Actor clicks "Report" link 3. Actor view Report | System Response: 2. System redirects to report page |
| Alternative flow | Actor action: 1. Actor clicks other link | System responses: 2. System redirects to other page. |
| Exception | Actor action: <input type="checkbox"/> Click link "Report" | System Response: <input type="checkbox"/> redirects to Report page |


2.2.10 Edit Profile



| | | |
|------------------|--|--|
| Author | | |
| Use Case Name | Edit profile | |
| Actors | Employee | |
| Description | Employee want to edit to change his/her account information | |
| Requirements | Member must provide account's information that wants to change | |
| Pre-conditions | | |
| Post-conditions | Success: The user Client account will be changed Failed: Refill information | |
| Basic flow | Actor action: 1. Actor clicks "Edit Profile" link 3. Actor change account's information 4. Actor click "Update" button. | System Response: 2. System redirects to input form with following control: <input type="checkbox"/> "Password" text field 5. System validates information 6. System updates data into database and sends message "Your account info has been updated." |
| Alternative flow | Actor action: 1. Actor clicks other link | System responses: 2. System redirects to other page. |
| Exception | Actor action: <input type="checkbox"/> "Username" cannot be blank <input type="checkbox"/> "Password" cannot be blank | System Response: <input type="checkbox"/> "Name" invalid <input type="checkbox"/> "Password" invalid |



2.2.11 Order




| | | |
|------------------|--|--|
| Author | | |
| Use Case Name | view Order | |
| Actors | Employee | |
| Description | Employee change status of order | |
| Requirements | must log in change status | |
| Pre-conditions | | |
| Post-conditions | Success: The status of order will be change Failed: Refill information | |
| Basic flow | Actor action: 1. Actor clicks "Edit Profile" link 3. Actor change account's information 4. Actor click "Update" button. | System Response: 2. System redirects to input form with following control: <input type="checkbox"/> "Password" text field 5. System validates information 6. System updates data into database and sends message "Your account info has been updated." |
| Alternative flow | Actor action: 1.Actor click "Order" link 3.Actor view Order | System responses: 2. System redirects to other page. |
| Exception | Actor action: 1.Actor click orther link | System Response: 2.System redirects to orther page |


2.2.12 Guests function

| | | |
|-------------------------|--|--|
| Author | | |
| Use Case Name | Guests | |
| Actors | Employee | |
| Description | Employee view status of Guests | |
| Requirements | User must login before view Guests | |
| Pre-conditions | | |
| Post-conditions | Success: The status of guests will be change Failed: Refill information | |
| Basic flow | Actor action: 1. Actor clicks "View Guests" link 2.Actor view Guests | System Response: 3.System redirects to report page |
| Alternative flow | Actor action: 1. Actor clicks other link | System responses: 2. System redirects to other page. |
| Exception | Actor action: Click link "Guests" | System Response: redirects to Guest page |

2.3 ERD of the application



2.4 Class Diagram



TASK SHEET REVIEW 2


| Project Ref.No: 1 | Project Title: TQTSHOP | Activity Plan | Date of Preparation of Activity Plan | | | |
|----------------------|---------------------------|-------------------------------------|--------------------------------------|-------------|-------------------------------------|-----------|
| Sr. No. | Task | Prepared By: | Actual Start Date | Actual Days | Team Mate Names | Status |
| 01 | Use Case Diagram | Cao Dang Xuan Duong | 31/08/2020 | 7 | Cao Dang Xuan Duong | Completed |
| 02 | Sequence Diagram | Nguyen Hai Long Nguyen Dinh Kien | | | Nguyen Hai Long Nguyen Dinh Kien | |
| 03 | ERD Diagram | Le Huu An | | | Le Huu An | |
| 04 | Class Diagram | Le Huu An | | | Le Huu An | |

**Signature of Team Leader
Supervisor**

Signature of

REVIEW III

1 Database Diagram:



| Table:tbUser | | | | |
|---------------|--------------|------|-----|-------------|
| Field name | Data type | Null | Key | Description |
| user_id | int | NO | PK | |
| user_name | Varchar(50) | NO | | |
| user_password | Varchar(255) | NO | | |
| user_email | Varchar(50) | NO | | |
| user_phone | Varchar(20) | NO | | |
| Total_expense | int | NO | | |

| Table:tbAuthorities | | | | |
|---------------------|-----------|------|-----|-------------|
| Field name | Data type | Null | Key | Description |
| | | | | |

| | | | | |
|-------------|-------------|----|----|--|
| user_name | Varchar(50) | NO | PK | |
| authorities | Varchar(50) | NO | | |

| Table:tbProduct | | | | |
|---------------------|--------------|------|-----|-------------|
| Field name | Data type | Null | Key | Description |
| product_id | Long | NO | PK | |
| product_name | Varchar(255) | NO | | |
| product_image | Varchar(255) | NO | | |
| product_description | Varchar(255) | NO | | |
| Category_id | int | NO | FK | tbCategory |

| Table:tbOrder | | | | |
|---------------|-----------|------|-----|-------------|
| Field name | Data type | Null | Key | Description |
| order_id | Int | NO | PK | |
| user_id | Int | NO | FK | tbUser |
| total | Long | NO | | |
| payment | Long | NO | | |
| date | Datetime | NO | | |

| Table:tbOrderDetail | | | | |
|---------------------|-----------|------|-----|-------------|
| Field name | Data type | Null | Key | Description |
| order_detail_id | Int | NO | PK | |
| order_id | Int | NO | FK | tbOrder |
| product_id | Int | NO | FK | tbProduct |
| price | Double | NO | | |
| quantity | Double | NO | | |

| Table:tbProduct_size | | | | |
|----------------------|-----------|------|-----|-------------|
| Field name | Data type | Null | Key | Description |
| Products_id | Int | NO | PK | |

| | | | | |
|---------|-----|----|----|--|
| Size_id | Int | NO | PK | |
| Price | Int | NO | | |

| Table:tbSize | | | | |
|--------------|-------------|------|-----|-------------|
| Field name | Data type | Null | Key | Description |
| Size_id | Int | NO | PK | |
| Size_Name | Varchar(10) | NO | | |


| Table:tbCategory | | | | |
|------------------|-------------|------|-----|-------------|
| Field name | Data type | Null | Key | Description |
| Category_id | Int | NO | PK | |
| Category_Name | Varchar(20) | NO | | |

| Table:tbIngredient | | | | |
|----------------------------|-------------|------|--------|--------------|
| Field name | Data type | Null | Key | Description |
| ingredient_id | Int | NO | PK | |
| ingredient_name | Varchar(20) | NO | | |
| vendor_name | Varchar(20) | NO | | |
| Table:tbProduct_Ingredient | | | | |
| Field name | Data type | Null | Key | Description |
| ingredient_id | Int | NO | PK, FK | tbIngredient |
| Product_id | Varchar(20) | NO | PK, FK | tbProduct |

| Table:tbInventory | | | | |
|-------------------|-------------|------|-----|--------------|
| Field name | Data type | Null | Key | Description |
| id | Int | NO | PK | |
| ingredient_id | Int | NO | FK | tbIngredient |
| SKU | Varchar(20) | | | |
| UMO | Varchar(20) | | | |
| Quantity | Int | | | |

2 Site Map

2.1 Site map of use




3 Interface

3.1 Interface or user

3.1.1 Home page

❖ Screenshot




❖ Field Description

| No. | FieldName | Type | Validation | Event | Description | Status |
|-----|----------------|------|------------|-------|-------------------|--------|
| 1 | Navbar | Link | | Click | Go to single page | Enable |
| 2 | Buy Now Button | Link | | Click | Go to single page | Enable |


3.1.2 Footer

❖ Screenshot: display brief information



3.1.3 Menu Page


❖ Screenshot



❖ Field description


| No. | FieldName | Type | Validation | Event | Description | Status |
|-----|----------------------|--------|------------|-------|-------------------|--------|
| 1 | Quick View | Link | | Click | Go to single page | Enable |
| 2 | Coffee milk egg salt | Link | | Click | Go to single page | Enable |
| 3 | Add to cart | Button | | Click | Go to cart page | Enable |

3.1.4 About Us



3.1.5 Contact Us

❖ Screenshot




❖ Field Description

| No. | FieldName | Type | Validation | Event | Description | Status |
|-----|---------------------|--------|------------|-------|--------------------------|--------|
| 1 | Form | Form | | Input | Input user information | Enable |
| 2 | Send Message Button | Button | | Click | Submit message to server | Enable |


3.1.6 Review

❖ Screenshot: display brief information



3.1.7 Login

❖ Screenshot:



LOGIN

Email

example@example.com

Password

Login

Not a member? Create an account


Forgot your password?

❖ Field Description:

| No. | FieldName | Type | Validation | Event | Description | Status |
|-----|---------------------------------------|--------|------------|-------|-------------------------|--------|
| 1 | Email | Text | Not null | Input | Input user information | Enable |
| 2 | Password | Text | Not null | Input | Input user information | Enable |
| 3 | Login | Button | | Click | Submit user information | Enable |
| 4 | Not a member? Create an Account | Link | | Click | Go to single page | Enable |
| 5 | Forgot your password? | Link | | Click | Go to single page | Enable |

3.1.8 Register

❖ Screenshot:



Sign Up

Full Name
Name...

Phone Number
Phone Number...

Email
Email address...

Password

Repeat Password

☐ I agree to the Terms of User

Sign Up Sign in →


❖ Field Description:

| No. | FieldName | Type | Validation | Event | Description | Status |
|-----|-----------------|--------|--------------------------|-------|-------------------------|--------|
| 1 | Full Name | Text | Not null | Input | Input user information | Enable |
| 2 | Phone Number | Number | Digit only | Input | Input user information | Enable |
| 3 | Email | Text | Not null | Input | Input user information | Enable |
| 4 | Password | Text | Not null | Input | Input user information | Enable |
| 5 | Repeat Password | Text | Not null, match password | Input | Input user information | Enable |
| 6 | Sign Up | Button | | Click | Submit user information | Enable |
| 7 | Sign In | Link | | Click | Go to single page | Enable |

3.2 Interface or admin and employee

3.2.1 Login

❖ Screenshot




❖ Field Description

| No. | FieldName | Type | Validation | Event | Description | Status |
|-----|-------------|----------|------------|-------|-------------------------|--------|
| 1 | Username | Text | Not null | Input | Input user information | Enable |
| 2 | Password | Text | Not null | Input | Input user information | Enable |
| 3 | Remember Me | Checkbox | | Click | Invoke method | Enable |
| 4 | Sign In | Link | | Click | Submit user information | Enable |

3.2.2 Homepage

❖ Screenshot:




❖ Field Description:

| No. | FieldName | Type | Validation | Event | Description | Status |
|-----|---------------|------|------------|-------|-----------------------------------|--------|
| 1 | Navigation | Link | | Click | Open Single Page | Enable |
| 2 | Filter/Search | | | | Filter/Search Product, Ordersv... | Enable |
| 3 | List View | | | | Display Information | Enable |

3.2.3 List View

❖ Screenshot:




❖ Field Description:

| No. | FieldName | Type | Validation | Event | Description | Status |
|-----|-----------|-----------|------------|-------|--------------------------------|--------|
| 1 | Add New | Text | | Click | Open Single Page | Enable |
| 2 | List View | List View | | | View Information | Enable |
| 3 | Action | Link | | Click | Open Single Page(Edit, Delete) | Enable |

3.2.4 Add/Edit View

The screenshot shows the 'Add New Product' form in the AdminK application. The form is located at `localhost:8080/product/create`. It features a sidebar with navigation links: Products, Overview, Orders, Clients, and Settings. The main form area includes a 'Product Name' field, a 'Product Description' text area, a 'Category' dropdown menu (with options: Coffee traditional, Espresso, Freeze, Tea, Other Drinks, Extra), a 'Price' field with a dollar sign prefix, and an 'SKU' field with a barcode icon. There is also an 'Image tags' section with a 'Select' button. An 'ADD PRODUCT' button is at the bottom right. The browser's address bar shows the URL `localhost:8080/product/create`. The Windows taskbar at the bottom shows the time as 5:29 PM on 9/16/2020.

3.2.5 Dashboard View



TASK SHEET REVIEW 3

| Project Ref.No: 1 | Project Title: TQTSHOP | Activity Plan Prepared By: | Date of Preparation of Activity Plan | | | |
|----------------------|--|--|--------------------------------------|-------------|--|-----------|
| Sr. No. | Task | | Actual Start Date | Actual Days | Team Mate Names | Status |
| 01 | Database Diagram | Nguyen Hai Long | 07/09/2020 | 9 | Nguyen Hai Long | Completed |
| 02 | Database Details | Nguyen Hai Long | | | Nguyen Hai Long | |
| 03 | Template for Add/Edit/Delete/Dashboard | Cao Dang Xuan Duong Nguyen Dinh Kien Le Huu An | | | Cao Dang Xuan Duong Nguyen Dinh Kien Le Huu An | |

**Signature of Team Leader
Supervisor**

Signature of