

# DONKEY KONG CREADOR

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change.

Showing results for contents of text-input area (checked with vnu 25.12.10)

Checker Input

Show ☒ source ☐ outline ☐ image report

Check by  ☐ css

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <link rel="stylesheet" href="estilosdonkeykong.css">
  <link rel="icon" type="image/png" href="/favicon.jpg">
  <title>Donkey Kong - Creador y Filosofía</title>
</head>
<body>
<!-- Menú de navegación con el nombre del sitio y enlaces a diferentes secciones -->
<nav class="navegacion">
  <h1>Nintendex</h1>
```

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

- Warning** This document appears to be written in Spanish but the `<html>` start tag has `lang="en"`. Consider using `lang="es"` (or variant) instead.  
[From line 1, column 16 to line 2, column 16](#)  
TYPE: `<html>` → `<html lang="en">` → `<head>`  
For further guidance, consult [Declaring the overall language of a page](#) and [Choosing language tags](#).  
If the HTML checker has misidentified the language of this document, please [file an issue report](#).
- Warning** Consider using the `<h1>` element as a top-level heading only — or else use the `headingoffset` attribute (otherwise, all `<h1>` elements are treated as top-level headings by many screen readers and other tools).  
[From line 15, column 5 to line 15, column 8](#)  
`ion">` → `<h1>Ninten`

# DONKEY KONG INICIO

Check by  ☐ css

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <link rel="icon" type="image/png" href="/favicon.jpg">
  <link rel="stylesheet" href="estilosdonkeykong.css">
  <title>Donkey Kong - Inicio</title>
</head>
<body>
<!-- Menú de navegación con el nombre del sitio y enlaces a secciones principales -->
<nav class="navegacion">
  <h1>Nintendex</h1>
  <ul>
    <li><a href="/index/index.html">Home</a></li>
```

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

- Warning** This document appears to be written in Spanish but the `<html>` start tag has `lang="en"`. Consider using `lang="es"` (or variant) instead.  
[From line 1, column 16 to line 2, column 16](#)  
TYPE: `<html>` → `<html lang="en">` → `<head>`  
For further guidance, consult [Declaring the overall language of a page](#) and [Choosing language tags](#).  
If the HTML checker has misidentified the language of this document, please [file an issue report](#).
- Warning** Consider using the `<h1>` element as a top-level heading only — or else use the `headingoffset` attribute (otherwise, all `<h1>` elements are treated as top-level headings by many screen readers and other tools).  
[From line 13, column 5 to line 13, column 8](#)  
`ion">` → `<h1>Ninten`

# DONKEY KONG LORE

Check by 

text input

☐ css

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <link rel="stylesheet" href="estilosdonkeykong.css">
  <link rel="icon" type="image/png" href="/favicon.jpg">
  <title>Document</title>
</head>
<body>
  <!-- Menú de navegación con el nombre del sitio y enlaces a las secciones principales -->
  <nav class="navegacion">
    <h1>Nintendex</h1>
    <ul>
```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

1. **Warning** This document appears to be written in Spanish but the `html` start tag has `lang="en"`. Consider using `lang="es"` (or variant) instead.

From line 1, column 16 to line 2, column 16

TYPE html>=><html lang="en">=<<head

For further guidance, consult [Declaring the overall language of a page](#) and [Choosing language tags](#).

If the HTML checker has misidentified the language of this document, please [file an issue report](#).

2. **Warning** Consider using the `h1` element as a top-level heading only — or else use the `headingoffset` attribute (otherwise, all `h1` elements are treated as top-level headings by many screen readers and other tools).

From line 14, column 5 to line 14, column 8

ion">=> <h1>Ninten

# FIRE EMBLEM CREADORA

Check by 

text input

☐ css

```
<!DOCTYPE html>
<html lang="en">
<head>
  <!-- VALIDADO -->
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <link rel="stylesheet" href="estilosfireemblem.css">
  <link rel="icon" type="image/png" href="/favicon.jpg">
  <title>Creador de Fire Emblem</title>
</head>
<nav class = "navegacion">
  <h1>Nintendex</h1>
  <ul>
    <li><a href="/index/index.html">Home</a></li>
    <li><a href="/fireinicio.html">Inicio</a></li>
```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

1. **Warning** This document appears to be written in Spanish but the `html` start tag has `lang="en"`. Consider using `lang="es"` (or variant) instead.

From line 1, column 16 to line 2, column 16

TYPE html>=><html lang="en">=<<head

For further guidance, consult [Declaring the overall language of a page](#) and [Choosing language tags](#).

If the HTML checker has misidentified the language of this document, please [file an issue report](#).

2. **Warning** Consider using the `h1` element as a top-level heading only — or else use the `headingoffset` attribute (otherwise, all `h1` elements are treated as top-level headings by many screen readers and other tools).

From line 12, column 5 to line 12, column 8

ion">=> <h1>Ninten

## FIRE EMBLEM INICIO

Check by  ☐ css

```
<!DOCTYPE html>
<html lang="es">
<head>
  <!-- VALIDADO-->
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">

  <link rel="stylesheet" href="estilosfireemblem.css">
  <link rel="icon" type="image/png" href="/favicon.jpg">
  <title>Nintendex | Inicio Fire Emblem</title>
</head>
<body>

  <nav class = "navegacion">
    <h1>Nintendex</h1>
```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

1. **Warning** Consider using the `h1` element as a top-level heading only — or else use the `headingoffset` attribute (otherwise, all `h1` elements are treated as top-level headings by many screen readers and other tools).  
[From line 15, column 9 to line 15, column 12](#)

```
>< <h1>Ninten
```

## FIRE EMBLEM LORE

Check by  ☐ css

```
<!DOCTYPE html>
<html lang="es">
<head>
  <!-- VALIDADO-->
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">

  <link rel="stylesheet" href="estilosfireemblem.css">
  <link rel="icon" type="image/png" href="/favicon.jpg">
  <title>Nintendex | Saga Fire Emblem</title>
</head>
<body>

  <nav class = "navegacion">
    <h1>Nintendex</h1>
```

Check

Document checking completed. No errors or warnings to show.

### Source

```
1. <!DOCTYPE html>↵
2. <html lang="es">↵
3. <head>↵
4.   <!-- VALIDADO-->↵
5.   <meta charset="UTF-8">↵
6.   <meta name="viewport" content="width=device-width, initial-scale=1.0">↵
```

## FORMULARIO

Checker Input

Show

☒ source ☐ outline ☐ image report

Options...

Check by

text input

☐ css

```
<!DOCTYPE html>
<html lang="es">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">

  <link rel="stylesheet" href="index.css">
  <link rel="icon" type="image/png" href="/favicon.jpg">
  <title>Nintendex | Encuesta Jugador</title>
</head>

<body>

  <nav class="navegacion">
    <h1>Nintendex</h1>
```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

1.

Warning

Consider using only one `h1` element per document (or, if using `h1` elements multiple times is required, consider using the `headingoffset` attribute to indicate that these `h1` elements are not all top-level headings).

[From line 22, column 9, to line 22, column 12](#)

>↵  
...<h1>Bienven

2.

Warning

Consider using only one `h1` element per document (or, if using `h1` elements multiple times is required, consider using the `headingoffset` attribute to indicate that these `h1` elements are not all top-level headings).

[From line 15, column 9, to line 15, column 12](#)

>↵  
...<h1>Ninten

Document checking completed.

Source

1.

<!DOCTYPE html>↵

2.

<html lang="es">↵

## IDEX

Check by

text input

☐ css

```
<!DOCTYPE html>
<html lang="es">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">

  <link rel="stylesheet" href="index.css">
  <link rel="icon" type="image/png" href="/favicon.jpg">
  <title>Clásicos de Nintendo</title>
</head>

<body>
<nav class="navegacion">
  <h1>Nintendex</h1>
  <ul>
```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

1.

Warning

Consider using the `h1` element as a top-level heading only — or else use the `headingoffset` attribute (otherwise, all `h1` elements are treated as top-level headings by many screen readers and other tools).

[From line 14, column 5, to line 14, column 8](#)

ion">↵  
...<h1>Ninten

## SOBRENOS

Check by text input ☐ css

```
<!DOCTYPE html>
<html lang="es">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">

  <link rel="stylesheet" href="index.css">
  <link rel="icon" type="image/png" href="/favicon.jpg">
  <title>Clásicos de Nintendo</title>
</head>
<body>
<nav class="navegacion">
  <h1>Nintendex</h1>
  <ul>
    <li><a href="index.html">Home</a></li>
```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

1. **Warning** Consider using the `h1` element as a top-level heading only — or else use the `headingoffset` attribute (otherwise, all `h1` elements are treated as top-level headings by many screen readers and other tools).

From line 13, column 5, to line 13, column 8

ion"><h1>Ninten

## MARIO CREADOR

Check by text input ☐ css

```
<p>La fórmula de Mario funciona tan bien debido a su diseño de jugabilidad pulida y su Curva de Aprendizaje Perfecta. Los juegos de Mario introducen mecánicas simples al principio (salto, pisar enemigos), pero luego las combinan de formas cada vez más complejas para desafiar al jugador, manteniendo el control siempre preciso e intuitivo. Además, el concepto de "diseño por capas" de Miyamoto permite que tanto los jugadores novatos como los expertos encuentren diversión: los novatos pueden completar el nivel, mientras que los expertos buscan secretos ocultos, rutas alternativas y coleccionables, incentivando la rejugabilidad.</p>

<h1>¿Qué comenta Miyamoto sobre el corazón de la saga?</h1>
<p>Miyamoto ha comentado que el corazón de Mario es la sensación de control. Él dice que si el personaje no se siente bien al moverse, el resto del juego fracasa. "Todo se basa en ese control. Cuando tomas el mando de la consola, el personaje tiene que sentirse como una extensión de ti." Esta filosofía garantiza que, sin importar las innovaciones (3D, flotar con alas, lanzar un sombrero), la experiencia principal de saltar y correr siempre se sienta perfecta y divertida de experimentar.</p>

<h1>¿Qué innovación aportó Super Mario 64?</h1>
<p>Super Mario 64 (1996) no solo llevó la saga a las 3D, sino que inventó el manual de cómo hacer un juego 3D. Miyamoto y su equipo tuvieron que resolver problemas fundamentales de diseño: cómo controlar la cámara, cómo moverse en un espacio 3D y cómo
```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

1. **Warning** This document appears to be written in Spanish but the `html` start tag has `lang="en"`. Consider using `lang="es"` (or variant) instead.

From line 1, column 16, to line 2, column 16

TYPE html><html lang="en"><head

For further guidance, consult [Declaring the overall language of a page](#) and [Choosing language tags](#).

If the HTML checker has misidentified the language of this document, please [file an issue report](#).

2. **Warning** Consider using the `h1` element as a top-level heading only — or else use the `headingoffset` attribute (otherwise, all `h1` elements are treated as top-level headings by many screen readers and other tools).

From line 12, column 9, to line 12, column 12

><h1>Ninten

## MARIO INICIO

### Checker Input

Show ☒ source ☐ outline ☐ image report [Options...](#)

Check by  ☐ CSS

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <link rel="stylesheet" href="estilosmario.css">
  <link rel="icon" type="image/png" href="/favicon.jpg">
  <title>Document</title>
</head>
<nav class = "navegacion">
  <h1>Nintendex</h1>
  <ul>
    <li><a href="/index/index.html">Home</a></li>
    <li><a href="/mario/mariocrerador.html">Creador</a></li>
    <li><a href="/mario/mariolore.html">Lore</a></li>
```

[Check](#)

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

[Message Filtering](#)

1. **Warning** Consider using the `h1` element as a top-level heading only — or else use the `headingoffset` attribute (otherwise, all `h1` elements are treated as top-level headings by many screen readers and other tools).

[From line 11, column 9 to line 11, column 12](#)

```
>↔
<h1>Ninten
```

## MARIO LORE

Check by  ☐ CSS

fortaleza aérea flotante que amenaza el Reino Flor. Mario y sus amigos deben entrar en el Reino Flor. La misión es recolectar las Semillas Maravilla para devolver el Reino a la normalidad y detener a Bowser. El juego se centra en el elemento sorpresa, donde cada Flor Maravilla que se encuentra transforma el nivel de forma caótica y sorprendente.</p>

```
<h1>Super Mario Party Jamboree (2024)</h1>

<p>Este juego no tiene una narrativa profunda de rescate, sino que se centra en una gran fiesta y competencia. El objetivo es dominar los tableros y los 110+ minijuegos, compitiendo contra amigos o jugadores en línea. La aventura se desarrolla en el complejo vacacional de un archipiélago. La misión es ganar tantas Estrellas como sea posible en los modos de juego, incluyendo el nuevo y masivo modo en línea "Koopathon" de 20 jugadores.</p>
</div>
</body>
</html>
```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

- Warning** Consider using the `h1` element as a top-level heading only — or else use the `headingoffset` attribute (otherwise, all `h1` elements are treated as top-level headings by many screen readers and other tools).

[From line 11, column 9 to line 11, column 12](#)

```
>...
<h1>Ninten
```

## METROID CREADOR

Check by  ☐ CSS

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">

  <link rel="stylesheet" href="estilosmetroid.css">
  <link rel="icon" type="image/png" href="/favicon.jpg">
  <title>Document</title>
</head>
<nav class = "navegacion">
  <h1>Nintendex</h1>
  <ul>
    <li><a href="/index/index.html">Home</a></li>
    <li><a href="/metroid/metroidinicio.html">Inicio</a></li>
```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

- Warning** This document appears to be written in Spanish but the `html` start tag has `lang="en"`. Consider using `lang="es"` (or variant) instead.

[From line 1, column 16 to line 2, column 16](#)

```
TYPE html>...<html lang="en">...<head
```

For further guidance, consult [Declaring the overall language of a page](#) and [Choosing language tags](#).

If the HTML checker has misidentified the language of this document, please [file an issue report](#).

- Warning** Consider using the `h1` element as a top-level heading only — or else use the `headingoffset` attribute (otherwise, all `h1` elements are treated as top-level headings by many screen readers and other tools).

[From line 12, column 9 to line 12, column 12](#)

```
>...
<h1>Ninten
```

## METROID INICIO

Check by  ☐ CSS

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">

  <link rel="stylesheet" href="estilosmetroid.css">
  <link rel="icon" type="image/png" href="/favicon.jpg">
  <title>Document</title>
</head>
<nav class="navegacion">
  <h1>Nintendex</h1>
  <ul>
    <li><a href="/index/index.html">Home</a></li>
    <li><a href="/metroid/metroidcreator.html">Creator</a></li>
```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

- Warning** This document appears to be written in Spanish but the `<html>` start tag has `lang="en"`. Consider using `lang="es"` (or variant) instead.  
[From line 1, column 16, to line 2, column 16](#)  
TYPE `html` `>>><html lang="en">>><head`  
For further guidance, consult [Declaring the overall language of a page](#) and [Choosing language tags](#).  
If the HTML checker has misidentified the language of this document, please [file an issue report](#).
- Warning** Consider using the `<h1>` element as a top-level heading only — or else use the `headingoffset` attribute (otherwise, all `<h1>` elements are treated as top-level headings by many screen readers and other tools).  
[From line 12, column 9, to line 12, column 12](#)  
`>>>` `<h1>Ninten`

## METROID LORE

Check by  ☐ CSS

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">

  <link rel="stylesheet" href="estilosmetroid.css">
  <link rel="icon" type="image/png" href="/favicon.jpg">
  <title>Document</title>
</head>
<body>
<nav class="navegacion">
  <h1>Nintendex</h1>
  <ul>
    <li><a href="/index/index.html">Home</a></li>
```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

- Warning** This document appears to be written in Spanish but the `<html>` start tag has `lang="en"`. Consider using `lang="es"` (or variant) instead.  
[From line 1, column 16, to line 2, column 16](#)  
TYPE `html` `>>><html lang="en">>><head`  
For further guidance, consult [Declaring the overall language of a page](#) and [Choosing language tags](#).  
If the HTML checker has misidentified the language of this document, please [file an issue report](#).
- Warning** Consider using the `<h1>` element as a top-level heading only — or else use the `headingoffset` attribute (otherwise, all `<h1>` elements are treated as top-level headings by many screen readers and other tools).  
[From line 13, column 5, to line 13, column 8](#)  
`ion">>>` `<h1>Ninten`



## POKEMON CREADOR

Check by  ☐ CSS

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">

  <link rel="stylesheet" href="estilospokemon.css">
  <link rel="icon" type="image/png" href="/favicon.jpg">
  <title>Pokémon - Filosofía y Creadores</title>
</head>
<nav class = "navegacion">
  <h1>Nintendex</h1>
  <ul>
    <li><a href="/index/index.html">Home</a></li>
    <li><a href="/pokemon/pokemoninicio.html">Inicio</a></li>
```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

- Warning** This document appears to be written in Spanish but the `<html>` start tag has `lang="en"`. Consider using `lang="es"` (or variant) instead.  
[From line 1, column 16 to line 2, column 16](#)  
TYPE html>=><html lang="en">=<<head  
For further guidance, consult [Declaring the overall language of a page](#) and [Choosing language tags](#).  
If the HTML checker has misidentified the language of this document, please [file an issue report](#).
- Warning** Consider using the `<h1>` element as a top-level heading only — or else use the `headingoffset` attribute (otherwise, all `<h1>` elements are treated as top-level headings by many screen readers and other tools).  
[From line 12, column 5 to line 12, column 8](#)  
ion">=> <h1>Ninten

Document checking completed.

## POKEMON INICIO

Check by  ☐ CSS

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">

  <link rel="stylesheet" href="estilospokemon.css">
  <link rel="icon" type="image/png" href="/favicon.jpg">
  <title>Pokémon</title>
</head>
<nav class = "navegacion">
  <h1>Nintendex</h1>
  <ul>
    <li><a href=" ../index/index.html">Home</a></li>
    <li><a href="pokemoncreador.html">Creador</a></li>
```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

- Warning** Consider using the `<h1>` element as a top-level heading only — or else use the `headingoffset` attribute (otherwise, all `<h1>` elements are treated as top-level headings by many screen readers and other tools).  
[From line 12, column 5 to line 12, column 8](#)  
ion">=> <h1>Ninten

## POKEMON LORE

Check by text input ☐ css

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">

  <link rel="stylesheet" href="estilospokemon.css">
  <link rel="icon" type="image/png" href="/favicon.jpg">
  <title>Sagas de Nintendo - Contenido Completo</title>
</head>
<body>

<nav class="navegacion">
  <h1>Nintendex</h1>
  <ul>
```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

1. **Warning** This document appears to be written in Spanish but the `<html>` start tag has `lang="en"`. Consider using `lang="es"` (or variant) instead.  
[From line 1, column 16, to line 2, column 16](#)  
TYPE html1=><html lang="en"><head  
For further guidance, consult [Declaring the overall language of a page](#) and [Choosing language tags](#).  
If the HTML checker has misidentified the language of this document, please [file an issue report](#).

2. **Warning** Consider using the `<h1>` element as a top-level heading only — or else use the `headingoffset` attribute (otherwise, all `<h1>` elements are treated as top-level headings by many screen readers and other tools).  
[From line 14, column 5, to line 14, column 8](#)  
ion"><h1>Ninten

## XEOBLADE CREADOR

Check by text input ☐ css

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">

  <link rel="stylesheet" href="estilosxenoblade.css">
  <link rel="icon" type="image/png" href="/favicon.jpg">
  <title>Document</title>
</head>
<nav class = "navegacion">
  <h1>Nintendex</h1>
  <ul>
    <li><a href="/index/index.html">Home</a></li>
    <li><a href="xenobladeinicio.html">Inicio</a></li>
```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

1. **Warning** This document appears to be written in Spanish but the `<html>` start tag has `lang="en"`. Consider using `lang="es"` (or variant) instead.  
[From line 1, column 16, to line 2, column 16](#)  
TYPE html1=><html lang="en"><head  
For further guidance, consult [Declaring the overall language of a page](#) and [Choosing language tags](#).  
If the HTML checker has misidentified the language of this document, please [file an issue report](#).

2. **Warning** Consider using the `<h1>` element as a top-level heading only — or else use the `headingoffset` attribute (otherwise, all `<h1>` elements are treated as top-level headings by many screen readers and other tools).  
[From line 12, column 5, to line 12, column 8](#)  
ion"><h1>Ninten

## XENOBLADE INICIO

Check by  ☐ CSS

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">

  <link rel="stylesheet" href="estilosxenoblade.css">
  <link rel="icon" type="image/png" href="/favicon.jpg">
  <title>Document</title>
</head>
<nav class = "navegacion">
  <h1>Nintendex</h1>
  <ul>
    <li><a href="/index/index.html">Home</a></li>
    <li><a href="xenobladecreator.html">Creador</a></li>
```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

1. **Warning** Consider using the `h1` element as a top-level heading only — or else use the `headingoffset` attribute (otherwise, all `h1` elements are treated as top-level headings by many screen readers and other tools).

[From line 12, column 5, to line 12, column 8](#)

ion">↵ <h1>Ninten

## XENOBLADE LORE

Check by  ☐ CSS

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">

  <link rel="stylesheet" href="estilosxenoblade.css">
  <link rel="icon" type="image/png" href="/favicon.jpg">
  <title>Document</title>
</head>
<body>
<nav class="navegacion">
  <h1>Nintendex</h1>
  <ul>
    <li><a href="/index/index.html">Home</a></li>
```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

1. **Warning** This document appears to be written in Spanish but the `html` start tag has `lang="en"`. Consider using `lang="es"` (or variant) instead.

[From line 1, column 16, to line 2, column 16](#)

TYPE html>↵<html lang="en">↵<head

For further guidance, consult [Declaring the overall language of a page](#) and [Choosing language tags](#).

If the HTML checker has misidentified the language of this document, please [file an issue report](#).

2. **Warning** Consider using the `h1` element as a top-level heading only — or else use the `headingoffset` attribute (otherwise, all `h1` elements are treated as top-level headings by many screen readers and other tools).

[From line 13, column 5, to line 13, column 8](#)

ion">↵ <h1>Ninten

## ZELDA CREADOR

Check by  ☐ CSS

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">

  <link rel="stylesheet" href="iniciozelda.css">
  <link rel="icon" type="image/png" href="/favicon.jpg">
  <title>Document</title>
</head>
<nav class = "navigacion">
  <h1>Nintendex</h1>
  <ul>
    <li><a href="/index/index.html">Home</a></li>
    <li><a href="/zelda/zeldainicio.html">Inicio</a></li>
```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

- Warning** This document appears to be written in Spanish but the `html` start tag has `lang="en"`. Consider using `lang="es"` (or variant) instead.  
[From line 1, column 16 to line 2, column 16](#)  
TYPE html>...<html lang="en">...<head  
For further guidance, consult [Declaring the overall language of a page](#) and [Choosing language tags](#).  
If the HTML checker has misidentified the language of this document, please [file an issue report](#).
- Warning** Consider using the `h1` element as a top-level heading only — or else use the `headingoffset` attribute (otherwise, all `h1` elements are treated as top-level headings by many screen readers and other tools).  
[From line 12, column 5 to line 12, column 8](#)  
ion">...<h1>Ninten

## ZELDA INICIO

Check by  ☐ CSS

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">

  <link rel="stylesheet" href="iniciozelda.css">
  <link rel="icon" type="image/png" href="/favicon.jpg">
  <title>Document</title>
</head>
<nav class = "navigacion">
  <h1>Nintendex</h1>
  <ul>
    <li><a href="/index/index.html">Home</a></li>
    <li><a href="/zelda/zeldacreador.html">Creador</a></li>
```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

- Warning** Consider using the `h1` element as a top-level heading only — or else use the `headingoffset` attribute (otherwise, all `h1` elements are treated as top-level headings by many screen readers and other tools).  
[From line 12, column 5 to line 12, column 8](#)  
ion">...<h1>Ninten

## ZELDA LORE

Check by  ☐ css

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">

  <link rel="stylesheet" href="iniciozelda.css">
  <link rel="icon" type="image/png" href="/favicon.jpg">
  <title>Document</title>
</head>
<body>
<nav class="navegacion">
  <h1>Wintendex</h1>
  <ul>
    <li><a href="/index/index.html">Home</a></li>
```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

- Warning** This document appears to be written in Spanish but the `<html>` start tag has `lang="en"`. Consider using `lang="es"` (or variant) instead.  
[From line 1, column 16 to line 2, column 16](#)  
TYPE html>=><html lang="en">=><head  
For further guidance, consult [Declaring the overall language of a page](#) and [Choosing language tags](#).  
If the HTML checker has misidentified the language of this document, please [file an issue report](#).
- Warning** Consider using the `<h1>` element as a top-level heading only — or else use the `headingoffset` attribute (otherwise, all `<h1>` elements are treated as top-level headings by many screen readers and other tools).  
[From line 13, column 5 to line 13, column 8](#)  
ion">=> <h1>Winten

## INDEX CSS

Ir a: Su Hoja de Estilo validada

### Resultados del Validador CSS del W3C para TextArea (CSS versión 3 + SVG)

**¡Enhorabuena! No error encontrado.**

¡Este documento es [CSS versión 3 + SVG](#) válido!

Puede mostrar este icono en cualquier página que valide para que los usuarios vean que se ha preocupado por crear una página Web interoperable. A continuación se encuentra el XHTML que puede usar para añadir el icono a su página Web:



```
<p>
  <a href="https://jigsaw.w3.org/css-validator/check/referer">
    
  </a>
</p>
```



```
<p>
  <a href="https://jigsaw.w3.org/css-validator/check/referer">
    
  </a>
</p>
```

(cierre la etiqueta img con > en lugar de /> si utiliza HTML <= 4.01)

## ESTILOS CSS

### Resultados del Validador CSS del W3C para TextArea (CSS versión 3 + SVG)

**¡Enhorabuena! No error encontrado.**

¡Este documento es [CSS versión 3 + SVG](#) válido!

Puede mostrar este icono en cualquier página que valide para que los usuarios vean que se ha preocupado por crear una página Web interoperable. A continuación se encuentra el XHTML que puede usar para añadir el icono a su página Web:



```
<p>
  <a href="https://jigsaw.w3.org/css-validator/check/referer">
    
    </a>
  </p>
```



```
<p>
  <a href="https://jigsaw.w3.org/css-validator/check/referer">
    
    </a>
  </p>
```

(cierre la etiqueta img con > en lugar de /> si utiliza HTML <= 4.01)



Interested in "developing" your developer skills? In W3Cx's hands-on Professional Certificate Program, learn how to code the right way by creating Web sites and apps that use the latest