

## Congratulations! You passed!

**Grade received** 100% Latest Submission Grade 100% To pass 70% or higher

Go to next item

1	Which of the following ways of applying CSS has the highest priority, and will override the other ways?	4/4
٠.		1/1 point
	Inline CSS, placed directly in each HTML element	
	Whichever way is specified in the HTML markup	
	An external CSS file  Internal CSS, applied within the " <style>" attribute in HTML markup</td><td></td></tr><tr><td></td><td>The marces, applied within the Styles attribute in HTML markup</td><td></td></tr><tr><td></td><td>Correct Correct. Inline CSS has the highest order of precedence, and will override other styles. Review the "CSS – Styling HTML" video for more details on this.</td><td></td></tr><tr><td>2.</td><td>Select <u>all</u> of the following which are true in describing a fluid and/or fixed layout.</td><td>1 / 1 point</td></tr><tr><td></td><td>Elements in a fluidlayout have flexible widths and heights</td><td></td></tr><tr><td></td><td>Correct Correct. The widths and heights of elements in a fluid layout are flexible and can change. Review the "CSS – Styling HTML" video for more details on this.</td><td></td></tr><tr><td></td><td>Fluid layouts should always be used when designing a website</td><td></td></tr><tr><td></td><td>Fixed layouts are independent of screen sizes, and their values do not change</td><td></td></tr><tr><td></td><td>Correct Correct. Fixed layouts specify the height and width of elements which remain the same regardless of how the website is accessed. Review the "CSS – Styling HTML" video for more details on this.</td><td></td></tr><tr><td></td><td>A fixed layoutspecifies element sizes using percentages</td><td></td></tr><tr><td>3.</td><td>Which of the following tags define a caption for a < fieldset > element?</td><td>1 / 1 point</td></tr><tr><td></td><td>O <title></td><td></td></tr><tr><td></td><td><pre>( <a href="legend"></a></pre></td><td></td></tr><tr><td></td><td>○ <label></td><td></td></tr><tr><td rowspan=2></td><td>O <caption></td><td></td></tr><tr><td>Correct  Correct. The <legend> tag is used to define a caption for a < fieldset > element. Review the "Additional HTML Elements" reading for more details on this.</td><td></td></tr><tr><td></td><td></td><td></td></tr><tr><td>4.</td><td>What is a <i>modifier</i>?</td><td>1 / 1 point</td></tr><tr><td></td><td>A method used to modify CSS styling applied to an HTML element</td><td></td></tr><tr><td></td><td>The term used to refer to a JavaScript class which updates content on a webpage</td><td></td></tr><tr><td></td><td>A type of button which allows you to modify content in a form</td><td></td></tr><tr><td></td><td>A special class modifies the appearance of elements by applying a CSS attribute based on the condition described</td><td></td></tr><tr><td></td><td></td><td></td></tr></tbody></table></style>	

5.	Which semantic tag is used to display any content which is <i>indirectly</i> related to the main content of the document?	1 / 1 point
	Correct Correct. The <aside> tag provides additional information that is related to the main content. Review the "Common HTML5 Tags and Structural Elements" reading for more details on this.</aside>	
6.	Which type of input control would be most apt for selecting heightin a form?  range  tel  list  number	1/1 point
	Correct Correct. Using the `number` type would allow the user to enter any custom number, as well as allow you to set a range/step (e.g. if you only want to allow whole numbers, with a maximum of 2m). Review the "HTML5 Input Element: Attributes for the Input Tag" video for more details on this.	
7.	Which of the following is a disadvantage of a Component Framework?  Download size of HTML markup is increased  HTML markup is more verbose since styles are mixed with content  Components are limited only to what the framework provides  It is more difficult to maintain a uniform style throughout the website  Correct  Correct. Since component frameworks provide you with pre-styled components, you are limited to using these components. Styling anything else requires the use of Vanilla CSS or an additional framework. Review the "CSS Frameworks" video for more details on this.	1/1 point
8.	Which tag is used to represent an independent item of content in a document, which can be meaningful on its own?	1/1 point
	Elements" reading for more details on this.	

Correct. Modifiers are used in utility frameworks, such as Tailwind CSS, to conditionally apply a utility class to an element. Modifiers, which describe the condition you want to target, are added before a class name. Review the "CSS Frameworks" video for more details on this.

**⊘** Correct

<ul> <li><title>&lt;/li&gt;     &lt;li&gt;&lt;label&gt;&lt;/li&gt;     &lt;li&gt;&lt;legend&gt;&lt;/li&gt;     &lt;li&gt;&lt;figcaption&gt;&lt;/li&gt;     &lt;li&gt;Correct         &lt;ul&gt;             &lt;li&gt;Correct. The &lt; figcaption &gt; tag defines the caption for the contents of the &lt; figure &gt; element. Review the "Common HTML5 Tags and Structural Elements" reading for more details on this.&lt;/li&gt;         &lt;/ul&gt;     &lt;/li&gt; &lt;/ul&gt;&lt;/th&gt;&lt;th&gt;&lt;/th&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;10. Which type of input control can be used to accept only numbers in a form?  integer&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;digit number tel&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;Correct Correct. The input type - number takes a numeric value as input. Review the "HTML5 Input Element: Attributes for the Input Tag" video for more details on this.&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;/tr&gt;&lt;/tbody&gt;&lt;/table&gt;</title></li></ul>
--