

Lecture slides by Kevin Wayne
Copyright © 2005 Pearson-Addison Wesley

4. GREEDY ALGORITHMS I

• earliest-start-time-first algorithm demo

Copyright © 2013 Kevin Wayne
http://www.cs.princeton.edu/~wayne/kleinberg-tardos


Last updated on Feb 4, 2015, 5:54 PM

Earliest-start-time-first algorithm demo

Consider lectures in order of start time:

- Assign next lecture to any available classroom (if one exists).
- · Otherwise, open up a new classroom.


no available classroom: open up a new classroom and assign lecture to it



Earliest-start-time-first algorithm demo

Consider lectures in order of start time:

- · Assign next lecture to any available classroom (if one exists).
- Otherwise, open up a new classroom.




Earliest-start-time-first algorithm demo

Consider lectures in order of start time:

- · Assign next lecture to any available classroom (if one exists).
- · Otherwise, open up a new classroom.

no available classroom: open up a new classroom and assign lecture to it




4

Earliest-start-time-first algorithm demo

Consider lectures in order of start time:

- · Assign next lecture to any available classroom (if one exists).
- Otherwise, open up a new classroom.

no available classroom: open up a new classroom and assign lecture to it




Earliest-start-time-first algorithm demo

Consider lectures in order of start time:

- · Assign next lecture to any available classroom (if one exists).
- · Otherwise, open up a new classroom.

lecture e is compatible with classroom 1




Earliest-start-time-first algorithm demo

Consider lectures in order of start time:

- · Assign next lecture to any available classroom (if one exists).
- Otherwise, open up a new classroom.

lecture d is compatible with classrooms 1 and 3




Earliest-start-time-first algorithm demo

Consider lectures in order of start time:

- · Assign next lecture to any available classroom (if one exists).
- · Otherwise, open up a new classroom.

lecture f is compatible with classroom 2 and 3




Earliest-start-time-first algorithm demo

Consider lectures in order of start time:

- Assign next lecture to any available classroom (if one exists).
- Otherwise, open up a new classroom.

lecture g is compatible with classroom 2




Earliest-start-time-first algorithm demo

Consider lectures in order of start time:

- · Assign next lecture to any available classroom (if one exists).
- · Otherwise, open up a new classroom.

lecture j is compatible with classrooms 2 and 3




Earliest-start-time-first algorithm demo

Consider lectures in order of start time:

- · Assign next lecture to any available classroom (if one exists).
- · Otherwise, open up a new classroom.

lecture h is compatible with classroom 3




Earliest-start-time-first algorithm demo

Consider lectures in order of start time:

- Assign next lecture to any available classroom (if one exists).
- · Otherwise, open up a new classroom.

lecture i is compatible with classroom 2




12

Earliest-start-time-first algorithm demo

Consider lectures in order of start time:

- Assign next lecture to any available classroom (if one exists).
- Otherwise, open up a new classroom.

done



13