# **Analysis Report**



#### **Data**

#### Test name:

2019-10\_EXT\_ISGLOBAL\_30\_kits\_OCT

#### Number of devices tested:

30

#### Test dates:

2019-10-01 02:00:00+02:00 - 2019-10-08 02:00:00+02:00

#### Test author(s):

Óscar González - Victor Barberán

#### **Disclaimer**

The methods used in this analysis are subject to the low amount of devices tested, and in general, a *common sense* approach is applied. This means that the plots indicate only trends and highlight some (but not all) potential faulty devices.

Below, the confidence intervals used are those of the normal distribution (meaningful for sample numbers >30) and of the t-student distribution.

Conclusions are derived by analysing the data further and testing the devices for longer periods if needed. Please, also note that statistical significance cannot be inferred from these amounts of devices, so some assumptions for normality have to be accepted. Comments and further discussion are always welcome.

Finally, the individual sensors components integrated in the Smart Citizen hardware have their own accuracies and dispersions, for which Smart Citizen cannot assume any liability other than trying to work with the most appropriate selection. The tests we perform are aimed to determine and assume any failures in the sensors and their integration within the Smart Citizen hardware. For more information, please check the official documentation and the datasheets of each of the sensors.

#### Warnings

All devices show similar amounts of data. No data loss concern

#### **Conclusions**

Three doubious PM sensor was replaced and tested for longer (07/10/2019) - 10167, 10173, 10174

Device 10142 is not replaced (<2% RH error)


#### **Time Series Plots**

Min Date available: 2019-10-01

Max Date available: 2019-10-08

(1/10) - HUM


#### WARNING: Device 10142 out of 5% limit - 30.7% out



#### (2/10) - CCS811\_ECO2

#### Using t-student Distribution


```
WARNING: Device 10141 out of 5% limit - 17.8% out WARNING: Device 10144 out of 5% limit - 5.6% out WARNING: Device 10146 out of 5% limit - 10.4% out WARNING: Device 10149 out of 5% limit - 8.2% out WARNING: Device 10150 out of 5% limit - 10.4% out WARNING: Device 10165 out of 5% limit - 7.6% out WARNING: Device 10173 out of 5% limit - 7.7% out
```



## (3/10) - EXT\_PM\_1


#### Using t-student Distribution

WARNING: Device 10167 out of 5% limit - 13.5% out WARNING: Device 10173 out of 5% limit - 7.1% out



## (4/10) - TEMP


## Using t-student Distribution



## (5/10) - EXT\_PM\_25


#### Using t-student Distribution

WARNING: Device 10167 out of 5% limit - 13.3% out WARNING: Device 10173 out of 5% limit - 6.8% out



## (6/10) - CCS811\_VOCS


```
WARNING: Device 10141 out of 5% limit - 16.0% out WARNING: Device 10146 out of 5% limit - 8.9% out WARNING: Device 10149 out of 5% limit - 5.9% out WARNING: Device 10150 out of 5% limit - 8.3% out WARNING: Device 10165 out of 5% limit - 6.2% out WARNING: Device 10173 out of 5% limit - 6.9% out
```



#### (7/10) - EXT\_PM\_10


Using t-student Distribution

```
WARNING: Device 10167 out of 5% limit - 13.1% out WARNING: Device 10173 out of 5% limit - 6.5% out
```




#### (8/10) - LIGHT

```
WARNING: Device 10141 out of 5% limit - 23.9% out
WARNING: Device 10142 out of 5% limit - 16.9% out
WARNING: Device 10143 out of 5% limit - 9.8% out
WARNING: Device 10145 out of 5% limit - 12.4% out
WARNING: Device 10146 out of 5% limit - 22.6% out
WARNING: Device 10150 out of 5% limit - 18.2% out
WARNING: Device 10161 out of 5% limit - 6.3% out
WARNING: Device 10162 out of 5% limit - 12.4% out
WARNING: Device 10163 out of 5% limit - 10.2% out
WARNING: Device 10164 out of 5% limit - 13.9% out
WARNING: Device 10166 out of 5% limit - 12.3% out
WARNING: Device 10167 out of 5% limit - 10.5% out
WARNING: Device 10169 out of 5% limit - 9.9% out
WARNING: Device 10171 out of 5% limit - 10.0% out
WARNING: Device 10174 out of 5% limit - 9.1% out
WARNING: Device 10175 out of 5% limit - 11.9% out
```



# (9/10) - PRESS


#### Using t-student Distribution



# (10/10) - NOISE\_A

Using t-student Distribution

WARNING: Device 10145 out of 5% limit - 5.8% out



## **Summary**

#### **#\_OK\_DEVICES DISPERSION #\_TBR\_DEVICES**

ним	29	0.97247	1
CCS811_ECO2	23	27.6167	7
EXT_PM_1	28	1.66019	2
TEMP	30	0.321624	0
EXT_PM_25	28	1.93325	2
CCS811_VOCS	24	4.71271	6
EXT_PM_10	28	2.12462	2
LIGHT	14	4.79079	16
PRESS	30	0.0470005	0
NOISE_A	29	0.663889	1
BATT	NaN	NaN	NaN

# **Further testing**


# **Time Series Plots**

Min Date available: 2019-10-08 02:00:00+02:00


Max Date available: None

# (1/10) - CCS811\_ECO2

Using t-student Distribution




# (2/10) - NOISE\_A



## (3/10) - EXT\_PM\_1


Using t-student Distribution

WARNING: Device 10167 out of 5% limit - 8.1% out WARNING: Device 10174 out of 5% limit - 8.1% out




## (4/10) - CCS811\_VOCS

Using t-student Distribution




## (5/10) - EXT\_PM\_25

WARNING: Device 10167 out of 5% limit - 6.5% out WARNING: Device 10174 out of 5% limit - 6.5% out



# (6/10) - TEMP


#### Using t-student Distribution




# (7/10) - LIGHT

#### Using t-student Distribution

WARNING: Device 10167 out of 5% limit - 6.4% out WARNING: Device 10174 out of 5% limit - 6.4% out




#### Using t-student Distribution



## (9/10) - PRESS

#### Using t-student Distribution



## (10/10) - EXT\_PM\_10

#### Using t-student Distribution

WARNING: Device 10167 out of 5% limit - 5.5% out WARNING: Device 10174 out of 5% limit - 5.5% out

