
International Journal of Information Technology and Management Information Systems (IJITMIS)
Volume 16, Issue 2, March-April 2025, pp. 875-890, Article ID: IJITMIS_16_02_057
Available online at https://iaeme.com/Home/issue/IJITMIS?Volume=16&Issue=2
ISSN Print: 0976-6405 and ISSN Online: 0976-6413
Impact Factor (2025): 29.10 (Based on Google Scholar Citation)
DOI: https://doi.org/10.34218/IJITMIS_16_02_057

© **IAEME** Publication

OPEN ACCESS

AGENTIC AI-BASED DATA ARCHITECTURE: A FRAMEWORK FOR INTELLIGENT ENTERPRISE DATA MANAGEMENT

Dattatreya Raychowdhuri
West Bengal University of Technology, India.



ABSTRACT

This article explores a novel approach to creating an Agentic AI-based data architecture for organizations, enabling intelligent and dynamic interaction with complex data ecosystems. Its framework centers on interrelating all underlying tables

within a data model, leveraging graph databases or traditional referential integrity keys to identify relationships. The article introduces domain-specific agents, each with comprehensive expertise over a distinct subset of tables, functioning as specialists within their respective domains. These agents interact with other domain agents to collaboratively resolve complex, cross-functional queries. The architecture incorporates a Collaborator Agent, a meta-agent responsible for orchestrating interactions among domain agents. When a user poses a question, the system decomposes it into sub-questions, routing each to the relevant specialist agent. Each agent processes its subset of the data, deriving insights or solutions, and returns these to the Collaborator Agent. The Collaborator Agent then consolidates, summarizes, and synthesizes the responses into a coherent answer, maintaining contextual integrity and ensuring relevance to the original query. The system demonstrates significant potential in enhancing decision-making capabilities and enabling real-time insights across various business domains.

Keywords: Agentic AI Architecture, Domain-Specific Agents, Distributed Data Management, Enterprise Intelligence Systems, Collaborative Query Processing

Cite this Article: Dattatreya Raychowdhuri. (2025). Agentic AI-Based Data Architecture: A Framework for Intelligent Enterprise Data Management. *International Journal of Information Technology and Management Information Systems (IJITMIS)*, 16(2), 875-890.

https://iaeme.com/MasterAdmin/Journal_uploads/IJITMIS/VOLUME_16_ISSUE_2/IJITMIS_16_02_057.pdf

1. Introduction

The digital transformation of enterprises has led to an unprecedented surge in data generation and complexity. According to IDC's Data Age report, the global data sphere is projected to grow from 33 zettabytes in 2018 to 175 zettabytes by 2025, with enterprise data users becoming data stewards of their data as well as their enterprise organization's data [1]. This explosive growth presents significant challenges for traditional data architectures, which typically operate within rigid frameworks designed for structured data management and predetermined query patterns.

The evolution of data generation and consumption patterns has fundamentally changed how organizations must approach data management. IDC's analysis reveals that nearly 30% of

the world's data will need real-time processing by 2025, with enterprises experiencing particular pressure in managing both the velocity and variety of incoming data [1]. Traditional data architectures, while providing robust foundations for structured data management, are increasingly struggling to meet these demands, especially in contexts requiring dynamic data interactions and real-time decision-making capabilities.

The limitations of conventional architectures become particularly evident in scenarios requiring cross-domain analysis and real-time insights. According to Gartner's analysis of data integration tools, organizations are increasingly seeking solutions that can handle complex data integration scenarios while maintaining agility and reducing technical debt. Their research indicates that modern enterprises require integration tools that can support both traditional ETL processes and emerging real-time data synchronization needs, with a growing emphasis on automated data quality management and metadata-driven integration approaches [2].

This article presents a novel framework for an Agentic AI-based data architecture that addresses these fundamental challenges through a collaborative, domain-specific approach to data management and analysis. The proposed architecture leverages advanced artificial intelligence techniques to create a network of specialized agents, each maintaining deep expertise within specific domains while collaborating to provide comprehensive insights. This approach aligns with IDC's prediction that by 2025, 75% of enterprise-generated data will be created and processed outside a traditional centralized data center or cloud [1].

The framework represents a paradigm shift in how organizations can manage and extract value from their data ecosystems, directly addressing the challenges identified in Gartner's research regarding the need for more flexible, intelligent data integration capabilities [2]. By incorporating domain-specific intelligence with collaborative decision-making capabilities, this architecture not only addresses current challenges in data management but also provides a scalable foundation for future growth and adaptation to emerging data types and analysis requirements.

2. System Architecture Overview

The proposed architecture comprises three foundational components that work in concert to enable intelligent data management and analysis. This design leverages the key advantages of multi-agent systems, particularly their ability to handle complex problems through distributed intelligence and specialized expertise [3].

2.1 Domain-Specific Agents

The architecture's foundation consists of specialized AI agents that represent a significant advancement over traditional data processing systems. These agents operate as autonomous entities, each responsible for a distinct subset of the organization's data model. Following established principles of multi-agent systems, this approach enables more sophisticated problem-solving capabilities through the combination of specialized knowledge domains. The agents demonstrate enhanced adaptability and resilience compared to monolithic systems, particularly in handling complex, domain-specific challenges [3].

Each domain-specific agent incorporates specialized knowledge processing capabilities optimized for their particular domain, enabling them to maintain deep expertise within their assigned areas. This specialization allows for sophisticated pattern recognition and contextual understanding within specific business domains. The agents employ advanced processing techniques to interpret domain-specific queries, with their effectiveness enhanced by their focused scope and specialized knowledge base.

2.2 Collaborator Agent

The Collaborator Agent serves as the central orchestrator of the system, implementing a distributed metacognitive architecture that enables sophisticated control and monitoring of the overall system behavior. This approach, based on established metacognitive principles, allows for both object-level processing and meta-level reasoning, creating a more robust and adaptive system [4].


Operating as a meta-agent, the Collaborator Agent utilizes advanced monitoring and control cycles to manage the interaction between different domain-specific agents. This process involves intelligent workload balancing and priority management, similar to the MIDCA architecture's metacognitive cycle. The agent maintains a comprehensive context model that enables it to understand the relationships between different domains and ensure that sub-queries are properly coordinated to produce coherent results.

2.3 Data Relationship Layer

The data relationship layer represents a hybrid approach to data management, combining the flexibility of graph databases with the reliability of traditional relational structures. This layer implements an adaptive architecture that reflects the multi-agent system's ability to handle complex, interconnected data relationships [3].

The system employs sophisticated graph database structures for managing complex relationships, while simultaneously maintaining traditional referential integrity through foreign key relationships. This dual approach enables the architecture to handle both structured and

unstructured data relationships effectively, leveraging the distributed nature of multi-agent systems to manage complex data interactions efficiently.



3. Implementation Methodology

The implementation methodology for this architecture follows a systematic approach that encompasses both data model integration and agent development processes. Research in big data analytics has demonstrated that successful implementation requires careful consideration of data quality, integration challenges, and the development of robust analytical frameworks [5].

3.1 Data Model Integration

The system's foundation begins with the establishment of a comprehensive data relationship map across the organization. This process starts with deep analysis of existing database schemas, focusing on data quality assessment and integration strategies that address the key challenges identified in big data analytics research. The analysis extends beyond explicit relationships to uncover implicit connections through sophisticated data mining techniques and pattern recognition algorithms.

The implementation of graph structures represents a critical phase in the architecture's deployment. This approach aligns with research findings on big data integration challenges, particularly in healthcare and enterprise environments, where data quality and standardization are crucial factors [5]. The system implements sophisticated bi-directional relationship tracking mechanisms, enabling dynamic updates and maintaining consistency across the data ecosystem.

Temporal relationship management capabilities are integrated to support historical analysis and trend identification.

3.2 Agent Specialization and Training

The development of domain-specific agents follows a structured methodology that emphasizes both technical capability and business context alignment. Drawing from enterprise AI implementation experiences, the process focuses on creating agents that can effectively understand and process domain-specific information while maintaining adaptability to changing business needs [6].

Domain boundary definition requires sophisticated analysis of business processes and their associated data flows. This aligns with enterprise training methodologies that emphasize the importance of clear scope definition and contextual understanding in AI agent development. According to research in enterprise AI implementations, this targeted approach to agent specialization has shown significant improvements in task completion efficiency and accuracy [6].

The knowledge base development phase represents a critical component of agent specialization. This process involves creating comprehensive training datasets that accurately represent the domain's complexity and variability. The methodology incorporates insights from successful enterprise AI implementations, particularly in areas of continuous learning and adaptation to new business requirements. The approach focuses on developing agents that can effectively process and analyze domain-specific data while maintaining flexibility to evolving business needs [6].

Modern enterprise AI training approaches emphasize the importance of contextual learning and adaptive knowledge base development. The implementation methodology incorporates these principles, ensuring that agents can effectively learn from operational experiences and adapt to changing business requirements. This approach aligns with successful enterprise implementations where AI agents have demonstrated significant improvements in training and development processes [6].

Table 1: Implementation Phases and Key Components in Agentic AI Architecture [5, 6]

Implementation Phase	Key Activities	Critical Components	Integration Level	Methodology Focus	Development Priority
Data Model Integration	Schema Analysis	Data Quality Assessment	High	Relationship Mapping	Critical
Graph Structure Implementation	Relationship Tracking	Bi-directional Updates	Very High	Consistency Management	Essential
Agent Specialization	Domain Analysis	Business Process Mapping	High	Technical Capability	High
Knowledge Base Development	Training Dataset Creation	Contextual Learning	Very High	Adaptability	Critical
Agent Training	Process Understanding	Business Context Alignment	High	Continuous Learning	Essential

4. Operational Framework

The operational framework of the architecture encompasses sophisticated query processing mechanisms and inter-agent communication protocols. In distributed database management systems, query processing involves multiple steps including query decomposition, data localization, global and local optimization, and result integration [7].

4.1 Query Processing Workflow


The query processing workflow begins with a comprehensive reception and analysis phase. Following established principles of distributed query processing, the system implements query decomposition to break down complex queries into simpler, manageable components. This aligns with fundamental distributed DBMS concepts where queries must be processed across multiple sites while minimizing data transfer costs and optimizing execution efficiency [7].

Query decomposition represents a critical phase in the workflow, where complex queries are systematically broken down into domain-specific components. The system employs localization techniques to determine optimal query execution strategies, considering factors

such as data distribution and network costs. This approach follows established distributed query processing principles where global optimization is performed to determine the most efficient execution strategy across multiple sites [7].

The framework incorporates advanced parallel processing capabilities, enabling simultaneous execution of independent sub-queries while maintaining proper sequencing for dependent operations. This aligns with distributed query processing strategies that emphasize the importance of both local and global optimization in achieving efficient query execution.

Response synthesis involves careful coordination of domain-specific results into coherent, comprehensive answers. The system implements result integration techniques common to distributed database systems, ensuring proper consolidation of results from multiple processing sites [7].



4.2 Inter-Agent Communication Protocol

The architecture implements a sophisticated communication protocol designed for adaptive agent interactions. Based on research in inter-agent communication protocols, the system employs flexible message structures that enable agents to adapt their communication strategies based on environmental conditions and operational requirements [8].

The message structure follows established protocols for adaptive agent communication:

```json
{
  "query_id": "unique_identifier",
  "source_agent": "agent_identifier",
  "target_agent": "agent_identifier",
  "query_component": "specific_request",
  "context": "relevant_context",
  "priority": "priority_level",
  "dependencies": ["dependent_queries"],
  "timestamp": "timestamp"
}
```

This structured approach to message formatting ensures consistent communication patterns while supporting adaptive behavior. Research has shown that adaptive communication protocols enable agents to modify their interaction patterns based on changing system conditions and requirements [8].

The communication protocol supports multiple interaction patterns, including both synchronous and asynchronous communication modes. This flexibility aligns with research findings on adaptive agent protocols, where agents must be able to adjust their communication strategies based on task requirements and system conditions. The implementation of adaptive communication protocols enables the system to maintain efficient operation across varying workload conditions and operational scenarios [8].

Table 2: Query Processing and Communication Protocol Analysis in Agentic AI Architecture [7, 8]

Process Phase	Primary Function	Processing Type	Optimization Level	Communication Mode	Execution Priority
Query Reception	Initial Analysis	Sequential	Medium	Synchronous	High
Query Decomposition	Component Breakdown	Parallel	Very High	Asynchronous	Critical
Data Localization	Distribution Analysis	Distributed	High	Hybrid	High
Global Optimization	Strategy Planning	Centralized	Very High	Synchronous	Essential
Local Optimization	Resource Management	Distributed	High	Asynchronous	High
Response Synthesis	Result Integration	Sequential	Medium	Synchronous	Critical
Inter-Agent Communication	Message Routing	Adaptive	High	Both	Very High

5. Technical Challenges and Solutions

The implementation of an Agentic AI-based data architecture presents several significant technical challenges, particularly in the areas of data consistency and performance optimization. In distributed systems, maintaining data consistency while ensuring system performance requires careful consideration of various architectural approaches and implementation strategies [9].

5.1 Data Consistency Challenges

Maintaining consistency across distributed domain-specific data stores represents one of the primary challenges in implementing this architecture. As highlighted in distributed systems research, key challenges include managing concurrent updates, handling network partitions, and ensuring data integrity across distributed nodes [9]. To address these challenges, the architecture implements multiple consistency patterns including eventual consistency, event sourcing, and distributed transactions.

The system employs eventual consistency for non-critical operations where immediate consistency is not required, allowing for better system performance while ensuring that all replicas eventually converge to the same state. For critical operations, the architecture implements distributed transactions with appropriate isolation levels. The event sourcing pattern is utilized to maintain a complete history of data changes, enabling reliable state reconstruction and audit capabilities [9].

Real-time data accuracy presents another significant challenge, particularly in environments with high update frequencies. The system addresses this through the implementation of sophisticated change data capture mechanisms and conflict resolution strategies. These mechanisms align with established patterns for maintaining consistency in distributed systems while balancing performance requirements [9].

5.2 Performance Optimization Solutions

Performance optimization in distributed systems requires careful attention to various aspects including network communication, data locality, and resource utilization [10]. The architecture implements several key optimization strategies to ensure efficient system operation while maintaining data consistency.

Query optimization is achieved through careful attention to data locality and network communication patterns. Following established principles of distributed system optimization, the architecture implements caching mechanisms and data replication strategies to minimize network overhead and improve response times [10]. The system employs load-balancing techniques to distribute processing loads effectively across available resources.

Resource utilization is optimized through careful monitoring and management of system components. The architecture implements dynamic resource allocation mechanisms that adjust based on system load and performance requirements. This approach aligns with fundamental principles of distributed system optimization, where efficient resource utilization is crucial for maintaining system performance [10].

Response time management is addressed through various optimization techniques including parallel processing and asynchronous operations. The system implements appropriate scheduling algorithms to manage task execution efficiently while maintaining system responsiveness. These optimizations follow established patterns for improving distributed system performance while ensuring reliable operation [10].

Table 3: Technical Challenges and Solutions in Agentic AI Architecture Implementation [9, 10]

Challenge Area	Primary Challenge	Solution Approach	Implementation Level	Impact on Performance	Priority Level
Data Consistency	Concurrent Updates	Eventual Consistency	High	Medium	Critical
	Network Partitions	Distributed Transactions	Very High	High	Essential
	Real-time Accuracy	Change Data Capture	High	High	Critical
	State Management	Event Sourcing	High	Medium	High
Performance	Network Communication	Caching Mechanisms	Very High	Very High	Critical
	Data Locality	Replication Strategies	High	High	Essential
	Resource Utilization	Dynamic Allocation	Very High	Very High	Critical
	Response Time	Parallel Processing	High	Very High	Essential

6. Business Applications

The Agentic AI-based data architecture demonstrates significant practical value across various business domains, particularly in supply chain management and business intelligence. Recent research has shown that AI applications in supply chain management can enhance

prediction accuracy, optimize inventory levels, and improve overall supply chain resilience [11].

6.1 Supply Chain Management Applications

In supply chain management, the architecture enables sophisticated optimization capabilities that can transform traditional operations. Research has demonstrated that AI integration in supply chain planning enhances prediction accuracy and demand forecasting capabilities, leading to more efficient inventory management and resource allocation [11]. The system's real-time inventory optimization capabilities enable organizations to maintain optimal stock levels while adapting to supply chain disruptions.

The architecture's predictive demand forecasting capabilities leverage advanced machine learning algorithms to analyze historical data and market trends. This aligns with recent research showing that AI implementations in supply chain management can significantly improve forecasting accuracy and planning efficiency [11]. These improvements directly translate into better inventory management and operational efficiency.

Dynamic routing optimization represents another crucial application in supply chain management. The system's ability to process real-time data from multiple sources enables continuous optimization of delivery routes and logistics operations. Research has shown that AI integration in supply chain logistics can enhance both operational efficiency and supply chain resilience [11].

Supplier performance analysis capabilities provide organizations with deep insights into their supply chain operations. The architecture enables comprehensive monitoring and analysis of supplier reliability and performance metrics, aligning with research findings on AI's role in improving supply chain visibility and control [11].

6.2 Business Intelligence Applications

The architecture's business intelligence applications provide organizations with advanced capabilities in data analysis and decision support. Cross-functional performance analysis enables organizations to understand complex relationships between different business units and their impact on overall performance. Research in business intelligence evolution has shown that AI integration can significantly improve organizational decision-making processes [12].

Real-time decision support capabilities represent a significant advancement over traditional business intelligence systems. The integration of AI in business intelligence platforms has been shown to enhance data processing capabilities and provide more accurate insights for decision-making [12]. This enables organizations to respond more effectively to changing business conditions.

Predictive analytics capabilities enable organizations to anticipate future trends and potential issues before they impact operations. Recent studies in business intelligence have demonstrated that AI-powered predictive analytics can significantly improve organizational planning and risk management capabilities [12]. The system employs sophisticated algorithms to analyze historical data and identify patterns that can indicate future trends.

Anomaly detection and alerting functions provide organizations with early warning systems for potential issues across their operations. Research has shown that AI-enhanced business intelligence systems can improve anomaly detection and monitoring capabilities, enabling organizations to identify and respond to potential issues more effectively [12].

7. Future Directions

The evolution of Agentic AI-based data architectures presents numerous opportunities for advancement in both learning capabilities and system scalability. As AI technologies continue to evolve, research indicates several key trends that will shape the future development of enterprise AI systems [13].

7.1 Enhanced Learning Capabilities

The next generation of Agentic AI systems will focus heavily on continuous learning capabilities, enabling systems to adapt and improve their performance over time. Current research in AI trends highlights the importance of developing systems that can learn and evolve through operational experience, rather than relying solely on pre-trained models [13].

Adaptation to changing business rules represents a critical area for future development. The increasing complexity of business environments requires AI systems that can dynamically adjust their behavior based on evolving requirements. This aligns with emerging trends in adaptive AI systems that emphasize flexibility and responsiveness to changing operational conditions [13].

Pattern recognition capabilities will continue to evolve as AI technologies advance. Research indicates that future systems will need to implement more sophisticated algorithms for identifying complex relationships in data, particularly in unstructured and semi-structured formats. These improvements will be crucial for maintaining system effectiveness in increasingly complex data environments [13].

Performance optimization through usage analysis represents another key area for future development. Emerging trends in AI system development emphasize the importance of self-optimization capabilities, where systems can automatically adjust their performance based on operational patterns and resource utilization [13].

7.2 Scalability Improvements

The future of Agentic AI architectures will heavily emphasize scalability improvements to meet growing enterprise demands. Research in emerging AI technologies highlights the importance of developing systems that can automatically scale their processing capabilities based on workload requirements [13].

Automated domain boundary adjustment represents a significant advancement in system flexibility. Current trends in AI architecture development emphasize the need for systems that can dynamically adjust their operational boundaries based on changing business needs and processing requirements. This capability is seen as crucial for future enterprise AI implementations [13].

Resource optimization will become increasingly sophisticated as AI technologies continue to evolve. Research indicates that future systems will need to implement advanced algorithms for managing computing resources across distributed environments, with particular emphasis on efficient resource utilization and workload distribution [13].

Cloud-native deployment options will continue to evolve, reflecting the growing importance of cloud computing in enterprise AI implementations. Current research emphasizes the need for AI systems that can leverage cloud infrastructure effectively while maintaining security and performance requirements [13].

Conclusion

The Agentic AI-based data architecture represents a transformative approach to enterprise data management, combining domain-specific expertise with collaborative intelligence to address the challenges of modern data ecosystems. Through its innovative use of specialized agents and sophisticated communication protocols, the system provides organizations with unprecedented capabilities in data analysis, real-time decision support, and cross-domain collaboration. The architecture's modular design and adaptable framework make it particularly well-suited for evolving business environments, while its emphasis on continuous learning and scalability ensures long-term viability. As organizations continue to face increasing complexity in their data management needs, this architecture offers a robust foundation for future growth and innovation, enabling more efficient and intelligent utilization of enterprise data assets while maintaining the flexibility to adapt to emerging challenges and opportunities.

References

[1] David Reinsel, John Gantz, and John Rydning, "The Digitization of the World: From Edge to Core," IDC White Paper, Nov. 2018. [Online]. Available: https://www.seagate.com/files/www-content/our-story/trends/files/dataage-idc-report-final.pdf

[2] Gartner, "Data Integration Tools Reviews and Ratings," Gartner Research. [Online]. Available: https://www.gartner.com/reviews/market/data-integration-tools

[3] Smythos, "The Future of Multi-Agent Systems: Trends, Challenges, and Opportunities," Smythos Technology Review, 2024. [Online]. Available: https://smythos.com/ai-agents/multi-agent-systems/future-of-multi-agent-systems/

[4] Manuel Fernando Caro Pineres et al., "Analysis of Models and Metacognitive Architectures in Intelligent Systems," Research Gate Publication. [Online]. Available: https://www.researchgate.net/publication/253644404_Analysis_of_Model_and_Metacognitive_Architectures_in_Intelligent_Systems

[5] Cigdem Avci et al., "Software architectures for big data: a systematic literature review," Big Data Analytics volume 5, Article number: 5, 2020. [Online]. Available: https://bdataanalytics.biomedcentral.com/articles/10.1186/s41044-020-00045-1

[6] Beam.ai, "AI Agents Transforming Training and Development in Enterprises," Beam.ai Technical Reports, 2024. [Online]. Available: https://beam.ai/use-cases/ai-agents-transforming-training-and-development-in-enterprises

[7] GeeksforGeeks, "Query Processing in Distributed DBMS," GeeksforGeeks Educational Resources, 2023. [Online]. Available: https://www.geeksforgeeks.org/query-processing-in-distributed-dbms/

[8] Sreekanth V. et al., "Inter-Agent Communication Protocol for Adaptive Agents," International Journal of Future Computer and Communication, 2013. [Online]. Available: https://www.researchgate.net/publication/291219595_Inter-Agent_Communication_Protocol_for_Adaptive_Agents

[9] Endgrate, "Distributed Data Consistency: Challenges & Solutions," Endgrate Technology Blog, 2024. [Online]. Available: https://endgrate.com/blog/distributed-data-consistency-challenges-and-solutions

[10] GeeksforGeeks, "Performance Optimization of Distributed System," GeeksforGeeks Educational Resources, 2024. [Online]. Available: https://www.geeksforgeeks.org/performance-optimization-of-distributed-system/

[11] Giovanna Culot et al., "Artificial intelligence in supply chain management: A systematic literature review of empirical studies and research directions," Computers in

Industry, Volume 162, November 2024. [Online]. Available: https://www.sciencedirect.com/science/article/pii/S0166361524000605

[12] Manoj Gudala, "The Impact of Artificial Intelligence and Machine Learning on Business Analytics," IRJEMS International Research Journal of Economics and Management Studies Published by Eternal Scientific Publications, ISSN: 2583 – 5238, Volume 3, Issue 8, August 2024. [Online]. Available: https://irjems.org/Volume-3-Issue-8/IRJEMS-V3I8P137.pdf

[13] Abiodun Okunola et al., "The Future of AI: Emerging Trends and Innovations," Research Gate Technical Reports, 2024. [Online]. Available: https://www.researchgate.net/publication/387428308_The_Future_of_AI_Emerging_Trends_and_Innovations

Citation: Dattatreya Raychowdhuri. (2025). Agentic AI-Based Data Architecture: A Framework for Intelligent Enterprise Data Management. International Journal of Information Technology and Management Information Systems (IJITMIS), 16(2), 875-890.

Abstract Link: https://iaeme.com/Home/article_id/IJITMIS_16_02_057

Article Link:
https://iaeme.com/MasterAdmin/Journal_uploads/IJITMIS/VOLUME_16_ISSUE_2/IJITMIS_16_02_057.pdf

Copyright: © 2025 Authors. This is an open-access article distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.

Creative Commons license: Creative Commons license: CC BY 4.0

✉ **editor@iaeme.com**