IJAIAP

INTERNATIONAL JOURNAL OF

ARTIFICIAL INTELLIGENCE & APPLICATIONS

Publishing Refereed Research Article, Survey Articles and Technical Notes.

Journal ID: 4867-9994



IAEME Publication
Chennai, India
editor@iaeme.com/ iaemedu@gmail.com

https://iaeme.com/Home/journal/IJAIAP

International Journal of Artificial Intelligence & Applications (IJAIAP)
Volume 4, Issue 1, January-June 2025, pp. 41-54, Article ID: IJAIAP_04_01_003
Available online at https://iaeme.com/Home/issue/IJAIAP?Volume=4&Issue=1
Impact Factor (2025): 11.50 (Based on Google Scholar Citation)
Journal ID: 4867-9994; DOI: https://doi.org/10.34218/IJAIAP_04_01_003





OPEN ACCESS

© IAEME Publication

ENTERPRISE AGENTIC AI ARCHITECTURE- AN ARCHITECTURE FOR CONNECTING KNOWLEDGE, REASONING, ACTION AND MONETIZATION

Piyush Anandani
United States

ABSTRACT

Enterprise agentic AI represents the next evolution of artificial intelligence in business. Unlike traditional chatbots that primarily answer questions, agentic AI systems are designed to understand enterprise context, reason across business processes, execute governed actions, and continuously improve business outcomes. This requires more than placing a large language model on top of corporate data. It requires a multi-layer enterprise architecture that connects data, knowledge, retrieval, reasoning, orchestration, tools, governance, observability, learning, and monetization.

This white paper presents a reference architecture for enterprise agentic AI. It explains how organizations can move from isolated AI experimentation to scalable, governed, and commercially valuable AI execution. The paper also highlights the strategic role of subscription and monetization platforms in converting AI usage, automation, and business outcomes into measurable economic value. In the AI era, enterprise architecture must not only support intelligence creation; it must also support trusted execution and profitable monetization.

Kwywords: Agentic Artificial Intelligence, Enterprise AI Architecture, AI Monetization Platforms, Intelligent Workflow Orchestration, Governed AI Systems

Cite this Article: Piyush Anandani. (2025). Enterprise Agentic AI Architecture-An Architecture for Connecting Knowledge, Reasoning, Action and Monetization. International Journal of Artificial Intelligence & Applications (IJAIAP), 4(1), 41-54. DOI: https://doi.org/10.34218/IJAIAP_04_01_003


INTRODUCTION: FROM KNOWLEDGE LAYER TO AUTONOMOUS BUSINESS EXECUTION

Enterprise agentic AI should not be designed as a chatbot sitting on top of corporate data. That is too narrow. A true enterprise agentic AI architecture is a **multi-layer intelligence architecture** that connects business knowledge, data understanding, reasoning, workflow execution, governance, security, and enterprise systems.

The goal is not only to answer questions. The goal is to enable AI agents to **understand enterprise context, reason across business processes, take governed actions, and continuously improve outcomes.**

A mature architecture can be thought of as a stack with several layers.

Reference Architecture: Enterprise Agentic AI Stack



1. Enterprise Data and System Foundation

The first layer is the existing enterprise landscape. This includes ERP systems, CRM, data warehouses, data lakes, product systems, billing systems, contract systems, customer support platforms, HR systems, supply chain platforms, observability tools, documents, emails, tickets, and operational logs.

In a real enterprise, data is not clean, consistent, or centralized. It lives across SAP, Salesforce, ServiceNow, Snowflake, Databricks, Oracle, Workday, SharePoint, Jira, Confluence, telemetry platforms, and many custom applications.

For agentic AI, this layer matters because agents cannot act intelligently if they do not know where business truth resides. The architecture must clearly identify:

- systems of record,
- systems of engagement,
- systems of intelligence,
- master data sources,
- operational event sources,
- and transactional execution systems.

This layer answers the question: **Where does enterprise truth live?**

2. Knowledge and Semantic Understanding Layer

Before LLMs can be useful in an enterprise, they need a structured understanding of the business. This is not just raw data access. It is a **knowledge layer** that explains what the data means.

This layer should understand:

- enterprise tables,
- fields,
- relationships,
- business entities,
- process flows,
- KPIs,
- policies,

- contracts,
- product hierarchies,
- customer hierarchies,
- pricing structures,
- billing rules,
- revenue rules,
- entitlement rules,
- and operational dependencies.

For example, in a subscription business, the knowledge layer should understand that a customer contract connects to a subscription, a subscription connects to entitlements, entitlements connect to usage, usage connects to rating, rating connects to billing, billing connects to invoicing, and invoicing connects to revenue and collections.

Without this semantic understanding, an AI agent may retrieve data but fail to interpret it correctly.

This layer usually includes:

Metadata catalog: Defines tables, columns, owners, sensitivity, lineage, and quality.

Business glossary: Defines enterprise terms such as ARR, churn, active subscription, consumption, entitlement, renewal, usage, gross margin, SLA, and customer health.

Semantic model: Maps technical data objects to business concepts.

Knowledge graph: Connects entities such as customer, product, contract, asset, subscription, invoice, entitlement, service request, and usage event.

Policy and rule repository: Stores business rules, compliance rules, pricing rules, approval thresholds, and operational constraints.

Document intelligence: Converts policies, contracts, SOPs, architecture documents, and support articles into searchable and governable knowledge.

This layer answers the question: **What does the enterprise data mean?**

3. Data Access, Retrieval, and Context Layer

Once the knowledge layer exists, the next layer provides controlled access to the right information at the right time.

This is where retrieval-augmented generation, or RAG, becomes important. But enterprise RAG should be more than searching documents. It should retrieve context from multiple sources:

- structured databases,
- APIs,
- vector databases,
- knowledge graphs,
- documents,
- application logs,
- event streams,
- analytics models,
- and historical decisions.

For example, if a sales operations agent is asked why a customer invoice is incorrect, it may need to retrieve the contract, pricing condition, usage records, entitlement details, billing document, invoice history, recent change request, and support ticket.

The retrieval layer should include:

- vector search,
- semantic search,
- SQL generation with safeguards,
- API retrieval,
- graph traversal,
- data lineage lookup,
- role-based filtering,
- and source citation.

This layer is also where access control becomes critical. The agent should not retrieve information simply because it exists. It should retrieve only what the user and agent are authorized to access.

This layer answers the question: **What context does the agent need right now?**

4. Model and Reasoning Layer

This is where LLMs and other AI models operate.

In enterprise architecture, this should not be limited to one model. A mature architecture will use a **model portfolio**:

- large language models for reasoning and language understanding,
- smaller domain-specific models for cost-efficient execution,
- embedding models for retrieval,
- classification models for routing,
- forecasting models for planning,
- optimization models for decision support,
- and anomaly detection models for monitoring.

The LLM should sit on top of the enterprise knowledge and retrieval layers. It should not operate blindly. Its role is to reason over curated context, interpret user intent, generate plans, call tools, and explain decisions.

This layer should support:

- prompt orchestration,
- model routing,
- multi-model selection,
- fine-tuning where appropriate,
- grounding with enterprise context,
- chain-of-thought protection,
- response validation,
- hallucination reduction,
- and cost optimization.

For highly regulated or critical business processes, the model should not make final decisions without guardrails. It should recommend, validate, escalate, or execute only within approved boundaries.

This layer answers the question: **How does the agent reason over enterprise context?**

5. Agent Orchestration Layer This is the heart of agentic AI.

A chatbot answers. An agent plans and acts.

The agent orchestration layer takes user intent or system events and breaks them into goals, tasks, decisions, and actions. It coordinates multiple agents, tools, workflows, approvals, and enterprise systems.

A mature enterprise may have specialized agents, such as:

- customer support agent,
- sales operations agent,
- finance agent,
- billing agent,
- revenue assurance agent,
- IT operations agent,
- HR agent,
- procurement agent,
- security agent,
- and data engineering agent.

Each agent should have a defined role, scope, permissions, tools, and escalation path. Agents should not be generic superusers. They should be designed like digital workers with specific responsibilities.

The orchestration layer should include:

- intent detection,
- task planning,
- agent routing,
- multi-agent collaboration,
- memory management,
- tool selection,
- workflow state management,
- exception handling,
- approval routing,

- human-in-the-loop controls,
- and audit logging.

For example, a billing agent may detect abnormal usage charges, retrieve contract terms, compare rated usage against entitlement, identify a pricing mismatch, prepare a correction recommendation, and route it to finance for approval before posting an adjustment.

This layer answers the question: **What should the agent do, in what order, and under what controls?**

6. Tool, API, and Action Layer

Agents become valuable when they can take action. But enterprise action must be governed.

This layer connects agents to enterprise systems through APIs, workflow engines, robotic process automation, event platforms, and integration middleware.

Actions may include:

- creating a ticket,
- updating a CRM record,
- generating a quote,
- triggering a billing correction,
- opening a change request,
- creating a purchase requisition,
- sending a customer communication,
- updating a knowledge article,
- reconciling usage data,
- or initiating an approval workflow.

The architecture should distinguish between:

Read actions: retrieve data, search documents, query systems.

Recommend actions: propose a decision or next step.

Prepare actions: draft a transaction but do not submit it.

Execute actions: update systems or trigger workflows.

Autonomous actions: execute within approved policy boundaries without manual review.

This progression is important because not every process should start with full autonomy. Enterprises should mature from assistive AI to supervised AI to semi-autonomous AI to fully autonomous AI.

This layer answers the question: **What enterprise actions can the agent safely perform?**

7. Governance, Risk, and Compliance Layer

Governance cannot be added later. It must be embedded across the architecture.

Enterprise agentic AI introduces new risks:

- unauthorized data access,
- hallucinated recommendations,
- incorrect transactions,
- biased decisions,
- regulatory exposure,
- poor explainability,
- data leakage,
- runaway automation,
- and unclear accountability.

The governance layer should include:

- identity and access management,
- role-based and attribute-based access control,
- data masking,
- policy enforcement,
- model risk management,
- approval workflows,
- audit trails,
- explainability,
- prompt and response logging,
- toxicity and safety filters,
- regulatory controls,

- and segregation of duties.

In finance, billing, legal, HR, and security processes, this layer is especially important. An agent should not be allowed to approve its own action, bypass controls, or make irreversible changes without appropriate authorization.

This layer answers the question: **Can the enterprise trust what the agent sees, says, and does?**

8. Observability and Performance Layer

Agentic AI must be observable like any mission-critical enterprise system.

Traditional application monitoring is not enough. Enterprises must monitor both technical and business performance. Key metrics include:

- response accuracy,
- retrieval quality,
- hallucination rate,
- task completion rate,
- exception rate,
- approval rate,
- automation success rate,
- cost per task,
- token consumption,
- latency,
- model usage,
- business value delivered,
- revenue impact,
- productivity savings,
- customer satisfaction,
- and risk incidents.

For agentic AI, observability should also track:

- which data sources were used,
- which tools were called,

- what decision path was followed,
- whether human approval was required,
- and whether the final action was successful.

This layer enables continuous improvement. It helps enterprises identify which agents are delivering value, where they fail, where prompts need improvement, where data quality is weak, and where business processes need redesign.

This layer answers the question: **Is the agent reliable, efficient, and delivering measurable value?**

9. Continuous Learning and Feedback Layer

Enterprise agents should improve over time, but not in an uncontrolled way.

The feedback layer captures outcomes, user corrections, approval decisions, exceptions, and business results. This data can improve prompts, retrieval logic, knowledge graphs, policies, and model selection.

For example, if finance users repeatedly correct an agent's interpretation of a pricing rule, that feedback should update the knowledge layer or rule repository. If a support agent frequently fails on a certain product issue, the knowledge base may need enrichment. If an automation creates too many exceptions, the workflow should be redesigned.

This layer should include:

- user feedback,
- expert review,
- reinforcement from approved outcomes,
- prompt improvement,
- retrieval tuning,
- knowledge refresh,
- model evaluation,
- and controlled release management.

The key is governance. Enterprises should avoid uncontrolled self-learning in critical systems. Learning should be curated, tested, approved, and deployed through proper change management.

This layer answers the question: **How does the agent become better without becoming risky?**

10. Monetization and Subscription Platform Layer

For enterprise AI providers, this layer is strategic.

If the agentic AI platform is commercialized externally or internally through chargeback/showback, the architecture needs a monetization layer. This layer captures AI consumption and converts it into pricing, billing, and profitability insights.

It should track:

- agent executions,
- tokens consumed,
- API calls,
- workflow automations,
- GPU-hours,
- model usage,
- data processed,
- business outcomes,
- revenue influenced,
- and service-level consumption.

Advanced subscription platforms can then support pricing models such as:

- usage-based pricing,
- reserved capacity,
- burst pricing,
- outcome-based pricing,
- revenue-based pricing,
- tiered subscriptions,
- and enterprise bundles.

This is where systems like SAP BRIM, or similar monetization platforms, become highly relevant.

They can help capture high-volume events, mediate usage, rate consumption, apply contract terms, generate invoices, support revenue recognition, and provide margin visibility.

This layer answers the question: How does agentic AI become profitable and commercially scalable?

Example: Agentic AI in Subscription Billing A powerful example is subscription billing.

A customer complains that the invoice is too high. The AI agent receives the issue and begins analysis.

It retrieves the customer contract, subscription details, entitlement limits, usage events, pricing rules, rated charges, invoice history, and recent change requests. It compares actual usage against committed capacity. It identifies that the customer exceeded the reserved usage threshold and was charged burst pricing. It also detects that a negotiated discount was not applied to overage charges.

The agent explains the variance, calculates the corrected amount, prepares an adjustment, routes it for approval, updates the case, and creates a recommendation to improve the pricing rule configuration.

This example shows the full architecture working together:

- knowledge layer understands contracts, usage, pricing, and billing,
- retrieval layer gathers relevant evidence,
- LLM reasons across the issue,
- agent orchestration creates a task plan,
- tool layer prepares the adjustment,
- governance layer requires approval,
- observability layer tracks the outcome,
- monetization layer protects revenue accuracy.

This is the difference between AI that answers questions and AI that runs enterprise operations.

Strategic Conclusion

Enterprise agentic AI will not be successful if it is built as a thin LLM layer on top of disconnected systems. It requires a strong architecture that begins with enterprise knowledge and ends with governed business execution.

The knowledge layer gives AI business understanding. The retrieval layer gives it context. The model layer gives it reasoning. The orchestration layer gives it agency. The tool layer gives it action. The governance layer gives it trust. The observability layer gives it accountability. The monetization layer gives it commercial scalability.

The future enterprise AI platform will not be measured only by how well it responds to prompts. It will be measured by how well it understands the business, improves decisions, executes safely, learns continuously, and creates measurable economic value.
That is the architecture required to move from infrastructure to intelligence.

Citation: Piyush Anandani. (2025). Enterprise Agentic AI Architecture-An Architecture for Connecting Knowledge, Reasoning, Action and Monetization. International Journal of Artificial Intelligence & Applications (IJAIAP), 4(1), 41-54.

Abstract Link: https://iaeme.com/Home/article_id/IJAIAP_04_01_003

Article Link:
https://iaeme.com/MasterAdmin/Journal_uploads/IJAIAP/VOLUME_4_ISSUE_1/IJAIAP_04_01_003.pdf

Copyright: © 2025 Authors. This is an open-access article distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.

Creative Commons license: Creative Commons license: CC BY 4.0

✉ **editor@iaeme.com**