

MATH 122
EXAM 03

BLAKE FARMAN
UNIVERSITY OF SOUTH CAROLINA

Answer the questions in the spaces provided on the question sheets and turn them in at the end of the class period. If you require extra space, use the back of the page and indicate that you have done so.

Unless otherwise stated, all supporting work is required. Unsupported or otherwise mysterious answers will **not receive credit**. You may use a calculator **without a CAS** if you like, but a calculator is not necessary. By writing your name on the line below, you acknowledge that you have read and understand these directions.

Name: _____

Definitions	Points Earned	Points Possible	Problems	Points Earned	Points Possible
1		6	1		20
2		4	2		12
3		5	3		8
4		5	4		15
5		5	5		20
Subtotal		25	Subtotal		75
			Total		100

Date: April 13, 2017.

1. DEFINITIONS

1 (6 Points). If $F'(t)$ is a continuous function on the interval $[a, b]$, then

$$\int_a^b F'(t) dt = \underline{\hspace{10cm}}$$

2 (4 Points). Assume that $\int f(x) dx$ and $\int g(x) dx$ exist.

(a)

$$\int f(x) \pm g(x) dx = \underline{\hspace{10cm}}$$

(b) Let a be a number.

$$\int a f(x) dx = \underline{\hspace{10cm}}$$

3 (5 Points). Let $n \neq 1$ be a fixed number.

$$\int x^n dx = \underline{\hspace{10cm}}$$

4 (5 Points).

$$\int e^x dx = \underline{\hspace{10cm}}$$

5 (5 Points).

$$\int \frac{1}{x} dx = \underline{\hspace{10cm}}$$

2. PROBLEMS

1 (20 Points). Compute the following indefinite integrals:

(a) $\int 7 \, dx$

(b) $\int 10x + 2 \, dx$

(c) $\int 36x^2 + 26x \, dx$

(d) $\int x^2 \, dx$

(e) $\int \frac{1}{\sqrt{x}} \, dx$

2 (12 Points). Compute the following indefinite integrals.

(a) $\int 25(x + 7)^{24} dx$

(b) $\int (x + 2)e^{\frac{1}{2}x^2 + 2x + 1} dx$


(c) $\int \frac{4x}{2x^2 + 7} dx$

3 (8 Points). Compute the following indefinite integrals.

(a) $\int \frac{x}{\sqrt{x^2 + 1}} dx$

(b) $\int 30e^{5x} - 2xe^{-x^2} dx$

4 (15 Points). Consider the function f given by the graph



with marked points given by the table

x	0	1	2	3	5	7
$f(x)$	2	0	1	1	2	2

Compute $\int_0^7 f(x) \, dx$.

5 (20 Points). Find the **total** area between the graph of x^3 and the x -axis, between $x = -2$ and $x = 2$. That is, find the area of the shaded region below:

