

## Exp4

| smtp |               |           |             |           |        |                                                                                          |
|------|---------------|-----------|-------------|-----------|--------|------------------------------------------------------------------------------------------|
| No.  | Time          | Source    | Destination | Protocol  | Length | Info                                                                                     |
| 4    | 0.000206796   | 127.0.0.1 | 127.0.0.1   | SMTP      | 111    | S: 220 sjcet-H81M-H-M-2 ESMTP Postfix (Ubuntu)                                           |
| 6    | 14.872651768  | 127.0.0.1 | 127.0.0.1   | SMTP      | 82     | C: EHLO localhost                                                                        |
| 8    | 14.872735842  | 127.0.0.1 | 127.0.0.1   | SMTP      | 233    | S: 250-sjcet-H81M-H-M-2   PIPELINING   SIZE 10240000   VRFY   ETRN   STARTTLS   ENHANCED |
| 10   | 44.729109733  | 127.0.0.1 | 127.0.0.1   | SMTP      | 98     | C: MAIL FROM:<sender@example.com>                                                        |
| 11   | 44.729223198  | 127.0.0.1 | 127.0.0.1   | SMTP      | 80     | S: 250 2.1.0 Ok                                                                          |
| 13   | 68.968245879  | 127.0.0.1 | 127.0.0.1   | SMTP      | 98     | C: RCPT TO:<receiver@example.com>                                                        |
| 14   | 68.977160456  | 127.0.0.1 | 127.0.0.1   | SMTP      | 80     | S: 250 2.1.5 Ok                                                                          |
| 16   | 75.153056709  | 127.0.0.1 | 127.0.0.1   | SMTP      | 72     | C: DATA                                                                                  |
| 17   | 75.153219426  | 127.0.0.1 | 127.0.0.1   | SMTP      | 103    | S: 354 End data with <CR><LF>.<CR><LF>                                                   |
| 19   | 96.826105932  | 127.0.0.1 | 127.0.0.1   | SMTP      | 92     | C: DATA fragment, 26 bytes                                                               |
| 21   | 122.280399362 | 127.0.0.1 | 127.0.0.1   | SMTP      | 92     | C: DATA fragment, 26 bytes                                                               |
| 23   | 136.910674985 | 127.0.0.1 | 127.0.0.1   | SMTP      | 81     | C: DATA fragment, 15 bytes                                                               |
| 25   | 138.166708897 | 127.0.0.1 | 127.0.0.1   | SMTP      | 68     | C: DATA fragment, 2 bytes                                                                |
| 27   | 152.313741969 | 127.0.0.1 | 127.0.0.1   | SMTP      | 84     | C: DATA fragment, 18 bytes                                                               |
| 29   | 159.359624368 | 127.0.0.1 | 127.0.0.1   | SMTP/IMAP | 69     | From: sender@example.com, subject: Test, , Hello from SMTP!                              |
| 31   | 159.363116489 | 127.0.0.1 | 127.0.0.1   | SMTP      | 103    | S: 250 2.0.0 Ok: queued as 19DA51C0B71                                                   |
| 37   | 166.993415386 | 127.0.0.1 | 127.0.0.1   | SMTP      | 72     | C: QUIT                                                                                  |
| 38   | 166.993724270 | 127.0.0.1 | 127.0.0.1   | SMTP      | 81     | S: 221 2.0.0 Bye                                                                         |

...0 0000 0000 0000 = Fragment Offset: 0

Time to Live: 64

Protocol: TCP (6)

Header Checksum: 0x1db0 [validation disabled]

[Header checksum status: Unverified]

Source Address: 127.0.0.1

Destination Address: 127.0.0.1

Transmission Control Protocol, Src Port: 58690, Dst Port: 25, Seq: 174, Ack: 278, Len: 3

Source Port: 58690

Destination Port: 25

[Stream index: 0]

[Conversation completeness: Complete WITH DATA (31)]

0000 40 72 0f 6d 3a 20 73 65 6e 64 05 72 48 65 78 61 From: se nder@exa  
0010 6d 70 6c 65 2e 63 6f 6d 0d 0a 54 6f 3a 20 72 65 mple.com .To: re  
0020 63 65 69 76 65 72 40 65 79 61 6d 70 6c 65 2e 63 ceiver@e xample.c  
0030 6f 6d 0d 0a 53 75 62 6a 65 63 74 3a 20 54 65 73 om..Subj ect: Tes  
0040 74 0d 0a 0d 0a 48 65 6c 6c 6f 20 66 72 6f 6d 28 t...Hel lo from

Options: (12 bytes), No-Operation (NOP), No-Operation (NOP), Timestamps

TCP Option - No-Operation (NOP)

TCP Option - No-Operation (NOP)

TCP Option - Timestamps: TSval 1748584741, TSecr 1748577696

[Timestamps]

[Time since first frame in this TCP stream: 159.359624368 seconds]

[Time since previous frame in this TCP stream: 7.045848970 seconds]

[SEQ/ACK analysis]

[IRTT: 0.000030879 seconds]

[Bytes in flight: 3]

[Bytes sent since last PSH flag: 3]

TCP payload (3 bytes)

Simple Mail Transfer Protocol

Internet Message Format

From: sender@example.com, 1 item

To: receiver@example.com, 1 item

Subject: Test

Message-Text

Hello from SMTP!

0000 00 00 00 00 00 00 00 00 00 00 00 00 45 10 .....E.  
0010 00 37 1e ff 40 00 40 06 1d b0 7f 00 00 01 7f 00 .7..@.....  
0020 00 01 e5 42 00 19 3e 72 61 d6 f9 de 6d de 80 18 ...B-->r a...m..  
0030 02 00 fe 2b 00 00 01 01 08 0a 68 39 49 25 68 39 .....h9IXn  
0040 2d a6 2e 0d 0a -4...

```
sjcet@sjcet-H81M-H-M-2:~$ telnet localhost 25
Trying 127.0.0.1...
Connected to localhost.
Escape character is '^J'.
220 sjcet-H81M-H-M-2 ESMTP Postfix (Ubuntu)
EHLO localhost
250-sjcet-H81M-H-M-2
250-PIPELINING
250-SIZE 10240000
250-VRFY
250-ETRN
250-STARTTLS
250-ENHANCEDSTATUSCODES
250-8BITMIME
250-DSN
250-SMTPUTF8
250 CHUNKING
MAIL FROM:<sender@example.com>
250 2.1.0 Ok
RCPT TO:<receiver@example.com>
250 2.1.5 Ok
DATA
354 End data with <CR><LF>.<CR><LF>
From: sender@example.com
To: receiver@example.com
Subject: Test

Hello from SMTP!
.
250 2.0.0 Ok: queued as 19DA51C0B71
QUIT
221 2.0.0 Bye
Connection closed by foreign host.
sjcet@sjcet-H81M-H-M-2:~$
```