

EXPERIMENT : 5

```
CREATE TABLE Customer_24(CustomerID int primary key , CustomerName varchar(30), ContactNo int, Address varchar(30), City varchar(60), PostalCode int, Country varchar(30));
```

```
DESC Customer_24;
```

```
-----
table CUSTOMER_24 created.
DESC Customer_24
Name          Null          Type
-----
CUSTOMERID    NOT NULL    NUMBER(38)
CUSTOMERNAME                VARCHAR2(30)
CONTACTNO                NUMBER(38)
ADDRESS                VARCHAR2(30)
CITY                VARCHAR2(60)
POSTALCODE                NUMBER(38)
COUNTRY                VARCHAR2(30)
```

```
CREATE TABLE Emp_24(EmployeeID int primary key, LastName varchar(30), FirstName varchar(30), DOB date, Photo varchar(50));
```

```
desc Emp_24;
```

```
table EMP_24 created.
desc Emp_24
Name          Null          Type
-----
EMPLOYEEID    NOT NULL    NUMBER(38)
LASTNAME                VARCHAR2(30)
FIRSTNAME                VARCHAR2(30)
DOB                DATE
PHOTO                VARCHAR2(50)
```

```
create table Orders__24(OrderID int primary key, CustomerID int,foreign key(CustomerID)
references Customer__24, EmployeeID int, foreign key(EmployeeID) references Emp_24 , OrderDate
varchar(30), ShipperID int);
```

```
desc Orders__24;
```

```
table ORDERS__24 created.
desc Orders__24
Name          Null      Type
-----
ORDERID       NOT NULL  NUMBER(38)
CUSTOMERID                    NUMBER(38)
EMPLOYEEID                    NUMBER(38)
ORDERDATE                    VARCHAR2(30)
SHIPPERID                    NUMBER(38)
```

```
INSERT INTO Customer values(1, 'Arun', 9876543210, 'MG Road','kottayam', 686001, 'India');
```

```
INSERT INTO Customer values(2, 'Neena ', 9496228192, 'Disney','Kollam', 686002, 'India');
```

```
insert into Customer values(3,'Rahul',9234567819,'MG Road','Thrissur',686003,'India');
```

```
insert into Customer values(4,'Anju',9765432189,'SM street','kottayam',686004,'USA');
```

```
insert into Customer values(5,'Ammu',0654321987,'MG Road','kochi',686005,'India');
```

```
select * from customer;
```

	CUSTOMERID	CUSTOMERNAME	CONTACTNO	ADDRESS	CITY	POSTALCODE	COUNTRY
1	1	Arun	9876543210	MG Road	kottayam	686001	India
2	2	Neena	9496228192	Disney	Kollam	686002	India
3	3	Rahul	9234567819	MG Road	Thrissur	686003	India
4	4	Anju	9765432189	SM street	kottayam	686004	USA
5	5	Ammu	654321987	MG Road	kochi	686005	India

```
insert into Employee_24 values (101, 'Tony', 'Ann', '15/06/1985', 'ann.jpg');
```

```
insert into Employee_24 values(102, 'Ram', 'Sita', '20/09/1990', 'sita.jpg');
```

```

insert into Employee_24 values (103, 'Sabu', 'Anit', '12/03/1988', 'anit.jpg');
insert into Employee_24 values (104, 'Joe', 'Maria', '05/11/1992', 'maria.jpg');
insert into Employee_24 values (105, 'manuel', 'Iza', '25/01/1987', 'iza.jpg');
select * from Employee_24;

```

	EMPLOYEEID	LASTNAME	FIRSTNAME	DOB	PHOTO
1	101	Tony	Ann	15-06-85	ann.jpg
2	102	Ram	Sita	20-09-90	sita.jpg
3	103	Sabu	Anit	12-03-88	anit.jpg
4	104	Joe	Maria	05-11-92	maria.jpg
5	105	manuel	Iza	25-01-87	iza.jpg

```

insert into Orders_24 values (1001, 1, 101, '10/01/2024', 1);
insert into Orders_24 values(1002, 2, 102, '15/02/2024', 2);
insert into Orders_24 values (1003, 3, 103, '12/03/2025', 3);
insert into Orders_24 values (1004, 4, 101, '18/04/2024', 1);
insert into Orders_24 values (1005, 5, 101, '02/05/2025', 2);
select * from orders_24;

```

	ORDERID	CUSTOMERID	EMPLOYEEID	ORDERDATE	SHIPPERID
1	1001	1	101	10/01/2024	1
2	1002	2	102	15/02/2024	2
3	1003	3	103	12/03/2025	3
4	1004	4	101	18/04/2024	1
5	1005	5	101	02/05/2025	2

1) SELECT * FROM Customer ORDER BY CustomerName ASC;

	AZ	CUSTOMERID	AZ	CUSTOMERNAME	AZ	CONTACTNO	AZ	ADDRESS	AZ	CITY	AZ	POSTALCODE	AZ	COUNTRY
1		5		Ammu		654321987		MG Road		kochi		686005		India
2		4		Anju		9765432189		SM street		kottayam		686004		USA
3		1		Arun		9876543210		MG Road		kottayam		686001		India
4		2		Neena		9496228192		Disney		Kollam		686002		India
5		3		Rahul		9234567819		MG Road		Thrissur		686003		India

2) SELECT * FROM Orders_24 ORDER BY TO_DATE(OrderDate,'DD/MM/YYYY') ASC;

	AZ	ORDERID	AZ	CUSTOMERID	AZ	EMPLOYEEID	AZ	ORDERDATE	AZ	SHIPPERID
1		1001		1		101		10/01/2024		1
2		1002		2		102		15/02/2024		2
3		1004		4		101		18/04/2024		1
4		1003		3		103		12/03/2025		3
5		1005		5		101		02/05/2025		2

3) SELECT * FROM Employee_24 WHERE DOB > DATE '1980-01-01' ORDER BY DOB DESC;

	AZ	EMPLOYEEID	AZ	LASTNAME	AZ	FIRSTNAME	AZ	DOB	AZ	PHOTO
1		104		Joe		Maria		05-11-92		maria.jpg
2		102		Ram		Sita		20-09-90		sita.jpg
3		103		Sabu		Anit		12-03-88		anit.jpg
4		105		manuel		Iza		25-01-87		iza.jpg
5		101		Tony		Ann		15-06-85		ann.jpg

4) SELECT * FROM Orders_24 WHERE CustomerID IN (SELECT CustomerID FROM Customer WHERE Country = 'USA') ORDER BY OrderDate DESC;

	AZ	ORDERID	AZ	CUSTOMERID	AZ	EMPLOYEEID	AZ	ORDERDATE	AZ	SHIPPERID
1		1004		4		101		18/04/2024		1

- 5) SELECT CustomerID, COUNT(OrderByID) AS TotalOrders FROM Orders_24 GROUP BY CustomerID;

	AZ CUSTOMERID	AZ TOTALORDERS
1	1	1
2	2	1
3	4	1
4	5	1
5	3	1

- 6) SELECT City, COUNT(CustomerID) AS TotalCustomers FROM Customer GROUP BY City;

	AZ CITY	AZ TOTALCUSTOMERS
1	kottayam	2
2	kochi	1
3	Thrissur	1
4	Kollam	1

- 7)