

LMM Report – HGS_MAX

Generated: 2026-07-10 16:53

Imputations: 10

Random slope: FALSE | Interaction: FALSE

Exposures: 1 | Covariate sets: 2

Model Configuration

Outcome column: HGS_MAX
Outcome transform: identity
Estimation method: REML = FALSE (Maximum Likelihood)
Random slope: FALSE
Interaction (exposure × time): FALSE

Exposures:

	exposure	exposure_type	ref_level
1	dairy_nofondue_100g	linear	NA

Covariate sets:

main:

age_at_baseline_scaled, BMI_category, education_level, smoking_status, pa_levels_tertile_f1, diabetes_status, sumtot1_scaled

other_PA:

age_at_baseline_scaled, BMI_category, education_level, smoking_status, pa_levels_who_f1, diabetes_status, sumtot1_scaled


Covariate set: main

age_at_baseline_scaled · BMI_category · education_level · smoking_status · pa_levels_tertile_f1 · diabetes_status · sumtot1_scaled


Formula – HGS_MAX ~ dairy_nofondue_100g (linear) | main

HGS_MAX ~ dairy_nofondue_100g + time_since_baseline + age_at_baseline_scaled +
BMI_category + education_level + smoking_status + pa_levels_tertile_f1 +
diabetes_status + sumtot1_scaled + (1 | pt)

Imputations pooled: 10



term	estimate	std_error	statistic	df	p_value	conf_low	conf_high
(Intercept)	23.063	0.456	50.596	2025.0	<0.001	22.169	23.957
dairy_nofondue_100g	0.192	0.079	2.449	951.0	0.014	0.038	0.347
time_since_baseline	-0.139	0.023	-6.130	1124.4	<0.001	-0.184	-0.095
age_at_baseline_scaled	-2.948	0.193	-15.256	1534.4	<0.001	-3.327	-2.569
BMI_categoryUnderweight	-1.678	0.773	-2.171	2087.6	0.03	-3.195	-0.162
BMI_categoryOverweight	0.646	0.252	2.560	793.0	0.011	0.151	1.141
BMI_categoryObese	0.113	0.353	0.320	1884.0	0.749	-0.579	0.804
education_levelMedium (ISCED 3–4)	0.938	0.363	2.583	2737.1	0.01	0.226	1.649
education_levelHigh (ISCED 5–8)	1.747	0.496	3.521	2180.7	<0.001	0.774	2.720
smoking_statusFormer	0.483	0.288	1.679	2050.9	0.093	-0.081	1.048
smoking_statusCurrent	0.662	0.394	1.683	899.7	0.093	-0.110	1.435
pa_levels_tertile_f1Medium	-0.333	0.324	-1.027	2365.3	0.304	-0.969	0.303
pa_levels_tertile_f1High	-0.047	0.370	-0.128	406.8	0.898	-0.776	0.681
diabetes_statusDiabetes	-0.214	0.444	-0.481	2397.8	0.63	-1.085	0.658
sumtot1_scaled	0.202	0.196	1.032	252.9	0.303	-0.184	0.588



Variance Components – HGS_MAX ~ dairy_nofondue_100g (linear) | main

```
.. Full VarCorr output .....
Groups   Name          Variance Std.Dev.
pt       (Intercept) 14.775    3.8439
Residual                14.345    3.7875

.. Summary .....
Random intercept variance: 14.77521 (SD = 3.84385)
Random slope: not included in this model
Residual variance:          14.34497 (SD = 3.78748)
```

Effect Size (R²) – HGS_MAX ~ dairy_nofondue_100g (linear) | main

Marginal R² (fixed effects only): 0.1621

Conditional R² (fixed + random effects): 0.5872


Method: Nakagawa & Schielzeth (2013), Johnson (2014)

VIF – HGS_MAX ~ dairy_nofondue_100g (linear) | main

VIF > 5 flagged with '!'

term	GVI	F	$GVI^{1/(2 \cdot F)}$	adjusted_vif	flag
dairy_nofondue_100g	1.117380	1	1.057062	1.057	
time_since_baseline	1.013863	1	1.006908	1.007	
age_at_baseline_scaled	1.070005	1	1.034410	1.034	
BMI_category	1.089606	3	1.014406	1.014	
education_level	1.079619	2	1.019337	1.019	
smoking_status	1.054285	2	1.013303	1.013	
pa_levels_tertile_f1	1.050413	2	1.012372	1.012	
diabetes_status	1.041410	1	1.020495	1.020	
sumtot1_scaled	1.119753	1	1.058184	1.058	

Fixed-Effect Correlations – HGS_MAX ~ dairy_nofondue_100g (linear) | main



Influential Points – HGS_MAX ~ dairy_nofondue_100g (linear) | main

Influential observations (top 1% Cook's D > 0.20031): 32


Index	Cook's D
index	cooks_d
22	0.28314
516	0.25327
837	0.36969
896	0.29124
1227	0.29529
1252	0.43663
1428	0.20547
1440	0.20036
1758	0.24064
1782	0.20819
1900	0.23039
1978	0.30947
1993	0.22868
2051	0.22634
2091	0.21094
2100	0.29934
2147	0.20298
2184	0.23155
2297	0.33028
2319	0.23268
2323	0.21418
2334	0.30466
2353	0.39445
2399	0.33456
2457	0.21983
2465	0.20296
2570	0.20992
2692	0.34596
2752	0.23937
2753	0.20482
2759	0.30011
2785	0.25772

Formula – [Excl. influential (top 1% Cook's D)] HGS_MAX ~ dairy_nofondue_100g (linear) | main

Excluded participants (top 1% Cook's D, imp 1): 31

Remaining n: 1104

HGS_MAX ~ dairy_nofondue_100g + time_since_baseline + age_at_baseline_scaled +
BMI_category + education_level + smoking_status + pa_levels_tertile_f1 +
diabetes_status + sumtot1_scaled + (1 | pt)



term	estimate	std_error	statistic	df	p_value	conf_low	conf_high
(Intercept)	23.178	0.451	51.383	1957.1	<0.001	22.294	24.063
dairy_nofondue_100g	0.230	0.078	2.940	707.3	0.003	0.076	0.384
time_since_baseline	-0.174	0.022	-8.083	1198.0	<0.001	-0.216	-0.132
age_at_baseline_scaled	-2.928	0.193	-15.180	1479.2	<0.001	-3.306	-2.550
BMI_categoryUnderweight	-1.664	0.744	-2.238	1861.9	0.025	-3.123	-0.206
BMI_categoryOverweight	0.634	0.247	2.569	734.7	0.01	0.150	1.119
BMI_categoryObese	0.281	0.346	0.811	1752.7	0.417	-0.398	0.959
education_levelMedium (ISCED 3–4)	0.883	0.360	2.453	2720.6	0.014	0.177	1.588
education_levelHigh (ISCED 5–8)	1.693	0.493	3.432	2331.8	<0.001	0.726	2.661
smoking_statusFormer	0.513	0.287	1.785	1991.3	0.074	-0.051	1.077
smoking_statusCurrent	0.704	0.390	1.805	833.9	0.071	-0.062	1.469
pa_levels_tertile_f1Medium	-0.332	0.325	-1.021	1840.1	0.308	-0.970	0.306
pa_levels_tertile_f1High	-0.018	0.364	-0.048	549.9	0.961	-0.734	0.698
diabetes_statusDiabetes	-0.235	0.427	-0.550	2170.8	0.582	-1.072	0.602
sumtot1_scaled	0.194	0.188	1.033	267.5	0.302	-0.176	0.565


Formula – [Sensitivity: dairy <= 1000 g/day] HGS_MAX ~ dairy_nofondue_100g (linear) | main

HGS_MAX ~ dairy_nofondue_100g + time_since_baseline + age_at_baseline_scaled +
BMI_category + education_level + smoking_status + pa_levels_tertile_f1 +
diabetes_status + sumtot1_scaled + (1 | pt)




Imputations pooled: 10

Participants in sensitivity sample: 1130


Threshold: dairy_total_gday_cumavg <= 1000 g/day




term	estimate	std_error	statistic	df	p_value	conf_low	conf_high
(Intercept)	23.046	0.457	50.426	1889.9	<0.001	22.150	23.942
dairy_nofondue_100g	0.164	0.083	1.962	918.4	0.05	0.000	0.327
time_since_baseline	-0.139	0.023	-6.102	1120.1	<0.001	-0.184	-0.094
age_at_baseline_scaled	-2.957	0.193	-15.300	1507.3	<0.001	-3.336	-2.577
BMI_categoryUnderweight	-1.674	0.773	-2.166	2086.9	0.03	-3.190	-0.159
BMI_categoryOverweight	0.643	0.253	2.544	789.6	0.011	0.147	1.140
BMI_categoryObese	0.070	0.353	0.198	1881.6	0.843	-0.623	0.763
education_levelMedium (ISCED 3–4)	0.968	0.363	2.666	2693.7	0.008	0.256	1.681
education_levelHigh (ISCED 5–8)	1.775	0.496	3.579	2141.9	<0.001	0.802	2.748
smoking_statusFormer	0.457	0.288	1.588	2040.5	0.113	-0.108	1.022
smoking_statusCurrent	0.650	0.394	1.651	845.6	0.099	-0.123	1.424
pa_levels_tertile_f1Medium	-0.318	0.324	-0.979	2370.8	0.328	-0.954	0.319
pa_levels_tertile_f1High	-0.041	0.375	-0.110	327.1	0.912	-0.778	0.695
diabetes_statusDiabetes	-0.195	0.444	-0.438	2391.5	0.661	-1.066	0.677
sumtot1_scaled	0.196	0.196	1.002	272.3	0.317	-0.190	0.582




A







B



C







Covariate set: other_PA

age_at_baseline_scaled · BMI_category · education_level · smoking_status · pa_levels_who_f1 · diabetes_status · sumtot1_scaled

Formula – HGS_MAX ~ dairy_nofondue_100g (linear) | other_PA

HGS_MAX ~ dairy_nofondue_100g + time_since_baseline + age_at_baseline_scaled +
BMI_category + education_level + smoking_status + pa_levels_who_f1 +
diabetes_status + sumtot1_scaled + (1 | pt)

Imputations pooled: 10

Dairy intake (excl. fondue) carnit: avg. [100g/day]

Time since baseline [year] *

Age at T1 [year] *

BMI – Underweight *

BMI – Overweight *

BMI – Obese

Education – Medium (ISCED 3–4) *

Education – High (ISCED 5–8) *

Smoking – Former

Smoking – Current

Diabetes – Yes


Total calorie intake [kcal]

12

13

Ø

term	estimate	std_error	statistic	df	p_value	conf_low	conf_high
(Intercept)	23.067	0.452	51.081	1934.2	<0.001	22.181	23.952
dairy_nofondue_100g	0.196	0.079	2.494	847.6	0.013	0.042	0.351
time_since_baseline	−0.139	0.023	−6.133	1147.7	<0.001	−0.184	−0.095
age_at_baseline_scaled	−2.941	0.193	−15.205	1389.6	<0.001	−3.320	−2.561
BMI_categoryUnderweight	−1.711	0.777	−2.202	1768.0	0.028	−3.236	−0.187
BMI_categoryOverweight	0.658	0.252	2.611	840.6	0.009	0.163	1.152
BMI_categoryObese	0.116	0.353	0.328	1826.9	0.743	−0.576	0.808
education_levelMedium (ISCED 3–4)	0.935	0.362	2.579	2779.4	0.01	0.224	1.646
education_levelHigh (ISCED 5–8)	1.737	0.494	3.514	2252.2	<0.001	0.768	2.706
smoking_statusFormer	0.492	0.288	1.711	2019.5	0.087	−0.072	1.056
smoking_statusCurrent	0.682	0.394	1.731	813.3	0.084	−0.091	1.455
pa_levels_who_f1Medium	−0.391	0.312	−1.254	899.9	0.21	−1.004	0.221
pa_levels_who_f1High	0.146	0.423	0.346	294.9	0.729	−0.686	0.979
diabetes_statusDiabetes	−0.220	0.445	−0.494	2226.6	0.622	−1.093	0.653
sumtot1_scaled	0.199	0.196	1.015	245.4	0.311	−0.187	0.586



Variance Components – HGS_MAX ~ dairy_nofondue_100g (linear) | other_PA

```
.. Full VarCorr output .....
Groups   Name          Variance Std.Dev.
pt       (Intercept) 14.742    3.8395
Residual                14.347    3.7877

.. Summary .....
Random intercept variance: 14.74209 (SD = 3.83954)
Random slope: not included in this model
Residual variance:         14.34683 (SD = 3.78772)
```


Effect Size (R²) – HGS_MAX ~ dairy_nofondue_100g (linear) | other_PA

Marginal R² (fixed effects only): 0.1628

Conditional R² (fixed + random effects): 0.5871


Method: Nakagawa & Schielzeth (2013), Johnson (2014)

VIF – HGS_MAX ~ dairy_nofondue_100g (linear) | other_PA

VIF > 5 flagged with '!'

term	GVIF	Df	$GVIF^{1/(2 \cdot Df)}$	adjusted_vif	flag
dairy_nofondue_100g	1.115737	1	1.056284	1.056	
time_since_baseline	1.013848	1	1.006900	1.007	
age_at_baseline_scaled	1.066377	1	1.032656	1.033	
BMI_category	1.094710	3	1.015196	1.015	
education_level	1.071694	2	1.017461	1.017	
smoking_status	1.050710	2	1.012443	1.012	
pa_levels_who_f1	1.038412	2	1.009468	1.009	
diabetes_status	1.041481	1	1.020530	1.021	
sumtot1_scaled	1.119728	1	1.058172	1.058	

Fixed-Effect Correlations – HGS_MAX ~ dairy_nofondue_100g (linear) | other_PA



Influential Points – HGS_MAX ~ dairy_nofondue_100g (linear) | other_PA

Influential observations (top 1% Cook's D > 0.20166): 32

Index	Cook's D
index	cooks_d
22	0.28508
516	0.25229
837	0.36879
896	0.29103
1227	0.29483
1252	0.43614
1428	0.20503
1758	0.23983
1782	0.20695
1900	0.22958
1978	0.30935
1993	0.22538
2051	0.22306
2076	0.20192
2091	0.20930
2100	0.30299
2147	0.20228
2184	0.23210
2297	0.33108
2319	0.23317
2323	0.21302
2334	0.29881
2353	0.38890
2399	0.33283
2457	0.21558
2465	0.20500
2570	0.21369
2692	0.34572
2752	0.24173
2753	0.20280
2759	0.30058
2785	0.26154

Formula – [Excl. influential (top 1% Cook's D)] HGS_MAX ~ dairy_nofondue_100g (linear) | other_PA

Excluded participants (top 1% Cook's D, imp 1): 31

Remaining n: 1104

HGS_MAX ~ dairy_nofondue_100g + time_since_baseline + age_at_baseline_scaled +
BMI_category + education_level + smoking_status + pa_levels_who_f1 +
diabetes_status + sumtot1_scaled + (1 | pt)

Dairy intake (excl. fondue) carnit: avg. [100g/day]

Time since baseline [year] *

Age at T1 [year] *

BMI – Underweight *

BMI – Overweight *

BMI – Obese

Education – Medium (ISCED 3–4) *

Education – High (ISCED 5–8) *

Smoking – Former

Smoking – Current

Diabetes – Yes

Total calorie intake [kcal]

12

13

Ø

term	estimate	std_error	statistic	df	p_value	conf_low	conf_high
(Intercept)	23.175	0.448	51.787	1930.5	<0.001	22.297	24.052
dairy_nofondue_100g	0.233	0.078	2.970	706.5	0.003	0.079	0.386
time_since_baseline	−0.176	0.022	−8.180	1182.3	<0.001	−0.218	−0.134
age_at_baseline_scaled	−2.927	0.192	−15.240	1697.3	<0.001	−3.303	−2.550
BMI_categoryUnderweight	−1.674	0.748	−2.240	1593.8	0.025	−3.140	−0.208
BMI_categoryOverweight	0.653	0.247	2.646	763.2	0.008	0.169	1.137
BMI_categoryObese	0.306	0.347	0.882	1672.1	0.378	−0.374	0.986
education_levelMedium (ISCED 3–4)	0.853	0.361	2.365	2668.9	0.018	0.146	1.560
education_levelHigh (ISCED 5–8)	1.670	0.493	3.389	2342.6	<0.001	0.704	2.637
smoking_statusFormer	0.496	0.288	1.721	1876.5	0.085	−0.069	1.060
smoking_statusCurrent	0.708	0.391	1.813	759.0	0.07	−0.059	1.475
pa_levels_who_f1Medium	−0.300	0.312	−0.964	859.3	0.336	−0.912	0.311
pa_levels_who_f1High	0.183	0.420	0.435	340.3	0.664	−0.644	1.009
diabetes_statusDiabetes	−0.177	0.430	−0.413	1994.1	0.68	−1.020	0.666
sumtot1_scaled	0.185	0.189	0.978	243.2	0.329	−0.188	0.558

Formula – [Sensitivity: dairy <= 1000 g/day] HGS_MAX ~ dairy_nofondue_100g (linear) | other_PA

HGS_MAX ~ dairy_nofondue_100g + time_since_baseline + age_at_baseline_scaled +
BMI_category + education_level + smoking_status + pa_levels_who_f1 +
diabetes_status + sumtot1_scaled + (1 | pt)

Imputations pooled: 10

Participants in sensitivity sample: 1130

Threshold: dairy_total_gday_cumavg <= 1000 g/day

Dairy intake (excl. fondue) carnit. avg. [100g/day]

Time since baseline [year] *

Age at T1 [year] *

BMI – Underweight *

BMI – Overweight *

BMI – Obese

Education – Medium (ISCED 3–4) *

Education – High (ISCED 5–8) *

Smoking – Former

Smoking – Current

Diabetes – Yes




Total calorie intake [kcal]

12


13

Ø


term	estimate	std_error	statistic	df	p_value	conf_low	conf_high
(Intercept)	23.053	0.452	51.020	1940.9	<0.001	22.167	23.940
dairy_nofondue_100g	0.168	0.084	2.011	796.9	0.045	0.004	0.332
time_since_baseline	−0.139	0.023	−6.105	1142.3	<0.001	−0.184	−0.094
age_at_baseline_scaled	−2.951	0.193	−15.258	1376.2	<0.001	−3.330	−2.571
BMI_categoryUnderweight	−1.707	0.777	−2.197	1767.3	0.028	−3.230	−0.183
BMI_categoryOverweight	0.654	0.252	2.592	833.6	0.01	0.159	1.150
BMI_categoryObese	0.073	0.353	0.205	1832.3	0.837	−0.621	0.766
education_levelMedium (ISCED 3–4)	0.965	0.363	2.660	2735.6	0.008	0.254	1.677
education_levelHigh (ISCED 5–8)	1.764	0.494	3.570	2226.1	<0.001	0.795	2.733
smoking_statusFormer	0.467	0.288	1.620	2002.5	0.105	−0.098	1.031
smoking_statusCurrent	0.669	0.394	1.698	771.3	0.09	−0.105	1.443
pa_levels_who_f1Medium	−0.376	0.312	−1.207	954.1	0.228	−0.987	0.236
pa_levels_who_f1High	0.137	0.426	0.321	265.7	0.748	−0.701	0.975
diabetes_statusDiabetes	−0.201	0.445	−0.451	2225.0	0.652	−1.074	0.672
sumtot1_scaled	0.193	0.196	0.985	264.3	0.326	−0.193	0.580




A




B




C




A




B



C



Dairy Definitions Summary – HGS_MAX | other_PA



Session Info

[1m [36m. Session info	[39m [22m
[3m [90msetting [39m [23m [3m [90mvalue [39m [23m	
version R version 4.5.1 (2025-06-13)	
os macOS Tahoe 26.5	
system aarch64, darwin20	
ui X11	
language (EN)	
collate en_US.UTF-8	
ctype en_US.UTF-8	
tz Europe/Zurich	
date 2026-07-10	
pandoc 3.8.3 @ /Applications/RStudio.app/Contents/Resources/app/quarto/bin/tools/aarch64/ (via rmarkdown)	
quarto 1.8.27 @ /usr/local/bin/quarto	

[1m [36m. Packages	[39m [22m
[3m [90m! [39m [23m [3m [90mpackage [39m [23m [3m [90m* [39m [23m [3m [90mversion [39m [23m [3m [90mdate (UTC) [39m [23m [3m [90mlib [39m [23m [3m [90msource [39m [23m	
[37m [41mP [49m [39m abind 1.4-8 [90m2024-09-12 [39m [90m[?] [39m [1m [35mRSPM [39m [22m	
[37m [41mP [49m [39m backports 1.5.0 [90m2024-05-23 [39m [90m[?] [39m [1m [35mRSPM [39m [22m	
[37m [41mP [49m [39m base64enc 0.1-6 [90m2026-02-02 [39m [90m[?] [39m [1m [35mRSPM [39m [22m	
[37m [41mP [49m [39m base64url 1.4 [90m2018-05-14 [39m [90m[?] [39m [1m [35mRSPM [39m [22m	
[37m [41mP [49m [39m bit 4.6.0 [90m2025-03-06 [39m [90m[?] [39m [1m [35mRSPM [39m [22m	
[37m [41mP [49m [39m bit64 4.6.0-1 [90m2025-01-16 [39m [90m[?] [39m [1m [35mRSPM [39m [22m	
[37m [41mP [49m [39m boot 1.3-32 [90m2025-08-29 [39m [90m[?] [39m [90mCRAN (R 4.5.0) [39m	
[37m [41mP [49m [39m broom * 1.0.12 [90m2026-01-27 [39m [90m[?] [39m [1m [35mRSPM [39m [22m	
[37m [41mP [49m [39m broom.mixed * 0.2.9.7 [90m2026-02-17 [39m [90m[?] [39m [1m [35mRSPM [39m [22m	
[37m [41mP [49m [39m callr 3.8.0 [90m2026-06-05 [39m [90m[?] [39m [1m [35mRSPM [39m [22m	
[37m [41mP [49m [39m car * 3.1-5 [90m2026-02-03 [39m [90m[?] [39m [1m [35mRSPM [39m [22m	
[37m [41mP [49m [39m carData * 3.0-6 [90m2026-01-30 [39m [90m[?] [39m [1m [35mRSPM [39m [22m	
[37m [41mP [49m [39m checkmate 2.3.4 [90m2026-02-03 [39m [90m[?] [39m [1m [35mRSPM [39m [22m	
[37m [41mP [49m [39m cli * 3.6.6 [90m2026-04-09 [39m [90m[?] [39m [1m [35mRSPM [39m [22m	
[37m [41mP [49m [39m clubSandwich * 0.7.0 [90m2026-05-04 [39m [90m[?] [39m [1m [35mRSPM [39m [22m	
[37m [41mP [49m [39m cluster 2.1.8.1 [90m2025-03-12 [39m [90m[?] [39m [90mCRAN (R 4.5.1) [39m	
[37m [41mP [49m [39m cobalt * 4.6.2 [90m2026-01-29 [39m [90m[?] [39m [1m [35mRSPM [39m [22m	
[37m [41mP [49m [39m codetools 0.2-20 [90m2024-03-31 [39m [90m[?] [39m [90mCRAN (R 4.5.1) [39m	
[37m [41mP [49m [39m colorspace 2.1-2 [90m2025-09-22 [39m [90m[?] [39m [1m [35mRSPM [39m [22m	
[37m [41mP [49m [39m crayon 1.5.3 [90m2024-06-20 [39m [90m[?] [39m [1m [35mRSPM [39m [22m	
[37m [41mP [49m [39m curl 7.0.0 [90m2025-08-19 [39m [90m[?] [39m [1m [35mRSPM [39m [22m	
[37m [41mP [49m [39m data.table * 1.18.2.1 [90m2026-01-27 [39m [90m[?] [39m [1m [35mRSPM [39m [22m	
[37m [41mP [49m [39m DBI 1.3.0 [90m2026-02-25 [39m [90m[?] [39m [1m [35mRSPM [39m [22m	
[37m [41mP [49m [39m DiagrammeR * 1.0.12 [90m2026-04-27 [39m [90m[?] [39m [1m [35mRSPM [39m [22m	

[37m [41mP [49m [39m DiagrammeRsvg	* 0.1	[90m2016-02-04 [39m [90m[?] [39m [1m [35mRSPM [39m [22m
[37m [41mP [49m [39m digest	0.6.39	[90m2025-11-19 [39m [90m[?] [39m [1m [35mRSPM [39m [22m
dplyr	* 1.2.1	[90m2026-04-03 [39m [90m[1] [39m [1m [35mRSPM (R 4.5.0) [39m [22m
[37m [41mP [49m [39m dtplyr	* 1.3.3	[90m2026-02-11 [39m [90m[?] [39m [1m [35mRSPM [39m [22m
[37m [41mP [49m [39m evaluate	1.0.5	[90m2025-08-27 [39m [90m[?] [39m [1m [35mRSPM [39m [22m
[37m [41mP [49m [39m farver	2.1.2	[90m2024-05-13 [39m [90m[?] [39m [1m [35mRSPM [39m [22m
[37m [41mP [49m [39m fastmap	1.2.0	[90m2024-05-15 [39m [90m[?] [39m [1m [35mRSPM [39m [22m
[37m [41mP [49m [39m forcats	* 1.0.1	[90m2025-09-25 [39m [90m[?] [39m [1m [35mRSPM [39m [22m
[37m [41mP [49m [39m foreach	1.5.2	[90m2022-02-02 [39m [90m[?] [39m [1m [35mRSPM [39m [22m
[37m [41mP [49m [39m foreign	0.8-90	[90m2025-03-31 [39m [90m[?] [39m [90mCRAN (R 4.5.1) [39m
[37m [41mP [49m [39m Formula	1.2-5	[90m2023-02-24 [39m [90m[?] [39m [1m [35mRSPM [39m [22m
[37m [41mP [49m [39m fs	2.1.0	[90m2026-04-18 [39m [90m[?] [39m [1m [35mRSPM [39m [22m
[37m [41mP [49m [39m furr	0.3.1	[90m2022-08-15 [39m [90m[?] [39m [1m [35mRSPM [39m [22m
[37m [41mP [49m [39m future	1.70.0	[90m2026-03-14 [39m [90m[?] [39m [1m [35mRSPM [39m [22m
[37m [41mP [49m [39m geepack	* 1.3.13	[90m2025-10-14 [39m [90m[?] [39m [1m [35mRSPM [39m [22m
[37m [41mP [49m [39m generics	0.1.4	[90m2025-05-09 [39m [90m[?] [39m [1m [35mRSPM [39m [22m
[37m [41mP [49m [39m ggalluvial	* 0.12.6	[90m2026-02-22 [39m [90m[?] [39m [1m [35mRSPM [39m [22m
ggplot2	* 4.0.3	[90m2026-04-22 [39m [90m[1] [39m [1m [35mRSPM (R 4.5.0) [39m [22m
[37m [41mP [49m [39m ggpubr	* 0.6.3	[90m2026-02-24 [39m [90m[?] [39m [1m [35mRSPM [39m [22m
[37m [41mP [49m [39m ggridges	* 0.5.7	[90m2025-08-27 [39m [90m[?] [39m [1m [35mRSPM [39m [22m
[37m [41mP [49m [39m ggsignif	0.6.4	[90m2022-10-13 [39m [90m[?] [39m [1m [35mRSPM [39m [22m
[37m [41mP [49m [39m glmnet	4.1-10	[90m2025-07-17 [39m [90m[?] [39m [1m [35mRSPM [39m [22m
[37m [41mP [49m [39m globals	0.19.1	[90m2026-03-13 [39m [90m[?] [39m [1m [35mRSPM [39m [22m
glue	* 1.8.1	[90m2026-04-17 [39m [90m[1] [39m [1m [35mRSPM (R 4.5.0) [39m [22m
[37m [41mP [49m [39m gridExtra	* 2.3	[90m2017-09-09 [39m [90m[?] [39m [1m [35mRSPM [39m [22m
[37m [41mP [49m [39m gt	* 1.3.0	[90m2026-01-22 [39m [90m[?] [39m [1m [35mRSPM [39m [22m
[37m [41mP [49m [39m gtable	0.3.6	[90m2024-10-25 [39m [90m[?] [39m [1m [35mRSPM [39m [22m
[37m [41mP [49m [39m gtsummary	* 2.5.0	[90m2025-12-05 [39m [90m[?] [39m [1m [35mRSPM [39m [22m
[37m [41mP [49m [39m here	* 1.0.2	[90m2025-09-15 [39m [90m[?] [39m [1m [35mRSPM [39m [22m
[37m [41mP [49m [39m Hmisc	* 5.2-5	[90m2026-01-09 [39m [90m[?] [39m [1m [35mRSPM [39m [22m
[37m [41mP [49m [39m hms	1.1.4	[90m2025-10-17 [39m [90m[?] [39m [1m [35mRSPM [39m [22m
[37m [41mP [49m [39m htmlTable	2.5.0	[90m2026-04-22 [39m [90m[?] [39m [1m [35mRSPM [39m [22m
[37m [41mP [49m [39m htmltools	0.5.9	[90m2025-12-04 [39m [90m[?] [39m [1m [35mRSPM [39m [22m
[37m [41mP [49m [39m htmlwidgets	1.6.4	[90m2023-12-06 [39m [90m[?] [39m [1m [35mRSPM [39m [22m
[37m [41mP [49m [39m igraph	2.2.2	[90m2026-02-12 [39m [90m[?] [39m [1m [35mRSPM [39m [22m
[37m [41mP [49m [39m insight	1.5.1	[90m2026-05-21 [39m [90m[?] [39m [1m [35mRSPM [39m [22m
[37m [41mP [49m [39m iterators	1.0.14	[90m2022-02-05 [39m [90m[?] [39m [1m [35mRSPM [39m [22m
[37m [41mP [49m [39m jomo	2.7-6	[90m2023-04-15 [39m [90m[?] [39m [1m [35mRSPM [39m [22m
[37m [41mP [49m [39m jsonlite	2.0.0	[90m2025-03-27 [39m [90m[?] [39m [1m [35mRSPM [39m [22m
[37m [41mP [49m [39m knitr	1.51	[90m2025-12-20 [39m [90m[?] [39m [1m [35mRSPM [39m [22m
[37m [41mP [49m [39m labeling	0.4.3	[90m2023-08-29 [39m [90m[?] [39m [1m [35mRSPM [39m [22m
[37m [41mP [49m [39m lattice	0.22-7	[90m2025-04-02 [39m [90m[?] [39m [90mCRAN (R 4.5.1) [39m
[37m [41mP [49m [39m lifecycle	1.0.5	[90m2026-01-08 [39m [90m[?] [39m [1m [35mRSPM [39m [22m

[37m	[41mP	[49m	[39m	listenv	0.10.1	[90m2026-03-10	[39m	[90m[?]	[39m	[1m	[35mRSPM	[39m	[22m			
[37m	[41mP	[49m	[39m	lme4	* 2.0-1	[90m2026-03-05	[39m	[90m[?]	[39m	[1m	[35mRSPM	[39m	[22m			
[37m	[41mP	[49m	[39m	lmerTest	* 3.2-1	[90m2026-03-05	[39m	[90m[?]	[39m	[1m	[35mRSPM	[39m	[22m			
[37m	[41mP	[49m	[39m	lubridate	* 1.9.5	[90m2026-02-04	[39m	[90m[?]	[39m	[1m	[35mRSPM	[39m	[22m			
magrittr				* 2.0.5	[90m2026-04-04	[39m	[90m[1]	[39m	[1m	[35mRSPM	(R 4.5.0)	[39m	[22m			
[37m	[41mP	[49m	[39m	MASS	7.3-65	[90m2025-02-28	[39m	[90m[?]	[39m	[90mCRAN	(R 4.5.1)	[39m				
[37m	[41mP	[49m	[39m	Matrix	* 1.7-4	[90m2025-08-28	[39m	[90m[?]	[39m	[90mCRAN	(R 4.5.0)	[39m				
[37m	[41mP	[49m	[39m	MatrixModels	0.5-4	[90m2025-03-26	[39m	[90m[?]	[39m	[1m	[35mRSPM	[39m	[22m			
[37m	[41mP	[49m	[39m	mgcv	* 1.9-3	[90m2025-04-04	[39m	[90m[?]	[39m	[90mCRAN	(R 4.5.1)	[39m				
[37m	[41mP	[49m	[39m	mice	* 3.19.0	[90m2025-12-10	[39m	[90m[?]	[39m	[1m	[35mRSPM	[39m	[22m			
[37m	[41mP	[49m	[39m	minqa	1.2.8	[90m2024-08-17	[39m	[90m[?]	[39m	[1m	[35mRSPM	[39m	[22m			
[37m	[41mP	[49m	[39m	mitml	0.4-5	[90m2023-03-08	[39m	[90m[?]	[39m	[1m	[35mRSPM	[39m	[22m			
[37m	[41mP	[49m	[39m	mitools	2.4	[90m2019-04-26	[39m	[90m[?]	[39m	[1m	[35mRSPM	[39m	[22m			
[37m	[41mP	[49m	[39m	multcomp	1.4-30	[90m2026-03-09	[39m	[90m[?]	[39m	[1m	[35mRSPM	[39m	[22m			
mvtnorm				1.4-1	[90m2026-06-06	[39m	[90m[1]	[39m	[1m	[35mRSPM	(R 4.5.0)	[39m	[22m			
[37m	[41mP	[49m	[39m	nanonext	1.9.1	[90m2026-06-01	[39m	[90m[?]	[39m	[1m	[35mRSPM	[39m	[22m			
[37m	[41mP	[49m	[39m	nlme	* 3.1-168	[90m2025-03-31	[39m	[90m[?]	[39m	[90mCRAN	(R 4.5.1)	[39m				
[37m	[41mP	[49m	[39m	nloptr	2.2.1	[90m2025-03-17	[39m	[90m[?]	[39m	[1m	[35mRSPM	[39m	[22m			
[37m	[41mP	[49m	[39m	nnet	7.3-20	[90m2025-01-01	[39m	[90m[?]	[39m	[90mCRAN	(R 4.5.1)	[39m				
[37m	[41mP	[49m	[39m	numDeriv	[1m	[35m2016.8-1.1	[39m	[22m	[90m2019-06-06	[39m	[90m[?]	[39m	[1m	[35mRSPM	[39m	[22m
[37m	[41mP	[49m	[39m	otel	0.2.0	[90m2025-08-29	[39m	[90m[?]	[39m	[1m	[35mRSPM	[39m	[22m			
[37m	[41mP	[49m	[39m	pan	1.9	[90m2023-12-07	[39m	[90m[?]	[39m	[1m	[35mRSPM	[39m	[22m			
[37m	[41mP	[49m	[39m	parallelly	1.46.1	[90m2026-01-08	[39m	[90m[?]	[39m	[1m	[35mRSPM	[39m	[22m			
[37m	[41mP	[49m	[39m	patchwork	* 1.3.2	[90m2025-08-25	[39m	[90m[?]	[39m	[1m	[35mRSPM	[39m	[22m			
[37m	[41mP	[49m	[39m	performance	* 0.17.0	[90m2026-05-21	[39m	[90m[?]	[39m	[1m	[35mRSPM	[39m	[22m			
[37m	[41mP	[49m	[39m	pillar	1.11.1	[90m2025-09-17	[39m	[90m[?]	[39m	[1m	[35mRSPM	[39m	[22m			
[37m	[41mP	[49m	[39m	pkgconfig	2.0.3	[90m2019-09-22	[39m	[90m[?]	[39m	[1m	[35mRSPM	[39m	[22m			
[37m	[41mP	[49m	[39m	polspline	1.1.25	[90m2024-05-10	[39m	[90m[?]	[39m	[1m	[35mRSPM	[39m	[22m			
[37m	[41mP	[49m	[39m	prettyunits	1.2.0	[90m2023-09-24	[39m	[90m[?]	[39m	[1m	[35mRSPM	[39m	[22m			
[37m	[41mP	[49m	[39m	processx	3.8.6	[90m2025-02-21	[39m	[90m[?]	[39m	[1m	[35mRSPM	[39m	[22m			
[37m	[41mP	[49m	[39m	ps	1.9.1	[90m2025-04-12	[39m	[90m[?]	[39m	[1m	[35mRSPM	[39m	[22m			
purrr				* 1.2.2	[90m2026-04-10	[39m	[90m[1]	[39m	[1m	[35mRSPM	(R 4.5.0)	[39m	[22m			
[37m	[41mP	[49m	[39m	quantreg	6.1	[90m2025-03-10	[39m	[90m[?]	[39m	[1m	[35mRSPM	[39m	[22m			
[37m	[41mP	[49m	[39m	R6	2.6.1	[90m2025-02-15	[39m	[90m[?]	[39m	[1m	[35mRSPM	[39m	[22m			
[37m	[41mP	[49m	[39m	ragg	1.5.0	[90m2025-09-02	[39m	[90m[?]	[39m	[1m	[35mRSPM	[39m	[22m			
[37m	[41mP	[49m	[39m	rbibutils	2.4.1	[90m2026-01-21	[39m	[90m[?]	[39m	[1m	[35mRSPM	[39m	[22m			
[37m	[41mP	[49m	[39m	RColorBrewer	* 1.1-3	[90m2022-04-03	[39m	[90m[?]	[39m	[1m	[35mRSPM	[39m	[22m			
Rcpp				1.1.1-1.1	[90m2026-04-24	[39m	[90m[1]	[39m	[1m	[35mRSPM	(R 4.5.0)	[39m	[22m			
[37m	[41mP	[49m	[39m	Rdpack	2.6.6	[90m2026-02-08	[39m	[90m[?]	[39m	[1m	[35mRSPM	[39m	[22m			
[37m	[41mP	[49m	[39m	readr	* 2.2.0	[90m2026-02-19	[39m	[90m[?]	[39m	[1m	[35mRSPM	[39m	[22m			
[37m	[41mP	[49m	[39m	reformulas	0.4.4	[90m2026-02-02	[39m	[90m[?]	[39m	[1m	[35mRSPM	[39m	[22m			
renv				1.1.7	[90m2026-01-27	[39m	[90m[1]	[39m	[90mCRAN	(R 4.5.2)	[39m					
[37m	[41mP	[49m	[39m	rlang	1.2.0	[90m2026-04-06	[39m	[90m[?]	[39m	[1m	[35mRSPM	[39m	[22m			

[37m	[41mP	[49m	[39m	rmarkdown	2.30	[90m2025-09-28	[39m	[90m[?]	[39m	[1m	[35mRSPM	[39m	[22m
[37m	[41mP	[49m	[39m	rms	* 8.1-1	[90m2026-02-18	[39m	[90m[?]	[39m	[1m	[35mRSPM	[39m	[22m
[37m	[41mP	[49m	[39m	rpart	4.1.24	[90m2025-01-07	[39m	[90m[?]	[39m	[90mCRAN (R 4.5.1)	[39m		
[37m	[41mP	[49m	[39m	rprojroot	2.1.1	[90m2025-08-26	[39m	[90m[?]	[39m	[1m	[35mRSPM	[39m	[22m
[37m	[41mP	[49m	[39m	rstatix	0.7.3	[90m2025-10-18	[39m	[90m[?]	[39m	[1m	[35mRSPM	[39m	[22m
[37m	[41mP	[49m	[39m	rstudioapi	0.18.0	[90m2026-01-16	[39m	[90m[?]	[39m	[1m	[35mRSPM	[39m	[22m
[37m	[41mP	[49m	[39m	rsvg	* 2.7.0	[90m2025-09-08	[39m	[90m[?]	[39m	[1m	[35mRSPM	[39m	[22m
S7		0.2.2	[90m2026-04-22	[39m	[90m[1]	[39m	[1m	[35mRSPM (R 4.5.0)	[39m	[22m			
[37m	[41mP	[49m	[39m	sandwich	3.1-1	[90m2024-09-15	[39m	[90m[?]	[39m	[1m	[35mRSPM	[39m	[22m
[37m	[41mP	[49m	[39m	scales	* 1.4.0	[90m2025-04-24	[39m	[90m[?]	[39m	[1m	[35mRSPM	[39m	[22m
[37m	[41mP	[49m	[39m	secretbase	1.2.0	[90m2026-02-05	[39m	[90m[?]	[39m	[1m	[35mRSPM	[39m	[22m
[37m	[41mP	[49m	[39m	sessioninfo	* 1.2.3	[90m2025-02-05	[39m	[90m[?]	[39m	[1m	[35mRSPM	[39m	[22m
[37m	[41mP	[49m	[39m	shape	1.4.6.1	[90m2024-02-23	[39m	[90m[?]	[39m	[1m	[35mRSPM	[39m	[22m
[37m	[41mP	[49m	[39m	SparseM	1.84-2	[90m2024-07-17	[39m	[90m[?]	[39m	[1m	[35mRSPM	[39m	[22m
[37m	[41mP	[49m	[39m	stringi	1.8.7	[90m2025-03-27	[39m	[90m[?]	[39m	[1m	[35mRSPM	[39m	[22m
[37m	[41mP	[49m	[39m	stringr	* 1.6.0	[90m2025-11-04	[39m	[90m[?]	[39m	[1m	[35mRSPM	[39m	[22m
[37m	[41mP	[49m	[39m	survey	* 4.5	[90m2026-02-24	[39m	[90m[?]	[39m	[1m	[35mRSPM	[39m	[22m
[37m	[41mP	[49m	[39m	survival	* 3.8-3	[90m2024-12-17	[39m	[90m[?]	[39m	[90mCRAN (R 4.5.1)	[39m		
[37m	[41mP	[49m	[39m	survminer	* 0.5.2	[90m2026-02-25	[39m	[90m[?]	[39m	[1m	[35mRSPM	[39m	[22m
[37m	[41mP	[49m	[39m	systemfonts	1.3.1	[90m2025-10-01	[39m	[90m[?]	[39m	[1m	[35mRSPM	[39m	[22m
[37m	[41mP	[49m	[39m	tarchetypes	* 0.14.0	[90m2026-02-09	[39m	[90m[?]	[39m	[1m	[35mRSPM	[39m	[22m
[37m	[41mP	[49m	[39m	targets	* 1.12.0	[90m2026-02-09	[39m	[90m[?]	[39m	[1m	[35mRSPM	[39m	[22m
[37m	[41mP	[49m	[39m	textshaping	1.0.4	[90m2025-10-10	[39m	[90m[?]	[39m	[1m	[35mRSPM	[39m	[22m
[37m	[41mP	[49m	[39m	TH.data	1.1-5	[90m2025-11-17	[39m	[90m[?]	[39m	[1m	[35mRSPM	[39m	[22m
[37m	[41mP	[49m	[39m	tibble	* 3.3.1	[90m2026-01-11	[39m	[90m[?]	[39m	[1m	[35mRSPM	[39m	[22m
[37m	[41mP	[49m	[39m	tidyr	* 1.3.2	[90m2025-12-19	[39m	[90m[?]	[39m	[1m	[35mRSPM	[39m	[22m
[37m	[41mP	[49m	[39m	tidyselect	1.2.1	[90m2024-03-11	[39m	[90m[?]	[39m	[1m	[35mRSPM	[39m	[22m
[37m	[41mP	[49m	[39m	tidyverse	* 2.0.0	[90m2023-02-22	[39m	[90m[?]	[39m	[1m	[35mRSPM	[39m	[22m
[37m	[41mP	[49m	[39m	timechange	0.4.0	[90m2026-01-29	[39m	[90m[?]	[39m	[1m	[35mRSPM	[39m	[22m
[37m	[41mP	[49m	[39m	tzdb	0.5.0	[90m2025-03-15	[39m	[90m[?]	[39m	[1m	[35mRSPM	[39m	[22m
[37m	[41mP	[49m	[39m	utf8	1.2.6	[90m2025-06-08	[39m	[90m[?]	[39m	[1m	[35mRSPM	[39m	[22m
[37m	[41mP	[49m	[39m	V8	8.0.1	[90m2025-10-10	[39m	[90m[?]	[39m	[1m	[35mRSPM	[39m	[22m
vctrs		0.7.3	[90m2026-04-11	[39m	[90m[1]	[39m	[1m	[35mRSPM (R 4.5.0)	[39m	[22m			
visNetwork		2.1.4	[90m2025-09-04	[39m	[90m[1]	[39m	[1m	[35mRSPM (R 4.5.0)	[39m	[22m			
[37m	[41mP	[49m	[39m	vroom	1.7.0	[90m2026-01-27	[39m	[90m[?]	[39m	[1m	[35mRSPM	[39m	[22m
[37m	[41mP	[49m	[39m	WeightIt	* 1.7.0	[90m2026-04-22	[39m	[90m[?]	[39m	[1m	[35mRSPM	[39m	[22m
[37m	[41mP	[49m	[39m	withr	3.0.2	[90m2024-10-28	[39m	[90m[?]	[39m	[1m	[35mRSPM	[39m	[22m
[37m	[41mP	[49m	[39m	xfun	0.56	[90m2026-01-18	[39m	[90m[?]	[39m	[1m	[35mRSPM	[39m	[22m
[37m	[41mP	[49m	[39m	xml2	1.5.2	[90m2026-01-17	[39m	[90m[?]	[39m	[1m	[35mRSPM	[39m	[22m
[37m	[41mP	[49m	[39m	yaml	2.3.12	[90m2025-12-10	[39m	[90m[?]	[39m	[1m	[35mRSPM	[39m	[22m
[37m	[41mP	[49m	[39m	zoo	1.8-15	[90m2025-12-15	[39m	[90m[?]	[39m	[1m	[35mRSPM	[39m	[22m

[90m [2] /Users/annaboss/Library/Caches/org.R-project.R/R/renv/sandbox/macos/R-4.5/aarch64-apple-darwin20/4cd76b74 [39m

[41m [37m* [39m [49m .. Packages attached to the search path.

[41m [37mP [39m [49m .. Loaded and on-disk path mismatch.

[1m [36m..... [39m [22m