














LjRoot237

FDR: 1.955e-05

Coefficient: 1.42e+00

Value: ccamk



G8_LjRoot126

FDR: $2.787\text{e-}05$
Coefficient: $-1.18\text{e}+00$
Value: symrk

4000
3000
2000
1000

WT (n=4)


symrk (n=4)

ccamk (n=4)

nsp1 (n=4)

nsp2 (n=4)

Genotype



G3_LjRoot129

FDR: 4.119e-05
Coefficient: 1.52e+00
Value: symrk

WT (n=4)


symrk (n=4)

ccamk (n=4)

nsp1 (n=4)


nsp2 (n=4)

Genotype



G3_LjRoot129

FDR: 4.119×10^{-5}
Coefficient: 1.54×10^0
Value: *ccamk*



G8_LjRoot126

FDR: $9.124e-05$

Coefficient: $-1.04e+00$

Value: *ccamk*

4000

3000

2000

1000

WT (n=4)


symrk (n=4)

ccamk (n=4)


nsp1 (n=4)

nsp2 (n=4)

Genotype



G7_LjRoot117



G3_LjRoot129

FDR: 9.376e-05
Coefficient: 1.39e+00
Value: nsp2

WT (n=4)


symrk (n=4)

ccamk (n=4)

nsp1 (n=4)

nsp2 (n=4)

Genotype



G2_LjRoot102

FDR: 1.870e-04
Coefficient: 1.12e+00
Value: ccamk

3000

2000

1000

WT (n=4)


symrk (n=4)

ccamk (n=4)

nsp1 (n=4)

nsp2 (n=4)

Genotype



G2_LjRoot102

FDR: 1.870e-04
Coefficient: 1.12e+00
Value: nsp2

3000

2000

1000

WT (n=4)


symrk (n=4)

ccamk (n=4)

nsp1 (n=4)

nsp2 (n=4)

Genotype



LjRoot237

FDR: 1.870e-04
Coefficient: 1.09e+00
Value: nsp1

WT (n=4)


symrk (n=4)


ccamk (n=4)

nsp1 (n=4)

nsp2 (n=4)

Genotype





G21_LjRoot111

FDR: 4.288e-04

Coefficient: -9.87e-01

Value: ccamk

5000

4000

3000

2000

WT (n=4)


symrk (n=4)

ccamk (n=4)

nsp1 (n=4)

nsp2 (n=4)

Genotype



LjRoot237

FDR: 4.571e-04
Coefficient: 9.79e-01
Value: nsp2

WT (n=4)


symrk (n=4)

ccamk (n=4)

nsp1 (n=4)


nsp2 (n=4)

Genotype



G20_LjRoot162

FDR: 1.413×10^{-3}
Coefficient: -1.35×10^0
Value: *ccamk*



G3_LjRoot129

FDR: 1.710e-03
Coefficient: 1.01e+00
Value: nsp1

WT (n=4)


symrk (n=4)

ccamk (n=4)

nsp1 (n=4)

nsp2 (n=4)

Genotype



G2_LjRoot102

FDR: 3.249e-03
Coefficient: 8.23e-01
Value: nsp1

3000

2000

1000

WT (n=4)


symrk (n=4)

ccamk (n=4)

nsp1 (n=4)

nsp2 (n=4)

Genotype



G8_LjRoot126

FDR: 3.319e-03
Coefficient: -6.84e-01
Value: nsp1

4000
3000
2000
1000

WT (n=4)


symrk (n=4)


ccamk (n=4)


nsp1 (n=4)

nsp2 (n=4)

Genotype







G6_LjRoot130

FDR: $7.008e-03$
Coefficient: $1.03e+00$
Value: *nsp2*

WT (n=4)


symrk (n=4)

ccamk (n=4)

nsp1 (n=4)

nsp2 (n=4)

Genotype



LjRoot259

3000

2000

1000

WT (n=4)

symrk (n=4)


ccamk (n=4)

nsp1 (n=4)

nsp2 (n=4)

Genotype

FDR: $9.379e-03$
Coefficient: $-1.55e+00$
Value: ccamk




G21_LjRoot111

FDR: $9.856e-03$

Coefficient: $-6.77e-01$

Value: *nsp1*



LjRoot122

FDR: $9.856e-03$
Coefficient: $1.66e+00$
Value: *ccamk*

WT (n=4)


symrk (n=4)

ccamk (n=4)

nsp1 (n=4)

nsp2 (n=4)

Genotype



G2_LjRoot102

FDR: 1.550e-02
Coefficient: 6.60e-01
Value: symrk

3000

2000

1000

WT (n=4)


symrk (n=4)


ccamk (n=4)

nsp1 (n=4)

nsp2 (n=4)


Genotype






LjRoot237

FDR: 1.550e-02
Coefficient: 6.33e-01
Value: symrk




G7_LjRoot117



G15_LjRoot29

FDR: 1.914e-02
Coefficient: 1.54e+00
Value: symrk



G5_LjRoot105

FDR: 2.027e-02
Coefficient: 1.39e+00
Value: ccamk

WT (n=4)


symrk (n=4)

ccamk (n=4)

nsp1 (n=4)


nsp2 (n=4)


Genotype




G15_LjRoot29


FDR: 2.027e-02
Coefficient: -1.51e+00
Value: ccamk





G17_LjRoot232





LjRoot248

FDR: 2.321e-02
Coefficient: -1.42e+00
Value: ccamk

WT (n=4)


symrk (n=4)

ccamk (n=4)


nsp1 (n=4)


nsp2 (n=4)

Genotype




G32_LjRoot291





G32_LjRoot291

FDR: 3.765e-02
Coefficient: 5.54e-01
Value: nsp2



G21_LjRoot111

FDR: 3.938×10^{-2}

Coefficient: -5.29×10^{-1}

Value: symrk

5000

4000

3000

2000

WT (n=4)


symrk (n=4)

ccamk (n=4)

nsp1 (n=4)

nsp2 (n=4)

Genotype



G35_LjRoot145

FDR: $4.150e-02$
Coefficient: $1.55e+00$
Value: *ccamk*

WT (n=4)


symrk (n=4)


ccamk (n=4)

nsp1 (n=4)


nsp2 (n=4)

Genotype







G7_LjRoot117




G11_LjRoot25






LjRoot240

FDR: $4.902e-02$
Coefficient: $-1.24e+00$
Value: *ccamk*





LjRoot277



LjRoot247


FDR: $4.902e-02$
Coefficient: $-1.35e+00$
Value: *ccamk*






G37_LjNode209


FDR: 5.406×10^{-2}
Coefficient: -2.67×10^0
Value: *ccamk*






G16_LjRoot125

FDR: 7.056×10^{-2}
Coefficient: 8.28×10^{-1}
Value: *ccamk*




G20_LjRoot162

FDR: $7.166e-02$
Coefficient: $-7.10e-01$
Value: *nsp1*



LjRoot223



G35_LjRoot145

FDR: 7.180e-02
Coefficient: 1.36e+00
Value: nsp2

WT (n=4)


symrk (n=4)

ccamk (n=4)


nsp1 (n=4)

nsp2 (n=4)

Genotype



G17_LjRoot232




LjRoot248

FDR: $7.576e-02$
Coefficient: $-1.10e+00$
Value: *nsp1*


WT (n=4) symrk (n=4) ccamk (n=4) nsp1 (n=4) nsp2 (n=4)

Genotype



G37_LjNode209

FDR: $8.781e-02$
Coefficient: $-2.38e+00$
Value: *nsp2*





G6_LjRoot130

FDR: $8.781e-02$
Coefficient: $6.30e-01$
Value: *nsp1*


WT (n=4) symrk (n=4) ccamk (n=4) nsp1 (n=4) nsp2 (n=4)

Genotype







G11_LjRoot25




G20_LjRoot162

FDR: $8.861e-02$
Coefficient: $-6.61e-01$
Value: *nsp2*







G7_LjRoot117





G15_LjRoot29

FDR: 8.861e-02
Coefficient: 1.08e+00
Value: nsp1










G6_LjRoot130

FDR: 9.319×10^{-2}
Coefficient: 6.03×10^{-1}
Value: symrk


WT (n=4) symrk (n=4) ccamk (n=4) nsp1 (n=4) nsp2 (n=4)

Genotype



G27_LjRoot78

FDR: $9.319e-02$
Coefficient: $-9.27e-01$
Value: *ccamk*




G21_LjRoot111

FDR: $9.376e-02$


Coefficient: $-4.13e-01$

Value: *nsp2*




G14_LjRoot22

FDR: 9.376×10^{-2}
Coefficient: -1.24×10^0
Value: *ccamk*





LjRoot243



G37_LjNode209


FDR: $9.633\text{e-}02$
Coefficient: $-2.24\text{e}+00$
Value: symrk






LjRoot295

FDR: $9.858e-02$
Coefficient: $1.41e+00$
Value: *ccamk*






G5_LjRoot105

FDR: 1.035e-01
Coefficient: 9.21e-01
Value: nsp1


WT (n=4) symrk (n=4) ccamk (n=4) nsp1 (n=4) nsp2 (n=4)

Genotype



G35_LjRoot145

FDR: 1.054e-01
Coefficient: 1.18e+00
Value: symrk



LjRoot18

FDR: 1.077e-01
Coefficient: 1.42e+00
Value: symrk

WT (n=4)


symrk (n=4)

ccamk (n=4)


nsp1 (n=4)


nsp2 (n=4)

Genotype



G12_LjRoot70





LjRoot288

FDR: 1.132e-01
Coefficient: 1.29e+00
Value: symrk

WT (n=4)


symrk (n=4)

ccamk (n=4)

nsp1 (n=4)

nsp2 (n=4)

Genotype



G8_LjRoot126

FDR: $1.173e-01$
Coefficient: $-3.33e-01$
Value: *nsp2*

4000
3000
2000
1000

WT (n=4)


symrk (n=4)

ccamk (n=4)

nsp1 (n=4)


nsp2 (n=4)

Genotype



G15_LjRoot29

FDR: 1.213e-01
Coefficient: 9.54e-01
Value: nsp2




G5_LjRoot105


FDR: 1.227e-01
Coefficient: 8.70e-01
Value: nsp2

WT (n=4) symrk (n=4) ccamk (n=4) nsp1 (n=4) nsp2 (n=4)


Genotype





G17_LjRoot232



LjRoot227










LjRoot17

FDR: 1.426e-01
Coefficient: 9.87e-01
Value: ccamk




LjRoot230






G20_LjRoot162


FDR: 1.470e-01
Coefficient: -5.45e-01
Value: symrk



LjRoot257



LjRoot229



G35_LjRoot145

FDR: 1.559e-01
Coefficient: 1.03e+00
Value: nsp1

WT (n=4)


symrk (n=4)

ccamk (n=4)


nsp1 (n=4)


nsp2 (n=4)

Genotype



LjRoot149





LjRoot18

FDR: 1.631e-01
Coefficient: -1.23e+00
Value: ccamk

WT (n=4)


symrk (n=4)

ccamk (n=4)

nsp1 (n=4)


nsp2 (n=4)

Genotype




LjRoot295


FDR: 1.655e-01
Coefficient: 1.18e+00
Value: nsp2



LjRoot240

FDR: $1.982e-01$
Coefficient: $-7.98e-01$
Value: *nsp1*






G36_LjRoot142

FDR: 2.034e-01
Coefficient: -2.49e-01
Value: nsp1

WT (n=4) symrk (n=4) ccamk (n=4) nsp1 (n=4) nsp2 (n=4)

Genotype



LjRoot89

FDR: 2.034e-01
Coefficient: 6.70e-01
Value: nsp2

WT (n=4)

symrk (n=4)

ccamk (n=4)

nsp1 (n=4)


nsp2 (n=4)


Genotype

200

100


0







G4_LjRoot26


FDR: 2.223e-01
Coefficient: 5.40e-01
Value: ccamk










LjRoot149






LjRoot243






LjRoot295


FDR: 2.308e-01
Coefficient: 1.04e+00
Value: symrk





G37_LjNode209

FDR: 2.419e-01
Coefficient: -1.59e+00
Value: nsp1





G36_LjRoot142

FDR: 2.419e-01
Coefficient: -2.30e-01
Value: nsp2


WT (n=4) symrk (n=4) ccamk (n=4) nsp1 (n=4) nsp2 (n=4)

Genotype





G34_LjRoot233



G14_LjRoot22

FDR: 2.481e-01
Coefficient: 8.57e-01
Value: symrk

