

Node Structure Visualization


Click on any node in the tree to jump to its detailed information.

Total Nodes: 21 | Best Validation Score: 0.9609 (Node 8)

Node Tree:

Table of Contents:

Node ID	Stage	Status	Tool
<-1			
>0			autogluon.multimodal
>1			machine learning
>2			autogluon.tabular
>3			autogluon.multimodal
>4			machine learning
>5			machine learning
>6			machine learning
>7			machine learning
>8			autogluon.multimodal
>9			autogluon.multimodal
>10			autogluon.multimodal
>11			autogluon.multimodal
>12			autogluon.multimodal
>13			autogluon.multimodal
>14			autogluon.multimodal
>15			autogluon.multimodal
>16			autogluon.multimodal
>17			autogluon.multimodal
>18			autogluon.multimodal
>19			autogluon.tabular



Status	Color
Success	Green
Failure	Red
Neutral	Blue

Node Details:

Node -1 (root)

Property	Value
uct_value	0.2064
ctime	2026-05-21 23:46:10
debug_attempts	0
depth	0
execution_time	0.0
expected_child_count	0
failure_visits	5
id	-1
is_debug_successful	✗
is_leaf	✗
is_successful	✗
is_terminal	✗
num_children	5
prev_tutorial_prompt	None
stage	root
time_step	-1
tool_used	
tools_available	[]
unvalidated_visits	0
validated_reward	13.042299999999997
validated_visits	15
validation_score	None
visits	20
parent_id	None
child_ids	[0, 1, 2, 4, 8]

Node 0 (evolve)

Property	Value
uct_value	1.7306
ctime	2026-05-21 23:47:05
debug_attempts	1
depth	1
execution_time	0.0
expected_child_count	0
exploitation	0.0
exploration	1.4418091240986957
failure_penalty	-0.0
failure_visits	2
id	0
is_debug_successful	✗
is_leaf	✗
is_successful	✗
is_terminal	✓
normalized_failure_visit	0
num_children	1
prev_tutorial_prompt	None
stage	evolve
time_step	0
tool_used	autogluon.multimodal
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_contribution	0.0
validated_reward	0.0
validated_visits	0
validation_score	None

visits	2
parent_id	-1
child_ids	[3]

Error Message:

stderr:

==> WARNING: A newer version of conda exists. <==

current version: 25.11.0

latest version: 26.5.0

Please update conda by running

\$ conda update -n base -c conda-forge conda

Using Python 3.11.15 environment at: 36-addition_1/node_0/conda_env

Resolved 235 packages in 1.12s

Uninstalled 1 package in 1.73s

Installed 233 packages in 51.17s

+ absl-py==2.4.0

+ accelerate==1.13.0

+ adagio==0.2.6

+ aiohappyeyeballs==2.6.2

+ aiohttp==3.13.5

+ aiohttp-cors==0.8.1

+ aiosignal==1.4.0

+ alembic==1.18.4

+ annotated-doc==0.0.4

+ annotated-types==0.7.0

+ antlr4-python3-runtime==4.9.3

+ attrs==26.1.0

+ autogluon==1.5.1b20260521

+ autogluon-common==1.5.1b20260521

+ autogluon-core==1.5.1b20260521

+ autogluon-features==1.5.1b20260521

+ autogluon-multimodal==1.5.1b20260521

+ autogluon-tabular==1.5.1b20260521

+ autogluon-timeseries==1.5.1b20260521

+ beartype==0.22.9

+ beautifulsoup4==4.14.3

+ blis==1.3.3

+ boto3==1.43.13

+ botocore==1.43.13

+ catalogue==2.0.10

+ catboost==1.2.10

+ certifi==2026.5.20

+ cffi==2.0.0

- + chardet==7.4.3
- + charset-normalizer==3.4.7
- + chronos-forecasting==2.2.2
- + click==8.4.0
- + cloudpathlib==0.24.0
- + cloudpickle==3.1.2
- + colorama==0.4.6
- + colorful==0.6.0a1
- + colorlog==6.10.1
- + confection==1.3.3
- + contourpy==1.3.3
- + coreforecast==0.0.16
- + cryptography==48.0.0
- + cycler==0.12.1
- + cymem==2.0.13
- + datasets==4.0.0
- + defusedxml==0.7.1
- + dill==0.3.8
- + distlib==0.4.0
- + einops==0.8.2
- + einx==0.4.3
- + evaluate==0.4.6
- + fastai==2.8.5
- + fastcore==1.8.18
- + fastdownload==0.0.7
- + fastprogress==1.0.5
- + fasttransform==0.0.2
- + filelock==3.29.0
- + fonttools==4.63.0
- + frozendict==2.4.7
- + frozenlist==1.8.0
- + fsspec==2025.3.0
- + fugue==0.9.7
- + future==1.0.0
- + gdown==6.0.0
- + gluonts==0.16.2
- + google-api-core==2.30.3
- + google-auth==2.53.0
- + googleapis-common-protos==1.75.0
- + graphviz==0.21
- + grpcio==1.81.0rc1
- + hf-xet==1.5.0
- + httpx==1.0.dev3
- + huggingface-hub==0.36.2
- + hyperopt==0.2.7

+ idna==3.15
... [truncated, 6605 chars total]

Error Analysis:

ERROR_SUMMARY: The error occurs because the `MultiModalPredictor.fit()` method in AutoGluon does not accept a `val_data` keyword argument. Passing `val_data=val_data` to `fit()` results in a `TypeError`. This indicates a mismatch between the code and the current AutoGluon API, which expects validation data to be provided using the `tuning_data` parameter instead.

SUGGESTED_FIX:

Replace the `val_data=val_data` argument in the `predictor.fit()` call with `tuning_data=val_data`. This will correctly provide the validation set for early stopping and metric reporting according to the latest AutoGluon MultiModal API. Review the documentation for any other parameter name changes to ensure compatibility.

Node 1 (evolve)

Property	Value
uct_value	2.4474
ctime	2026-05-21 23:54:05
debug_attempts	0
depth	1
execution_time	0.0
expected_child_count	0
exploitation	0.0
exploration	1.2486433288776608
failure_penalty	-0.0
failure_visits	1
id	1
is_debug_successful	✗
is_leaf	✓
is_successful	✗
is_terminal	✓
normalized_failure_visit	0
num_children	0
prev_tutorial_prompt	None
stage	evolve
time_step	1
tool_used	machine learning
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_contribution	0.0
validated_reward	0.0
validated_visits	0
validation_score	None

visits	1
parent_id	-1
child_ids	[]

Error Message:

stderr:

==> WARNING: A newer version of conda exists. <==

current version: 25.11.0

latest version: 26.5.0

Please update conda by running

\$ conda update -n base -c conda-forge conda

warning: Requirements file `~/home/anri21/.conda/envs/mlzero\_env/lib/python3.11/site-packages/autogluon/assistant/tools\_registry/machine learning/requirements.txt` does not contain any dependencies

Using Python 3.11.15 environment at: 36-addition_1/node_1/conda_env

Resolved 79 packages in 931ms

Uninstalled 1 package in 1.64s

Installed 78 packages in 35.49s

+ aiohappyeyeballs==2.6.2

+ aiohttp==3.13.5

+ aiosignal==1.4.0

+ annotated-doc==0.0.4

+ annotated-types==0.7.0

+ anyio==4.13.0

+ attrs==26.1.0

+ certifi==2026.5.20

+ chardet==7.4.3

+ charset-normalizer==3.4.7

+ click==8.4.0

+ cuda-bindings==13.2.0

+ cuda-pathfinder==1.5.4

+ cuda-toolkit==13.0.2

+ datasets==4.8.5

+ dill==0.4.1

+ filelock==3.29.0

+ frozenlist==1.8.0

+ fsspec==2026.2.0

+ h11==0.16.0

+ hf-xet==1.5.0

+ httpcore==1.0.9

+ httpx==0.28.1

+ huggingface-hub==1.16.1

+ idna==3.15

+ jinja2==3.1.6

```
+ markdown-it-py==4.2.0
+ markupsafe==3.0.3
+ mdurl==0.1.2
+ mpmath==1.3.0
+ multidict==6.7.1
+ multiprocessing==0.70.19
+ networkx==3.6.1
+ numpy==2.4.6
+ nvidia-cublas==13.1.1.3
+ nvidia-cuda-cupti==13.0.85
+ nvidia-cuda-nvrtc==13.0.88
+ nvidia-cuda-runtime==13.0.96
+ nvidia-cudnn-cu13==9.20.0.48
+ nvidia-cufft==12.0.0.61
+ nvidia-cufile==1.15.1.6
+ nvidia-curand==10.4.0.35
+ nvidia-cusolver==12.0.4.66
+ nvidia-cusparselt-cu13==0.8.1
+ nvidia-nccl-cu13==2.29.7
+ nvidia-nvjitlink==13.0.88
+ nvidia-nvshmem-cu13==3.4.5
+ nvidia-nvtx==13.0.85
+ opencv-python==4.13.0.92
+ pandas==3.0.3
+ pillow==12.2.0
+ propcache==0.5.2
+ pyarrow==24.0.0
+ pydantic==2.13.4
+ pydantic-core==2.46.4
+ pygments==2.20.0
+ python-calamine==0.6.2
+ python-dateutil==2.9.0.post0
+ pytz==2026.2
+ pyyaml==6.0.3
+ requests==2.34.2
+ rich==15.0.0
- setuptools==82.0.1
+ set... [truncated, 99441 chars total]
```

Error Analysis:

ERROR_SUMMARY: The process exceeded the 1-hour (3600 seconds) wall-clock time limit before completing all required steps, including model training, prediction, and validation. This was primarily due to slow training epochs, likely caused by a combination of a large dataset, a relatively deep model (ResNet18), and possibly suboptimal data loading or hardware utilization. Additionally, there were repeated OSError: [Errno 16] Device or resource busy messages related to NFS file handling, but these did not directly terminate the process.

SUGGESTED_FIX:

Reduce the overall runtime by decreasing the number of training epochs (e.g., from 10 to 3–5), lowering the model complexity (e.g., use a smaller model like ResNet10 or MobileNetV2), and/or reducing the image input size (e.g., from 224x224 to 128x128). Also, ensure that DataLoader parameters (batch size, num_workers, pin_memory) are tuned for your hardware, and consider profiling data loading to identify bottlenecks. If NFS file access remains slow or problematic, consider copying a subset of images to local storage for faster access during training.

Node 2 (evolve)

Property	Value
uct_value	1.7306
ctime	2026-05-22 00:56:33
debug_attempts	1
depth	1
execution_time	0.0
expected_child_count	0
exploitation	0.0
exploration	1.2131672923786587
failure_penalty	-0.0
failure_visits	2
id	2
is_debug_successful	✗
is_leaf	✗
is_successful	✗
is_terminal	✗
normalized_failure_visit	0
num_children	1
prev_tutorial_prompt	None
stage	evolve
time_step	2
tool_used	autogluon.tabular
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_contribution	0.0
validated_reward	0.0
validated_visits	0
validation_score	None

visits	2
parent_id	-1
child_ids	[19]

Error Message:

stderr:

==> WARNING: A newer version of conda exists. <==

current version: 25.11.0

latest version: 26.5.0

Please update conda by running

\$ conda update -n base -c conda-forge conda

Using Python 3.11.15 environment at: 36-addition_1/node_2/conda_env

Resolved 239 packages in 1.30s

Uninstalled 1 package in 1.76s

Installed 237 packages in 50.96s

+ absl-py==2.4.0

+ accelerate==1.13.0

+ adagio==0.2.6

+ aiohappyeyeballs==2.6.2

+ aiohttp==3.13.5

+ aiohttp-cors==0.8.1

+ aiosignal==1.4.0

+ alembic==1.18.4

+ annotated-doc==0.0.4

+ annotated-types==0.7.0

+ antlr4-python3-runtime==4.9.3

+ attrs==26.1.0

+ autogluon==1.5.1b20260521

+ autogluon-common==1.5.1b20260521

+ autogluon-core==1.5.1b20260521

+ autogluon-features==1.5.1b20260521

+ autogluon-multimodal==1.5.1b20260521

+ autogluon-tabular==1.5.1b20260521

+ autogluon-timeseries==1.5.1b20260521

+ beartype==0.22.9

+ beautifulsoup4==4.14.3

+ blis==1.3.3

+ boto3==1.43.13

+ botocore==1.43.13

+ catalogue==2.0.10

+ catboost==1.2.10

+ certifi==2026.5.20

+ cffi==2.0.0

- + chardet==7.4.3
- + charset-normalizer==3.4.7
- + chronos-forecasting==2.2.2
- + click==8.4.0
- + cloudpathlib==0.24.0
- + cloudpickle==3.1.2
- + colorama==0.4.6
- + colorful==0.6.0a1
- + colorlog==6.10.1
- + confection==1.3.3
- + contourpy==1.3.3
- + coreforecast==0.0.16
- + cryptography==48.0.0
- + cycler==0.12.1
- + cymem==2.0.13
- + daal==2025.9.0
- + datasets==4.0.0
- + defusedxml==0.7.1
- + dill==0.3.8
- + distlib==0.4.0
- + einops==0.8.2
- + einx==0.4.3
- + evaluate==0.4.6
- + fastai==2.8.5
- + fastcore==1.8.18
- + fastdownload==0.0.7
- + fastprogress==1.0.5
- + fasttransform==0.0.2
- + filelock==3.29.0
- + fonttools==4.63.0
- + frozendict==2.4.7
- + frozenlist==1.8.0
- + fsspec==2025.3.0
- + fugue==0.9.7
- + future==1.0.0
- + gdown==6.0.0
- + gluonts==0.16.2
- + google-api-core==2.30.3
- + google-auth==2.53.0
- + googleapis-common-protos==1.75.0
- + graphviz==0.21
- + grpcio==1.81.0rc1
- + hf-xet==1.5.0
- + httpx==1.0.dev3
- + huggingface-hub==0.36.2

+ hyperopt==0.... [truncated, 41964 chars total]

Error Analysis:

ERROR_SUMMARY: AutoGluon failed to train any models because the Ray backend (used for parallel model training) attempted to create UNIX domain sockets with file paths longer than the system's AF_UNIX limit (107 bytes). This resulted in repeated OSError exceptions: "validate_socket_filename failed: AF_UNIX path length cannot exceed 107 bytes", causing all model training to be skipped and ultimately raising a RuntimeError due to no models being fit.

SUGGESTED_FIX:

Shorten the directory paths used for temporary files and model output, especially those under ``/sc-scratch/sc-scratch-ikim-guidlight/tmp/ray/`` and ``/sc-scratch/sc-scratch-ikim-guidlight/be-fair/mlzero/36-addition_1/node_2/``. Move your working, output, and temp directories to a location with a much shorter absolute path (e.g., ``/tmp/ag/``), and set the ``TMPDIR``, ``TEMP``, and ``TMP`` environment variables to this shorter path before running your script. This will ensure all UNIX socket files created by Ray are within the allowed length, preventing the OSError and allowing model training to proceed.

Node 3 (debug)

Property	Value
uct_value	1.1772
ctime	2026-05-22 01:02:36
debug_attempts	1
depth	2
execution_time	0.0
expected_child_count	0
failure_visits	1
id	3
is_debug_successful	✗
is_leaf	✓
is_successful	✗
is_terminal	✓
num_children	0
prev_tutorial_prompt	### Condensed: ```python # Condensed: ```python Summary: This tutorial demonstrates image classification using AutoGluon MultiModal, covering implementation
stage	debug
time_step	3
tool_used	autogluon.multimodal
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_reward	0.0
validated_visits	0
validation_score	None
visits	1
parent_id	0
child_ids	[]

Error Message:

stderr:

==> WARNING: A newer version of conda exists. <==

current version: 25.11.0

latest version: 26.5.0

Please update conda by running

\$ conda update -n base -c conda-forge conda

Using Python 3.11.15 environment at: 36-addition_1/node_3/conda_env

Resolved 235 packages in 1.07s

Uninstalled 1 package in 1.65s

Installed 233 packages in 45.31s

+ absl-py==2.4.0

+ accelerate==1.13.0

+ adagio==0.2.6

+ aiohappyeyeballs==2.6.2

+ aiohttp==3.13.5

+ aiohttp-cors==0.8.1

+ aiosignal==1.4.0

+ alembic==1.18.4

+ annotated-doc==0.0.4

+ annotated-types==0.7.0

+ antlr4-python3-runtime==4.9.3

+ attrs==26.1.0

+ autogluon==1.5.1b20260521

+ autogluon-common==1.5.1b20260521

+ autogluon-core==1.5.1b20260521

+ autogluon-features==1.5.1b20260521

+ autogluon-multimodal==1.5.1b20260521

+ autogluon-tabular==1.5.1b20260521

+ autogluon-timeseries==1.5.1b20260521

+ beartype==0.22.9

+ beautifulsoup4==4.14.3

+ blis==1.3.3

+ boto3==1.43.13

+ botocore==1.43.13

+ catalogue==2.0.10

+ catboost==1.2.10

+ certifi==2026.5.20

+ cffi==2.0.0

+ chardet==7.4.3

+ charset-normalizer==3.4.7

+ chronos-forecasting==2.2.2

+ click==8.4.0

+ cloudpathlib==0.24.0

+ cloudpickle==3.1.2
+ colorama==0.4.6
+ colorful==0.6.0a1
+ colorlog==6.10.1
+ confection==1.3.3
+ contourpy==1.3.3
+ coreforecast==0.0.16
+ cryptography==48.0.0
+ cycler==0.12.1
+ cymem==2.0.13
+ datasets==4.0.0
+ defusedxml==0.7.1
+ dill==0.3.8
+ distlib==0.4.0
+ einops==0.8.2
+ einx==0.4.3
+ evaluate==0.4.6
+ fastai==2.8.5
+ fastcore==1.8.18
+ fastdownload==0.0.7
+ fastprogress==1.0.5
+ fasttransform==0.0.2
+ filelock==3.29.0
+ fonttools==4.63.0
+ frozendict==2.4.7
+ frozenlist==1.8.0
+ fsspec==2025.3.0
+ fugue==0.9.7
+ future==1.0.0
+ gdown==6.0.0
+ gluonts==0.16.2
+ google-api-core==2.30.3
+ google-auth==2.53.0
+ googleapis-common-protos==1.75.0
+ graphviz==0.21
+ grpcio==1.81.0rc1
+ hf-xet==1.5.0
+ httpx==1.0.dev3
+ huggingface-hub==0.36.2
+ hyperopt==0.2.7
+ idna==3.15
... [truncated, 15832 chars total]

Error Analysis:

ERROR_SUMMARY: The error occurred because the test DataFrame passed to ``predictor.predict_proba()`` did not include the 'skin_tone' column, which was present in the training data and thus required by the trained AutoGluon MultiModalPredictor. As a result, the model raised a ``ValueError`` indicating that the required column 'skin_tone' was missing from the test data.

SUGGESTED_FIX:

Before calling ``predictor.predict_proba()`` on the test set, ensure that the test DataFrame includes a 'skin_tone' column. If true skin tone values are unavailable for test samples, add the column with a placeholder value (e.g., ``np.nan`` or a default integer) so that the test DataFrame columns match those used during training. This will satisfy the model's input schema and allow prediction to proceed.

Node 4 (debug)

Property	Value
uct_value	1.3467
avg_raw_score	0.8326
ctime	2026-05-22 01:26:01
debug_attempts	1
depth	2
execution_time	0.0
expected_child_count	0
exploitation	0.12303485987696526
exploration	0.9098754692839941
failure_penalty	-0.0
failure_visits	0
id	4
is_debug_successful	✗
is_leaf	✗
is_successful	✓
is_terminal	✗
normalized_failure_visit	0
normalized_score	0.12303485987696526
num_children	2
prev_tutorial_prompt	None
stage	debug
time_step	4
tool_used	machine learning
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_contribution	0.12303485987696526
validated_reward	3.3304

validated_visits	4
validated_weight	1.0
validation_score	0.8242
visits	4
parent_id	-1
child_ids	[5, 6]

Node 5 (evolve)

Property	Value
uct_value	1.2917
avg_raw_score	0.8481
ctime	2026-05-22 02:23:07
debug_attempts	0
depth	3
execution_time	0.0
expected_child_count	0
exploitation	1.0
exploration	1.482079962591042
failure_penalty	-0.0
failure_visits	0
id	5
is_debug_successful	✗
is_leaf	✗
is_successful	✓
is_terminal	✗
normalized_failure_visit	0
normalized_score	1.0
num_children	1
prev_tutorial_prompt	### Condensed: Intro to Use Machine Learning or Deep Learning algorithms # Condensed: Intro to Use Machine Learning or Deep Learning algorithms Summary: You can use any machine learning or deep learning algorithms to complete the tasks. Make sure you # Intro to Use Machine Learning or Deep Learning algorithms You can use any machine learning or deep learning algorithms to complete the tasks. Make sure you have then
stage	evolve

time_step	5
tool_used	machine learning
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_contribution	1.0
validated_reward	1.6627
validated_visits	2
validated_weight	1.0
validation_score	0.8481
visits	2
parent_id	4
child_ids	[7]

Node 6 (evolve)

Property	Value
uct_value	1.8624
avg_raw_score	0.8435
ctime	2026-05-22 02:48:42
debug_attempts	0
depth	3
execution_time	0.0
expected_child_count	0
exploitation	0.80753138075314
exploration	1.482079962591042
failure_penalty	-0.0
failure_visits	0
id	6
is_debug_successful	✗
is_leaf	✓
is_successful	✓
is_terminal	✗
normalized_failure_visit	0
normalized_score	0.80753138075314
num_children	0
prev_tutorial_prompt	### Condensed: Intro to Use Machine Learning or Deep Learning algorithms # Condensed: Intro to Use Machine Learning or Deep Learning algorithms Summary: You can use any machine learning or deep learning algorithms to complete the tasks. Make sure you # Intro to Use Machine Learning or Deep Learning algorithms You can use any machine learning or deep learning algorithms to complete the tasks. Make sure you have then
stage	evolve

time_step	6
tool_used	machine learning
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_contribution	0.80753138075314
validated_reward	0.8435
validated_visits	1
validated_weight	1.0
validation_score	0.8435
visits	1
parent_id	4
child_ids	[]

Node 7 (evolve)

Property	Value
uct_value	1.1772
ctime	2026-05-22 03:14:09
debug_attempts	0
depth	4
execution_time	0.0
expected_child_count	0
failure_visits	0
id	7
is_debug_successful	✗
is_leaf	✓
is_successful	✓
is_terminal	✗
num_children	0
prev_tutorial_prompt	### Condensed: Intro to Use Machine Learning or Deep Learning algorithms # Condensed: Intro to Use Machine Learning or Deep Learning algorithms Summary: You can use any machine learning or deep learning algorithms to complete the tasks. Make sure you # Intro to Use Machine Learning or Deep Learning algorithms You can use any machine learning or deep learning algorithms to complete the tasks. Make sure you have them
stage	evolve
time_step	7
tool_used	machine learning
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_reward	0.8146
validated_visits	1

validation_score	0.8146
visits	1
parent_id	5
child_ids	[]

Node 8 (debug)

Property	Value
uct_value	1.2048
avg_raw_score	0.8828999999999998
ctime	2026-05-22 03:39:41
debug_attempts	2
depth	2
execution_time	0.0
expected_child_count	0
exploitation	0.4668489405331498
exploration	0.7315674030457086
failure_penalty	-0.0
failure_visits	0
id	8
is_debug_successful	✗
is_leaf	✗
is_successful	✓
is_terminal	✗
normalized_failure_visit	0
normalized_score	0.4668489405331498
num_children	2
prev_tutorial_prompt	None
stage	debug
time_step	8
tool_used	autogluon.multimodal
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_contribution	0.4668489405331498
validated_reward	9.711899999999998

validated_visits	11
validated_weight	1.0
validation_score	0.9609
visits	11
parent_id	-1
child_ids	[9, 10]

Node 9 (evolve)

Property	Value
uct_value	1.3928
avg_raw_score	0.8751
ctime	2026-05-22 04:02:33
debug_attempts	0
depth	3
execution_time	0.0
expected_child_count	0
exploitation	0.4135338345864662
exploration	0.9595602560122969
failure_penalty	-0.0
failure_visits	0
id	9
is_debug_successful	✗
is_leaf	✗
is_successful	✓
is_terminal	✗
normalized_failure_visit	0
normalized_score	0.4135338345864662
num_children	2
prev_tutorial_prompt	### Condensed: ```python # Condensed: ```python Summary: This tutorial demonstrates image classification using AutoGluon MultiModal, covering implementation
stage	evolve
time_step	9
tool_used	autogluon.multimodal
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0

validated_contribution	0.4135338345864662
validated_reward	4.3755
validated_visits	5
validated_weight	1.0
validation_score	0.8751
visits	5
parent_id	8
child_ids	[11, 13]

Node 10 (evolve)

Property	Value
uct_value	1.3928
avg_raw_score	0.8751
ctime	2026-05-22 04:18:43
debug_attempts	0
depth	3
execution_time	0.0
expected_child_count	0
exploitation	0.4135338345864662
exploration	1.0728209804752984
failure_penalty	-0.0
failure_visits	0
id	10
is_debug_successful	✗
is_leaf	✗
is_successful	✓
is_terminal	✗
normalized_failure_visit	0
normalized_score	0.4135338345864662
num_children	2
prev_tutorial_prompt	### Condensed: ```python # Condensed: ```python Summary: This tutorial demonstrates image classification using AutoGluon MultiModal, covering implementation
stage	evolve
time_step	10
tool_used	autogluon.multimodal
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0

validated_contribution	0.4135338345864662
validated_reward	4.3755
validated_visits	5
validated_weight	1.0
validation_score	0.8751
visits	5
parent_id	8
child_ids	[12, 14]

Node 11 (evolve)

Property	Value
uct_value	1.6820
avg_raw_score	0.8751
ctime	2026-05-22 04:35:00
debug_attempts	0
depth	4
execution_time	0.0
expected_child_count	0
exploitation	0.4135338345864662
exploration	1.1772322201769845
failure_penalty	-0.0
failure_visits	0
id	11
is_debug_successful	✗
is_leaf	✗
is_successful	✓
is_terminal	✗
normalized_failure_visit	0
normalized_score	0.4135338345864662
num_children	1
prev_tutorial_prompt	### Condensed: ```python # Condensed: ```python Summary: This tutorial demonstrates image classification using AutoGluon MultiModal, covering implementation
stage	evolve
time_step	11
tool_used	autogluon.multimodal
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0

validated_contribution	0.4135338345864662
validated_reward	1.7502
validated_visits	2
validated_weight	1.0
validation_score	0.8751
visits	2
parent_id	9
child_ids	[15]

Node 12 (evolve)

Property	Value
uct_value	1.6820
avg_raw_score	0.8751
ctime	2026-05-22 04:51:01
debug_attempts	0
depth	4
execution_time	0.0
expected_child_count	0
exploitation	0.4135338345864662
exploration	1.1772322201769845
failure_penalty	-0.0
failure_visits	0
id	12
is_debug_successful	✗
is_leaf	✗
is_successful	✓
is_terminal	✗
normalized_failure_visit	0
normalized_score	0.4135338345864662
num_children	1
prev_tutorial_prompt	### Condensed: ```python # Condensed: ```python Summary: This tutorial demonstrates image classification using AutoGluon MultiModal, covering implementation
stage	evolve
time_step	12
tool_used	autogluon.multimodal
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0

validated_contribution	0.4135338345864662
validated_reward	1.7502
validated_visits	2
validated_weight	1.0
validation_score	0.8751
visits	2
parent_id	10
child_ids	[16]

Node 13 (evolve)

Property	Value
uct_value	1.6820
avg_raw_score	0.8751
ctime	2026-05-22 05:07:12
debug_attempts	0
depth	4
execution_time	0.0
expected_child_count	0
exploitation	0.4135338345864662
exploration	1.664857771836881
failure_penalty	-0.0
failure_visits	0
id	13
is_debug_successful	✗
is_leaf	✗
is_successful	✓
is_terminal	✗
normalized_failure_visit	0
normalized_score	0.4135338345864662
num_children	1
prev_tutorial_prompt	### Condensed: ```python # Condensed: ```python Summary: This tutorial demonstrates image classification using AutoGluon MultiModal, covering implementation
stage	evolve
time_step	13
tool_used	autogluon.multimodal
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0

validated_contribution	0.4135338345864662
validated_reward	1.7502
validated_visits	2
validated_weight	1.0
validation_score	0.8751
visits	2
parent_id	9
child_ids	[17]

Node 14 (evolve)

Property	Value
uct_value	1.6820
avg_raw_score	0.8751
ctime	2026-05-22 05:23:31
debug_attempts	0
depth	4
execution_time	0.0
expected_child_count	0
exploitation	0.4135338345864662
exploration	1.664857771836881
failure_penalty	-0.0
failure_visits	0
id	14
is_debug_successful	✗
is_leaf	✗
is_successful	✓
is_terminal	✗
normalized_failure_visit	0
normalized_score	0.4135338345864662
num_children	1
prev_tutorial_prompt	### Condensed: ```python # Condensed: ```python Summary: This tutorial demonstrates image classification using AutoGluon MultiModal, covering implementation
stage	evolve
time_step	14
tool_used	autogluon.multimodal
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0

validated_contribution	0.4135338345864662
validated_reward	1.7502
validated_visits	2
validated_weight	1.0
validation_score	0.8751
visits	2
parent_id	10
child_ids	[18]

Node 15 (evolve)

Property	Value
uct_value	1.5908
ctime	2026-05-22 05:39:59
debug_attempts	0
depth	5
execution_time	0.0
expected_child_count	0
failure_visits	0
id	15
is_debug_successful	✗
is_leaf	✓
is_successful	✓
is_terminal	✗
num_children	0
prev_tutorial_prompt	### Condensed: ```python # Condensed: ```python Summary: This tutorial demonstrates image classification using AutoGluon MultiModal, covering implementation
stage	evolve
time_step	15
tool_used	autogluon.multimodal
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_reward	0.8751
validated_visits	1
validation_score	0.8751
visits	1
parent_id	11
child_ids	[]

Node 16 (evolve)

Property	Value
uct_value	1.5908
ctime	2026-05-22 05:56:02
debug_attempts	0
depth	5
execution_time	0.0
expected_child_count	0
failure_visits	0
id	16
is_debug_successful	✗
is_leaf	✓
is_successful	✓
is_terminal	✗
num_children	0
prev_tutorial_prompt	### Condensed: ```python # Condensed: ```python Summary: This tutorial demonstrates image classification using AutoGluon MultiModal, covering implementation
stage	evolve
time_step	16
tool_used	autogluon.multimodal
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_reward	0.8751
validated_visits	1
validation_score	0.8751
visits	1
parent_id	12
child_ids	[]

Node 17 (evolve)

Property	Value
uct_value	1.5908
ctime	2026-05-22 06:13:01
debug_attempts	0
depth	5
execution_time	0.0
expected_child_count	0
failure_visits	0
id	17
is_debug_successful	✗
is_leaf	✓
is_successful	✓
is_terminal	✗
num_children	0
prev_tutorial_prompt	### Condensed: ```python # Condensed: ```python Summary: This tutorial demonstrates image classification using AutoGluon MultiModal, covering implementation
stage	evolve
time_step	17
tool_used	autogluon.multimodal
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_reward	0.8751
validated_visits	1
validation_score	0.8751
visits	1
parent_id	13
child_ids	[]

Node 18 (evolve)

Property	Value
uct_value	1.5908
ctime	2026-05-22 06:29:52
debug_attempts	0
depth	5
execution_time	0.0
expected_child_count	0
failure_visits	0
id	18
is_debug_successful	✗
is_leaf	✓
is_successful	✓
is_terminal	✗
num_children	0
prev_tutorial_prompt	### Condensed: ```python # Condensed: ```python Summary: This tutorial demonstrates image classification using AutoGluon MultiModal, covering implementation
stage	evolve
time_step	18
tool_used	autogluon.multimodal
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_reward	0.8751
validated_visits	1
validation_score	0.8751
visits	1
parent_id	14
child_ids	[]

Node 19 (debug)

Property	Value
uct_value	1.1772
ctime	2026-05-22 06:46:24
debug_attempts	1
depth	2
execution_time	0.0
expected_child_count	0
failure_visits	1
id	19
is_debug_successful	✗
is_leaf	✓
is_successful	✗
is_terminal	✗
num_children	0
prev_tutorial_prompt	### Condensed: ```python # Condensed: ```python Summary: This tutorial demonstrates using AutoGluon Multimodal for multimodal classification on the PetFinder dataset.
stage	debug
time_step	19
tool_used	autogluon.tabular
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_reward	0.0
validated_visits	0
validation_score	None
visits	1
parent_id	2
child_ids	[]

Error Message:

stderr:

==> WARNING: A newer version of conda exists. <==

current version: 25.11.0

latest version: 26.5.0

Please update conda by running

\$ conda update -n base -c conda-forge conda

Using Python 3.11.15 environment at: 36-addition_1/node_19/conda_env

Resolved 239 packages in 1.29s

Uninstalled 1 package in 1.58s

Installed 237 packages in 44.57s

+ absl-py==2.4.0

+ accelerate==1.13.0

+ adagio==0.2.6

+ aiohappyeyeballs==2.6.2

+ aiohttp==3.13.5

+ aiohttp-cors==0.8.1

+ aiosignal==1.4.0

+ alembic==1.18.4

+ annotated-doc==0.0.4

+ annotated-types==0.7.0

+ antlr4-python3-runtime==4.9.3

+ attrs==26.1.0

+ autogluon==1.5.1b20260521

+ autogluon-common==1.5.1b20260521

+ autogluon-core==1.5.1b20260521

+ autogluon-features==1.5.1b20260521

+ autogluon-multimodal==1.5.1b20260521

+ autogluon-tabular==1.5.1b20260521

+ autogluon-timeseries==1.5.1b20260521

+ beartype==0.22.9

+ beautifulsoup4==4.14.3

+ blis==1.3.3

+ boto3==1.43.13

+ botocore==1.43.13

+ catalogue==2.0.10

+ catboost==1.2.10

+ certifi==2026.5.20

+ cffi==2.0.0

+ chardet==7.4.3

+ charset-normalizer==3.4.7

+ chronos-forecasting==2.2.2

+ click==8.4.1

+ cloudpathlib==0.24.0

+ cloudpickle==3.1.2
+ colorama==0.4.6
+ colorful==0.6.0a1
+ colorlog==6.10.1
+ confection==1.3.3
+ contourpy==1.3.3
+ coreforecast==0.0.16
+ cryptography==48.0.0
+ cycler==0.12.1
+ cymem==2.0.13
+ daal==2025.9.0
+ datasets==4.0.0
+ defusedxml==0.7.1
+ dill==0.3.8
+ distlib==0.4.0
+ einops==0.8.2
+ einx==0.4.3
+ evaluate==0.4.6
+ fastai==2.8.5
+ fastcore==1.8.18
+ fastdownload==0.0.7
+ fastprogress==1.0.5
+ fasttransform==0.0.2
+ filelock==3.29.0
+ fonttools==4.63.0
+ frozendict==2.4.7
+ frozenlist==1.8.0
+ fsspec==2025.3.0
+ fugue==0.9.7
+ future==1.0.0
+ gdown==6.0.0
+ gluonts==0.16.2
+ google-api-core==2.30.3
+ google-auth==2.53.0
+ googleapis-common-protos==1.75.0
+ graphviz==0.21
+ grpcio==1.81.0rc1
+ hf-xet==1.5.0
+ httpx==1.0.dev3
+ huggingface-hub==0.36.2
+ hyperopt==0... [truncated, 41982 chars total]

Error Analysis:

ERROR_SUMMARY: AutoGluon failed to train any models because the Ray backend (used for parallel model training) attempted to create UNIX domain socket files with paths exceeding the system limit of 107 bytes. This resulted in repeated OSError exceptions ("AF_UNIX path length cannot exceed 107 bytes") during model

training, causing all models to fail and ultimately raising a `RuntimeError: "No models were trained successfully during fit()"`.

SUGGESTED_FIX:

Shorten the directory paths used for temporary files and model output—move your working, scratch, and output directories to a location with a much shorter absolute path (e.g., ``tmp/agrun`` or ``scratch/agrun``). Update all relevant environment variables and script paths accordingly, then rerun the training. This will ensure that Ray's socket files remain within the 107-byte UNIX path limit and allow AutoGluon to train models successfully.