

Node Structure Visualization


Click on any node in the tree to jump to its detailed information.

Total Nodes: 21 | Best Validation Score: 0.8944 (Node 7)

Node Tree:

Table of Contents:

Node ID	Stage	Status	Tool
-1			
0			autogluon.multimodal
1			machine learning
2			autogluon.tabular
3			autogluon.multimodal
4			machine learning
5			autogluon.multimodal
6			machine learning
7			machine learning
8			machine learning
9			machine learning
10			machine learning
11			machine learning
12			machine learning
13			machine learning
14			machine learning
15			machine learning
16			machine learning
17			machine learning
18			machine learning
19			machine learning



Status	Color
Success	Green
Failure	Red
Neutral	Blue

Node Details:

Node -1 (root)

Property	Value
uct_value	0.5500
ctime	2026-05-20 17:52:18
debug_attempts	0
depth	0
execution_time	0.0
expected_child_count	0
failure_visits	6
id	-1
is_debug_successful	✗
is_leaf	✗
is_successful	✗
is_terminal	✗
num_children	4
prev_tutorial_prompt	None
stage	root
time_step	-1
tool_used	
tools_available	[]
unvalidated_visits	0
validated_reward	12.517599999999996
validated_visits	14
validation_score	None
visits	20
parent_id	None
child_ids	[0, 1, 2, 6]

Node 0 (evolve)

Property	Value
uct_value	1.2463
ctime	2026-05-20 17:53:49
debug_attempts	2
depth	1
execution_time	0.0
expected_child_count	0
exploitation	-0.16666666666666666
exploration	1.400844925653736
failure_penalty	-0.16666666666666666
failure_visits	3
id	0
is_debug_successful	✗
is_leaf	✗
is_successful	✗
is_terminal	✗
normalized_failure_visit	1
num_children	2
prev_tutorial_prompt	None
stage	evolve
time_step	0
tool_used	autogluon.multimodal
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_contribution	0.0
validated_reward	0.0
validated_visits	0
validation_score	None

visits	3
parent_id	-1
child_ids	[3, 5]

Error Message:

stderr:

==> WARNING: A newer version of conda exists. <==

current version: 25.11.0

latest version: 26.5.0

Please update conda by running

\$ conda update -n base -c conda-forge conda

Using Python 3.11.15 environment at: 49-addition_3/node_0/conda_env

Resolved 235 packages in 1.42s

Uninstalled 1 package in 1.82s

Installed 233 packages in 1m 05s

+ absl-py==2.4.0

+ accelerate==1.13.0

+ adagio==0.2.6

+ aiohappyeyeballs==2.6.2

+ aiohttp==3.13.5

+ aiohttp-cors==0.8.1

+ aiosignal==1.4.0

+ alembic==1.18.4

+ annotated-doc==0.0.4

+ annotated-types==0.7.0

+ antlr4-python3-runtime==4.9.3

+ attrs==26.1.0

+ autogluon==1.5.1b20260520

+ autogluon-common==1.5.1b20260520

+ autogluon-core==1.5.1b20260520

+ autogluon-features==1.5.1b20260520

+ autogluon-multimodal==1.5.1b20260520

+ autogluon-tabular==1.5.1b20260520

+ autogluon-timeseries==1.5.1b20260520

+ beartype==0.22.9

+ beautifulsoup4==4.14.3

+ blis==1.3.3

+ boto3==1.43.11

+ botocore==1.43.11

+ catalogue==2.0.10

+ catboost==1.2.10

+ certifi==2026.5.20

+ cffi==2.0.0

- + chardet==7.4.3
- + charset-normalizer==3.4.7
- + chronos-forecasting==2.2.2
- + click==8.4.0
- + cloudpathlib==0.24.0
- + cloudpickle==3.1.2
- + colorama==0.4.6
- + colorful==0.6.0a1
- + colorlog==6.10.1
- + confection==1.3.3
- + contourpy==1.3.3
- + coreforecast==0.0.16
- + cryptography==48.0.0
- + cycler==0.12.1
- + cymem==2.0.13
- + datasets==4.0.0
- + defusedxml==0.7.1
- + dill==0.3.8
- + distlib==0.4.0
- + einops==0.8.2
- + einx==0.4.3
- + evaluate==0.4.6
- + fastai==2.8.5
- + fastcore==1.8.18
- + fastdownload==0.0.7
- + fastprogress==1.0.5
- + fasttransform==0.0.2
- + filelock==3.29.0
- + fonttools==4.63.0
- + frozendict==2.4.7
- + frozenlist==1.8.0
- + fsspec==2025.3.0
- + fugue==0.9.7
- + future==1.0.0
- + gdown==6.0.0
- + gluonts==0.16.2
- + google-api-core==2.30.3
- + google-auth==2.53.0
- + googleapis-common-protos==1.75.0
- + graphviz==0.21
- + grpcio==1.81.0rc1
- + hf-xet==1.5.0
- + httpx==1.0.dev3
- + huggingface-hub==0.36.2
- + hyperopt==0.2.7

+ idna==3.15
... [truncated, 6546 chars total]

Error Analysis:

ERROR_SUMMARY: The error occurs because the `MultiModalPredictor.fit()` method in your installed version of AutoGluon does not accept the `val_data` keyword argument. This indicates that either the API has changed in your version, or the argument is not supported for this predictor class.

SUGGESTED_FIX:

Remove the `val_data=val_data` argument from the `predictor.fit()` call. If you want to use a validation set for early stopping or evaluation, check the documentation for your specific AutoGluon version for the correct way to specify validation data—typically, you may need to concatenate your training and validation data and use the `tuning_data` argument instead, or rely on AutoGluon's internal split.

Node 1 (evolve)

Property	Value
uct_value	1.7306
ctime	2026-05-20 18:01:52
debug_attempts	1
depth	1
execution_time	0.0
expected_child_count	0
exploitation	0.0
exploration	1.0037730452153744
failure_penalty	-0.0
failure_visits	2
id	1
is_debug_successful	✗
is_leaf	✗
is_successful	✗
is_terminal	✓
normalized_failure_visit	0
num_children	1
prev_tutorial_prompt	None
stage	evolve
time_step	1
tool_used	machine learning
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_contribution	0.0
validated_reward	0.0
validated_visits	0
validation_score	None

visits	2
parent_id	-1
child_ids	[4]

Error Message:

stderr:

==> WARNING: A newer version of conda exists. <==

current version: 25.11.0

latest version: 26.5.0

Please update conda by running

\$ conda update -n base -c conda-forge conda

warning: Requirements file `~/home/anri21/.conda/envs/mlzero\_env/lib/python3.11/site-packages/autogluon/assistant/tools\_registry/machine learning/requirements.txt` does not contain any dependencies

Using Python 3.11.15 environment at: 49-addition_3/node_1/conda_env

Resolved 79 packages in 698ms

Uninstalled 1 package in 1.82s

Installed 78 packages in 46.71s

+ aiohappyeyeballs==2.6.2

+ aiohttp==3.13.5

+ aiosignal==1.4.0

+ annotated-doc==0.0.4

+ annotated-types==0.7.0

+ anyio==4.13.0

+ attrs==26.1.0

+ certifi==2026.5.20

+ chardet==7.4.3

+ charset-normalizer==3.4.7

+ click==8.4.0

+ cuda-bindings==13.2.0

+ cuda-pathfinder==1.5.4

+ cuda-toolkit==13.0.2

+ datasets==4.8.5

+ dill==0.4.1

+ filelock==3.29.0

+ frozenlist==1.8.0

+ fsspec==2026.2.0

+ h11==0.16.0

+ hf-xet==1.5.0

+ httpcore==1.0.9

+ httpx==0.28.1

+ huggingface-hub==1.15.0

+ idna==3.15

+ jinja2==3.1.6

```
+ markdown-it-py==4.2.0
+ markupsafe==3.0.3
+ mdurl==0.1.2
+ mpmath==1.3.0
+ multidict==6.7.1
+ multiprocessing==0.70.19
+ networkx==3.6.1
+ numpy==2.4.6
+ nvidia-cublas==13.1.1.3
+ nvidia-cuda-cupti==13.0.85
+ nvidia-cuda-nvrtc==13.0.88
+ nvidia-cuda-runtime==13.0.96
+ nvidia-cudnn-cu13==9.20.0.48
+ nvidia-cufft==12.0.0.61
+ nvidia-cufile==1.15.1.6
+ nvidia-curand==10.4.0.35
+ nvidia-cusolver==12.0.4.66
+ nvidia-cusparselt-cu13==0.8.1
+ nvidia-nccl-cu13==2.29.7
+ nvidia-nvjitlink==13.0.88
+ nvidia-nvshmem-cu13==3.4.5
+ nvidia-nvtx==13.0.85
+ opencv-python==4.13.0.92
+ pandas==3.0.3
+ pillow==12.2.0
+ propcache==0.5.2
+ pyarrow==24.0.0
+ pydantic==2.13.4
+ pydantic-core==2.46.4
+ pygments==2.20.0
+ python-calamine==0.6.2
+ python-dateutil==2.9.0.post0
+ pytz==2026.2
+ pyyaml==6.0.3
+ requests==2.34.2
+ rich==15.0.0
- setuptools==82.0.1
+ set... [truncated, 43055 chars total]
```

Error Analysis:

ERROR_SUMMARY: The error occurs because the `lgb.train()` function in the installed version of LightGBM does not accept the `early_stopping_rounds` argument directly. This parameter was either introduced in later versions or is only supported via the callbacks mechanism in older versions. As a result, passing `early_stopping_rounds` as a direct argument causes a `TypeError` and halts model training.

SUGGESTED_FIX:

Check the installed LightGBM version and consult its documentation to confirm how early stopping should be implemented. If `early_stopping_rounds` is not supported as a direct argument, replace it by using the `callbacks` parameter with `lgb.early_stopping`, or update LightGBM to a version that supports `early_stopping_rounds` directly.

Node 2 (evolve)

Property	Value
uct_value	2.4474
ctime	2026-05-20 18:19:01
debug_attempts	0
depth	1
execution_time	0.0
expected_child_count	0
exploitation	0.0
exploration	1.2131672923786587
failure_penalty	-0.0
failure_visits	1
id	2
is_debug_successful	✗
is_leaf	✓
is_successful	✗
is_terminal	✗
normalized_failure_visit	0
num_children	0
prev_tutorial_prompt	None
stage	evolve
time_step	2
tool_used	autogluon.tabular
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_contribution	0.0
validated_reward	0.0
validated_visits	0
validation_score	None

visits	1
parent_id	-1
child_ids	[]

Error Message:

stderr:

==> WARNING: A newer version of conda exists. <==

current version: 25.11.0

latest version: 26.5.0

Please update conda by running

\$ conda update -n base -c conda-forge conda

Using Python 3.11.15 environment at: 49-addition_3/node_2/conda_env

Resolved 239 packages in 1.44s

Uninstalled 1 package in 1.86s

Installed 237 packages in 58.82s

+ absl-py==2.4.0

+ accelerate==1.13.0

+ adagio==0.2.6

+ aiohappyeyeballs==2.6.2

+ aiohttp==3.13.5

+ aiohttp-cors==0.8.1

+ aiosignal==1.4.0

+ alembic==1.18.4

+ annotated-doc==0.0.4

+ annotated-types==0.7.0

+ antlr4-python3-runtime==4.9.3

+ attrs==26.1.0

+ autogluon==1.5.1b20260520

+ autogluon-common==1.5.1b20260520

+ autogluon-core==1.5.1b20260520

+ autogluon-features==1.5.1b20260520

+ autogluon-multimodal==1.5.1b20260520

+ autogluon-tabular==1.5.1b20260520

+ autogluon-timeseries==1.5.1b20260520

+ beartype==0.22.9

+ beautifulsoup4==4.14.3

+ blis==1.3.3

+ boto3==1.43.11

+ botocore==1.43.11

+ catalogue==2.0.10

+ catboost==1.2.10

+ certifi==2026.5.20

+ cffi==2.0.0

- + chardet==7.4.3
- + charset-normalizer==3.4.7
- + chronos-forecasting==2.2.2
- + click==8.4.0
- + cloudpathlib==0.24.0
- + cloudpickle==3.1.2
- + colorama==0.4.6
- + colorful==0.6.0a1
- + colorlog==6.10.1
- + confection==1.3.3
- + contourpy==1.3.3
- + coreforecast==0.0.16
- + cryptography==48.0.0
- + cycler==0.12.1
- + cymem==2.0.13
- + daal==2025.9.0
- + datasets==4.0.0
- + defusedxml==0.7.1
- + dill==0.3.8
- + distlib==0.4.0
- + einops==0.8.2
- + einx==0.4.3
- + evaluate==0.4.6
- + fastai==2.8.5
- + fastcore==1.8.18
- + fastdownload==0.0.7
- + fastprogress==1.0.5
- + fasttransform==0.0.2
- + filelock==3.29.0
- + fonttools==4.63.0
- + frozendict==2.4.7
- + frozenlist==1.8.0
- + fsspec==2025.3.0
- + fugue==0.9.7
- + future==1.0.0
- + gdown==6.0.0
- + gluonts==0.16.2
- + google-api-core==2.30.3
- + google-auth==2.53.0
- + googleapis-common-protos==1.75.0
- + graphviz==0.21
- + grpcio==1.81.0rc1
- + hf-xet==1.5.0
- + httpx==1.0.dev3
- + huggingface-hub==0.36.2

+ hyperopt==0.... [truncated, 42568 chars total]

Error Analysis:

ERROR_SUMMARY: AutoGluon failed to train any models because the Ray backend (used for parallel model training) attempted to create UNIX domain sockets with file paths exceeding the system limit of 107 bytes. This caused repeated OSError exceptions (`validate\_socket\_filename failed: AF\_UNIX path length cannot exceed 107 bytes`), resulting in all models being skipped and no predictions produced.

SUGGESTED_FIX:

Shorten the directory path used for temporary files and model output by moving your working directory (including data, temp, and output folders) to a location with a much shorter absolute path (e.g., `/tmp/your\_project`). Then, update all relevant paths in your scripts and rerun the training. This will ensure that Ray's socket files remain within the system's path length limit and allow AutoGluon to train models successfully.

Node 3 (debug)

Property	Value
uct_value	1.4821
ctime	2026-05-20 18:26:11
debug_attempts	1
depth	2
execution_time	0.0
expected_child_count	0
failure_visits	1
id	3
is_debug_successful	✗
is_leaf	✓
is_successful	✗
is_terminal	✗
num_children	0
prev_tutorial_prompt	### Condensed: ```python # Condensed: ```python Summary: This tutorial demonstrates image classification using AutoGluon MultiModal, covering implementation
stage	debug
time_step	3
tool_used	autogluon.multimodal
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_reward	0.0
validated_visits	0
validation_score	None
visits	1
parent_id	0
child_ids	[]

Error Message:

stderr:

==> WARNING: A newer version of conda exists. <==

current version: 25.11.0

latest version: 26.5.0

Please update conda by running

\$ conda update -n base -c conda-forge conda

Using Python 3.11.15 environment at: 49-addition_3/node_3/conda_env

Resolved 235 packages in 1.18s

Uninstalled 1 package in 2.48s

Installed 233 packages in 1m 01s

+ absl-py==2.4.0

+ accelerate==1.13.0

+ adagio==0.2.6

+ aiohappyeyeballs==2.6.2

+ aiohttp==3.13.5

+ aiohttp-cors==0.8.1

+ aiosignal==1.4.0

+ alembic==1.18.4

+ annotated-doc==0.0.4

+ annotated-types==0.7.0

+ antlr4-python3-runtime==4.9.3

+ attrs==26.1.0

+ autogluon==1.5.1b20260520

+ autogluon-common==1.5.1b20260520

+ autogluon-core==1.5.1b20260520

+ autogluon-features==1.5.1b20260520

+ autogluon-multimodal==1.5.1b20260520

+ autogluon-tabular==1.5.1b20260520

+ autogluon-timeseries==1.5.1b20260520

+ beartype==0.22.9

+ beautifulsoup4==4.14.3

+ blis==1.3.3

+ boto3==1.43.11

+ botocore==1.43.11

+ catalogue==2.0.10

+ catboost==1.2.10

+ certifi==2026.5.20

+ cffi==2.0.0

+ chardet==7.4.3

+ charset-normalizer==3.4.7

+ chronos-forecasting==2.2.2

+ click==8.4.0

+ cloudpathlib==0.24.0

+ cloudpickle==3.1.2
+ colorama==0.4.6
+ colorful==0.6.0a1
+ colorlog==6.10.1
+ confection==1.3.3
+ contourpy==1.3.3
+ coreforecast==0.0.16
+ cryptography==48.0.0
+ cycler==0.12.1
+ cymem==2.0.13
+ datasets==4.0.0
+ defusedxml==0.7.1
+ dill==0.3.8
+ distlib==0.4.0
+ einops==0.8.2
+ einx==0.4.3
+ evaluate==0.4.6
+ fastai==2.8.5
+ fastcore==1.8.18
+ fastdownload==0.0.7
+ fastprogress==1.0.5
+ fasttransform==0.0.2
+ filelock==3.29.0
+ fonttools==4.63.0
+ frozendict==2.4.7
+ frozenlist==1.8.0
+ fsspec==2025.3.0
+ fugue==0.9.7
+ future==1.0.0
+ gdown==6.0.0
+ gluonts==0.16.2
+ google-api-core==2.30.3
+ google-auth==2.53.0
+ googleapis-common-protos==1.75.0
+ graphviz==0.21
+ grpcio==1.81.0rc1
+ hf-xet==1.5.0
+ httpx==1.0.dev3
+ huggingface-hub==0.36.2
+ hyperopt==0.2.7
+ idna==3.15
... [truncated, 9847 chars total]

Error Analysis:

ERROR_SUMMARY: The error occurs because the `weights\_list` passed to `optim.focal\_loss.alpha` contains at least one string value instead of all floats. This likely happened because the `compute\_class\_weights` function returned a dictionary with string keys or values (possibly due to label mapping or missing/incorrect label values), and when this list was passed to `torch.tensor()`, it failed with "too many dimensions 'str'" since PyTorch cannot convert strings to tensors.

SUGGESTED_FIX:

Check the output of `compute\_class\_weights` and ensure that both the keys and values are integers and floats, respectively. Before creating `weights\_list`, explicitly cast the class labels to integers and the weights to floats, and print or assert that `weights\_list` contains only floats (e.g., `[float(class_weights.get(0, 0.5)), float(class_weights.get(1, 0.5))]). This will prevent accidental inclusion of string values and resolve the ValueError.

Node 4 (debug)

Property	Value
uct_value	1.1772
ctime	2026-05-20 18:34:20
debug_attempts	1
depth	2
execution_time	0.0
expected_child_count	0
failure_visits	1
id	4
is_debug_successful	✗
is_leaf	✓
is_successful	✗
is_terminal	✓
num_children	0
prev_tutorial_prompt	### Condensed: Intro to Use Machine Learning or Deep Learning algorithms # Condensed: Intro to Use Machine Learning or Deep Learning algorithms Summary: You can use any machine learning or deep learning algorithms to complete the tasks. Make sure you # Intro to Use Machine Learning or Deep Learning algorithms You can use any machine learning or deep learning algorithms to complete the tasks. Make sure you have them
stage	debug
time_step	4
tool_used	machine learning
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_reward	0.0
validated_visits	0

validation_score	None
visits	1
parent_id	1
child_ids	[]

Error Message:

```

stderr:
==> WARNING: A newer version of conda exists. <==
current version: 25.11.0
latest version: 26.5.0
Please update conda by running
$ conda update -n base -c conda-forge conda
warning: Requirements file `~/home/anri21/.conda/envs/mlzero_env/lib/python3.11/site-packages/autogluon/assistant/tools_registry/machine learning/requirements.txt`
does not contain any dependencies
Using Python 3.11.15 environment at: 49-addition_3/node_4/conda_env
Resolved 79 packages in 1.39s
Uninstalled 1 package in 2.06s
Installed 78 packages in 40.88s
+ aiohappyeyeballs==2.6.2
+ aiohttp==3.13.5
+ aiosignal==1.4.0
+ annotated-doc==0.0.4
+ annotated-types==0.7.0
+ anyio==4.13.0
+ attrs==26.1.0
+ certifi==2026.5.20
+ chardet==7.4.3
+ charset-normalizer==3.4.7
+ click==8.4.0
+ cuda-bindings==13.2.0
+ cuda-pathfinder==1.5.4
+ cuda-toolkit==13.0.2
+ datasets==4.8.5
+ dill==0.4.1
+ filelock==3.29.0
+ frozenlist==1.8.0
+ fsspec==2026.2.0
+ h11==0.16.0
+ hf-xet==1.5.0
+ httpcore==1.0.9
+ httpx==0.28.1
+ huggingface-hub==1.15.0
+ idna==3.15

```

```
+ jinja2==3.1.6
+ markdown-it-py==4.2.0
+ markupsafe==3.0.3
+ mdurl==0.1.2
+ mpmath==1.3.0
+ multidict==6.7.1
+ multiprocessing==0.70.19
+ networkx==3.6.1
+ numpy==2.4.6
+ nvidia-cublas==13.1.1.3
+ nvidia-cuda-cupti==13.0.85
+ nvidia-cuda-nvrtc==13.0.88
+ nvidia-cuda-runtime==13.0.96
+ nvidia-cudnn-cu13==9.20.0.48
+ nvidia-cufft==12.0.0.61
+ nvidia-cufile==1.15.1.6
+ nvidia-curand==10.4.0.35
+ nvidia-cusolver==12.0.4.66
+ nvidia-cusparselt-cu13==0.8.1
+ nvidia-nccl-cu13==2.29.7
+ nvidia-nvjitlink==13.0.88
+ nvidia-nvshmem-cu13==3.4.5
+ nvidia-nvtx==13.0.85
+ opencv-python==4.13.0.92
+ pandas==3.0.3
+ pillow==12.2.0
+ propcache==0.5.2
+ pyarrow==24.0.0
+ pydantic==2.13.4
+ pydantic-core==2.46.4
+ pygments==2.20.0
+ python-calamine==0.6.2
+ python-dateutil==2.9.0.post0
+ pytz==2026.2
+ pyyaml==6.0.3
+ requests==2.34.2
+ rich==15.0.0
- setuptools==82.0.1
+ set... [truncated, 42996 chars total]
```

Error Analysis:

ERROR_SUMMARY: The error occurs because the `lgb.train()` function in LightGBM does not accept the `verbose_eval` argument when the `callbacks` parameter is used. In recent LightGBM versions, `verbose_eval` is ignored or raises a `TypeError` if `callbacks` are provided, as verbosity should be controlled via the `callbacks` themselves.

SUGGESTED_FIX:

Remove the `verbose_eval` argument from the `lgb.train()` call. If you want to control verbosity, set the `verbose` parameter within the `early_stopping` callback or use `lgb.log_evaluation` in the `callbacks` list to specify evaluation printing frequency.

Node 5 (debug)

Property	Value
uct_value	1.4821
ctime	2026-05-20 18:51:17
debug_attempts	2
depth	2
execution_time	0.0
expected_child_count	0
failure_visits	1
id	5
is_debug_successful	✗
is_leaf	✓
is_successful	✗
is_terminal	✗
num_children	0
prev_tutorial_prompt	### Condensed: ```python # Condensed: ```python Summary: This tutorial demonstrates image classification using AutoGluon MultiModal, covering implementation
stage	debug
time_step	5
tool_used	autogluon.multimodal
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_reward	0.0
validated_visits	0
validation_score	None
visits	1
parent_id	0
child_ids	[]

Error Message:

stderr:

==> WARNING: A newer version of conda exists. <==

current version: 25.11.0

latest version: 26.5.0

Please update conda by running

\$ conda update -n base -c conda-forge conda

Using Python 3.11.15 environment at: 49-addition_3/node_5/conda_env

Resolved 235 packages in 1.28s

Uninstalled 1 package in 1.73s

Installed 233 packages in 57.75s

+ absl-py==2.4.0

+ accelerate==1.13.0

+ adagio==0.2.6

+ aiohappyeyeballs==2.6.2

+ aiohttp==3.13.5

+ aiohttp-cors==0.8.1

+ aiosignal==1.4.0

+ alembic==1.18.4

+ annotated-doc==0.0.4

+ annotated-types==0.7.0

+ antlr4-python3-runtime==4.9.3

+ attrs==26.1.0

+ autogluon==1.5.1b20260520

+ autogluon-common==1.5.1b20260520

+ autogluon-core==1.5.1b20260520

+ autogluon-features==1.5.1b20260520

+ autogluon-multimodal==1.5.1b20260520

+ autogluon-tabular==1.5.1b20260520

+ autogluon-timeseries==1.5.1b20260520

+ beartype==0.22.9

+ beautifulsoup4==4.14.3

+ blis==1.3.3

+ boto3==1.43.11

+ botocore==1.43.11

+ catalogue==2.0.10

+ catboost==1.2.10

+ certifi==2026.5.20

+ cffi==2.0.0

+ chardet==7.4.3

+ charset-normalizer==3.4.7

+ chronos-forecasting==2.2.2

+ click==8.4.0

+ cloudpathlib==0.24.0

+ cloudpickle==3.1.2
+ colorama==0.4.6
+ colorful==0.6.0a1
+ colorlog==6.10.1
+ confection==1.3.3
+ contourpy==1.3.3
+ coreforecast==0.0.16
+ cryptography==48.0.0
+ cycler==0.12.1
+ cymem==2.0.13
+ datasets==4.0.0
+ defusedxml==0.7.1
+ dill==0.3.8
+ distlib==0.4.0
+ einops==0.8.2
+ einx==0.4.3
+ evaluate==0.4.6
+ fastai==2.8.5
+ fastcore==1.8.18
+ fastdownload==0.0.7
+ fastprogress==1.0.5
+ fasttransform==0.0.2
+ filelock==3.29.0
+ fonttools==4.63.0
+ frozendict==2.4.7
+ frozenlist==1.8.0
+ fsspec==2025.3.0
+ fugue==0.9.7
+ future==1.0.0
+ gdown==6.0.0
+ gluonts==0.16.2
+ google-api-core==2.30.3
+ google-auth==2.53.0
+ googleapis-common-protos==1.75.0
+ graphviz==0.21
+ grpcio==1.81.0rc1
+ hf-xet==1.5.0
+ httpx==1.0.dev3
+ huggingface-hub==0.36.2
+ hyperopt==0.2.7
+ idna==3.15
... [truncated, 16242 chars total]

Error Analysis:

ERROR_SUMMARY: The root cause of the error is that the prediction output file contains an extra 'image' column that is not present in the test file, resulting in an AssertionError during output validation. Specifically, the output DataFrame has columns ['image_name', 'image', 'label'], while the test DataFrame only has ['image_name'], so the columns do not match as required.

SUGGESTED_FIX:

Modify the code that prepares the output DataFrame to ensure only the columns present in the test file (typically 'image_name') plus the required 'label' column are included in the final prediction output. Remove the 'image' column from the result DataFrame before saving, so that the output columns exactly match the test file columns (except for the added 'label' column).

Node 6 (debug)

Property	Value
uct_value	1.5827
avg_raw_score	0.8940923076923075
ctime	2026-05-20 19:32:03
debug_attempts	2
depth	2
execution_time	0.0
expected_child_count	0
exploitation	0.9230769230768868
exploration	0.5047081013523539
failure_penalty	-0.0
failure_visits	0
id	6
is_debug_successful	✗
is_leaf	✗
is_successful	✓
is_terminal	✗
normalized_failure_visit	0
normalized_score	0.9230769230768868
num_children	2
prev_tutorial_prompt	None
stage	debug
time_step	6
tool_used	machine learning
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_contribution	0.9230769230768868
validated_reward	12.517599999999996

validated_visits	14
validated_weight	1.0
validation_score	0.8904
visits	14
parent_id	-1
child_ids	[8, 7]

Node 7 (evolve)

Property	Value
uct_value	1.9378
avg_raw_score	0.8944
ctime	2026-05-20 19:47:25
debug_attempts	0
depth	3
execution_time	0.0
expected_child_count	0
exploitation	1.0
exploration	0.9245133391422002
failure_penalty	-0.0
failure_visits	0
id	7
is_debug_successful	✗
is_leaf	✗
is_successful	✓
is_terminal	✗
normalized_failure_visit	0
normalized_score	1.0
num_children	2
prev_tutorial_prompt	### Condensed: Intro to Use Machine Learning or Deep Learning algorithms # Condensed: Intro to Use Machine Learning or Deep Learning algorithms Summary: You can use any machine learning or deep learning algorithms to complete the tasks. Make sure you # Intro to Use Machine Learning or Deep Learning algorithms You can use any machine learning or deep learning algorithms to complete the tasks. Make sure you have then
stage	evolve

time_step	7
tool_used	machine learning
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_contribution	1.0
validated_reward	5.3664
validated_visits	6
validated_weight	1.0
validation_score	0.8944
visits	6
parent_id	6
child_ids	[10, 12]

Node 8 (evolve)

Property	Value
uct_value	1.8682
avg_raw_score	0.8944
ctime	2026-05-20 20:08:30
debug_attempts	0
depth	3
execution_time	0.0
expected_child_count	0
exploitation	1.0
exploration	0.9245133391422002
failure_penalty	-0.0
failure_visits	0
id	8
is_debug_successful	✗
is_leaf	✗
is_successful	✓
is_terminal	✗
normalized_failure_visit	0
normalized_score	1.0
num_children	2
prev_tutorial_prompt	### Condensed: Intro to Use Machine Learning or Deep Learning algorithms # Condensed: Intro to Use Machine Learning or Deep Learning algorithms Summary: You can use any machine learning or deep learning algorithms to complete the tasks. Make sure you # Intro to Use Machine Learning or Deep Learning algorithms You can use any machine learning or deep learning algorithms to complete the tasks. Make sure you have them
stage	evolve

time_step	8
tool_used	machine learning
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_contribution	1.0
validated_reward	6.2608
validated_visits	7
validated_weight	1.0
validation_score	0.8944
visits	7
parent_id	6
child_ids	[9, 11]

Node 9 (evolve)

Property	Value
uct_value	2.1388
avg_raw_score	0.8944
ctime	2026-05-20 20:29:32
debug_attempts	0
depth	4
execution_time	0.0
expected_child_count	0
exploitation	1.0
exploration	1.0927696792610198
failure_penalty	-0.0
failure_visits	0
id	9
is_debug_successful	✗
is_leaf	✗
is_successful	✓
is_terminal	✗
normalized_failure_visit	0
normalized_score	1.0
num_children	2
prev_tutorial_prompt	### Condensed: Intro to Use Machine Learning or Deep Learning algorithms # Condensed: Intro to Use Machine Learning or Deep Learning algorithms Summary: You can use any machine learning or deep learning algorithms to complete the tasks. Make sure you # Intro to Use Machine Learning or Deep Learning algorithms You can use any machine learning or deep learning algorithms to complete the tasks. Make sure you have then
stage	evolve

time_step	9
tool_used	machine learning
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_contribution	1.0
validated_reward	2.6832
validated_visits	3
validated_weight	1.0
validation_score	0.8944
visits	3
parent_id	8
child_ids	[17, 13]

Node 10 (evolve)

Property	Value
uct_value	2.0928
avg_raw_score	0.8944
ctime	2026-05-20 20:50:34
debug_attempts	0
depth	4
execution_time	0.0
expected_child_count	0
exploitation	1.0
exploration	1.2684446626418298
failure_penalty	-0.0
failure_visits	0
id	10
is_debug_successful	✗
is_leaf	✗
is_successful	✓
is_terminal	✗
normalized_failure_visit	0
normalized_score	1.0
num_children	2
prev_tutorial_prompt	### Condensed: Intro to Use Machine Learning or Deep Learning algorithms # Condensed: Intro to Use Machine Learning or Deep Learning algorithms Summary: You can use any machine learning or deep learning algorithms to complete the tasks. Make sure you # Intro to Use Machine Learning or Deep Learning algorithms You can use any machine learning or deep learning algorithms to complete the tasks. Make sure you have them
stage	evolve

time_step	10
tool_used	machine learning
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_contribution	1.0
validated_reward	2.6832
validated_visits	3
validated_weight	1.0
validation_score	0.8944
visits	3
parent_id	7
child_ids	[18, 14]

Node 11 (evolve)

Property	Value
uct_value	2.1388
avg_raw_score	0.8944
ctime	2026-05-20 21:11:27
debug_attempts	0
depth	4
execution_time	0.0
expected_child_count	0
exploitation	1.0
exploration	1.3383640602871656
failure_penalty	-0.0
failure_visits	0
id	11
is_debug_successful	✗
is_leaf	✗
is_successful	✓
is_terminal	✗
normalized_failure_visit	0
normalized_score	1.0
num_children	2
prev_tutorial_prompt	### Condensed: Intro to Use Machine Learning or Deep Learning algorithms # Condensed: Intro to Use Machine Learning or Deep Learning algorithms Summary: You can use any machine learning or deep learning algorithms to complete the tasks. Make sure you # Intro to Use Machine Learning or Deep Learning algorithms You can use any machine learning or deep learning algorithms to complete the tasks. Make sure you have then
stage	evolve

time_step	11
tool_used	machine learning
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_contribution	1.0
validated_reward	2.6832
validated_visits	3
validated_weight	1.0
validation_score	0.8944
visits	3
parent_id	8
child_ids	[19, 15]

Node 12 (evolve)

Property	Value
uct_value	2.3384
avg_raw_score	0.8944
ctime	2026-05-20 21:32:36
debug_attempts	0
depth	4
execution_time	0.0
expected_child_count	0
exploitation	1.0
exploration	1.26844446626418298
failure_penalty	-0.0
failure_visits	0
id	12
is_debug_successful	✗
is_leaf	✗
is_successful	✓
is_terminal	✗
normalized_failure_visit	0
normalized_score	1.0
num_children	1
prev_tutorial_prompt	### Condensed: Intro to Use Machine Learning or Deep Learning algorithms # Condensed: Intro to Use Machine Learning or Deep Learning algorithms Summary: You can use any machine learning or deep learning algorithms to complete the tasks. Make sure you # Intro to Use Machine Learning or Deep Learning algorithms You can use any machine learning or deep learning algorithms to complete the tasks. Make sure you have then
stage	evolve

time_step	12
tool_used	machine learning
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_contribution	1.0
validated_reward	1.7888
validated_visits	2
validated_weight	1.0
validation_score	0.8944
visits	2
parent_id	7
child_ids	[16]

Node 13 (evolve)

Property	Value
uct_value	2.4821
ctime	2026-05-20 21:53:41
debug_attempts	0
depth	5
execution_time	0.0
expected_child_count	0
failure_visits	0
id	13
is_debug_successful	✗
is_leaf	✓
is_successful	✓
is_terminal	✗
num_children	0
prev_tutorial_prompt	### Condensed: Intro to Use Machine Learning or Deep Learning algorithms # Condensed: Intro to Use Machine Learning or Deep Learning algorithms Summary: You can use any machine learning or deep learning algorithms to complete the tasks. Make sure you # Intro to Use Machine Learning or Deep Learning algorithms You can use any machine learning or deep learning algorithms to complete the tasks. Make sure you have ther
stage	evolve
time_step	13
tool_used	machine learning
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_reward	0.8944
validated_visits	1

validation_score	0.8944
visits	1
parent_id	9
child_ids	[]

Node 14 (evolve)

Property	Value
uct_value	2.4821
ctime	2026-05-20 22:14:48
debug_attempts	0
depth	5
execution_time	0.0
expected_child_count	0
failure_visits	0
id	14
is_debug_successful	✗
is_leaf	✓
is_successful	✓
is_terminal	✗
num_children	0
prev_tutorial_prompt	### Condensed: Intro to Use Machine Learning or Deep Learning algorithms # Condensed: Intro to Use Machine Learning or Deep Learning algorithms Summary: You can use any machine learning or deep learning algorithms to complete the tasks. Make sure you # Intro to Use Machine Learning or Deep Learning algorithms You can use any machine learning or deep learning algorithms to complete the tasks. Make sure you have them
stage	evolve
time_step	14
tool_used	machine learning
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_reward	0.8944
validated_visits	1

validation_score	0.8944
visits	1
parent_id	10
child_ids	[]

Node 15 (evolve)

Property	Value
uct_value	2.4821
ctime	2026-05-20 22:35:40
debug_attempts	0
depth	5
execution_time	0.0
expected_child_count	0
failure_visits	0
id	15
is_debug_successful	✗
is_leaf	✓
is_successful	✓
is_terminal	✗
num_children	0
prev_tutorial_prompt	<pre>### Condensed: Intro to Use Machine Learning or Deep Learning algorithms # Condensed: Intro to Use Machine Learning or Deep Learning algorithms Summary: You can use any machine learning or deep learning algorithms to complete the tasks. Make sure you # Intro to Use Machine Learning or Deep Learning algorithms You can use any machine learning or deep learning algorithms to complete the tasks. Make sure you have them</pre>
stage	evolve
time_step	15
tool_used	machine learning
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_reward	0.8944
validated_visits	1

validation_score	0.8944
visits	1
parent_id	11
child_ids	[]

Node 16 (evolve)

Property	Value
uct_value	2.1772
ctime	2026-05-20 22:56:54
debug_attempts	0
depth	5
execution_time	0.0
expected_child_count	0
failure_visits	0
id	16
is_debug_successful	✗
is_leaf	✓
is_successful	✓
is_terminal	✗
num_children	0
prev_tutorial_prompt	### Condensed: Intro to Use Machine Learning or Deep Learning algorithms # Condensed: Intro to Use Machine Learning or Deep Learning algorithms Summary: You can use any machine learning or deep learning algorithms to complete the tasks. Make sure you # Intro to Use Machine Learning or Deep Learning algorithms You can use any machine learning or deep learning algorithms to complete the tasks. Make sure you have them
stage	evolve
time_step	16
tool_used	machine learning
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_reward	0.8944
validated_visits	1

validation_score	0.8944
visits	1
parent_id	12
child_ids	[]

Node 17 (evolve)

Property	Value
uct_value	2.4821
ctime	2026-05-20 23:18:10
debug_attempts	0
depth	5
execution_time	0.0
expected_child_count	0
failure_visits	0
id	17
is_debug_successful	✗
is_leaf	✓
is_successful	✓
is_terminal	✗
num_children	0
prev_tutorial_prompt	### Condensed: Intro to Use Machine Learning or Deep Learning algorithms # Condensed: Intro to Use Machine Learning or Deep Learning algorithms Summary: You can use any machine learning or deep learning algorithms to complete the tasks. Make sure you # Intro to Use Machine Learning or Deep Learning algorithms You can use any machine learning or deep learning algorithms to complete the tasks. Make sure you have them
stage	evolve
time_step	17
tool_used	machine learning
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_reward	0.8944
validated_visits	1

validation_score	0.8944
visits	1
parent_id	9
child_ids	[]

Node 18 (evolve)

Property	Value
uct_value	2.4821
ctime	2026-05-20 23:39:02
debug_attempts	0
depth	5
execution_time	0.0
expected_child_count	0
failure_visits	0
id	18
is_debug_successful	✗
is_leaf	✓
is_successful	✓
is_terminal	✗
num_children	0
prev_tutorial_prompt	### Condensed: Intro to Use Machine Learning or Deep Learning algorithms # Condensed: Intro to Use Machine Learning or Deep Learning algorithms Summary: You can use any machine learning or deep learning algorithms to complete the tasks. Make sure you # Intro to Use Machine Learning or Deep Learning algorithms You can use any machine learning or deep learning algorithms to complete the tasks. Make sure you have then
stage	evolve
time_step	18
tool_used	machine learning
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_reward	0.8944
validated_visits	1

validation_score	0.8944
visits	1
parent_id	10
child_ids	[]

Node 19 (evolve)

Property	Value
uct_value	2.4821
ctime	2026-05-21 00:00:07
debug_attempts	0
depth	5
execution_time	0.0
expected_child_count	0
failure_visits	0
id	19
is_debug_successful	✗
is_leaf	✓
is_successful	✓
is_terminal	✗
num_children	0
prev_tutorial_prompt	### Condensed: Intro to Use Machine Learning or Deep Learning algorithms # Condensed: Intro to Use Machine Learning or Deep Learning algorithms Summary: You can use any machine learning or deep learning algorithms to complete the tasks. Make sure you # Intro to Use Machine Learning or Deep Learning algorithms You can use any machine learning or deep learning algorithms to complete the tasks. Make sure you have them
stage	evolve
time_step	19
tool_used	machine learning
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_reward	0.8944
validated_visits	1

validation_score	0.8944
visits	1
parent_id	11
child_ids	[]