

Node Structure Visualization


Click on any node in the tree to jump to its detailed information.

Total Nodes: 21 | Best Validation Score: 0.9670 (Node 0)

Node Tree:

Table of Contents:

Node ID	Stage	Status	Tool
-1			
0			autogluon.multimodal
1			machine learning
2			autogluon.tabular
3			autogluon.multimodal
4			autogluon.multimodal
5			autogluon.multimodal
6			machine learning
7			autogluon.multimodal
8			autogluon.multimodal
9			machine learning
10			machine learning
11			autogluon.multimodal
12			machine learning
13			autogluon.multimodal
14			autogluon.tabular
15			autogluon.multimodal
16			autogluon.multimodal
17			autogluon.multimodal
18			machine learning
19			autogluon.multimodal



Status	Color
Success	Green
Failure	Red
Neutral	Blue

Node Details:

Node -1 (root)

Property	Value
uct_value	0.0789
ctime	2026-05-23 06:00:43
debug_attempts	0
depth	0
execution_time	0.0
expected_child_count	0
failure_visits	6
id	-1
is_debug_successful	✗
is_leaf	✗
is_successful	✗
is_terminal	✗
num_children	4
prev_tutorial_prompt	None
stage	root
time_step	-1
tool_used	
tools_available	[]
unvalidated_visits	0
validated_reward	12.788699999999997
validated_visits	14
validation_score	None
visits	20
parent_id	None
child_ids	[0, 1, 2, 9]

Node 0 (evolve)

Property	Value
uct_value	1.0047
avg_raw_score	0.9214
ctime	2026-05-23 06:01:35
debug_attempts	0
depth	1
execution_time	0.0
expected_child_count	0
exploitation	0.2992793020609433
exploration	0.7315674030457086
failure_penalty	-0.0
failure_visits	2
id	0
is_debug_successful	✗
is_leaf	✗
is_successful	✓
is_terminal	✗
normalized_failure_visit	0
normalized_score	0.36578581363004176
num_children	4
prev_tutorial_prompt	None
stage	evolve
time_step	0
tool_used	autogluon.multimodal
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_contribution	0.2992793020609433
validated_reward	9.2083

validated_visits	10
validated_weight	0.81818181818182
validation_score	0.9670
visits	12
parent_id	-1
child_ids	[3, 4, 5, 7]

Node 1 (evolve)

Property	Value
uct_value	1.7306
ctime	2026-05-23 06:24:35
debug_attempts	1
depth	1
execution_time	0.0
expected_child_count	0
exploitation	0.0
exploration	1.1115599719432814
failure_penalty	-0.0
failure_visits	2
id	1
is_debug_successful	✗
is_leaf	✗
is_successful	✗
is_terminal	✓
normalized_failure_visit	0
num_children	1
prev_tutorial_prompt	None
stage	evolve
time_step	1
tool_used	machine learning
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_contribution	0.0
validated_reward	0.0
validated_visits	0
validation_score	None

visits	2
parent_id	-1
child_ids	[6]

Error Message:

stderr:

==> WARNING: A newer version of conda exists. <==

current version: 25.11.0

latest version: 26.5.0

Please update conda by running

\$ conda update -n base -c conda-forge conda

warning: Requirements file `~/home/anri21/.conda/envs/mlzero\_env/lib/python3.11/site-packages/autogluon/assistant/tools\_registry/machine learning/requirements.txt` does not contain any dependencies

Using Python 3.11.15 environment at: 28-basic_prompt/node_1/conda_env

Resolved 79 packages in 1.16s

Uninstalled 1 package in 1.62s

Installed 78 packages in 34.49s

+ aiohappyeyeballs==2.6.2

+ aiohttp==3.13.5

+ aiosignal==1.4.0

+ annotated-doc==0.0.4

+ annotated-types==0.7.0

+ anyio==4.13.0

+ attrs==26.1.0

+ certifi==2026.5.20

+ chardet==7.4.3

+ charset-normalizer==3.4.7

+ click==8.4.1

+ cuda-bindings==13.2.0

+ cuda-pathfinder==1.5.4

+ cuda-toolkit==13.0.2

+ datasets==4.8.5

+ dill==0.4.1

+ filelock==3.29.0

+ frozenlist==1.8.0

+ fsspec==2026.2.0

+ h11==0.16.0

+ hf-xet==1.5.0

+ httpcore==1.0.9

+ httpx==0.28.1

+ huggingface-hub==1.16.1

+ idna==3.16

+ jinja2==3.1.6


```
+ markdown-it-py==4.2.0
+ markupsafe==3.0.3
+ mdurl==0.1.2
+ mpmath==1.3.0
+ multidict==6.7.1
+ multiprocessing==0.70.19
+ networkx==3.6.1
+ numpy==2.4.6
+ nvidia-cublas==13.1.1.3
+ nvidia-cuda-cupti==13.0.85
+ nvidia-cuda-nvrtc==13.0.88
+ nvidia-cuda-runtime==13.0.96
+ nvidia-cudnn-cu13==9.20.0.48
+ nvidia-cufft==12.0.0.61
+ nvidia-cufile==1.15.1.6
+ nvidia-curand==10.4.0.35
+ nvidia-cusolver==12.0.4.66
+ nvidia-cusparselt-cu13==0.8.1
+ nvidia-nccl-cu13==2.29.7
+ nvidia-nvjitlink==13.0.88
+ nvidia-nvshmem-cu13==3.4.5
+ nvidia-nvtx==13.0.85
+ opencv-python==4.13.0.92
+ pandas==3.0.3
+ pillow==12.2.0
+ propcache==0.5.2
+ pyarrow==24.0.0
+ pydantic==2.14.0a1
+ pydantic-core==2.47.0
+ pygments==2.20.0
+ python-calamine==0.6.2
+ python-dateutil==2.9.0.post0
+ pytz==2026.2
+ pyyaml==6.0.3
+ requests==2.34.2
+ rich==15.0.0
- setuptools==82.0.1
+... [truncated, 21419 chars total]
```

Error Analysis:

ERROR_SUMMARY: The error occurs because the code attempts to pass the argument ``early_stopping_rounds`` directly to ``LGBMClassifier.fit()``, but in LightGBM version 4.0 and above, early stopping is no longer supported as a direct argument. Instead, early stopping must be implemented using the ``callbacks`` parameter with ``lightgbm.early_stopping()``.

SUGGESTED_FIX:

Remove the `early_stopping_rounds` argument from the `fit()` call and instead add a `callbacks` parameter with `[lgb.early_stopping(30)]`. This will ensure compatibility with LightGBM ≥ 4.0 and enable early stopping as intended.

Node 2 (evolve)

Property	Value
uct_value	1.7306
ctime	2026-05-23 06:34:27
debug_attempts	1
depth	1
execution_time	0.0
expected_child_count	0
exploitation	0.0
exploration	0.8578388191546724
failure_penalty	-0.0
failure_visits	2
id	2
is_debug_successful	✗
is_leaf	✗
is_successful	✗
is_terminal	✗
normalized_failure_visit	0
num_children	1
prev_tutorial_prompt	None
stage	evolve
time_step	2
tool_used	autogluon.tabular
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_contribution	0.0
validated_reward	0.0
validated_visits	0
validation_score	None

visits	2
parent_id	-1
child_ids	[14]

Error Message:

stderr:

==> WARNING: A newer version of conda exists. <==

current version: 25.11.0

latest version: 26.5.0

Please update conda by running

\$ conda update -n base -c conda-forge conda

Using Python 3.11.15 environment at: 28-basic_prompt/node_2/conda_env

Resolved 239 packages in 1.36s

Uninstalled 1 package in 1.60s

Installed 237 packages in 46.82s

+ absl-py==2.4.0

+ accelerate==1.13.0

+ adagio==0.2.6

+ aiohappyeyeballs==2.6.2

+ aiohttp==3.13.5

+ aiohttp-cors==0.8.1

+ aiosignal==1.4.0

+ alembic==1.18.4

+ annotated-doc==0.0.4

+ annotated-types==0.7.0

+ antlr4-python3-runtime==4.9.3

+ attrs==26.1.0

+ autogluon==1.5.1b20260522

+ autogluon-common==1.5.1b20260522

+ autogluon-core==1.5.1b20260522

+ autogluon-features==1.5.1b20260522

+ autogluon-multimodal==1.5.1b20260522

+ autogluon-tabular==1.5.1b20260522

+ autogluon-timeseries==1.5.1b20260522

+ beartype==0.22.9

+ beautifulsoup4==4.14.3

+ blis==1.3.3

+ boto3==1.43.14

+ botocore==1.43.14

+ catalogue==2.0.10

+ catboost==1.2.10

+ certifi==2026.5.20

+ cffi==2.0.0

- + chardet==7.4.3
- + charset-normalizer==3.4.7
- + chronos-forecasting==2.2.2
- + click==8.4.1
- + cloudpathlib==0.24.0
- + cloudpickle==3.1.2
- + colorama==0.4.6
- + colorful==0.6.0a1
- + colorlog==6.10.1
- + confection==1.3.3
- + contourpy==1.3.3
- + coreforecast==0.0.16
- + cryptography==48.0.0
- + cycler==0.12.1
- + cymem==2.0.13
- + daal==2025.9.0
- + datasets==4.0.0
- + defusedxml==0.7.1
- + dill==0.3.8
- + distlib==0.4.0
- + einops==0.8.2
- + einx==0.4.3
- + evaluate==0.4.6
- + fastai==2.8.5
- + fastcore==1.8.18
- + fastdownload==0.0.7
- + fastprogress==1.0.5
- + fasttransform==0.0.2
- + filelock==3.29.0
- + fonttools==4.63.0
- + frozendict==2.4.7
- + frozenlist==1.8.0
- + fsspec==2025.3.0
- + fugue==0.9.7
- + future==1.0.0
- + gdown==6.0.0
- + gluonts==0.16.2
- + google-api-core==2.30.3
- + google-auth==2.53.0
- + googleapis-common-protos==1.75.0
- + graphviz==0.21
- + grpcio==1.81.0rc1
- + hf-xet==1.5.0
- + httpx==1.0.dev3
- + huggingface-hub==0.36.2

+ hyperopt==... [truncated, 7156 chars total]

Error Analysis:

ERROR_SUMMARY: The script fails with KeyError: "['skin_tone', 'alternative_skin_tone'] not in index" because it tries to access these columns in the test DataFrame, but test.csv only contains 'Unnamed: 0' and 'image_name' columns. This mismatch causes the script to crash before model training or prediction.

SUGGESTED_FIX:

Update the code to only select columns that actually exist in test.csv when preparing test_data. Specifically, remove 'skin_tone' and 'alternative_skin_tone' from the list of columns accessed in test_data, so that test_data is constructed using only 'image_path' and 'image_name' (and any other columns present in test.csv).

Node 3 (evolve)

Property	Value
uct_value	2.2290
ctime	2026-05-23 06:39:49
debug_attempts	0
depth	2
execution_time	0.0
expected_child_count	0
exploitation	0.0
exploration	1.482079962591042
failure_penalty	-0.0
failure_visits	1
id	3
is_debug_successful	✗
is_leaf	✓
is_successful	✗
is_terminal	✓
normalized_failure_visit	0
num_children	0
prev_tutorial_prompt	### Condensed: ```python # Condensed: ```python Summary: This tutorial demonstrates image classification using AutoGluon MultiModal, covering implementation
stage	evolve
time_step	3
tool_used	autogluon.multimodal
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_contribution	0.0
validated_reward	0.0

validated_visits	0
validation_score	None
visits	1
parent_id	0
child_ids	[]

Error Message:

stderr:

==> WARNING: A newer version of conda exists. <==

current version: 25.11.0

latest version: 26.5.0

Please update conda by running

\$ conda update -n base -c conda-forge conda

Using Python 3.11.15 environment at: 28-basic_prompt/node_3/conda_env

Resolved 235 packages in 3.21s

Uninstalled 1 package in 1.64s

Installed 233 packages in 56.63s

+ absl-py==2.4.0

+ accelerate==1.13.0

+ adagio==0.2.6

+ aiohappyeyeballs==2.6.2

+ aiohttp==3.13.5

+ aiohttp-cors==0.8.1

+ aiosignal==1.4.0

+ alembic==1.18.4

+ annotated-doc==0.0.4

+ annotated-types==0.7.0

+ antlr4-python3-runtime==4.9.3

+ attrs==26.1.0

+ autogluon==1.5.1b20260522

+ autogluon-common==1.5.1b20260522

+ autogluon-core==1.5.1b20260522

+ autogluon-features==1.5.1b20260522

+ autogluon-multimodal==1.5.1b20260522

+ autogluon-tabular==1.5.1b20260522

+ autogluon-timeseries==1.5.1b20260522

+ beartype==0.22.9

+ beautifulsoup4==4.14.3

+ blis==1.3.3

+ boto3==1.43.14

+ botocore==1.43.14

+ catalogue==2.0.10

- + catboost==1.2.10
- + certifi==2026.5.20
- + cffi==2.0.0
- + chardet==7.4.3
- + charset-normalizer==3.4.7
- + chronos-forecasting==2.2.2
- + click==8.4.1
- + cloudpathlib==0.24.0
- + cloudpickle==3.1.2
- + colorama==0.4.6
- + colorful==0.6.0a1
- + colorlog==6.10.1
- + confection==1.3.3
- + contourpy==1.3.3
- + coreforecast==0.0.16
- + cryptography==48.0.0
- + cycler==0.12.1
- + cymem==2.0.13
- + datasets==4.0.0
- + defusedxml==0.7.1
- + dill==0.3.8
- + distlib==0.4.0
- + einops==0.8.2
- + einx==0.4.3
- + evaluate==0.4.6
- + fastai==2.8.5
- + fastcore==1.8.18
- + fastdownload==0.0.7
- + fastprogress==1.0.5
- + fasttransform==0.0.2
- + filelock==3.29.0
- + fonttools==4.63.0
- + frozendict==2.4.7
- + frozenlist==1.8.0
- + fsspec==2025.3.0
- + fugue==0.9.7
- + future==1.0.0
- + gdown==6.0.0
- + gluonts==0.16.2
- + google-api-core==2.30.3
- + google-auth==2.53.0
- + googleapis-common-protos==1.75.0
- + graphviz==0.21
- + grpcio==1.81.0rc1
- + hf-xet==1.5.0

+ httpx==1.0.dev3
+ huggingface-hub==0.36.2
+ hyperopt==0.2.7
+ idna==3.1... [truncated, 12002 chars total]

Error Analysis:

ERROR_SUMMARY: The error occurs because the hyperparameters dictionary passed to AutoGluon's MultiModalPredictor uses the deprecated prefix "optimization." (e.g., "optimization.max_epochs"), which is no longer recognized in recent versions. The correct prefix for these hyperparameters is now "optim." (e.g., "optim.max_epochs"), and using the old keys results in a KeyError during configuration override.

SUGGESTED_FIX:

Update your hyperparameters dictionary in the predictor.fit() call by replacing all keys starting with "optimization." with the new "optim." prefix (e.g., "optimization.max_epochs" → "optim.max_epochs", "optimization.lr_scheduler" → "optim.lr_scheduler", etc.). Double-check the AutoGluon documentation for any additional renamed keys (e.g., "optimization.loss_function" should be "optim.loss_func") and ensure all hyperparameter names match the current expected format.

Node 4 (evolve)

Property	Value
uct_value	2.2290
ctime	2026-05-23 06:46:47
debug_attempts	0
depth	2
execution_time	0.0
expected_child_count	0
exploitation	0.0
exploration	1.664857771836881
failure_penalty	-0.0
failure_visits	1
id	4
is_debug_successful	✗
is_leaf	✓
is_successful	✗
is_terminal	✓
normalized_failure_visit	0
num_children	0
prev_tutorial_prompt	### Condensed: ```python # Condensed: ```python Summary: This tutorial demonstrates image classification using AutoGluon MultiModal, covering implementation
stage	evolve
time_step	4
tool_used	autogluon.multimodal
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_contribution	0.0
validated_reward	0.0

validated_visits	0
validation_score	None
visits	1
parent_id	0
child_ids	[]

Error Message:

```

stderr:
==> WARNING: A newer version of conda exists. <==
current version: 25.11.0
latest version: 26.5.0
Please update conda by running
$ conda update -n base -c conda-forge conda
Using Python 3.11.15 environment at: 28-basic_prompt/node_4/conda_env
Resolved 235 packages in 1.09s
Uninstalled 1 package in 1.59s
Installed 233 packages in 1m 11s
+ absl-py==2.4.0
+ accelerate==1.13.0
+ adagio==0.2.6
+ aiohappyeyeballs==2.6.2
+ aiohttp==3.13.5
+ aiohttp-cors==0.8.1
+ aiosignal==1.4.0
+ alembic==1.18.4
+ annotated-doc==0.0.4
+ annotated-types==0.7.0
+ antlr4-python3-runtime==4.9.3
+ attrs==26.1.0
+ autogluon==1.5.1b20260522
+ autogluon-common==1.5.1b20260522
+ autogluon-core==1.5.1b20260522
+ autogluon-features==1.5.1b20260522
+ autogluon-multimodal==1.5.1b20260522
+ autogluon-tabular==1.5.1b20260522
+ autogluon-timeseries==1.5.1b20260522
+ beartype==0.22.9
+ beautifulsoup4==4.14.3
+ blis==1.3.3
+ boto3==1.43.14
+ botocore==1.43.14
+ catalogue==2.0.10

```

- + catboost==1.2.10
- + certifi==2026.5.20
- + cffi==2.0.0
- + chardet==7.4.3
- + charset-normalizer==3.4.7
- + chronos-forecasting==2.2.2
- + click==8.4.1
- + cloudpathlib==0.24.0
- + cloudpickle==3.1.2
- + colorama==0.4.6
- + colorful==0.6.0a1
- + colorlog==6.10.1
- + confection==1.3.3
- + contourpy==1.3.3
- + coreforecast==0.0.16
- + cryptography==48.0.0
- + cycler==0.12.1
- + cymem==2.0.13
- + datasets==4.0.0
- + defusedxml==0.7.1
- + dill==0.3.8
- + distlib==0.4.0
- + einops==0.8.2
- + einx==0.4.3
- + evaluate==0.4.6
- + fastai==2.8.5
- + fastcore==1.8.18
- + fastdownload==0.0.7
- + fastprogress==1.0.5
- + fasttransform==0.0.2
- + filelock==3.29.0
- + fonttools==4.63.0
- + frozendict==2.4.7
- + frozenlist==1.8.0
- + fsspec==2025.3.0
- + fugue==0.9.7
- + future==1.0.0
- + gdown==6.0.0
- + gluonts==0.16.2
- + google-api-core==2.30.3
- + google-auth==2.53.0
- + googleapis-common-protos==1.75.0
- + graphviz==0.21
- + grpcio==1.81.0rc1
- + hf-xet==1.5.0

+ httpx==1.0.dev3
+ huggingface-hub==0.36.2
+ hyperopt==0.2.7
+ idna==3.1... [truncated, 10026 chars total]

Error Analysis:

ERROR_SUMMARY: The error occurs because the hyperparameter "optim.lr_scheduler" is not recognized in the current AutoGluon configuration. The config does not contain a key for "optim.lr_scheduler", resulting in a KeyError during model training. This indicates that either the parameter name is incorrect or the feature is not supported in your installed AutoGluon version.

SUGGESTED_FIX:

Remove "optim.lr_scheduler" from the hyperparameters dictionary in your predictor.fit() call, or consult the AutoGluon documentation for the correct scheduler parameter name supported in your version. If you need to set a learning rate scheduler, use only officially documented keys (such as "optim.lr" for learning rate), and rerun the script after making this change.

Node 5 (debug)

Property	Value
uct_value	1.2833
avg_raw_score	0.9157
ctime	2026-05-23 06:54:24
debug_attempts	1
depth	3
execution_time	0.0
expected_child_count	0
exploitation	0.2865090403337964
exploration	1.094799321434295
failure_penalty	-0.0
failure_visits	0
id	5
is_debug_successful	✗
is_leaf	✗
is_successful	✓
is_terminal	✗
normalized_failure_visit	0
normalized_score	0.2865090403337964
num_children	2
prev_tutorial_prompt	### Condensed: ```python # Condensed: ```python Summary: This tutorial demonstrates image classification using AutoGluon MultiModal, covering implementation
stage	debug
time_step	5
tool_used	autogluon.multimodal
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0

validated_contribution	0.2865090403337964
validated_reward	4.5785
validated_visits	5
validated_weight	1.0
validation_score	0.9157
visits	5
parent_id	0
child_ids	[8, 13]

Node 6 (debug)

Property	Value
uct_value	1.1772
ctime	2026-05-23 07:09:59
debug_attempts	1
depth	2
execution_time	0.0
expected_child_count	0
failure_visits	1
id	6
is_debug_successful	✗
is_leaf	✓
is_successful	✗
is_terminal	✓
num_children	0
prev_tutorial_prompt	### Condensed: Intro to Use Machine Learning or Deep Learning algorithms # Condensed: Intro to Use Machine Learning or Deep Learning algorithms Summary: You can use any machine learning or deep learning algorithms to complete the tasks. Make sure you # Intro to Use Machine Learning or Deep Learning algorithms You can use any machine learning or deep learning algorithms to complete the tasks. Make sure you have ther
stage	debug
time_step	6
tool_used	machine learning
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_reward	0.0
validated_visits	0

validation_score	None
visits	1
parent_id	1
child_ids	[]

Error Message:

```

stderr:
==> WARNING: A newer version of conda exists. <==
current version: 25.11.0
latest version: 26.5.0
Please update conda by running
$ conda update -n base -c conda-forge conda
warning: Requirements file `~/home/anri21/.conda/envs/mlzero_env/lib/python3.11/site-packages/autogluon/assistant/tools_registry/machine learning/requirements.txt`
does not contain any dependencies
Using Python 3.11.15 environment at: 28-basic_prompt/node_6/conda_env
Resolved 79 packages in 1.03s
Uninstalled 1 package in 1.58s
Installed 78 packages in 33.71s
+ aiohappyeyeballs==2.6.2
+ aiohttp==3.13.5
+ aiosignal==1.4.0
+ annotated-doc==0.0.4
+ annotated-types==0.7.0
+ anyio==4.13.0
+ attrs==26.1.0
+ certifi==2026.5.20
+ chardet==7.4.3
+ charset-normalizer==3.4.7
+ click==8.4.1
+ cuda-bindings==13.2.0
+ cuda-pathfinder==1.5.4
+ cuda-toolkit==13.0.2
+ datasets==4.8.5
+ dill==0.4.1
+ filelock==3.29.0
+ frozenlist==1.8.0
+ fsspec==2026.2.0
+ h11==0.16.0
+ hf-xet==1.5.0
+ httpcore==1.0.9
+ httpx==0.28.1
+ huggingface-hub==1.16.1
+ idna==3.16

```

```
+ jinja2==3.1.6
+ markdown-it-py==4.2.0
+ markupsafe==3.0.3
+ mdurl==0.1.2
+ mpmath==1.3.0
+ multidict==6.7.1
+ multiprocessing==0.70.19
+ networkx==3.6.1
+ numpy==2.4.6
+ nvidia-cublas==13.1.1.3
+ nvidia-cuda-cupti==13.0.85
+ nvidia-cuda-nvrtc==13.0.88
+ nvidia-cuda-runtime==13.0.96
+ nvidia-cudnn-cu13==9.20.0.48
+ nvidia-cufft==12.0.0.61
+ nvidia-cufile==1.15.1.6
+ nvidia-curand==10.4.0.35
+ nvidia-cusolver==12.0.4.66
+ nvidia-cusparselt-cu13==0.8.1
+ nvidia-nccl-cu13==2.29.7
+ nvidia-nvjitlink==13.0.88
+ nvidia-nvshmem-cu13==3.4.5
+ nvidia-nvtx==13.0.85
+ opencv-python==4.13.0.92
+ pandas==3.0.3
+ pillow==12.2.0
+ propcache==0.5.2
+ pyarrow==24.0.0
+ pydantic==2.14.0a1
+ pydantic-core==2.47.0
+ pygments==2.20.0
+ python-calamine==0.6.2
+ python-dateutil==2.9.0.post0
+ pytz==2026.2
+ pyyaml==6.0.3
+ requests==2.34.2
+ rich==15.0.0
- setuptools==82.0.1
+... [truncated, 21380 chars total]
```

Error Analysis:

ERROR_SUMMARY: The error occurs because the LightGBM scikit-learn API (`LGBMClassifier.fit()`) does not accept a ``verbose`` keyword argument. Verbosity in LightGBM should be controlled via the ``verbose`` parameter in the constructor or through callbacks, not as a direct argument to `.fit()`.

SUGGESTED_FIX:

Remove the ``verbose=50`` argument from the ``clf.fit()`` call. If you want to control verbosity, set the ``verbose`` parameter when initializing ``LGBMClassifier`` or use LightGBM callbacks for logging during training.

Node 7 (debug)

Property	Value
uct_value	1.4010
avg_raw_score	0.9157
ctime	2026-05-23 07:19:46
debug_attempts	1
depth	3
execution_time	0.0
expected_child_count	0
exploitation	0.2865090403337964
exploration	1.094799321434295
failure_penalty	-0.0
failure_visits	0
id	7
is_debug_successful	✗
is_leaf	✗
is_successful	✓
is_terminal	✗
normalized_failure_visit	0
normalized_score	0.2865090403337964
num_children	2
prev_tutorial_prompt	### Condensed: ```python # Condensed: ```python Summary: This tutorial demonstrates image classification using AutoGluon MultiModal, covering implementation
stage	debug
time_step	7
tool_used	autogluon.multimodal
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0

validated_contribution	0.2865090403337964
validated_reward	3.6628
validated_visits	4
validated_weight	1.0
validation_score	0.9157
visits	4
parent_id	0
child_ids	[11, 15]

Node 8 (evolve)

Property	Value
uct_value	1.5550
avg_raw_score	0.9157
ctime	2026-05-23 07:35:25
debug_attempts	0
depth	4
execution_time	0.0
expected_child_count	0
exploitation	0.2865090403337964
exploration	1.1772322201769845
failure_penalty	-0.0
failure_visits	0
id	8
is_debug_successful	✗
is_leaf	✗
is_successful	✓
is_terminal	✗
normalized_failure_visit	0
normalized_score	0.2865090403337964
num_children	1
prev_tutorial_prompt	### Condensed: ```python # Condensed: ```python Summary: This tutorial demonstrates image classification using AutoGluon MultiModal, covering implementation
stage	evolve
time_step	8
tool_used	autogluon.multimodal
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0

validated_contribution	0.2865090403337964
validated_reward	1.8314
validated_visits	2
validated_weight	1.0
validation_score	0.9157
visits	2
parent_id	5
child_ids	[16]

Node 9 (debug)

Property	Value
uct_value	1.2237
avg_raw_score	0.8951
ctime	2026-05-23 07:51:01
debug_attempts	2
depth	2
execution_time	0.0
expected_child_count	0
exploitation	0.0
exploration	0.9098754692839941
failure_penalty	-0.0
failure_visits	0
id	9
is_debug_successful	✗
is_leaf	✗
is_successful	✓
is_terminal	✗
normalized_failure_visit	0
normalized_score	0.0
num_children	2
prev_tutorial_prompt	None
stage	debug
time_step	9
tool_used	machine learning
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_contribution	0.0
validated_reward	3.5804

validated_visits	4
validated_weight	1.0
validation_score	0.8951
visits	4
parent_id	-1
child_ids	[10, 12]

Node 10 (evolve)

Property	Value
uct_value	1.1772
avg_raw_score	0.8951
ctime	2026-05-23 08:00:52
debug_attempts	0
depth	3
execution_time	0.0
expected_child_count	0
exploitation	0.0
exploration	1.482079962591042
failure_penalty	-0.0
failure_visits	0
id	10
is_debug_successful	✗
is_leaf	✗
is_successful	✓
is_terminal	✗
normalized_failure_visit	0
normalized_score	0.0
num_children	1
prev_tutorial_prompt	### Condensed: Intro to Use Machine Learning or Deep Learning algorithms # Condensed: Intro to Use Machine Learning or Deep Learning algorithms Summary: You can use any machine learning or deep learning algorithms to complete the tasks. Make sure you # Intro to Use Machine Learning or Deep Learning algorithms You can use any machine learning or deep learning algorithms to complete the tasks. Make sure you have then
stage	evolve

time_step	10
tool_used	machine learning
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_contribution	0.0
validated_reward	1.7902
validated_visits	2
validated_weight	1.0
validation_score	0.8951
visits	2
parent_id	9
child_ids	[18]

Node 11 (evolve)

Property	Value
uct_value	1.4637
avg_raw_score	0.9157
ctime	2026-05-23 08:10:50
debug_attempts	0
depth	4
execution_time	0.0
expected_child_count	0
exploitation	0.2865090403337964
exploration	1.482079962591042
failure_penalty	-0.0
failure_visits	0
id	11
is_debug_successful	✗
is_leaf	✗
is_successful	✓
is_terminal	✗
normalized_failure_visit	0
normalized_score	0.2865090403337964
num_children	1
prev_tutorial_prompt	### Condensed: ```python # Condensed: ```python Summary: This tutorial demonstrates image classification using AutoGluon MultiModal, covering implementation
stage	evolve
time_step	11
tool_used	autogluon.multimodal
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0

validated_contribution	0.2865090403337964
validated_reward	1.8314
validated_visits	2
validated_weight	1.0
validation_score	0.9157
visits	2
parent_id	7
child_ids	[17]

Node 12 (evolve)

Property	Value
uct_value	1.6649
avg_raw_score	0.8951
ctime	2026-05-23 08:26:25
debug_attempts	0
depth	3
execution_time	0.0
expected_child_count	0
exploitation	0.0
exploration	1.482079962591042
failure_penalty	-0.0
failure_visits	0
id	12
is_debug_successful	✗
is_leaf	✓
is_successful	✓
is_terminal	✗
normalized_failure_visit	0
normalized_score	0.0
num_children	0
prev_tutorial_prompt	### Condensed: Intro to Use Machine Learning or Deep Learning algorithms # Condensed: Intro to Use Machine Learning or Deep Learning algorithms Summary: You can use any machine learning or deep learning algorithms to complete the tasks. Make sure you # Intro to Use Machine Learning or Deep Learning algorithms You can use any machine learning or deep learning algorithms to complete the tasks. Make sure you have them
stage	evolve

time_step	12
tool_used	machine learning
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_contribution	0.0
validated_reward	0.8951
validated_visits	1
validated_weight	1.0
validation_score	0.8951
visits	1
parent_id	9
child_ids	[]

Node 13 (evolve)

Property	Value
uct_value	1.5550
avg_raw_score	0.9157
ctime	2026-05-23 08:36:01
debug_attempts	0
depth	4
execution_time	0.0
expected_child_count	0
exploitation	0.2865090403337964
exploration	1.664857771836881
failure_penalty	-0.0
failure_visits	0
id	13
is_debug_successful	✗
is_leaf	✗
is_successful	✓
is_terminal	✗
normalized_failure_visit	0
normalized_score	0.2865090403337964
num_children	1
prev_tutorial_prompt	### Condensed: ```python # Condensed: ```python Summary: This tutorial demonstrates image classification using AutoGluon MultiModal, covering implementation
stage	evolve
time_step	13
tool_used	autogluon.multimodal
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0

validated_contribution	0.2865090403337964
validated_reward	1.8314
validated_visits	2
validated_weight	1.0
validation_score	0.9157
visits	2
parent_id	5
child_ids	[19]

Node 14 (debug)

Property	Value
uct_value	1.1772
ctime	2026-05-23 08:51:43
debug_attempts	1
depth	2
execution_time	0.0
expected_child_count	0
failure_visits	1
id	14
is_debug_successful	✗
is_leaf	✓
is_successful	✗
is_terminal	✗
num_children	0
prev_tutorial_prompt	### Condensed: ```python # Condensed: ```python Summary: This tutorial demonstrates using AutoGluon Multimodal for multimodal classification on the PetFinder dataset.
stage	debug
time_step	14
tool_used	autogluon.tabular
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_reward	0.0
validated_visits	0
validation_score	None
visits	1
parent_id	2
child_ids	[]

Error Message:

stderr:

==> WARNING: A newer version of conda exists. <==

current version: 25.11.0

latest version: 26.5.0

Please update conda by running

\$ conda update -n base -c conda-forge conda

Using Python 3.11.15 environment at: 28-basic_prompt/node_14/conda_env

Resolved 239 packages in 3.42s

Uninstalled 1 package in 1.61s

Installed 237 packages in 45.58s

+ absl-py==2.4.0

+ accelerate==1.13.0

+ adagio==0.2.6

+ aiohappyeyeballs==2.6.2

+ aiohttp==3.13.5

+ aiohttp-cors==0.8.1

+ aiosignal==1.4.0

+ alembic==1.18.4

+ annotated-doc==0.0.4

+ annotated-types==0.7.0

+ antlr4-python3-runtime==4.9.3

+ attrs==26.1.0

+ autogluon==1.5.1b20260522

+ autogluon-common==1.5.1b20260522

+ autogluon-core==1.5.1b20260522

+ autogluon-features==1.5.1b20260522

+ autogluon-multimodal==1.5.1b20260522

+ autogluon-tabular==1.5.1b20260522

+ autogluon-timeseries==1.5.1b20260522

+ beartype==0.22.9

+ beautifulsoup4==4.14.3

+ blis==1.3.3

+ boto3==1.43.14

+ botocore==1.43.14

+ catalogue==2.0.10

+ catboost==1.2.10

+ certifi==2026.5.20

+ cffi==2.0.0

+ chardet==7.4.3

+ charset-normalizer==3.4.7

+ chronos-forecasting==2.2.2

+ click==8.4.1

+ cloudpathlib==0.24.0

+ cloudpickle==3.1.2
+ colorama==0.4.6
+ colorful==0.6.0a1
+ colorlog==6.10.1
+ confection==1.3.3
+ contourpy==1.3.3
+ coreforecast==0.0.16
+ cryptography==48.0.0
+ cycler==0.12.1
+ cymem==2.0.13
+ daal==2025.9.0
+ datasets==4.0.0
+ defusedxml==0.7.1
+ dill==0.3.8
+ distlib==0.4.0
+ einops==0.8.2
+ einx==0.4.3
+ evaluate==0.4.6
+ fastai==2.8.5
+ fastcore==1.8.18
+ fastdownload==0.0.7
+ fastprogress==1.0.5
+ fasttransform==0.0.2
+ filelock==3.29.0
+ fonttools==4.63.0
+ frozendict==2.4.7
+ frozenlist==1.8.0
+ fsspec==2025.3.0
+ fugue==0.9.7
+ future==1.0.0
+ gdown==6.0.0
+ gluonts==0.16.2
+ google-api-core==2.30.3
+ google-auth==2.53.0
+ googleapis-common-protos==1.75.0
+ graphviz==0.21
+ grpcio==1.81.0rc1
+ hf-xet==1.5.0
+ httpx==1.0.dev3
+ huggingface-hub==0.36.2
+ hyperopt=... [truncated, 42349 chars total]

Error Analysis:

ERROR_SUMMARY: AutoGluon failed to train any models because Ray (used internally for parallel model training) attempted to create UNIX domain socket files in a directory path that exceeded the system's AF_UNIX path length limit (107 bytes). This resulted in repeated OSError exceptions (`validate_socket_filename failed:

AF_UNIX path length cannot exceed 107 bytes`), causing all model training attempts to fail and ultimately raising a RuntimeError: "No models were trained successfully during fit()".

SUGGESTED_FIX:

Shorten the directory paths used for temporary files and model output by moving your working, scratch, and output directories to a location with a much shorter absolute path (e.g., `/tmp/ag14/` or `/scratch/ag14/`). Ensure that the combined path length for any Ray session or socket file will not exceed 107 bytes. You may also set the `RAY\_TMPDIR` environment variable to a short path before running your script to control where Ray creates its temporary files.

Node 15 (evolve)

Property	Value
uct_value	1.9514
avg_raw_score	0.9157
ctime	2026-05-23 08:57:42
debug_attempts	0
depth	4
execution_time	0.0
expected_child_count	0
exploitation	0.2865090403337964
exploration	1.482079962591042
failure_penalty	-0.0
failure_visits	0
id	15
is_debug_successful	✗
is_leaf	✓
is_successful	✓
is_terminal	✗
normalized_failure_visit	0
normalized_score	0.2865090403337964
num_children	0
prev_tutorial_prompt	### Condensed: ```python # Condensed: ```python Summary: This tutorial demonstrates image classification using AutoGluon MultiModal, covering implementation
stage	evolve
time_step	15
tool_used	autogluon.multimodal
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0

validated_contribution	0.2865090403337964
validated_reward	0.9157
validated_visits	1
validated_weight	1.0
validation_score	0.9157
visits	1
parent_id	7
child_ids	[]

Node 16 (evolve)

Property	Value
uct_value	1.4637
ctime	2026-05-23 09:13:14
debug_attempts	0
depth	5
execution_time	0.0
expected_child_count	0
failure_visits	0
id	16
is_debug_successful	✗
is_leaf	✓
is_successful	✓
is_terminal	✗
num_children	0
prev_tutorial_prompt	### Condensed: ```python # Condensed: ```python Summary: This tutorial demonstrates image classification using AutoGluon MultiModal, covering implementation
stage	evolve
time_step	16
tool_used	autogluon.multimodal
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_reward	0.9157
validated_visits	1
validation_score	0.9157
visits	1
parent_id	8
child_ids	[]

Node 17 (evolve)

Property	Value
uct_value	1.4637
ctime	2026-05-23 09:28:46
debug_attempts	0
depth	5
execution_time	0.0
expected_child_count	0
failure_visits	0
id	17
is_debug_successful	✗
is_leaf	✓
is_successful	✓
is_terminal	✗
num_children	0
prev_tutorial_prompt	### Condensed: ```python # Condensed: ```python Summary: This tutorial demonstrates image classification using AutoGluon MultiModal, covering implementation
stage	evolve
time_step	17
tool_used	autogluon.multimodal
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_reward	0.9157
validated_visits	1
validation_score	0.9157
visits	1
parent_id	11
child_ids	[]

Node 18 (evolve)

Property	Value
uct_value	1.1772
ctime	2026-05-23 09:43:54
debug_attempts	0
depth	4
execution_time	0.0
expected_child_count	0
failure_visits	0
id	18
is_debug_successful	✗
is_leaf	✓
is_successful	✓
is_terminal	✗
num_children	0
prev_tutorial_prompt	### Condensed: Intro to Use Machine Learning or Deep Learning algorithms # Condensed: Intro to Use Machine Learning or Deep Learning algorithms Summary: You can use any machine learning or deep learning algorithms to complete the tasks. Make sure you # Intro to Use Machine Learning or Deep Learning algorithms You can use any machine learning or deep learning algorithms to complete the tasks. Make sure you have them
stage	evolve
time_step	18
tool_used	machine learning
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_reward	0.8951
validated_visits	1

validation_score	0.8951
visits	1
parent_id	10
child_ids	[]

Node 19 (evolve)

Property	Value
uct_value	1.4637
ctime	2026-05-23 09:53:28
debug_attempts	0
depth	5
execution_time	0.0
expected_child_count	0
failure_visits	0
id	19
is_debug_successful	✗
is_leaf	✓
is_successful	✓
is_terminal	✗
num_children	0
prev_tutorial_prompt	### Condensed: ```python # Condensed: ```python Summary: This tutorial demonstrates image classification using AutoGluon MultiModal, covering implementation
stage	evolve
time_step	19
tool_used	autogluon.multimodal
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_reward	0.9157
validated_visits	1
validation_score	0.9157
visits	1
parent_id	13
child_ids	[]

