

Node Structure Visualization


Click on any node in the tree to jump to its detailed information.

Total Nodes: 21 | Best Validation Score: 0.9739 (Node 6)

Node Tree:

Table of Contents:

Node ID	Stage	Status	Tool
-1			
0			autogluon.multimodal
1			machine learning
2			autogluon.tabular
3			autogluon.multimodal
4			machine learning
5			autogluon.multimodal
6			autogluon.multimodal
7			autogluon.multimodal
8			autogluon.multimodal
9			autogluon.multimodal
10			autogluon.multimodal
11			autogluon.multimodal
12			autogluon.multimodal
13			autogluon.multimodal
14			autogluon.multimodal
15			autogluon.multimodal
16			autogluon.multimodal
17			autogluon.multimodal
18			autogluon.multimodal
19			autogluon.multimodal



Status	Color
Success	Green
Failure	Red
Neutral	Blue

Node Details:

Node -1 (root)

Property	Value
uct_value	0.6250
ctime	2026-05-22 16:55:15
debug_attempts	0
depth	0
execution_time	0.0
expected_child_count	0
failure_visits	5
id	-1
is_debug_successful	✗
is_leaf	✗
is_successful	✗
is_terminal	✗
num_children	4
prev_tutorial_prompt	None
stage	root
time_step	-1
tool_used	
tools_available	[]
unvalidated_visits	0
validated_reward	14.547500000000005
validated_visits	15
validation_score	None
visits	20
parent_id	None
child_ids	[0, 1, 2, 5]

Node 0 (evolve)

Property	Value
uct_value	1.7306
ctime	2026-05-22 16:56:13
debug_attempts	1
depth	1
execution_time	0.0
expected_child_count	0
exploitation	0.0
exploration	1.2684446626418298
failure_penalty	-0.0
failure_visits	2
id	0
is_debug_successful	✗
is_leaf	✗
is_successful	✗
is_terminal	✓
normalized_failure_visit	0
num_children	1
prev_tutorial_prompt	None
stage	evolve
time_step	0
tool_used	autogluon.multimodal
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_contribution	0.0
validated_reward	0.0
validated_visits	0
validation_score	None

visits	2
parent_id	-1
child_ids	[3]

Error Message:

stderr:

==> WARNING: A newer version of conda exists. <==

current version: 25.11.0

latest version: 26.5.0

Please update conda by running

\$ conda update -n base -c conda-forge conda

Using Python 3.11.15 environment at: 38-addition_1/node_0/conda_env

Resolved 235 packages in 1.49s

Uninstalled 1 package in 1.98s

Installed 233 packages in 1m 27s

+ absl-py==2.4.0

+ accelerate==1.13.0

+ adagio==0.2.6

+ aiohappyeyeballs==2.6.2

+ aiohttp==3.13.5

+ aiohttp-cors==0.8.1

+ aiosignal==1.4.0

+ alembic==1.18.4

+ annotated-doc==0.0.4

+ annotated-types==0.7.0

+ antlr4-python3-runtime==4.9.3

+ attrs==26.1.0

+ autogluon==1.5.1b20260522

+ autogluon-common==1.5.1b20260522

+ autogluon-core==1.5.1b20260522

+ autogluon-features==1.5.1b20260522

+ autogluon-multimodal==1.5.1b20260522

+ autogluon-tabular==1.5.1b20260522

+ autogluon-timeseries==1.5.1b20260522

+ beartype==0.22.9

+ beautifulsoup4==4.14.3

+ blis==1.3.3

+ boto3==1.43.13

+ botocore==1.43.13

+ catalogue==2.0.10

+ catboost==1.2.10

+ certifi==2026.5.20

+ cffi==2.0.0

- + chardet==7.4.3
- + charset-normalizer==3.4.7
- + chronos-forecasting==2.2.2
- + click==8.4.1
- + cloudpathlib==0.24.0
- + cloudpickle==3.1.2
- + colorama==0.4.6
- + colorful==0.6.0a1
- + colorlog==6.10.1
- + confection==1.3.3
- + contourpy==1.3.3
- + coreforecast==0.0.16
- + cryptography==48.0.0
- + cycler==0.12.1
- + cymem==2.0.13
- + datasets==4.0.0
- + defusedxml==0.7.1
- + dill==0.3.8
- + distlib==0.4.0
- + einops==0.8.2
- + einx==0.4.3
- + evaluate==0.4.6
- + fastai==2.8.5
- + fastcore==1.8.18
- + fastdownload==0.0.7
- + fastprogress==1.0.5
- + fasttransform==0.0.2
- + filelock==3.29.0
- + fonttools==4.63.0
- + frozendict==2.4.7
- + frozenlist==1.8.0
- + fsspec==2025.3.0
- + fugue==0.9.7
- + future==1.0.0
- + gdown==6.0.0
- + gluonts==0.16.2
- + google-api-core==2.30.3
- + google-auth==2.53.0
- + googleapis-common-protos==1.75.0
- + graphviz==0.21
- + grpcio==1.81.0rc1
- + hf-xet==1.5.0
- + httpx==1.0.dev3
- + huggingface-hub==0.36.2
- + hyperopt==0.2.7

+ idna==3.16
... [truncated, 9383 chars total]

Error Analysis:

ERROR_SUMMARY: The error occurs during model training with AutoGluon MultiModal when configuring focal loss. The script computes class weights using numpy and passes a numpy array (or possibly a list of numpy.float64) as the `alpha` parameter to the focal loss, but AutoGluon expects `alpha` to be a list of Python floats or a single float, not numpy types or strings. This results in a ValueError: "too many dimensions 'str'" when torch.tensor tries to convert the input.

SUGGESTED_FIX:

Before passing the `weights` (used as `optim.focal\_loss.alpha`) to the hyperparameters, explicitly convert them to a list of Python floats using `weights = [float(w) for w in weights]`. Ensure that `alpha` is a list of floats (not numpy types or strings) to avoid this ValueError when using focal loss in AutoGluon.

Node 1 (evolve)

Property	Value
uct_value	1.7306
ctime	2026-05-22 17:05:05
debug_attempts	1
depth	1
execution_time	0.0
expected_child_count	0
exploitation	0.0
exploration	1.2867582287320087
failure_penalty	-0.0
failure_visits	2
id	1
is_debug_successful	✗
is_leaf	✗
is_successful	✗
is_terminal	✗
normalized_failure_visit	0
num_children	1
prev_tutorial_prompt	None
stage	evolve
time_step	1
tool_used	machine learning
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_contribution	0.0
validated_reward	0.0
validated_visits	0
validation_score	None

visits	2
parent_id	-1
child_ids	[4]

Error Message:

stderr:

==> WARNING: A newer version of conda exists. <==

current version: 25.11.0

latest version: 26.5.0

Please update conda by running

\$ conda update -n base -c conda-forge conda

warning: Requirements file `~/home/anri21/.conda/envs/mlzero\_env/lib/python3.11/site-packages/autogluon/assistant/tools\_registry/machine learning/requirements.txt` does not contain any dependencies

Using Python 3.11.15 environment at: 38-addition_1/node_1/conda_env

Resolved 79 packages in 370ms

Uninstalled 1 package in 1.88s

Installed 78 packages in 38.60s

+ aiohappyeyeballs==2.6.2

+ aiohttp==3.13.5

+ aiosignal==1.4.0

+ annotated-doc==0.0.4

+ annotated-types==0.7.0

+ anyio==4.13.0

+ attrs==26.1.0

+ certifi==2026.5.20

+ chardet==7.4.3

+ charset-normalizer==3.4.7

+ click==8.4.1

+ cuda-bindings==13.2.0

+ cuda-pathfinder==1.5.4

+ cuda-toolkit==13.0.2

+ datasets==4.8.5

+ dill==0.4.1

+ filelock==3.29.0

+ frozenlist==1.8.0

+ fsspec==2026.2.0

+ h11==0.16.0

+ hf-xet==1.5.0

+ httpcore==1.0.9

+ httpx==0.28.1

+ huggingface-hub==1.16.1

+ idna==3.16

+ jinja2==3.1.6

```
+ markdown-it-py==4.2.0
+ markupsafe==3.0.3
+ mdurl==0.1.2
+ mpmath==1.3.0
+ multidict==6.7.1
+ multiprocessing==0.70.19
+ networkx==3.6.1
+ numpy==2.4.6
+ nvidia-cublas==13.1.1.3
+ nvidia-cuda-cupti==13.0.85
+ nvidia-cuda-nvrtc==13.0.88
+ nvidia-cuda-runtime==13.0.96
+ nvidia-cudnn-cu13==9.20.0.48
+ nvidia-cufft==12.0.0.61
+ nvidia-cufile==1.15.1.6
+ nvidia-curand==10.4.0.35
+ nvidia-cusolver==12.0.4.66
+ nvidia-cusparselt-cu13==0.8.1
+ nvidia-nccl-cu13==2.29.7
+ nvidia-nvjitlink==13.0.88
+ nvidia-nvshmem-cu13==3.4.5
+ nvidia-nvtx==13.0.85
+ opencv-python==4.13.0.92
+ pandas==3.0.3
+ pillow==12.2.0
+ propcache==0.5.2
+ pyarrow==24.0.0
+ pydantic==2.14.0a1
+ pydantic-core==2.47.0
+ pygments==2.20.0
+ python-calamine==0.6.2
+ python-dateutil==2.9.0.post0
+ pytz==2026.2
+ pyyaml==6.0.3
+ requests==2.34.2
+ rich==15.0.0
- setuptools==82.0.1
+ s... [truncated, 4354 chars total]
```

Error Analysis:

ERROR_SUMMARY: The script raises a KeyError: 'skin_tone' when attempting to access the 'skin_tone' and 'alternative_skin_tone' columns in the test set. This occurs because test.csv does not contain these columns, so attempting to access them directly fails.

SUGGESTED_FIX:

Update the `get_skin_tone` function (and its calls) to check if the columns exist in the DataFrame before accessing them. If the columns are missing (as in the test set), return arrays filled with the default value (e.g., -1) of appropriate shape, so feature concatenation works without error.

Node 2 (evolve)

Property	Value
uct_value	2.4474
ctime	2026-05-22 17:15:41
debug_attempts	0
depth	1
execution_time	0.0
expected_child_count	0
exploitation	0.0
exploration	1.2131672923786587
failure_penalty	-0.0
failure_visits	1
id	2
is_debug_successful	✗
is_leaf	✓
is_successful	✗
is_terminal	✗
normalized_failure_visit	0
num_children	0
prev_tutorial_prompt	None
stage	evolve
time_step	2
tool_used	autogluon.tabular
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_contribution	0.0
validated_reward	0.0
validated_visits	0
validation_score	None

visits	1
parent_id	-1
child_ids	[]

Error Message:

stderr:

==> WARNING: A newer version of conda exists. <==

current version: 25.11.0

latest version: 26.5.0

Please update conda by running

\$ conda update -n base -c conda-forge conda

Using Python 3.11.15 environment at: 38-addition_1/node_2/conda_env

Resolved 239 packages in 1.25s

Uninstalled 1 package in 1.78s

Installed 237 packages in 59.40s

+ absl-py==2.4.0

+ accelerate==1.13.0

+ adagio==0.2.6

+ aiohappyeyeballs==2.6.2

+ aiohttp==3.13.5

+ aiohttp-cors==0.8.1

+ aiosignal==1.4.0

+ alembic==1.18.4

+ annotated-doc==0.0.4

+ annotated-types==0.7.0

+ antlr4-python3-runtime==4.9.3

+ attrs==26.1.0

+ autogluon==1.5.1b20260522

+ autogluon-common==1.5.1b20260522

+ autogluon-core==1.5.1b20260522

+ autogluon-features==1.5.1b20260522

+ autogluon-multimodal==1.5.1b20260522

+ autogluon-tabular==1.5.1b20260522

+ autogluon-timeseries==1.5.1b20260522

+ beartype==0.22.9

+ beautifulsoup4==4.14.3

+ blis==1.3.3

+ boto3==1.43.13

+ botocore==1.43.13

+ catalogue==2.0.10

+ catboost==1.2.10

+ certifi==2026.5.20

+ cffi==2.0.0

- + chardet==7.4.3
- + charset-normalizer==3.4.7
- + chronos-forecasting==2.2.2
- + click==8.4.1
- + cloudpathlib==0.24.0
- + cloudpickle==3.1.2
- + colorama==0.4.6
- + colorful==0.6.0a1
- + colorlog==6.10.1
- + confection==1.3.3
- + contourpy==1.3.3
- + coreforecast==0.0.16
- + cryptography==48.0.0
- + cycler==0.12.1
- + cymem==2.0.13
- + daal==2025.9.0
- + datasets==4.0.0
- + defusedxml==0.7.1
- + dill==0.3.8
- + distlib==0.4.0
- + einops==0.8.2
- + einx==0.4.3
- + evaluate==0.4.6
- + fastai==2.8.5
- + fastcore==1.8.18
- + fastdownload==0.0.7
- + fastprogress==1.0.5
- + fasttransform==0.0.2
- + filelock==3.29.0
- + fonttools==4.63.0
- + frozendict==2.4.7
- + frozenlist==1.8.0
- + fsspec==2025.3.0
- + fugue==0.9.7
- + future==1.0.0
- + gdown==6.0.0
- + gluonts==0.16.2
- + google-api-core==2.30.3
- + google-auth==2.53.0
- + googleapis-common-protos==1.75.0
- + graphviz==0.21
- + grpcio==1.81.0rc1
- + hf-xet==1.5.0
- + httpx==1.0.dev3
- + huggingface-hub==0.36.2

+ hyperopt==0.... [truncated, 48976 chars total]

Error Analysis:

ERROR_SUMMARY: AutoGluon Tabular failed to train any models because there were no valid features available for training—every candidate model was skipped with "No valid features to train" messages. This happened because the feature selection logic only included columns present in both train and test, but the test set contains only 'image_name' (an identifier), leaving no usable features for modeling.

SUGGESTED_FIX:

Revise your approach to use AutoGluon Multimodal, not Tabular, so you can train directly on image data. Prepare your train and test DataFrames to include a column with the absolute image file paths (e.g., 'image_path'), and configure FeatureMetadata to mark this column as type 'image_path'. Use the 'multimodal' hyperparameter config and ensure your label column is correctly mapped (malignant=1, else=0). This will allow AutoGluon to extract features from the images and train a model as required for this image classification task.

Node 3 (debug)

Property	Value
uct_value	1.1772
ctime	2026-05-22 17:22:22
debug_attempts	1
depth	2
execution_time	0.0
expected_child_count	0
failure_visits	1
id	3
is_debug_successful	✗
is_leaf	✓
is_successful	✗
is_terminal	✓
num_children	0
prev_tutorial_prompt	### Condensed: ```python # Condensed: ```python Summary: This tutorial demonstrates image classification using AutoGluon MultiModal, covering implementation
stage	debug
time_step	3
tool_used	autogluon.multimodal
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_reward	0.0
validated_visits	0
validation_score	None
visits	1
parent_id	0
child_ids	[]

Error Message:

stderr:

==> WARNING: A newer version of conda exists. <==

current version: 25.11.0

latest version: 26.5.0

Please update conda by running

\$ conda update -n base -c conda-forge conda

Using Python 3.11.15 environment at: 38-addition_1/node_3/conda_env

Resolved 235 packages in 1.22s

Uninstalled 1 package in 2.00s

Installed 233 packages in 1m 12s

+ absl-py==2.4.0

+ accelerate==1.13.0

+ adagio==0.2.6

+ aiohappyeyeballs==2.6.2

+ aiohttp==3.13.5

+ aiohttp-cors==0.8.1

+ aiosignal==1.4.0

+ alembic==1.18.4

+ annotated-doc==0.0.4

+ annotated-types==0.7.0

+ antlr4-python3-runtime==4.9.3

+ attrs==26.1.0

+ autogluon==1.5.1b20260522

+ autogluon-common==1.5.1b20260522

+ autogluon-core==1.5.1b20260522

+ autogluon-features==1.5.1b20260522

+ autogluon-multimodal==1.5.1b20260522

+ autogluon-tabular==1.5.1b20260522

+ autogluon-timeseries==1.5.1b20260522

+ beartype==0.22.9

+ beautifulsoup4==4.14.3

+ blis==1.3.3

+ boto3==1.43.13

+ botocore==1.43.13

+ catalogue==2.0.10

+ catboost==1.2.10

+ certifi==2026.5.20

+ cffi==2.0.0

+ chardet==7.4.3

+ charset-normalizer==3.4.7

+ chronos-forecasting==2.2.2

+ click==8.4.1

+ cloudpathlib==0.24.0

+ cloudpickle==3.1.2
+ colorama==0.4.6
+ colorful==0.6.0a1
+ colorlog==6.10.1
+ confection==1.3.3
+ contourpy==1.3.3
+ coreforecast==0.0.16
+ cryptography==48.0.0
+ cycler==0.12.1
+ cymem==2.0.13
+ datasets==4.0.0
+ defusedxml==0.7.1
+ dill==0.3.8
+ distlib==0.4.0
+ einops==0.8.2
+ einx==0.4.3
+ evaluate==0.4.6
+ fastai==2.8.5
+ fastcore==1.8.18
+ fastdownload==0.0.7
+ fastprogress==1.0.5
+ fasttransform==0.0.2
+ filelock==3.29.0
+ fonttools==4.63.0
+ frozendict==2.4.7
+ frozenlist==1.8.0
+ fsspec==2025.3.0
+ fugue==0.9.7
+ future==1.0.0
+ gdown==6.0.0
+ gluonts==0.16.2
+ google-api-core==2.30.3
+ google-auth==2.53.0
+ googleapis-common-protos==1.75.0
+ graphviz==0.21
+ grpcio==1.81.0rc1
+ hf-xet==1.5.0
+ httpx==1.0.dev3
+ huggingface-hub==0.36.2
+ hyperopt==0.2.7
+ idna==3.16
... [truncated, 14520 chars total]

Error Analysis:

ERROR_SUMMARY: The error occurred because the test DataFrame provided to `predictor.predict_proba()` only included the columns `['image_name', 'image']`, while the model was trained with additional columns: `['image', 'alternative_skin_tone', 'expert_opinion', 'skin_tone']`. AutoGluon MultiModal requires that all columns used during training (except the label) must also be present at prediction time, even if their values are missing or unknown.

SUGGESTED_FIX:

Modify your test DataFrame before prediction to include the missing columns (`'alternative_skin_tone'`, `'expert_opinion'`, `'skin_tone'`). Add these columns to the test DataFrame and fill them with default values (e.g., `np.nan` or a placeholder) so that the column structure matches the training data. This will allow AutoGluon to process the test data without raising a `ValueError`.

Node 4 (debug)

Property	Value
uct_value	1.1772
ctime	2026-05-22 18:01:50
debug_attempts	1
depth	2
execution_time	0.0
expected_child_count	0
failure_visits	1
id	4
is_debug_successful	✗
is_leaf	✓
is_successful	✗
is_terminal	✗
num_children	0
prev_tutorial_prompt	### Condensed: Intro to Use Machine Learning or Deep Learning algorithms # Condensed: Intro to Use Machine Learning or Deep Learning algorithms Summary: You can use any machine learning or deep learning algorithms to complete the tasks. Make sure you # Intro to Use Machine Learning or Deep Learning algorithms You can use any machine learning or deep learning algorithms to complete the tasks. Make sure you have them
stage	debug
time_step	4
tool_used	machine learning
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_reward	0.0
validated_visits	0

validation_score	None
visits	1
parent_id	1
child_ids	[]

Error Message:

```

stderr:
==> WARNING: A newer version of conda exists. <==
current version: 25.11.0
latest version: 26.5.0
Please update conda by running
$ conda update -n base -c conda-forge conda
warning: Requirements file `~/home/anri21/.conda/envs/mlzero_env/lib/python3.11/site-packages/autogluon/assistant/tools_registry/machine learning/requirements.txt`
does not contain any dependencies
Using Python 3.11.15 environment at: 38-addition_1/node_4/conda_env
Resolved 79 packages in 373ms
Uninstalled 1 package in 1.89s
Installed 78 packages in 44.46s
+ aiohappyeyeballs==2.6.2
+ aiohttp==3.13.5
+ aiosignal==1.4.0
+ annotated-doc==0.0.4
+ annotated-types==0.7.0
+ anyio==4.13.0
+ attrs==26.1.0
+ certifi==2026.5.20
+ chardet==7.4.3
+ charset-normalizer==3.4.7
+ click==8.4.1
+ cuda-bindings==13.2.0
+ cuda-pathfinder==1.5.4
+ cuda-toolkit==13.0.2
+ datasets==4.8.5
+ dill==0.4.1
+ filelock==3.29.0
+ frozenlist==1.8.0
+ fsspec==2026.2.0
+ h11==0.16.0
+ hf-xet==1.5.0
+ httpcore==1.0.9
+ httpx==0.28.1
+ huggingface-hub==1.16.1
+ idna==3.16

```

```
+ jinja2==3.1.6
+ markdown-it-py==4.2.0
+ markupsafe==3.0.3
+ mdurl==0.1.2
+ mpmath==1.3.0
+ multidict==6.7.1
+ multiprocessing==0.70.19
+ networkx==3.6.1
+ numpy==2.4.6
+ nvidia-cublas==13.1.1.3
+ nvidia-cuda-cupti==13.0.85
+ nvidia-cuda-nvrtc==13.0.88
+ nvidia-cuda-runtime==13.0.96
+ nvidia-cudnn-cu13==9.20.0.48
+ nvidia-cufft==12.0.0.61
+ nvidia-cufile==1.15.1.6
+ nvidia-curand==10.4.0.35
+ nvidia-cusolver==12.0.4.66
+ nvidia-cusparselt-cu13==0.8.1
+ nvidia-nccl-cu13==2.29.7
+ nvidia-nvjitlink==13.0.88
+ nvidia-nvshmem-cu13==3.4.5
+ nvidia-nvtx==13.0.85
+ opencv-python==4.13.0.92
+ pandas==3.0.3
+ pillow==12.2.0
+ propcache==0.5.2
+ pyarrow==24.0.0
+ pydantic==2.14.0a1
+ pydantic-core==2.47.0
+ pygments==2.20.0
+ python-calamine==0.6.2
+ python-dateutil==2.9.0.post0
+ pytz==2026.2
+ pyyaml==6.0.3
+ requests==2.34.2
+ rich==15.0.0
- setuptools==82.0.1
+ s... [truncated, 2932 chars total]
```

Error Analysis:

ERROR_SUMMARY: The error occurs because the LightGBM `LGBMClassifier.fit()` method (in recent versions) no longer accepts the `early_stopping_rounds` argument directly; this argument has been deprecated or moved to callbacks in the scikit-learn API wrapper. Passing it now results in a `TypeError`.

SUGGESTED_FIX: Remove the `early_stopping_rounds` and `verbose` arguments from the `fit()` call, and instead use the `callbacks` parameter with `lightgbm.early_stopping()` and `lightgbm.log_evaluation()` for early stopping and logging. Check the LightGBM documentation for the correct usage of callbacks in your installed version.

Node 5 (debug)

Property	Value
uct_value	1.5652
avg_raw_score	0.9695428571428575
ctime	2026-05-22 18:12:27
debug_attempts	2
depth	2
execution_time	0.0
expected_child_count	0
exploitation	0.9285714285714343
exploration	0.6484651944173071
failure_penalty	-0.0
failure_visits	0
id	5
is_debug_successful	✗
is_leaf	✗
is_successful	✓
is_terminal	✗
normalized_failure_visit	0
normalized_score	0.9285714285714343
num_children	2
prev_tutorial_prompt	None
stage	debug
time_step	5
tool_used	autogluon.multimodal
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_contribution	0.9285714285714343
validated_reward	14.547500000000005

validated_visits	15
validated_weight	1.0
validation_score	0.9129
visits	15
parent_id	-1
child_ids	[6, 7]

Node 6 (evolve)

Property	Value
uct_value	1.8795
avg_raw_score	0.9739000000000002
ctime	2026-05-22 18:48:25
debug_attempts	0
depth	3
execution_time	0.0
expected_child_count	0
exploitation	1.0000000000000036
exploration	0.8682100361913279
failure_penalty	-0.0
failure_visits	0
id	6
is_debug_successful	✗
is_leaf	✗
is_successful	✓
is_terminal	✗
normalized_failure_visit	0
normalized_score	1.0000000000000036
num_children	2
prev_tutorial_prompt	### Condensed: ```python # Condensed: ```python Summary: This tutorial demonstrates image classification using AutoGluon MultiModal, covering implementation
stage	evolve
time_step	6
tool_used	autogluon.multimodal
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0

validated_contribution	1.00000000000000036
validated_reward	6.8173000000000001
validated_visits	7
validated_weight	1.0
validation_score	0.9739
visits	7
parent_id	5
child_ids	[8, 10]

Node 7 (evolve)

Property	Value
uct_value	1.8795
avg_raw_score	0.9739000000000001
ctime	2026-05-22 19:39:25
debug_attempts	0
depth	3
execution_time	0.0
expected_child_count	0
exploitation	1.0000000000000018
exploration	0.9377740193852168
failure_penalty	-0.0
failure_visits	0
id	7
is_debug_successful	✗
is_leaf	✗
is_successful	✓
is_terminal	✗
normalized_failure_visit	0
normalized_score	1.0000000000000018
num_children	2
prev_tutorial_prompt	### Condensed: ```python # Condensed: ```python Summary: This tutorial demonstrates image classification using AutoGluon MultiModal, covering implementation
stage	evolve
time_step	7
tool_used	autogluon.multimodal
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0

validated_contribution	1.00000000000000018
validated_reward	6.8173000000000001
validated_visits	7
validated_weight	1.0
validation_score	0.9739
visits	7
parent_id	5
child_ids	[9, 11]

Node 8 (evolve)

Property	Value
uct_value	2.1388
avg_raw_score	0.9739
ctime	2026-05-22 20:28:01
debug_attempts	0
depth	4
execution_time	0.0
expected_child_count	0
exploitation	1.0
exploration	1.0927696792610198
failure_penalty	-0.0
failure_visits	0
id	8
is_debug_successful	✗
is_leaf	✗
is_successful	✓
is_terminal	✗
normalized_failure_visit	0
normalized_score	1.0
num_children	2
prev_tutorial_prompt	### Condensed: ```python # Condensed: ```python Summary: This tutorial demonstrates image classification using AutoGluon MultiModal, covering implementation
stage	evolve
time_step	8
tool_used	autogluon.multimodal
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0

validated_contribution	1.0
validated_reward	2.9217
validated_visits	3
validated_weight	1.0
validation_score	0.9739
visits	3
parent_id	6
child_ids	[16, 12]

Node 9 (evolve)

Property	Value
uct_value	2.1388
avg_raw_score	0.9739
ctime	2026-05-22 21:16:23
debug_attempts	0
depth	4
execution_time	0.0
expected_child_count	0
exploitation	1.0
exploration	1.0927696792610198
failure_penalty	-0.0
failure_visits	0
id	9
is_debug_successful	✗
is_leaf	✗
is_successful	✓
is_terminal	✗
normalized_failure_visit	0
normalized_score	1.0
num_children	2
prev_tutorial_prompt	### Condensed: ```python # Condensed: ```python Summary: This tutorial demonstrates image classification using AutoGluon MultiModal, covering implementation
stage	evolve
time_step	9
tool_used	autogluon.multimodal
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0

validated_contribution	1.0
validated_reward	2.9217
validated_visits	3
validated_weight	1.0
validation_score	0.9739
visits	3
parent_id	7
child_ids	[17, 13]

Node 10 (evolve)

Property	Value
uct_value	2.1388
avg_raw_score	0.9739
ctime	2026-05-22 22:04:23
debug_attempts	0
depth	4
execution_time	0.0
expected_child_count	0
exploitation	1.0
exploration	1.3383640602871656
failure_penalty	-0.0
failure_visits	0
id	10
is_debug_successful	✗
is_leaf	✗
is_successful	✓
is_terminal	✗
normalized_failure_visit	0
normalized_score	1.0
num_children	2
prev_tutorial_prompt	### Condensed: ```python # Condensed: ```python Summary: This tutorial demonstrates image classification using AutoGluon MultiModal, covering implementation
stage	evolve
time_step	10
tool_used	autogluon.multimodal
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0

validated_contribution	1.0
validated_reward	2.9217
validated_visits	3
validated_weight	1.0
validation_score	0.9739
visits	3
parent_id	6
child_ids	[18, 14]

Node 11 (evolve)

Property	Value
uct_value	2.1388
avg_raw_score	0.9739
ctime	2026-05-22 22:52:33
debug_attempts	0
depth	4
execution_time	0.0
expected_child_count	0
exploitation	1.0
exploration	1.3383640602871656
failure_penalty	-0.0
failure_visits	0
id	11
is_debug_successful	✗
is_leaf	✗
is_successful	✓
is_terminal	✗
normalized_failure_visit	0
normalized_score	1.0
num_children	2
prev_tutorial_prompt	### Condensed: ```python # Condensed: ```python Summary: This tutorial demonstrates image classification using AutoGluon MultiModal, covering implementation
stage	evolve
time_step	11
tool_used	autogluon.multimodal
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0

validated_contribution	1.0
validated_reward	2.9217
validated_visits	3
validated_weight	1.0
validation_score	0.9739
visits	3
parent_id	7
child_ids	[19, 15]

Node 12 (evolve)

Property	Value
uct_value	2.4821
ctime	2026-05-22 23:39:39
debug_attempts	0
depth	5
execution_time	0.0
expected_child_count	0
failure_visits	0
id	12
is_debug_successful	✗
is_leaf	✓
is_successful	✓
is_terminal	✗
num_children	0
prev_tutorial_prompt	### Condensed: ```python # Condensed: ```python Summary: This tutorial demonstrates image classification using AutoGluon MultiModal, covering implementation
stage	evolve
time_step	12
tool_used	autogluon.multimodal
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_reward	0.9739
validated_visits	1
validation_score	0.9739
visits	1
parent_id	8
child_ids	[]

Node 13 (evolve)

Property	Value
uct_value	2.4821
ctime	2026-05-23 00:27:12
debug_attempts	0
depth	5
execution_time	0.0
expected_child_count	0
failure_visits	0
id	13
is_debug_successful	✗
is_leaf	✓
is_successful	✓
is_terminal	✗
num_children	0
prev_tutorial_prompt	### Condensed: ```python # Condensed: ```python Summary: This tutorial demonstrates image classification using AutoGluon MultiModal, covering implementation
stage	evolve
time_step	13
tool_used	autogluon.multimodal
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_reward	0.9739
validated_visits	1
validation_score	0.9739
visits	1
parent_id	9
child_ids	[]

Node 14 (evolve)

Property	Value
uct_value	2.4821
ctime	2026-05-23 01:14:53
debug_attempts	0
depth	5
execution_time	0.0
expected_child_count	0
failure_visits	0
id	14
is_debug_successful	✗
is_leaf	✓
is_successful	✓
is_terminal	✗
num_children	0
prev_tutorial_prompt	### Condensed: ```python # Condensed: ```python Summary: This tutorial demonstrates image classification using AutoGluon MultiModal, covering implementation
stage	evolve
time_step	14
tool_used	autogluon.multimodal
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_reward	0.9739
validated_visits	1
validation_score	0.9739
visits	1
parent_id	10
child_ids	[]

Node 15 (evolve)

Property	Value
uct_value	2.4821
ctime	2026-05-23 02:02:01
debug_attempts	0
depth	5
execution_time	0.0
expected_child_count	0
failure_visits	0
id	15
is_debug_successful	✗
is_leaf	✓
is_successful	✓
is_terminal	✗
num_children	0
prev_tutorial_prompt	### Condensed: ```python # Condensed: ```python Summary: This tutorial demonstrates image classification using AutoGluon MultiModal, covering implementation
stage	evolve
time_step	15
tool_used	autogluon.multimodal
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_reward	0.9739
validated_visits	1
validation_score	0.9739
visits	1
parent_id	11
child_ids	[]

Node 16 (evolve)

Property	Value
uct_value	2.4821
ctime	2026-05-23 02:49:42
debug_attempts	0
depth	5
execution_time	0.0
expected_child_count	0
failure_visits	0
id	16
is_debug_successful	✗
is_leaf	✓
is_successful	✓
is_terminal	✗
num_children	0
prev_tutorial_prompt	### Condensed: ```python # Condensed: ```python Summary: This tutorial demonstrates image classification using AutoGluon MultiModal, covering implementation
stage	evolve
time_step	16
tool_used	autogluon.multimodal
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_reward	0.9739
validated_visits	1
validation_score	0.9739
visits	1
parent_id	8
child_ids	[]

Node 17 (evolve)

Property	Value
uct_value	2.4821
ctime	2026-05-23 03:37:02
debug_attempts	0
depth	5
execution_time	0.0
expected_child_count	0
failure_visits	0
id	17
is_debug_successful	✗
is_leaf	✓
is_successful	✓
is_terminal	✗
num_children	0
prev_tutorial_prompt	### Condensed: ```python # Condensed: ```python Summary: This tutorial demonstrates image classification using AutoGluon MultiModal, covering implementation
stage	evolve
time_step	17
tool_used	autogluon.multimodal
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_reward	0.9739
validated_visits	1
validation_score	0.9739
visits	1
parent_id	9
child_ids	[]

Node 18 (evolve)

Property	Value
uct_value	2.4821
ctime	2026-05-23 04:24:26
debug_attempts	0
depth	5
execution_time	0.0
expected_child_count	0
failure_visits	0
id	18
is_debug_successful	✗
is_leaf	✓
is_successful	✓
is_terminal	✗
num_children	0
prev_tutorial_prompt	### Condensed: ```python # Condensed: ```python Summary: This tutorial demonstrates image classification using AutoGluon MultiModal, covering implementation
stage	evolve
time_step	18
tool_used	autogluon.multimodal
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_reward	0.9739
validated_visits	1
validation_score	0.9739
visits	1
parent_id	10
child_ids	[]

Node 19 (evolve)

Property	Value
uct_value	2.4821
ctime	2026-05-23 05:11:38
debug_attempts	0
depth	5
execution_time	0.0
expected_child_count	0
failure_visits	0
id	19
is_debug_successful	✗
is_leaf	✓
is_successful	✓
is_terminal	✗
num_children	0
prev_tutorial_prompt	### Condensed: ```python # Condensed: ```python Summary: This tutorial demonstrates image classification using AutoGluon MultiModal, covering implementation
stage	evolve
time_step	19
tool_used	autogluon.multimodal
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_reward	0.9739
validated_visits	1
validation_score	0.9739
visits	1
parent_id	11
child_ids	[]

