

Node Structure Visualization


Click on any node in the tree to jump to its detailed information.

Total Nodes: 21 | Best Validation Score: 0.9672 (Node 3)

Node Tree:

Table of Contents:

Node ID	Stage	Status	Tool
-1			
0			autogluon.multimodal
1			machine learning
2			autogluon.tabular
3			autogluon.multimodal
4			autogluon.multimodal
5			autogluon.multimodal
6			autogluon.multimodal
7			machine learning
8			autogluon.multimodal
9			autogluon.multimodal
10			machine learning
11			autogluon.multimodal
12			autogluon.multimodal
13			autogluon.multimodal
14			autogluon.multimodal
15			autogluon.multimodal
16			autogluon.multimodal
17			autogluon.multimodal
18			autogluon.multimodal
19			autogluon.multimodal



Status	Color
Success	Green
Failure	Red
Neutral	Blue

Node Details:

Node -1 (root)

Property	Value
uct_value	0.5273
ctime	2026-05-22 21:36:32
debug_attempts	0
depth	0
execution_time	0.0
expected_child_count	0
failure_visits	5
id	-1
is_debug_successful	✗
is_leaf	✗
is_successful	✗
is_terminal	✗
num_children	5
prev_tutorial_prompt	None
stage	root
time_step	-1
tool_used	
tools_available	[]
unvalidated_visits	0
validated_reward	14.256399999999998
validated_visits	15
validation_score	None
visits	20
parent_id	None
child_ids	[0, 1, 2, 3, 7]

Node 0 (evolve)

Property	Value
uct_value	2.4474
ctime	2026-05-22 21:37:28
debug_attempts	0
depth	1
execution_time	0.0
expected_child_count	0
exploitation	0.0
exploration	1.482079962591042
failure_penalty	-0.0
failure_visits	1
id	0
is_debug_successful	✗
is_leaf	✓
is_successful	✗
is_terminal	✓
normalized_failure_visit	0
num_children	0
prev_tutorial_prompt	None
stage	evolve
time_step	0
tool_used	autogluon.multimodal
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_contribution	0.0
validated_reward	0.0
validated_visits	0
validation_score	None

visits	1
parent_id	-1
child_ids	[]

Error Message:

stderr:

==> WARNING: A newer version of conda exists. <==

current version: 25.11.0

latest version: 26.5.0

Please update conda by running

\$ conda update -n base -c conda-forge conda

Using Python 3.11.15 environment at: 39-addition_1/node_0/conda_env

Resolved 235 packages in 3.09s

Uninstalled 1 package in 1.80s

Installed 233 packages in 1m 03s

+ absl-py==2.4.0

+ accelerate==1.13.0

+ adagio==0.2.6

+ aiohappyeyeballs==2.6.2

+ aiohttp==3.13.5

+ aiohttp-cors==0.8.1

+ aiosignal==1.4.0

+ alembic==1.18.4

+ annotated-doc==0.0.4

+ annotated-types==0.7.0

+ antlr4-python3-runtime==4.9.3

+ attrs==26.1.0

+ autogluon==1.5.1b20260522

+ autogluon-common==1.5.1b20260522

+ autogluon-core==1.5.1b20260522

+ autogluon-features==1.5.1b20260522

+ autogluon-multimodal==1.5.1b20260522

+ autogluon-tabular==1.5.1b20260522

+ autogluon-timeseries==1.5.1b20260522

+ beartype==0.22.9

+ beautifulsoup4==4.14.3

+ blis==1.3.3

+ boto3==1.43.14

+ botocore==1.43.14

+ catalogue==2.0.10

+ catboost==1.2.10

+ certifi==2026.5.20

+ cffi==2.0.0

- + chardet==7.4.3
- + charset-normalizer==3.4.7
- + chronos-forecasting==2.2.2
- + click==8.4.1
- + cloudpathlib==0.24.0
- + cloudpickle==3.1.2
- + colorama==0.4.6
- + colorful==0.6.0a1
- + colorlog==6.10.1
- + confection==1.3.3
- + contourpy==1.3.3
- + coreforecast==0.0.16
- + cryptography==48.0.0
- + cycler==0.12.1
- + cymem==2.0.13
- + datasets==4.0.0
- + defusedxml==0.7.1
- + dill==0.3.8
- + distlib==0.4.0
- + einops==0.8.2
- + einx==0.4.3
- + evaluate==0.4.6
- + fastai==2.8.5
- + fastcore==1.8.18
- + fastdownload==0.0.7
- + fastprogress==1.0.5
- + fasttransform==0.0.2
- + filelock==3.29.0
- + fonttools==4.63.0
- + frozendict==2.4.7
- + frozenlist==1.8.0
- + fsspec==2025.3.0
- + fugue==0.9.7
- + future==1.0.0
- + gdown==6.0.0
- + gluonts==0.16.2
- + google-api-core==2.30.3
- + google-auth==2.53.0
- + googleapis-common-protos==1.75.0
- + graphviz==0.21
- + grpcio==1.81.0rc1
- + hf-xet==1.5.0
- + httpx==1.0.dev3
- + huggingface-hub==0.36.2
- + hyperopt==0.2.7

+ idna==3.16
... [truncated, 17483 chars total]

Error Analysis:

ERROR_SUMMARY: The error occurs because the test dataframe passed to ``predictor.predict_proba()`` is missing required columns (``alternative_skin_tone``, ``expert_opinion``, ``skin_tone``) that were present during training. AutoGluon MultiModal expects all columns used in training (except the label) to be present at prediction time, even if their values are unknown.

SUGGESTED_FIX:

Modify the test dataframe before prediction to include the missing columns (``alternative_skin_tone``, ``expert_opinion``, ``skin_tone``). Add these columns to the test dataframe with placeholder values (e.g., ``np.nan`` or a default value consistent with training), ensuring the column names and order match the training data. Then pass this updated dataframe to ``predictor.predict_proba()``.

Node 1 (evolve)

Property	Value
uct_value	2.4474
ctime	2026-05-22 22:20:54
debug_attempts	0
depth	1
execution_time	0.0
expected_child_count	0
exploitation	0.0
exploration	1.4793538436473155
failure_penalty	-0.0
failure_visits	1
id	1
is_debug_successful	✗
is_leaf	✓
is_successful	✗
is_terminal	✓
normalized_failure_visit	0
num_children	0
prev_tutorial_prompt	None
stage	evolve
time_step	1
tool_used	machine learning
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_contribution	0.0
validated_reward	0.0
validated_visits	0
validation_score	None

visits	1
parent_id	-1
child_ids	[]

Error Message:

stderr:

==> WARNING: A newer version of conda exists. <==

current version: 25.11.0

latest version: 26.5.0

Please update conda by running

\$ conda update -n base -c conda-forge conda

warning: Requirements file `~/home/anri21/.conda/envs/mlzero\_env/lib/python3.11/site-packages/autogluon/assistant/tools\_registry/machine learning/requirements.txt` does not contain any dependencies

Using Python 3.11.15 environment at: 39-addition_1/node_1/conda_env

Resolved 79 packages in 610ms

Uninstalled 1 package in 1.81s

Installed 78 packages in 45.69s

+ aiohappyeyeballs==2.6.2

+ aiohttp==3.13.5

+ aiosignal==1.4.0

+ annotated-doc==0.0.4

+ annotated-types==0.7.0

+ anyio==4.13.0

+ attrs==26.1.0

+ certifi==2026.5.20

+ chardet==7.4.3

+ charset-normalizer==3.4.7

+ click==8.4.1

+ cuda-bindings==13.2.0

+ cuda-pathfinder==1.5.4

+ cuda-toolkit==13.0.2

+ datasets==4.8.5

+ dill==0.4.1

+ filelock==3.29.0

+ frozenlist==1.8.0

+ fsspec==2026.2.0

+ h11==0.16.0

+ hf-xet==1.5.0

+ httpcore==1.0.9

+ httpx==0.28.1

+ huggingface-hub==1.16.1

+ idna==3.16

+ jinja2==3.1.6

```
+ markdown-it-py==4.2.0
+ markupsafe==3.0.3
+ mdurl==0.1.2
+ mpmath==1.3.0
+ multidict==6.7.1
+ multiprocessing==0.70.19
+ networkx==3.6.1
+ numpy==2.4.6
+ nvidia-cublas==13.1.1.3
+ nvidia-cuda-cupti==13.0.85
+ nvidia-cuda-nvrtc==13.0.88
+ nvidia-cuda-runtime==13.0.96
+ nvidia-cudnn-cu13==9.20.0.48
+ nvidia-cufft==12.0.0.61
+ nvidia-cufile==1.15.1.6
+ nvidia-curand==10.4.0.35
+ nvidia-cusolver==12.0.4.66
+ nvidia-cusparselt-cu13==0.8.1
+ nvidia-nccl-cu13==2.29.7
+ nvidia-nvjitlink==13.0.88
+ nvidia-nvshmem-cu13==3.4.5
+ nvidia-nvtx==13.0.85
+ opencv-python==4.13.0.92
+ pandas==3.0.3
+ pillow==12.2.0
+ propcache==0.5.2
+ pyarrow==24.0.0
+ pydantic==2.14.0a1
+ pydantic-core==2.47.0
+ pygments==2.20.0
+ python-calamine==0.6.2
+ python-dateutil==2.9.0.post0
+ pytz==2026.2
+ pyyaml==6.0.3
+ requests==2.34.2
+ rich==15.0.0
- setuptools==82.0.1
+ s... [truncated, 15333 chars total]
```

Error Analysis:

ERROR_SUMMARY: The error occurs because the 'expert_opinion' column in your training data contains non-numeric string values (e.g., '5 Potentially'), but the code attempts to use it directly as a numeric feature for LightGBM. This leads to a ValueError when scikit-learn tries to convert these string values to float during model fitting.

SUGGESTED_FIX:

Inspect the 'expert_opinion' column for non-numeric entries and decide how to handle them: either extract the numeric part (e.g., '5' from '5 Potentially'), encode categorical values, or drop/replace problematic entries. Ensure all tabular features passed to the model are strictly numeric before concatenating with image features and fitting the model.

Node 2 (evolve)

Property	Value
uct_value	2.4474
ctime	2026-05-22 22:39:14
debug_attempts	0
depth	1
execution_time	0.0
expected_child_count	0
exploitation	0.0
exploration	1.2131672923786587
failure_penalty	-0.0
failure_visits	1
id	2
is_debug_successful	✗
is_leaf	✓
is_successful	✗
is_terminal	✗
normalized_failure_visit	0
num_children	0
prev_tutorial_prompt	None
stage	evolve
time_step	2
tool_used	autogluon.tabular
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_contribution	0.0
validated_reward	0.0
validated_visits	0
validation_score	None

visits	1
parent_id	-1
child_ids	[]

Error Message:

stderr:

==> WARNING: A newer version of conda exists. <==

current version: 25.11.0

latest version: 26.5.0

Please update conda by running

\$ conda update -n base -c conda-forge conda

Using Python 3.11.15 environment at: 39-addition_1/node_2/conda_env

Resolved 239 packages in 1.56s

Uninstalled 1 package in 1.92s

Installed 237 packages in 1m 08s

+ absl-py==2.4.0

+ accelerate==1.13.0

+ adagio==0.2.6

+ aiohappyeyeballs==2.6.2

+ aiohttp==3.13.5

+ aiohttp-cors==0.8.1

+ aiosignal==1.4.0

+ alembic==1.18.4

+ annotated-doc==0.0.4

+ annotated-types==0.7.0

+ antlr4-python3-runtime==4.9.3

+ attrs==26.1.0

+ autogluon==1.5.1b20260522

+ autogluon-common==1.5.1b20260522

+ autogluon-core==1.5.1b20260522

+ autogluon-features==1.5.1b20260522

+ autogluon-multimodal==1.5.1b20260522

+ autogluon-tabular==1.5.1b20260522

+ autogluon-timeseries==1.5.1b20260522

+ beartype==0.22.9

+ beautifulsoup4==4.14.3

+ blis==1.3.3

+ boto3==1.43.14

+ botocore==1.43.14

+ catalogue==2.0.10

+ catboost==1.2.10

+ certifi==2026.5.20

+ cffi==2.0.0

- + chardet==7.4.3
- + charset-normalizer==3.4.7
- + chronos-forecasting==2.2.2
- + click==8.4.1
- + cloudpathlib==0.24.0
- + cloudpickle==3.1.2
- + colorama==0.4.6
- + colorful==0.6.0a1
- + colorlog==6.10.1
- + confection==1.3.3
- + contourpy==1.3.3
- + coreforecast==0.0.16
- + cryptography==48.0.0
- + cycler==0.12.1
- + cymem==2.0.13
- + daal==2025.9.0
- + datasets==4.0.0
- + defusedxml==0.7.1
- + dill==0.3.8
- + distlib==0.4.0
- + einops==0.8.2
- + einx==0.4.3
- + evaluate==0.4.6
- + fastai==2.8.5
- + fastcore==1.8.18
- + fastdownload==0.0.7
- + fastprogress==1.0.5
- + fasttransform==0.0.2
- + filelock==3.29.0
- + fonttools==4.63.0
- + frozendict==2.4.7
- + frozenlist==1.8.0
- + fsspec==2025.3.0
- + fugue==0.9.7
- + future==1.0.0
- + gdown==6.0.0
- + gluonts==0.16.2
- + google-api-core==2.30.3
- + google-auth==2.53.0
- + googleapis-common-protos==1.75.0
- + graphviz==0.21
- + grpcio==1.81.0rc1
- + hf-xet==1.5.0
- + httpx==1.0.dev3
- + huggingface-hub==0.36.2

+ hyperopt==0.... [truncated, 42694 chars total]

Error Analysis:

ERROR_SUMMARY: AutoGluon Tabular failed to train any models because the Ray backend (used for parallel model training) attempted to create UNIX domain sockets with file paths exceeding the system limit of 107 bytes. This resulted in repeated OSError exceptions ("AF_UNIX path length cannot exceed 107 bytes"), causing all model training to be skipped and ultimately raising a RuntimeError due to no models being fit.

SUGGESTED_FIX:

Shorten the directory paths used for temporary files and model output, especially the scratch and output directories, so that the full UNIX socket paths generated by Ray remain under 107 bytes. Move your working directories (e.g., /sc-scratch/sc-scratch-ikim-guidlight/be-fair/mlzero/39-addition_1/node_2/) to a location with a much shorter absolute path (such as /tmp/agrun or /scratch/agrun), and update all relevant environment variables and script paths accordingly before rerunning the script.

Node 3 (debug)

Property	Value
uct_value	1.4350
avg_raw_score	0.9553846153846153
ctime	2026-05-22 22:46:53
debug_attempts	1
depth	2
execution_time	0.0
expected_child_count	0
exploitation	0.7997987927565385
exploration	0.6484651944173071
failure_penalty	-0.0
failure_visits	1
id	3
is_debug_successful	✗
is_leaf	✗
is_successful	✓
is_terminal	✗
normalized_failure_visit	0
normalized_score	0.8613217768147338
num_children	3
prev_tutorial_prompt	None
stage	debug
time_step	3
tool_used	autogluon.multimodal
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_contribution	0.7997987927565385
validated_reward	13.374399999999998

validated_visits	14
validated_weight	0.9285714285714286
validation_score	0.9672
visits	15
parent_id	-1
child_ids	[4, 5, 6]

Node 4 (evolve)

Property	Value
uct_value	2.3269
ctime	2026-05-22 23:26:35
debug_attempts	0
depth	3
execution_time	0.0
expected_child_count	0
exploitation	0.0
exploration	1.482079962591042
failure_penalty	-0.0
failure_visits	1
id	4
is_debug_successful	✗
is_leaf	✓
is_successful	✗
is_terminal	✓
normalized_failure_visit	0
num_children	0
prev_tutorial_prompt	### Condensed: ```python # Condensed: ```python Summary: This tutorial demonstrates image classification using AutoGluon MultiModal, covering implementation
stage	evolve
time_step	4
tool_used	autogluon.multimodal
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_contribution	0.0
validated_reward	0.0

validated_visits	0
validation_score	None
visits	1
parent_id	3
child_ids	[]

Error Message:

stderr:

==> WARNING: A newer version of conda exists. <==

current version: 25.11.0

latest version: 26.5.0

Please update conda by running

\$ conda update -n base -c conda-forge conda

Using Python 3.11.15 environment at: 39-addition_1/node_4/conda_env

Resolved 235 packages in 1.80s

Uninstalled 1 package in 1.86s

Installed 233 packages in 48.76s

+ absl-py==2.4.0

+ accelerate==1.13.0

+ adagio==0.2.6

+ aiohappyeyeballs==2.6.2

+ aiohttp==3.13.5

+ aiohttp-cors==0.8.1

+ aiosignal==1.4.0

+ alembic==1.18.4

+ annotated-doc==0.0.4

+ annotated-types==0.7.0

+ antlr4-python3-runtime==4.9.3

+ attrs==26.1.0

+ autogluon==1.5.1b20260522

+ autogluon-common==1.5.1b20260522

+ autogluon-core==1.5.1b20260522

+ autogluon-features==1.5.1b20260522

+ autogluon-multimodal==1.5.1b20260522

+ autogluon-tabular==1.5.1b20260522

+ autogluon-timeseries==1.5.1b20260522

+ beartype==0.22.9

+ beautifulsoup4==4.14.3

+ blis==1.3.3

+ boto3==1.43.14

+ botocore==1.43.14

+ catalogue==2.0.10

- + catboost==1.2.10
- + certifi==2026.5.20
- + cffi==2.0.0
- + chardet==7.4.3
- + charset-normalizer==3.4.7
- + chronos-forecasting==2.2.2
- + click==8.4.1
- + cloudpathlib==0.24.0
- + cloudpickle==3.1.2
- + colorama==0.4.6
- + colorful==0.6.0a1
- + colorlog==6.10.1
- + confection==1.3.3
- + contourpy==1.3.3
- + coreforecast==0.0.16
- + cryptography==48.0.0
- + cycler==0.12.1
- + cymem==2.0.13
- + datasets==4.0.0
- + defusedxml==0.7.1
- + dill==0.3.8
- + distlib==0.4.0
- + einops==0.8.2
- + einx==0.4.3
- + evaluate==0.4.6
- + fastai==2.8.5
- + fastcore==1.8.18
- + fastdownload==0.0.7
- + fastprogress==1.0.5
- + fasttransform==0.0.2
- + filelock==3.29.0
- + fonttools==4.63.0
- + frozendict==2.4.7
- + frozenlist==1.8.0
- + fsspec==2025.3.0
- + fugue==0.9.7
- + future==1.0.0
- + gdown==6.0.0
- + gluonts==0.16.2
- + google-api-core==2.30.3
- + google-auth==2.53.0
- + googleapis-common-protos==1.75.0
- + graphviz==0.21
- + grpcio==1.81.0rc1
- + hf-xet==1.5.0

+ httpx==1.0.dev3
+ huggingface-hub==0.36.2
+ hyperopt==0.2.7
+ idna==3.16
... [truncated, 19122 chars total]

Error Analysis:

ERROR_SUMMARY: The error is a RuntimeError from PyTorch's torch.compile and CUDAGraphs, stating "accessing tensor output of CUDAGraphs that has been overwritten by a subsequent run." This is triggered because torch.compile (enabled via env.compile.turn_on=True in your AutoGluon hyperparameters) is not fully compatible with the current model/data pipeline, leading to training failure and no predictions or validation scores being produced.

SUGGESTED_FIX:

Disable torch.compile by removing or setting "env.compile.turn_on": False in your AutoGluon hyperparameters. Re-run the training script without torch.compile enabled to avoid CUDAGraphs-related errors and allow the model to train and predict as expected.

Node 5 (evolve)

Property	Value
uct_value	1.7293
avg_raw_score	0.9544
ctime	2026-05-22 23:37:47
debug_attempts	0
depth	3
execution_time	0.0
expected_child_count	0
exploitation	0.8497652582159633
exploration	0.9377740193852168
failure_penalty	-0.0
failure_visits	0
id	5
is_debug_successful	✗
is_leaf	✗
is_successful	✓
is_terminal	✗
normalized_failure_visit	0
normalized_score	0.8497652582159633
num_children	2
prev_tutorial_prompt	### Condensed: ```python # Condensed: ```python Summary: This tutorial demonstrates image classification using AutoGluon MultiModal, covering implementation
stage	evolve
time_step	5
tool_used	autogluon.multimodal
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0

validated_contribution	0.8497652582159633
validated_reward	6.6808
validated_visits	7
validated_weight	1.0
validation_score	0.9544
visits	7
parent_id	3
child_ids	[8, 11]

Node 6 (debug)

Property	Value
uct_value	1.7997
avg_raw_score	0.9544
ctime	2026-05-23 00:12:46
debug_attempts	1
depth	4
execution_time	0.0
expected_child_count	0
exploitation	0.8497652582159633
exploration	0.9377740193852168
failure_penalty	-0.0
failure_visits	0
id	6
is_debug_successful	✗
is_leaf	✗
is_successful	✓
is_terminal	✗
normalized_failure_visit	0
normalized_score	0.8497652582159633
num_children	2
prev_tutorial_prompt	### Condensed: ```python # Condensed: ```python Summary: This tutorial demonstrates image classification using AutoGluon MultiModal, covering implementation
stage	debug
time_step	6
tool_used	autogluon.multimodal
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0

validated_contribution	0.8497652582159633
validated_reward	5.7264
validated_visits	6
validated_weight	1.0
validation_score	0.9544
visits	6
parent_id	3
child_ids	[9, 12]

Node 7 (debug)

Property	Value
uct_value	1.7306
avg_raw_score	0.882
ctime	2026-05-23 00:46:36
debug_attempts	1
depth	2
execution_time	0.0
expected_child_count	0
exploitation	0.0
exploration	1.2867582287320087
failure_penalty	-0.0
failure_visits	1
id	7
is_debug_successful	✗
is_leaf	✗
is_successful	✓
is_terminal	✗
normalized_failure_visit	0
normalized_score	0.0
num_children	1
prev_tutorial_prompt	None
stage	debug
time_step	7
tool_used	machine learning
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_contribution	0.0
validated_reward	0.882

validated_visits	1
validated_weight	0.5
validation_score	0.8820
visits	2
parent_id	-1
child_ids	[10]

Node 8 (evolve)

Property	Value
uct_value	1.9886
avg_raw_score	0.9544
ctime	2026-05-23 01:05:03
debug_attempts	0
depth	4
execution_time	0.0
expected_child_count	0
exploitation	0.8497652582159633
exploration	1.0927696792610198
failure_penalty	-0.0
failure_visits	0
id	8
is_debug_successful	✗
is_leaf	✗
is_successful	✓
is_terminal	✗
normalized_failure_visit	0
normalized_score	0.8497652582159633
num_children	2
prev_tutorial_prompt	### Condensed: ```python # Condensed: ```python Summary: This tutorial demonstrates image classification using AutoGluon MultiModal, covering implementation
stage	evolve
time_step	8
tool_used	autogluon.multimodal
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0

validated_contribution	0.8497652582159633
validated_reward	2.8632
validated_visits	3
validated_weight	1.0
validation_score	0.9544
visits	3
parent_id	5
child_ids	[17, 13]

Node 9 (evolve)

Property	Value
uct_value	1.9425
avg_raw_score	0.9544
ctime	2026-05-23 01:37:03
debug_attempts	0
depth	5
execution_time	0.0
expected_child_count	0
exploitation	0.8497652582159633
exploration	1.2684446626418298
failure_penalty	-0.0
failure_visits	0
id	9
is_debug_successful	✗
is_leaf	✗
is_successful	✓
is_terminal	✗
normalized_failure_visit	0
normalized_score	0.8497652582159633
num_children	2
prev_tutorial_prompt	### Condensed: ```python # Condensed: ```python Summary: This tutorial demonstrates image classification using AutoGluon MultiModal, covering implementation
stage	evolve
time_step	9
tool_used	autogluon.multimodal
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0

validated_contribution	0.8497652582159633
validated_reward	2.8632
validated_visits	3
validated_weight	1.0
validation_score	0.9544
visits	3
parent_id	6
child_ids	[18, 14]

Node 10 (evolve)

Property	Value
uct_value	1.1772
ctime	2026-05-23 02:08:44
debug_attempts	0
depth	3
execution_time	0.0
expected_child_count	0
failure_visits	1
id	10
is_debug_successful	✗
is_leaf	✓
is_successful	✗
is_terminal	✗
num_children	0
prev_tutorial_prompt	### Condensed: Intro to Use Machine Learning or Deep Learning algorithms # Condensed: Intro to Use Machine Learning or Deep Learning algorithms Summary: You can use any machine learning or deep learning algorithms to complete the tasks. Make sure you # Intro to Use Machine Learning or Deep Learning algorithms You can use any machine learning or deep learning algorithms to complete the tasks. Make sure you have them
stage	evolve
time_step	10
tool_used	machine learning
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_reward	0.0
validated_visits	0

validation_score	None
visits	1
parent_id	7
child_ids	[]

Error Message:

```

stderr:
==> WARNING: A newer version of conda exists. <==
current version: 25.11.0
latest version: 26.5.0
Please update conda by running
$ conda update -n base -c conda-forge conda
warning: Requirements file `~/home/anri21/.conda/envs/mlzero_env/lib/python3.11/site-packages/autogluon/assistant/tools_registry/machine learning/requirements.txt`
does not contain any dependencies
Using Python 3.11.15 environment at: 39-addition_1/node_10/conda_env
Resolved 79 packages in 598ms
Uninstalled 1 package in 1.73s
Installed 78 packages in 33.77s
+ aiohappyeyeballs==2.6.2
+ aiohttp==3.13.5
+ aiosignal==1.4.0
+ annotated-doc==0.0.4
+ annotated-types==0.7.0
+ anyio==4.13.0
+ attrs==26.1.0
+ certifi==2026.5.20
+ chardet==7.4.3
+ charset-normalizer==3.4.7
+ click==8.4.1
+ cuda-bindings==13.2.0
+ cuda-pathfinder==1.5.4
+ cuda-toolkit==13.0.2
+ datasets==4.8.5
+ dill==0.4.1
+ filelock==3.29.0
+ frozenlist==1.8.0
+ fsspec==2026.2.0
+ h11==0.16.0
+ hf-xet==1.5.0
+ httpcore==1.0.9
+ httpx==0.28.1
+ huggingface-hub==1.16.1
+ idna==3.16

```

```
+ jinja2==3.1.6
+ markdown-it-py==4.2.0
+ markupsafe==3.0.3
+ mdurl==0.1.2
+ mpmath==1.3.0
+ multidict==6.7.1
+ multiprocessing==0.70.19
+ networkx==3.6.1
+ numpy==2.4.6
+ nvidia-cublas==13.1.1.3
+ nvidia-cuda-cupti==13.0.85
+ nvidia-cuda-nvrtc==13.0.88
+ nvidia-cuda-runtime==13.0.96
+ nvidia-cudnn-cu13==9.20.0.48
+ nvidia-cufft==12.0.0.61
+ nvidia-cufile==1.15.1.6
+ nvidia-curand==10.4.0.35
+ nvidia-cusolver==12.0.4.66
+ nvidia-cusparselt-cu13==0.8.1
+ nvidia-nccl-cu13==2.29.7
+ nvidia-nvjitlink==13.0.88
+ nvidia-nvshmem-cu13==3.4.5
+ nvidia-nvtx==13.0.85
+ opencv-python==4.13.0.92
+ pandas==3.0.3
+ pillow==12.2.0
+ propcache==0.5.2
+ pyarrow==24.0.0
+ pydantic==2.14.0a1
+ pydantic-core==2.47.0
+ pygments==2.20.0
+ python-calamine==0.6.2
+ python-dateutil==2.9.0.post0
+ pytz==2026.2
+ pyyaml==6.0.3
+ requests==2.34.2
+ rich==15.0.0
- setuptools==82.0.1
+ ... [truncated, 5533 chars total]
```

Error Analysis:

ERROR_SUMMARY: The script attempts to instantiate a pretrained EfficientNetV2-L model using timm, but timm does not provide pretrained weights for 'efficientnetv2_l'. As a result, setting pretrained=True raises a RuntimeError, halting execution during model creation.

SUGGESTED_FIX: Replace 'efficientnetv2_l' with a model name for which timm provides pretrained weights (e.g., 'efficientnet_b3', 'efficientnetv2_rw_m', or another supported variant), or set pretrained=False to initialize with random weights (though this will not leverage transfer learning). Check the [timm model list](<https://rwightman.github.io/pytorch-image-models/models/>) for available pretrained models and update the model_name argument accordingly.

Node 11 (evolve)

Property	Value
uct_value	1.9886
avg_raw_score	0.9544
ctime	2026-05-23 02:14:11
debug_attempts	0
depth	4
execution_time	0.0
expected_child_count	0
exploitation	0.8497652582159633
exploration	1.3383640602871656
failure_penalty	-0.0
failure_visits	0
id	11
is_debug_successful	✗
is_leaf	✗
is_successful	✓
is_terminal	✗
normalized_failure_visit	0
normalized_score	0.8497652582159633
num_children	2
prev_tutorial_prompt	### Condensed: ```python # Condensed: ```python Summary: This tutorial demonstrates image classification using AutoGluon MultiModal, covering implementation
stage	evolve
time_step	11
tool_used	autogluon.multimodal
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0

validated_contribution	0.8497652582159633
validated_reward	2.8632
validated_visits	3
validated_weight	1.0
validation_score	0.9544
visits	3
parent_id	5
child_ids	[19, 15]

Node 12 (evolve)

Property	Value
uct_value	2.1881
avg_raw_score	0.9544
ctime	2026-05-23 02:45:32
debug_attempts	0
depth	5
execution_time	0.0
expected_child_count	0
exploitation	0.8497652582159633
exploration	1.2684446626418298
failure_penalty	-0.0
failure_visits	0
id	12
is_debug_successful	✗
is_leaf	✗
is_successful	✓
is_terminal	✗
normalized_failure_visit	0
normalized_score	0.8497652582159633
num_children	1
prev_tutorial_prompt	### Condensed: ```python # Condensed: ```python Summary: This tutorial demonstrates image classification using AutoGluon MultiModal, covering implementation
stage	evolve
time_step	12
tool_used	autogluon.multimodal
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0

validated_contribution	0.8497652582159633
validated_reward	1.9088
validated_visits	2
validated_weight	1.0
validation_score	0.9544
visits	2
parent_id	6
child_ids	[16]

Node 13 (evolve)

Property	Value
uct_value	2.3318
ctime	2026-05-23 03:17:04
debug_attempts	0
depth	5
execution_time	0.0
expected_child_count	0
failure_visits	0
id	13
is_debug_successful	✗
is_leaf	✓
is_successful	✓
is_terminal	✗
num_children	0
prev_tutorial_prompt	### Condensed: ```python # Condensed: ```python Summary: This tutorial demonstrates image classification using AutoGluon MultiModal, covering implementation
stage	evolve
time_step	13
tool_used	autogluon.multimodal
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_reward	0.9544
validated_visits	1
validation_score	0.9544
visits	1
parent_id	8
child_ids	[]

Node 14 (evolve)

Property	Value
uct_value	2.3318
ctime	2026-05-23 03:48:16
debug_attempts	0
depth	6
execution_time	0.0
expected_child_count	0
failure_visits	0
id	14
is_debug_successful	✗
is_leaf	✓
is_successful	✓
is_terminal	✗
num_children	0
prev_tutorial_prompt	### Condensed: ```python # Condensed: ```python Summary: This tutorial demonstrates image classification using AutoGluon MultiModal, covering implementation
stage	evolve
time_step	14
tool_used	autogluon.multimodal
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_reward	0.9544
validated_visits	1
validation_score	0.9544
visits	1
parent_id	9
child_ids	[]

Node 15 (evolve)

Property	Value
uct_value	2.3318
ctime	2026-05-23 04:19:26
debug_attempts	0
depth	5
execution_time	0.0
expected_child_count	0
failure_visits	0
id	15
is_debug_successful	✗
is_leaf	✓
is_successful	✓
is_terminal	✗
num_children	0
prev_tutorial_prompt	### Condensed: ```python # Condensed: ```python Summary: This tutorial demonstrates image classification using AutoGluon MultiModal, covering implementation
stage	evolve
time_step	15
tool_used	autogluon.multimodal
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_reward	0.9544
validated_visits	1
validation_score	0.9544
visits	1
parent_id	11
child_ids	[]

Node 16 (evolve)

Property	Value
uct_value	2.0270
ctime	2026-05-23 04:50:23
debug_attempts	0
depth	6
execution_time	0.0
expected_child_count	0
failure_visits	0
id	16
is_debug_successful	✗
is_leaf	✓
is_successful	✓
is_terminal	✗
num_children	0
prev_tutorial_prompt	### Condensed: ```python # Condensed: ```python Summary: This tutorial demonstrates image classification using AutoGluon MultiModal, covering implementation
stage	evolve
time_step	16
tool_used	autogluon.multimodal
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_reward	0.9544
validated_visits	1
validation_score	0.9544
visits	1
parent_id	12
child_ids	[]

Node 17 (evolve)

Property	Value
uct_value	2.3318
ctime	2026-05-23 05:21:51
debug_attempts	0
depth	5
execution_time	0.0
expected_child_count	0
failure_visits	0
id	17
is_debug_successful	✗
is_leaf	✓
is_successful	✓
is_terminal	✗
num_children	0
prev_tutorial_prompt	### Condensed: ```python # Condensed: ```python Summary: This tutorial demonstrates image classification using AutoGluon MultiModal, covering implementation
stage	evolve
time_step	17
tool_used	autogluon.multimodal
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_reward	0.9544
validated_visits	1
validation_score	0.9544
visits	1
parent_id	8
child_ids	[]

Node 18 (evolve)

Property	Value
uct_value	2.3318
ctime	2026-05-23 05:53:24
debug_attempts	0
depth	6
execution_time	0.0
expected_child_count	0
failure_visits	0
id	18
is_debug_successful	✗
is_leaf	✓
is_successful	✓
is_terminal	✗
num_children	0
prev_tutorial_prompt	### Condensed: ```python # Condensed: ```python Summary: This tutorial demonstrates image classification using AutoGluon MultiModal, covering implementation
stage	evolve
time_step	18
tool_used	autogluon.multimodal
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_reward	0.9544
validated_visits	1
validation_score	0.9544
visits	1
parent_id	9
child_ids	[]

Node 19 (evolve)

Property	Value
uct_value	2.3318
ctime	2026-05-23 06:25:08
debug_attempts	0
depth	5
execution_time	0.0
expected_child_count	0
failure_visits	0
id	19
is_debug_successful	✗
is_leaf	✓
is_successful	✓
is_terminal	✗
num_children	0
prev_tutorial_prompt	### Condensed: ```python # Condensed: ```python Summary: This tutorial demonstrates image classification using AutoGluon MultiModal, covering implementation
stage	evolve
time_step	19
tool_used	autogluon.multimodal
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_reward	0.9544
validated_visits	1
validation_score	0.9544
visits	1
parent_id	11
child_ids	[]

