

Node Structure Visualization


Click on any node in the tree to jump to its detailed information.

Total Nodes: 21 | Best Validation Score: 0.9263 (Node 10)

Node Tree:

Table of Contents:

Node ID	Stage	Status	Tool
-1			
0			autogluon.multimodal
1			machine learning
2			autogluon.tabular
3			autogluon.multimodal
4			machine learning
5			machine learning
6			machine learning
7			machine learning
8			autogluon.multimodal
9			autogluon.tabular
10			autogluon.multimodal
11			machine learning
12			autogluon.tabular
13			machine learning
14			machine learning
15			machine learning
16			machine learning
17			machine learning
18			machine learning
19			machine learning



Status	Color
Success	Green
Failure	Red
Neutral	Blue

Node Details:

Node -1 (root)

Property	Value
uct_value	-0.0689
ctime	2026-05-23 02:10:39
debug_attempts	0
depth	0
execution_time	0.0
expected_child_count	0
failure_visits	9
id	-1
is_debug_successful	✗
is_leaf	✗
is_successful	✗
is_terminal	✗
num_children	5
prev_tutorial_prompt	None
stage	root
time_step	-1
tool_used	
tools_available	[]
unvalidated_visits	0
validated_reward	9.77528
validated_visits	11
validation_score	None
visits	20
parent_id	None
child_ids	[0, 1, 2, 4, 10]

Node 0 (evolve)

Property	Value
uct_value	1.2463
ctime	2026-05-23 02:11:32
debug_attempts	2
depth	1
execution_time	0.0
expected_child_count	0
exploitation	-0.16666666666666666
exploration	1.2387869637393836
failure_penalty	-0.16666666666666666
failure_visits	3
id	0
is_debug_successful	✗
is_leaf	✗
is_successful	✗
is_terminal	✓
normalized_failure_visit	1
num_children	2
prev_tutorial_prompt	None
stage	evolve
time_step	0
tool_used	autogluon.multimodal
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_contribution	0.0
validated_reward	0.0
validated_visits	0
validation_score	None

visits	3
parent_id	-1
child_ids	[8, 3]

Error Message:

stderr:

==> WARNING: A newer version of conda exists. <==

current version: 25.11.0

latest version: 26.5.0

Please update conda by running

\$ conda update -n base -c conda-forge conda

Using Python 3.11.15 environment at: 40-addition_1/node_0/conda_env

Resolved 235 packages in 1.13s

Uninstalled 1 package in 1.68s

Installed 233 packages in 55.60s

+ absl-py==2.4.0

+ accelerate==1.13.0

+ adagio==0.2.6

+ aiohappyeyeballs==2.6.2

+ aiohttp==3.13.5

+ aiohttp-cors==0.8.1

+ aiosignal==1.4.0

+ alembic==1.18.4

+ annotated-doc==0.0.4

+ annotated-types==0.7.0

+ antlr4-python3-runtime==4.9.3

+ attrs==26.1.0

+ autogluon==1.5.1b20260522

+ autogluon-common==1.5.1b20260522

+ autogluon-core==1.5.1b20260522

+ autogluon-features==1.5.1b20260522

+ autogluon-multimodal==1.5.1b20260522

+ autogluon-tabular==1.5.1b20260522

+ autogluon-timeseries==1.5.1b20260522

+ beartype==0.22.9

+ beautifulsoup4==4.14.3

+ blis==1.3.3

+ boto3==1.43.14

+ botocore==1.43.14

+ catalogue==2.0.10

+ catboost==1.2.10

+ certifi==2026.5.20

+ cffi==2.0.0

- + chardet==7.4.3
- + charset-normalizer==3.4.7
- + chronos-forecasting==2.2.2
- + click==8.4.1
- + cloudpathlib==0.24.0
- + cloudpickle==3.1.2
- + colorama==0.4.6
- + colorful==0.6.0a1
- + colorlog==6.10.1
- + confection==1.3.3
- + contourpy==1.3.3
- + coreforecast==0.0.16
- + cryptography==48.0.0
- + cycler==0.12.1
- + cymem==2.0.13
- + datasets==4.0.0
- + defusedxml==0.7.1
- + dill==0.3.8
- + distlib==0.4.0
- + einops==0.8.2
- + einx==0.4.3
- + evaluate==0.4.6
- + fastai==2.8.5
- + fastcore==1.8.18
- + fastdownload==0.0.7
- + fastprogress==1.0.5
- + fasttransform==0.0.2
- + filelock==3.29.0
- + fonttools==4.63.0
- + frozendict==2.4.7
- + frozenlist==1.8.0
- + fsspec==2025.3.0
- + fugue==0.9.7
- + future==1.0.0
- + gdown==6.0.0
- + gluonts==0.16.2
- + google-api-core==2.30.3
- + google-auth==2.53.0
- + googleapis-common-protos==1.75.0
- + graphviz==0.21
- + grpcio==1.81.0rc1
- + hf-xet==1.5.0
- + httpx==1.0.dev3
- + huggingface-hub==0.36.2
- + hyperopt==0.2.7

+ idna==3.16
... [truncated, 6594 chars total]

Error Analysis:

ERROR_SUMMARY: The error occurred because the `MultiModalPredictor.fit()` method from AutoGluon was called with an unsupported keyword argument: `eval_metric`. In the current version of AutoGluon MultiModal, `eval_metric` is not a valid parameter for the `fit()` method, which resulted in a `TypeError` and prevented model training from starting.

SUGGESTED_FIX:

Remove the `eval_metric="roc_auc"` argument from the `predictor.fit()` call. If you wish to specify the evaluation metric, use the `hyperparameters` dictionary (e.g., set `"env.eval_metric": "roc_auc"` if supported), or rely on AutoGluon's default metric for binary classification. Check the latest [AutoGluon MultiModal documentation](<https://auto.gluon.ai/stable/tutorials/multimodal/index.html>) for the correct way to set evaluation metrics for your version.

Node 1 (evolve)

Property	Value
uct_value	2.4474
ctime	2026-05-23 02:18:39
debug_attempts	0
depth	1
execution_time	0.0
expected_child_count	0
exploitation	0.0
exploration	1.2486433288776608
failure_penalty	-0.0
failure_visits	1
id	1
is_debug_successful	✗
is_leaf	✓
is_successful	✗
is_terminal	✓
normalized_failure_visit	0
num_children	0
prev_tutorial_prompt	None
stage	evolve
time_step	1
tool_used	machine learning
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_contribution	0.0
validated_reward	0.0
validated_visits	0
validation_score	None

visits	1
parent_id	-1
child_ids	[]

Error Message:

stderr:

==> WARNING: A newer version of conda exists. <==

current version: 25.11.0

latest version: 26.5.0

Please update conda by running

\$ conda update -n base -c conda-forge conda

warning: Requirements file `~/home/anri21/.conda/envs/mlzero\_env/lib/python3.11/site-packages/autogluon/assistant/tools\_registry/machine learning/requirements.txt` does not contain any dependencies

Using Python 3.11.15 environment at: 40-addition_1/node_1/conda_env

Resolved 79 packages in 361ms

Uninstalled 1 package in 1.71s

Installed 78 packages in 38.38s

+ aiohappyeyeballs==2.6.2

+ aiohttp==3.13.5

+ aiosignal==1.4.0

+ annotated-doc==0.0.4

+ annotated-types==0.7.0

+ anyio==4.13.0

+ attrs==26.1.0

+ certifi==2026.5.20

+ chardet==7.4.3

+ charset-normalizer==3.4.7

+ click==8.4.1

+ cuda-bindings==13.2.0

+ cuda-pathfinder==1.5.4

+ cuda-toolkit==13.0.2

+ datasets==4.8.5

+ dill==0.4.1

+ filelock==3.29.0

+ frozenlist==1.8.0

+ fsspec==2026.2.0

+ h11==0.16.0

+ hf-xet==1.5.0

+ httpcore==1.0.9

+ httpx==0.28.1

+ huggingface-hub==1.16.1

+ idna==3.16

+ jinja2==3.1.6

```
+ markdown-it-py==4.2.0
+ markupsafe==3.0.3
+ mdurl==0.1.2
+ mpmath==1.3.0
+ multidict==6.7.1
+ multiprocessing==0.70.19
+ networkx==3.6.1
+ numpy==2.4.6
+ nvidia-cublas==13.1.1.3
+ nvidia-cuda-cupti==13.0.85
+ nvidia-cuda-nvrtc==13.0.88
+ nvidia-cuda-runtime==13.0.96
+ nvidia-cudnn-cu13==9.20.0.48
+ nvidia-cufft==12.0.0.61
+ nvidia-cufile==1.15.1.6
+ nvidia-curand==10.4.0.35
+ nvidia-cusolver==12.0.4.66
+ nvidia-cusparselt-cu13==0.8.1
+ nvidia-nccl-cu13==2.29.7
+ nvidia-nvjitlink==13.0.88
+ nvidia-nvshmem-cu13==3.4.5
+ nvidia-nvtx==13.0.85
+ opencv-python==4.13.0.92
+ pandas==3.0.3
+ pillow==12.2.0
+ propcache==0.5.2
+ pyarrow==24.0.0
+ pydantic==2.14.0a1
+ pydantic-core==2.47.0
+ pygments==2.20.0
+ python-calamine==0.6.2
+ python-dateutil==2.9.0.post0
+ pytz==2026.2
+ pyyaml==6.0.3
+ requests==2.34.2
+ rich==15.0.0
- setuptools==82.0.1
+ s... [truncated, 4058 chars total]
```

Error Analysis:

ERROR_SUMMARY: The error occurs because the code attempts to fill missing values for the columns 'skin_tone' and 'alternative_skin_tone' in the test DataFrame, but these columns do not exist in test.csv. This results in a KeyError when the script tries to access these columns in the test set, as they are only present in train.csv.

SUGGESTED_FIX: Before filling missing values for fairness columns in the test DataFrame, check if each column exists in test; only attempt to fill missing values for

columns that are present. Alternatively, add these columns to test (with default values, e.g., -1) if they are missing, to ensure consistent feature processing between train and test.

Node 2 (evolve)

Property	Value
uct_value	1.2463
ctime	2026-05-23 02:23:46
debug_attempts	2
depth	1
execution_time	0.0
expected_child_count	0
exploitation	-0.16666666666666666
exploration	0.700422462826868
failure_penalty	-0.16666666666666666
failure_visits	3
id	2
is_debug_successful	✗
is_leaf	✗
is_successful	✗
is_terminal	✗
normalized_failure_visit	1
num_children	2
prev_tutorial_prompt	None
stage	evolve
time_step	2
tool_used	autogluon.tabular
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_contribution	0.0
validated_reward	0.0
validated_visits	0
validation_score	None

visits	3
parent_id	-1
child_ids	[9, 12]

Error Message:

stderr:

==> WARNING: A newer version of conda exists. <==

current version: 25.11.0

latest version: 26.5.0

Please update conda by running

\$ conda update -n base -c conda-forge conda

Using Python 3.11.15 environment at: 40-addition_1/node_2/conda_env

Resolved 239 packages in 1.34s

Uninstalled 1 package in 1.67s

Installed 237 packages in 50.58s

+ absl-py==2.4.0

+ accelerate==1.13.0

+ adagio==0.2.6

+ aiohappyeyeballs==2.6.2

+ aiohttp==3.13.5

+ aiohttp-cors==0.8.1

+ aiosignal==1.4.0

+ alembic==1.18.4

+ annotated-doc==0.0.4

+ annotated-types==0.7.0

+ antlr4-python3-runtime==4.9.3

+ attrs==26.1.0

+ autogluon==1.5.1b20260522

+ autogluon-common==1.5.1b20260522

+ autogluon-core==1.5.1b20260522

+ autogluon-features==1.5.1b20260522

+ autogluon-multimodal==1.5.1b20260522

+ autogluon-tabular==1.5.1b20260522

+ autogluon-timeseries==1.5.1b20260522

+ beartype==0.22.9

+ beautifulsoup4==4.14.3

+ blis==1.3.3

+ boto3==1.43.14

+ botocore==1.43.14

+ catalogue==2.0.10

+ catboost==1.2.10

+ certifi==2026.5.20

+ cffi==2.0.0

- + chardet==7.4.3
- + charset-normalizer==3.4.7
- + chronos-forecasting==2.2.2
- + click==8.4.1
- + cloudpathlib==0.24.0
- + cloudpickle==3.1.2
- + colorama==0.4.6
- + colorful==0.6.0a1
- + colorlog==6.10.1
- + confection==1.3.3
- + contourpy==1.3.3
- + coreforecast==0.0.16
- + cryptography==48.0.0
- + cycler==0.12.1
- + cymem==2.0.13
- + daal==2025.9.0
- + datasets==4.0.0
- + defusedxml==0.7.1
- + dill==0.3.8
- + distlib==0.4.0
- + einops==0.8.2
- + einx==0.4.3
- + evaluate==0.4.6
- + fastai==2.8.5
- + fastcore==1.8.18
- + fastdownload==0.0.7
- + fastprogress==1.0.5
- + fasttransform==0.0.2
- + filelock==3.29.0
- + fonttools==4.63.0
- + frozendict==2.4.7
- + frozenlist==1.8.0
- + fsspec==2025.3.0
- + fugue==0.9.7
- + future==1.0.0
- + gdown==6.0.0
- + gluonts==0.16.2
- + google-api-core==2.30.3
- + google-auth==2.53.0
- + googleapis-common-protos==1.75.0
- + graphviz==0.21
- + grpcio==1.81.0rc1
- + hf-xet==1.5.0
- + httpx==1.0.dev3
- + huggingface-hub==0.36.2

+ hyperopt==0.... [truncated, 83683 chars total]

Error Analysis:

ERROR_SUMMARY: AutoGluon failed to train any models because the UNIX socket path used by Ray (a backend library) exceeded the maximum allowed length (107 bytes) for AF_UNIX sockets on your system. This resulted in an OSError during model training, causing all models to fail and ultimately raising a RuntimeError indicating that no models were trained successfully.

SUGGESTED_FIX:

Shorten the directory paths used for temporary files and output by moving your working directory (including data, output, and conda environment) to a location with a much shorter absolute path (e.g., /tmp/mlzero or /scratch/mlzero). Ensure that all relevant environment variables (such as TMPDIR, RAY_TMPDIR, and output/model paths) are set to use these shorter paths before running your script. This will prevent Ray and AutoGluon from generating overly long UNIX socket filenames and allow model training to proceed.

Node 3 (debug)

Property	Value
uct_value	1.4821
ctime	2026-05-23 02:29:40
debug_attempts	1
depth	2
execution_time	0.0
expected_child_count	0
exploitation	0.0
exploration	1.482079962591042
failure_penalty	-0.0
failure_visits	1
id	3
is_debug_successful	✗
is_leaf	✓
is_successful	✗
is_terminal	✓
normalized_failure_visit	0
num_children	0
prev_tutorial_prompt	### Condensed: ```python # Condensed: ```python Summary: This tutorial demonstrates image classification using AutoGluon MultiModal, covering implementation
stage	debug
time_step	3
tool_used	autogluon.multimodal
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_contribution	0.0
validated_reward	0.0

validated_visits	0
validation_score	None
visits	1
parent_id	0
child_ids	[]

Error Message:

stderr:

==> WARNING: A newer version of conda exists. <==

current version: 25.11.0

latest version: 26.5.0

Please update conda by running

\$ conda update -n base -c conda-forge conda

Using Python 3.11.15 environment at: 40-addition_1/node_3/conda_env

Resolved 235 packages in 3.29s

Uninstalled 1 package in 1.72s

Installed 233 packages in 45.46s

+ absl-py==2.4.0

+ accelerate==1.13.0

+ adagio==0.2.6

+ aiohappyeyeballs==2.6.2

+ aiohttp==3.13.5

+ aiohttp-cors==0.8.1

+ aiosignal==1.4.0

+ alembic==1.18.4

+ annotated-doc==0.0.4

+ annotated-types==0.7.0

+ antlr4-python3-runtime==4.9.3

+ attrs==26.1.0

+ autogluon==1.5.1b20260522

+ autogluon-common==1.5.1b20260522

+ autogluon-core==1.5.1b20260522

+ autogluon-features==1.5.1b20260522

+ autogluon-multimodal==1.5.1b20260522

+ autogluon-tabular==1.5.1b20260522

+ autogluon-timeseries==1.5.1b20260522

+ beartype==0.22.9

+ beautifulsoup4==4.14.3

+ blis==1.3.3

+ boto3==1.43.14

+ botocore==1.43.14

+ catalogue==2.0.10

- + catboost==1.2.10
- + certifi==2026.5.20
- + cffi==2.0.0
- + chardet==7.4.3
- + charset-normalizer==3.4.7
- + chronos-forecasting==2.2.2
- + click==8.4.1
- + cloudpathlib==0.24.0
- + cloudpickle==3.1.2
- + colorama==0.4.6
- + colorful==0.6.0a1
- + colorlog==6.10.1
- + confection==1.3.3
- + contourpy==1.3.3
- + coreforecast==0.0.16
- + cryptography==48.0.0
- + cycler==0.12.1
- + cymem==2.0.13
- + datasets==4.0.0
- + defusedxml==0.7.1
- + dill==0.3.8
- + distlib==0.4.0
- + einops==0.8.2
- + einx==0.4.3
- + evaluate==0.4.6
- + fastai==2.8.5
- + fastcore==1.8.18
- + fastdownload==0.0.7
- + fastprogress==1.0.5
- + fasttransform==0.0.2
- + filelock==3.29.0
- + fonttools==4.63.0
- + frozendict==2.4.7
- + frozenlist==1.8.0
- + fsspec==2025.3.0
- + fugue==0.9.7
- + future==1.0.0
- + gdown==6.0.0
- + gluonts==0.16.2
- + google-api-core==2.30.3
- + google-auth==2.53.0
- + googleapis-common-protos==1.75.0
- + graphviz==0.21
- + grpcio==1.81.0rc1
- + hf-xet==1.5.0

```
+ httpx==1.0.dev3
+ huggingface-hub==0.36.2
+ hyperopt==0.2.7
+ idna==3.16
... [truncated, 6585 chars total]
```

Error Analysis:

ERROR_SUMMARY: The error occurred because the MultiModalPredictor.fit() method in the installed version of AutoGluon does not accept a val_data keyword argument. This indicates a mismatch between the code and the API of the installed AutoGluon version, causing a TypeError and preventing model training and subsequent steps.

SUGGESTED_FIX: Remove the val_data=val_data_ag argument from the predictor.fit() call. If validation is required, use the holdout_frac parameter (e.g., holdout_frac=0.1) within fit() to automatically split off a validation set, or upgrade AutoGluon to a version that supports val_data if this functionality is essential.

Node 4 (debug)

Property	Value
uct_value	0.7999
avg_raw_score	0.8852944444444444
ctime	2026-05-23 02:36:11
debug_attempts	1
depth	2
execution_time	0.0
expected_child_count	0
exploitation	0.09875749785775381
exploration	0.5486755522842814
failure_penalty	-0.0
failure_visits	2
id	4
is_debug_successful	✗
is_leaf	✗
is_successful	✓
is_terminal	✗
normalized_failure_visit	0
normalized_score	0.1207036084928102
num_children	4
prev_tutorial_prompt	None
stage	debug
time_step	4
tool_used	machine learning
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_contribution	0.09875749785775381
validated_reward	8.84894

validated_visits	10
validated_weight	0.81818181818182
validation_score	0.8945
visits	12
parent_id	-1
child_ids	[11, 5, 6, 7]

Node 5 (evolve)

Property	Value
uct_value	2.2290
ctime	2026-05-23 02:47:20
debug_attempts	0
depth	3
execution_time	0.0
expected_child_count	0
exploitation	0.0
exploration	1.482079962591042
failure_penalty	-0.0
failure_visits	1
id	5
is_debug_successful	✗
is_leaf	✓
is_successful	✗
is_terminal	✓
normalized_failure_visit	0
num_children	0
prev_tutorial_prompt	### Condensed: Intro to Use Machine Learning or Deep Learning algorithms # Condensed: Intro to Use Machine Learning or Deep Learning algorithms Summary: You can use any machine learning or deep learning algorithms to complete the tasks. Make sure you # Intro to Use Machine Learning or Deep Learning algorithms You can use any machine learning or deep learning algorithms to complete the tasks. Make sure you have them
stage	evolve
time_step	5
tool_used	machine learning

tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_contribution	0.0
validated_reward	0.0
validated_visits	0
validation_score	None
visits	1
parent_id	4
child_ids	[]

Error Message:

```

stderr:
==> WARNING: A newer version of conda exists. <==
current version: 25.11.0
latest version: 26.5.0
Please update conda by running
$ conda update -n base -c conda-forge conda
warning: Requirements file `~/home/anri21/.conda/envs/mlzero_env/lib/python3.11/site-packages/autogluon/assistant/tools_registry/machine learning/requirements.txt`
does not contain any dependencies
Using Python 3.11.15 environment at: 40-addition_1/node_5/conda_env
Resolved 79 packages in 547ms
Uninstalled 1 package in 1.69s
Installed 78 packages in 30.92s
+ aiohappyeyeballs==2.6.2
+ aiohttp==3.13.5
+ aiosignal==1.4.0
+ annotated-doc==0.0.4
+ annotated-types==0.7.0
+ anyio==4.13.0
+ attrs==26.1.0
+ certifi==2026.5.20
+ chardet==7.4.3
+ charset-normalizer==3.4.7
+ click==8.4.1
+ cuda-bindings==13.2.0
+ cuda-pathfinder==1.5.4
+ cuda-toolkit==13.0.2
+ datasets==4.8.5
+ dill==0.4.1
+ filelock==3.29.0

```


- + frozenlist==1.8.0
- + fsspec==2026.2.0
- + h11==0.16.0
- + hf-xet==1.5.0
- + httpcore==1.0.9
- + httpx==0.28.1
- + huggingface-hub==1.16.1
- + idna==3.16
- + jinja2==3.1.6
- + markdown-it-py==4.2.0
- + markupsafe==3.0.3
- + mdurl==0.1.2
- + mpmath==1.3.0
- + multidict==6.7.1
- + multiprocessing==0.70.19
- + networkx==3.6.1
- + numpy==2.4.6
- + nvidia-cublas==13.1.1.3
- + nvidia-cuda-cupti==13.0.85
- + nvidia-cuda-nvrtc==13.0.88
- + nvidia-cuda-runtime==13.0.96
- + nvidia-cudnn-cu13==9.20.0.48
- + nvidia-cufft==12.0.0.61
- + nvidia-cufile==1.15.1.6
- + nvidia-curand==10.4.0.35
- + nvidia-cusolver==12.0.4.66
- + nvidia-cusparselt-cu13==0.8.1
- + nvidia-cusparse==12.6.3.3
- + nvidia-nccl-cu13==2.29.7
- + nvidia-nvjitlink==13.0.88
- + nvidia-nvshmem-cu13==3.4.5
- + nvidia-nvtx==13.0.85
- + opencv-python==4.13.0.92
- + pandas==3.0.3
- + pillow==12.2.0
- + propcache==0.5.2
- + pyarrow==24.0.0
- + pydantic==2.14.0a1
- + pydantic-core==2.47.0
- + pygments==2.20.0
- + python-calamine==0.6.2
- + python-dateutil==2.9.0.post0
- + pytz==2026.2
- + pyyaml==6.0.3
- + requests==2.34.2

+ rich==15.0.0
- setuptools==82.0.1
+ s... [truncated, 23138 chars total]

Error Analysis:

ERROR_SUMMARY: The error occurs because the LightGBM v4.x API has removed the `early_stopping_rounds` argument from the `LGBMClassifier.fit()` method; early stopping must now be implemented using the `callbacks` parameter instead. Passing `early_stopping_rounds` directly to `fit()` results in a `TypeError`.

SUGGESTED_FIX: Replace the `early_stopping_rounds` argument in the `clf.fit()` call with a `callbacks` parameter using `lightgbm.early_stopping(30)`. Specifically, remove `early_stopping_rounds=30` and add `callbacks=[lgb.early_stopping(30)]` to the `fit()` call to enable early stopping with the new API.

Node 6 (evolve)

Property	Value
uct_value	2.2290
ctime	2026-05-23 03:08:59
debug_attempts	0
depth	3
execution_time	0.0
expected_child_count	0
exploitation	0.0
exploration	1.664857771836881
failure_penalty	-0.0
failure_visits	1
id	6
is_debug_successful	✗
is_leaf	✓
is_successful	✗
is_terminal	✓
normalized_failure_visit	0
num_children	0
prev_tutorial_prompt	### Condensed: Intro to Use Machine Learning or Deep Learning algorithms # Condensed: Intro to Use Machine Learning or Deep Learning algorithms Summary: You can use any machine learning or deep learning algorithms to complete the tasks. Make sure you # Intro to Use Machine Learning or Deep Learning algorithms You can use any machine learning or deep learning algorithms to complete the tasks. Make sure you have them
stage	evolve
time_step	6
tool_used	machine learning

tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_contribution	0.0
validated_reward	0.0
validated_visits	0
validation_score	None
visits	1
parent_id	4
child_ids	[]

Error Message:

```

stderr:
==> WARNING: A newer version of conda exists. <==
current version: 25.11.0
latest version: 26.5.0
Please update conda by running
$ conda update -n base -c conda-forge conda
warning: Requirements file `~/home/anri21/.conda/envs/mlzero_env/lib/python3.11/site-packages/autogluon/assistant/tools_registry/machine learning/requirements.txt`
does not contain any dependencies
Using Python 3.11.15 environment at: 40-addition_1/node_6/conda_env
Resolved 79 packages in 353ms
Uninstalled 1 package in 1.72s
Installed 78 packages in 31.21s
+ aiohappyeyeballs==2.6.2
+ aiohttp==3.13.5
+ aiosignal==1.4.0
+ annotated-doc==0.0.4
+ annotated-types==0.7.0
+ anyio==4.13.0
+ attrs==26.1.0
+ certifi==2026.5.20
+ chardet==7.4.3
+ charset-normalizer==3.4.7
+ click==8.4.1
+ cuda-bindings==13.2.0
+ cuda-pathfinder==1.5.4
+ cuda-toolkit==13.0.2
+ datasets==4.8.5
+ dill==0.4.1
+ filelock==3.29.0

```

- + frozenlist==1.8.0
- + fsspec==2026.2.0
- + h11==0.16.0
- + hf-xet==1.5.0
- + httpcore==1.0.9
- + httpx==0.28.1
- + huggingface-hub==1.16.1
- + idna==3.16
- + jinja2==3.1.6
- + markdown-it-py==4.2.0
- + markupsafe==3.0.3
- + mdurl==0.1.2
- + mpmath==1.3.0
- + multidict==6.7.1
- + multiprocessing==0.70.19
- + networkx==3.6.1
- + numpy==2.4.6
- + nvidia-cublas==13.1.1.3
- + nvidia-cuda-cupti==13.0.85
- + nvidia-cuda-nvrtc==13.0.88
- + nvidia-cuda-runtime==13.0.96
- + nvidia-cudnn-cu13==9.20.0.48
- + nvidia-cufft==12.0.0.61
- + nvidia-cufile==1.15.1.6
- + nvidia-curand==10.4.0.35
- + nvidia-cusolver==12.0.4.66
- + nvidia-cusparselt-cu13==0.8.1
- + nvidia-cusparse==12.6.3.3
- + nvidia-nccl-cu13==2.29.7
- + nvidia-nvjitlink==13.0.88
- + nvidia-nvshmem-cu13==3.4.5
- + nvidia-nvtx==13.0.85
- + opencv-python==4.13.0.92
- + pandas==3.0.3
- + pillow==12.2.0
- + propcache==0.5.2
- + pyarrow==24.0.0
- + pydantic==2.14.0a1
- + pydantic-core==2.47.0
- + pygments==2.20.0
- + python-calamine==0.6.2
- + python-dateutil==2.9.0.post0
- + pytz==2026.2
- + pyyaml==6.0.3
- + requests==2.34.2

+ rich==15.0.0
- setuptools==82.0.1
+ s... [truncated, 23012 chars total]

Error Analysis:

ERROR_SUMMARY: The script failed with a TypeError: LGBMClassifier.fit() got an unexpected keyword argument 'verbose'. This is because, in recent versions of LightGBM (v4.x+), the scikit-learn API for LGBMClassifier.fit() no longer accepts the verbose parameter directly; verbosity should be controlled via callbacks or the LightGBM native API. As a result, model training did not proceed, and no predictions were generated.

SUGGESTED_FIX:

Remove the verbose argument from the LGBMClassifier.fit() call. If you want to control verbosity, use the LightGBM logging callback (e.g., add lgb.log_evaluation(period=50) to the callbacks list) instead. After making this change, rerun the script to ensure model training completes successfully.

Node 7 (debug)

Property	Value
uct_value	1.0935
avg_raw_score	0.8848950000000001
ctime	2026-05-23 03:30:26
debug_attempts	1
depth	4
execution_time	0.0
expected_child_count	0
exploitation	0.11214652956298403
exploration	1.094799321434295
failure_penalty	-0.0
failure_visits	0
id	7
is_debug_successful	✗
is_leaf	✗
is_successful	✓
is_terminal	✗
normalized_failure_visit	0
normalized_score	0.11214652956298403
num_children	2
prev_tutorial_prompt	### Condensed: Intro to Use Machine Learning or Deep Learning algorithms # Condensed: Intro to Use Machine Learning or Deep Learning algorithms Summary: You can use any machine learning or deep learning algorithms to complete the tasks. Make sure you # Intro to Use Machine Learning or Deep Learning algorithms You can use any machine learning or deep learning algorithms to complete the tasks. Make sure you have then
stage	debug

time_step	7
tool_used	machine learning
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_contribution	0.11214652956298403
validated_reward	4.4208700000000001
validated_visits	5
validated_weight	1.0
validation_score	0.8886
visits	5
parent_id	4
child_ids	[14, 15]

Node 8 (debug)

Property	Value
uct_value	1.4821
ctime	2026-05-23 03:54:47
debug_attempts	2
depth	2
execution_time	0.0
expected_child_count	0
exploitation	0.0
exploration	1.482079962591042
failure_penalty	-0.0
failure_visits	1
id	8
is_debug_successful	✗
is_leaf	✓
is_successful	✗
is_terminal	✓
normalized_failure_visit	0
num_children	0
prev_tutorial_prompt	### Condensed: ```python # Condensed: ```python Summary: This tutorial demonstrates image classification using AutoGluon MultiModal, covering implementation
stage	debug
time_step	8
tool_used	autogluon.multimodal
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_contribution	0.0
validated_reward	0.0

validated_visits	0
validation_score	None
visits	1
parent_id	0
child_ids	[]

Error Message:

stderr:

==> WARNING: A newer version of conda exists. <==

current version: 25.11.0

latest version: 26.5.0

Please update conda by running

\$ conda update -n base -c conda-forge conda

Using Python 3.11.15 environment at: 40-addition_1/node_8/conda_env

Resolved 235 packages in 1.28s

Uninstalled 1 package in 1.66s

Installed 233 packages in 1m 20s

+ absl-py==2.4.0

+ accelerate==1.13.0

+ adagio==0.2.6

+ aiohappyeyeballs==2.6.2

+ aiohttp==3.13.5

+ aiohttp-cors==0.8.1

+ aiosignal==1.4.0

+ alembic==1.18.4

+ annotated-doc==0.0.4

+ annotated-types==0.7.0

+ antlr4-python3-runtime==4.9.3

+ attrs==26.1.0

+ autogluon==1.5.1b20260522

+ autogluon-common==1.5.1b20260522

+ autogluon-core==1.5.1b20260522

+ autogluon-features==1.5.1b20260522

+ autogluon-multimodal==1.5.1b20260522

+ autogluon-tabular==1.5.1b20260522

+ autogluon-timeseries==1.5.1b20260522

+ beartype==0.22.9

+ beautifulsoup4==4.14.3

+ blis==1.3.3

+ boto3==1.43.14

+ botocore==1.43.14

+ catalogue==2.0.10

- + catboost==1.2.10
- + certifi==2026.5.20
- + cffi==2.0.0
- + chardet==7.4.3
- + charset-normalizer==3.4.7
- + chronos-forecasting==2.2.2
- + click==8.4.1
- + cloudpathlib==0.24.0
- + cloudpickle==3.1.2
- + colorama==0.4.6
- + colorful==0.6.0a1
- + colorlog==6.10.1
- + confection==1.3.3
- + contourpy==1.3.3
- + coreforecast==0.0.16
- + cryptography==48.0.0
- + cycler==0.12.1
- + cymem==2.0.13
- + datasets==4.0.0
- + defusedxml==0.7.1
- + dill==0.3.8
- + distlib==0.4.0
- + einops==0.8.2
- + einx==0.4.3
- + evaluate==0.4.6
- + fastai==2.8.5
- + fastcore==1.8.18
- + fastdownload==0.0.7
- + fastprogress==1.0.5
- + fasttransform==0.0.2
- + filelock==3.29.0
- + fonttools==4.63.0
- + frozendict==2.4.7
- + frozenlist==1.8.0
- + fsspec==2025.3.0
- + fugue==0.9.7
- + future==1.0.0
- + gdown==6.0.0
- + gluonts==0.16.2
- + google-api-core==2.30.3
- + google-auth==2.53.0
- + googleapis-common-protos==1.75.0
- + graphviz==0.21
- + grpcio==1.81.0rc1
- + hf-xet==1.5.0

```
+ httpx==1.0.dev3
+ huggingface-hub==0.36.2
+ hyperopt==0.2.7
+ idna==3.16
... [truncated, 9663 chars total]
```

Error Analysis:

ERROR_SUMMARY: The process was terminated because it exceeded the allowed wall-clock time limit of 3600 seconds (1 hour). The model training did not finish within this time, so no final validation AUROC or output file was produced. The code logic and data handling appear correct, but the job was killed before completion due to insufficient time allocation for the full workflow (data loading, training, inference).

SUGGESTED_FIX:

Reduce the training time by setting the `time_limit` parameter in `predictor.fit()` to a value less than 3600 seconds (e.g., 3300–3500 to allow for data loading and inference). Alternatively, decrease `optim.max_epochs`, use a lighter preset (e.g., `"medium_quality"`), or reduce model complexity to ensure the script completes all steps (training, validation, prediction, saving) within the 1-hour limit. Monitor the actual runtime and adjust these parameters iteratively until the workflow reliably finishes before the time cutoff.

Node 9 (debug)

Property	Value
uct_value	1.4821
ctime	2026-05-23 04:59:21
debug_attempts	1
depth	2
execution_time	0.0
expected_child_count	0
failure_visits	1
id	9
is_debug_successful	✗
is_leaf	✓
is_successful	✗
is_terminal	✗
num_children	0
prev_tutorial_prompt	### Condensed: ```python # Condensed: ```python Summary: This tutorial demonstrates using AutoGluon Multimodal for multimodal classification on the PetFinder dataset.
stage	debug
time_step	9
tool_used	autogluon.tabular
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_reward	0.0
validated_visits	0
validation_score	None
visits	1
parent_id	2
child_ids	[]

Error Message:

stderr:

==> WARNING: A newer version of conda exists. <==

current version: 25.11.0

latest version: 26.5.0

Please update conda by running

\$ conda update -n base -c conda-forge conda

Using Python 3.11.15 environment at: 40-addition_1/node_9/conda_env

Resolved 239 packages in 1.45s

Uninstalled 1 package in 1.70s

Installed 237 packages in 47.54s

+ absl-py==2.4.0

+ accelerate==1.13.0

+ adagio==0.2.6

+ aiohappyeyeballs==2.6.2

+ aiohttp==3.13.5

+ aiohttp-cors==0.8.1

+ aiosignal==1.4.0

+ alembic==1.18.4

+ annotated-doc==0.0.4

+ annotated-types==0.7.0

+ antlr4-python3-runtime==4.9.3

+ attrs==26.1.0

+ autogluon==1.5.1b20260522

+ autogluon-common==1.5.1b20260522

+ autogluon-core==1.5.1b20260522

+ autogluon-features==1.5.1b20260522

+ autogluon-multimodal==1.5.1b20260522

+ autogluon-tabular==1.5.1b20260522

+ autogluon-timeseries==1.5.1b20260522

+ beartype==0.22.9

+ beautifulsoup4==4.14.3

+ blis==1.3.3

+ boto3==1.43.14

+ botocore==1.43.14

+ catalogue==2.0.10

+ catboost==1.2.10

+ certifi==2026.5.20

+ cffi==2.0.0

+ chardet==7.4.3

+ charset-normalizer==3.4.7

+ chronos-forecasting==2.2.2

+ click==8.4.1

+ cloudpathlib==0.24.0

+ cloudpickle==3.1.2
+ colorama==0.4.6
+ colorful==0.6.0a1
+ colorlog==6.10.1
+ confection==1.3.3
+ contourpy==1.3.3
+ coreforecast==0.0.16
+ cryptography==48.0.0
+ cycler==0.12.1
+ cymem==2.0.13
+ daal==2025.9.0
+ datasets==4.0.0
+ defusedxml==0.7.1
+ dill==0.3.8
+ distlib==0.4.0
+ einops==0.8.2
+ einx==0.4.3
+ evaluate==0.4.6
+ fastai==2.8.5
+ fastcore==1.8.18
+ fastdownload==0.0.7
+ fastprogress==1.0.5
+ fasttransform==0.0.2
+ filelock==3.29.0
+ fonttools==4.63.0
+ frozendict==2.4.7
+ frozenlist==1.8.0
+ fsspec==2025.3.0
+ fugue==0.9.7
+ future==1.0.0
+ gdown==6.0.0
+ gluonts==0.16.2
+ google-api-core==2.30.3
+ google-auth==2.53.0
+ googleapis-common-protos==1.75.0
+ graphviz==0.21
+ grpcio==1.81.0rc1
+ hf-xet==1.5.0
+ httpx==1.0.dev3
+ huggingface-hub==0.36.2
+ hyperopt==0.... [truncated, 83669 chars total]

Error Analysis:

ERROR_SUMMARY: The root cause of the error is that the UNIX domain socket path used by Ray (a dependency of AutoGluon) exceeds the maximum allowed length of 107 bytes for AF_UNIX sockets on your system. This results in an OSError ("validate_socket_filename failed: AF_UNIX path length cannot exceed 107 bytes"),

causing all model training to fail and ultimately leading to "No models were trained successfully during fit()".

SUGGESTED_FIX:

Shorten the directory paths used for temporary files and model outputs so that the full socket path stays under 107 bytes. Move your working/output directories (especially the scratch and output folders) to a location with a shorter absolute path (e.g., /tmp or a short-named directory in your home folder), and set environment variables such as TMPDIR, TEMP, and TMP to this shorter path before running your script to ensure Ray and AutoGluon use it for temporary files.

Node 10 (debug)

Property	Value
uct_value	3.4474
ctime	2026-05-23 05:05:20
debug_attempts	3
depth	3
execution_time	0.0
expected_child_count	0
failure_visits	0
id	10
is_debug_successful	✗
is_leaf	✓
is_successful	✓
is_terminal	✓
num_children	0
prev_tutorial_prompt	None
stage	debug
time_step	10
tool_used	autogluon.multimodal
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_reward	0.92634
validated_visits	1
validation_score	0.9263
visits	1
parent_id	-1
child_ids	[]

Node 11 (debug)

Property	Value
uct_value	1.1944
avg_raw_score	0.88339
ctime	2026-05-23 05:29:56
debug_attempts	1
depth	4
execution_time	0.0
expected_child_count	0
exploitation	0.07990574121679535
exploration	1.094799321434295
failure_penalty	-0.0
failure_visits	0
id	11
is_debug_successful	✗
is_leaf	✗
is_successful	✓
is_terminal	✗
normalized_failure_visit	0
normalized_score	0.07990574121679535
num_children	2
prev_tutorial_prompt	### Condensed: Intro to Use Machine Learning or Deep Learning algorithms # Condensed: Intro to Use Machine Learning or Deep Learning algorithms Summary: You can use any machine learning or deep learning algorithms to complete the tasks. Make sure you # Intro to Use Machine Learning or Deep Learning algorithms You can use any machine learning or deep learning algorithms to complete the tasks. Make sure you have then
stage	debug

time_step	11
tool_used	machine learning
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_contribution	0.07990574121679535
validated_reward	3.53356
validated_visits	4
validated_weight	1.0
validation_score	0.8886
visits	4
parent_id	4
child_ids	[16, 13]

Node 12 (debug)

Property	Value
uct_value	1.4821
ctime	2026-05-23 05:54:22
debug_attempts	2
depth	2
execution_time	0.0
expected_child_count	0
failure_visits	1
id	12
is_debug_successful	✗
is_leaf	✓
is_successful	✗
is_terminal	✗
num_children	0
prev_tutorial_prompt	### Condensed: ```python # Condensed: ```python Summary: This tutorial demonstrates using AutoGluon Multimodal for multimodal classification on the PetFinder dataset.
stage	debug
time_step	12
tool_used	autogluon.tabular
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_reward	0.0
validated_visits	0
validation_score	None
visits	1
parent_id	2
child_ids	[]

Error Message:

stderr:

==> WARNING: A newer version of conda exists. <==

current version: 25.11.0

latest version: 26.5.0

Please update conda by running

\$ conda update -n base -c conda-forge conda

Using Python 3.11.15 environment at: 40-addition_1/node_12/conda_env

Resolved 239 packages in 1.32s

Uninstalled 1 package in 1.64s

Installed 237 packages in 51.92s

+ absl-py==2.4.0

+ accelerate==1.13.0

+ adagio==0.2.6

+ aiohappyeyeballs==2.6.2

+ aiohttp==3.13.5

+ aiohttp-cors==0.8.1

+ aiosignal==1.4.0

+ alembic==1.18.4

+ annotated-doc==0.0.4

+ annotated-types==0.7.0

+ antlr4-python3-runtime==4.9.3

+ attrs==26.1.0

+ autogluon==1.5.1b20260522

+ autogluon-common==1.5.1b20260522

+ autogluon-core==1.5.1b20260522

+ autogluon-features==1.5.1b20260522

+ autogluon-multimodal==1.5.1b20260522

+ autogluon-tabular==1.5.1b20260522

+ autogluon-timeseries==1.5.1b20260522

+ beartype==0.22.9

+ beautifulsoup4==4.14.3

+ blis==1.3.3

+ boto3==1.43.14

+ botocore==1.43.14

+ catalogue==2.0.10

+ catboost==1.2.10

+ certifi==2026.5.20

+ cffi==2.0.0

+ chardet==7.4.3

+ charset-normalizer==3.4.7

+ chronos-forecasting==2.2.2

+ click==8.4.1

+ cloudpathlib==0.24.0

+ cloudpickle==3.1.2
+ colorama==0.4.6
+ colorful==0.6.0a1
+ colorlog==6.10.1
+ confection==1.3.3
+ contourpy==1.3.3
+ coreforecast==0.0.16
+ cryptography==48.0.0
+ cycler==0.12.1
+ cymem==2.0.13
+ daal==2025.9.0
+ datasets==4.0.0
+ defusedxml==0.7.1
+ dill==0.3.8
+ distlib==0.4.0
+ einops==0.8.2
+ einx==0.4.3
+ evaluate==0.4.6
+ fastai==2.8.5
+ fastcore==1.8.18
+ fastdownload==0.0.7
+ fastprogress==1.0.5
+ fasttransform==0.0.2
+ filelock==3.29.0
+ fonttools==4.63.0
+ frozendict==2.4.7
+ frozenlist==1.8.0
+ fsspec==2025.3.0
+ fugue==0.9.7
+ future==1.0.0
+ gdown==6.0.0
+ gluonts==0.16.2
+ google-api-core==2.30.3
+ google-auth==2.53.0
+ googleapis-common-protos==1.75.0
+ graphviz==0.21
+ grpcio==1.81.0rc1
+ hf-xet==1.5.0
+ httpx==1.0.dev3
+ huggingface-hub==0.36.2
+ hyperopt==0... [truncated, 83765 chars total]

Error Analysis:

ERROR_SUMMARY: AutoGluon failed to train any models because the Ray backend attempted to create a UNIX domain socket with a path longer than the OS limit (107 bytes), resulting in OSError: "validate_socket_filename failed: AF_UNIX path length cannot exceed 107 bytes". This prevented model training and led to a

RuntimeError when no models were fit.

SUGGESTED_FIX:

Shorten the directory paths used for temporary files and output (especially the base scratch and output directories) so that the full UNIX socket path stays under 107 bytes. Move your working directory (including data, temp, and output folders) to a location with a much shorter absolute path (e.g., /tmp/ml or /scratch/ml), and re-run the script to avoid exceeding the UNIX socket path length limit.

Node 13 (evolve)

Property	Value
uct_value	1.7261
avg_raw_score	0.88252
ctime	2026-05-23 06:00:32
debug_attempts	0
depth	5
execution_time	0.0
expected_child_count	0
exploitation	0.02816589044133935
exploration	1.482079962591042
failure_penalty	-0.0
failure_visits	0
id	13
is_debug_successful	✗
is_leaf	✓
is_successful	✓
is_terminal	✗
normalized_failure_visit	0
normalized_score	0.02816589044133935
num_children	0
prev_tutorial_prompt	### Condensed: Intro to Use Machine Learning or Deep Learning algorithms # Condensed: Intro to Use Machine Learning or Deep Learning algorithms Summary: You can use any machine learning or deep learning algorithms to complete the tasks. Make sure you # Intro to Use Machine Learning or Deep Learning algorithms You can use any machine learning or deep learning algorithms to complete the tasks. Make sure you have then
stage	evolve

time_step	13
tool_used	machine learning
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_contribution	0.02816589044133935
validated_reward	0.88252
validated_visits	1
validated_weight	1.0
validation_score	0.8825
visits	1
parent_id	11
child_ids	[]

Node 14 (evolve)

Property	Value
uct_value	1.3413
avg_raw_score	0.88483
ctime	2026-05-23 06:25:42
debug_attempts	0
depth	5
execution_time	0.0
expected_child_count	0
exploitation	0.11075407026563842
exploration	1.664857771836881
failure_penalty	-0.0
failure_visits	0
id	14
is_debug_successful	✗
is_leaf	✗
is_successful	✓
is_terminal	✗
normalized_failure_visit	0
normalized_score	0.11075407026563842
num_children	1
prev_tutorial_prompt	### Condensed: Intro to Use Machine Learning or Deep Learning algorithms # Condensed: Intro to Use Machine Learning or Deep Learning algorithms Summary: You can use any machine learning or deep learning algorithms to complete the tasks. Make sure you # Intro to Use Machine Learning or Deep Learning algorithms You can use any machine learning or deep learning algorithms to complete the tasks. Make sure you have them
stage	evolve

time_step	14
tool_used	machine learning
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_contribution	0.11075407026563842
validated_reward	1.76612
validated_visits	2
validated_weight	1.0
validation_score	0.8848
visits	2
parent_id	7
child_ids	[19]

Node 15 (evolve)

Property	Value
uct_value	1.3412
avg_raw_score	0.8830549999999999
ctime	2026-05-23 06:49:42
debug_attempts	0
depth	5
execution_time	0.0
expected_child_count	0
exploitation	0.07272922022279181
exploration	1.1772322201769845
failure_penalty	-0.0
failure_visits	0
id	15
is_debug_successful	✗
is_leaf	✗
is_successful	✓
is_terminal	✗
normalized_failure_visit	0
normalized_score	0.07272922022279181
num_children	1
prev_tutorial_prompt	### Condensed: Intro to Use Machine Learning or Deep Learning algorithms # Condensed: Intro to Use Machine Learning or Deep Learning algorithms Summary: You can use any machine learning or deep learning algorithms to complete the tasks. Make sure you # Intro to Use Machine Learning or Deep Learning algorithms You can use any machine learning or deep learning algorithms to complete the tasks. Make sure you have them
stage	evolve

time_step	15
tool_used	machine learning
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_contribution	0.07272922022279181
validated_reward	1.7661099999999998
validated_visits	2
validated_weight	1.0
validation_score	0.8849
visits	2
parent_id	7
child_ids	[17]

Node 16 (evolve)

Property	Value
uct_value	1.2102
avg_raw_score	0.88274
ctime	2026-05-23 07:14:51
debug_attempts	0
depth	5
execution_time	0.0
expected_child_count	0
exploitation	0.03304502106897292
exploration	1.482079962591042
failure_penalty	-0.0
failure_visits	0
id	16
is_debug_successful	✗
is_leaf	✗
is_successful	✓
is_terminal	✗
normalized_failure_visit	0
normalized_score	0.03304502106897292
num_children	1
prev_tutorial_prompt	### Condensed: Intro to Use Machine Learning or Deep Learning algorithms # Condensed: Intro to Use Machine Learning or Deep Learning algorithms Summary: You can use any machine learning or deep learning algorithms to complete the tasks. Make sure you # Intro to Use Machine Learning or Deep Learning algorithms You can use any machine learning or deep learning algorithms to complete the tasks. Make sure you have then
stage	evolve

time_step	16
tool_used	machine learning
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_contribution	0.03304502106897292
validated_reward	1.7624
validated_visits	2
validated_weight	1.0
validation_score	0.8827
visits	2
parent_id	11
child_ids	[18]

Node 17 (evolve)

Property	Value
uct_value	1.2113
ctime	2026-05-23 07:41:09
debug_attempts	0
depth	6
execution_time	0.0
expected_child_count	0
failure_visits	0
id	17
is_debug_successful	✗
is_leaf	✓
is_successful	✓
is_terminal	✗
num_children	0
prev_tutorial_prompt	### Condensed: Intro to Use Machine Learning or Deep Learning algorithms # Condensed: Intro to Use Machine Learning or Deep Learning algorithms Summary: You can use any machine learning or deep learning algorithms to complete the tasks. Make sure you # Intro to Use Machine Learning or Deep Learning algorithms You can use any machine learning or deep learning algorithms to complete the tasks. Make sure you have ther
stage	evolve
time_step	17
tool_used	machine learning
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_reward	0.88125
validated_visits	1

validation_score	0.8812
visits	1
parent_id	15
child_ids	[]

Node 18 (evolve)

Property	Value
uct_value	1.1772
ctime	2026-05-23 08:10:13
debug_attempts	0
depth	6
execution_time	0.0
expected_child_count	0
failure_visits	0
id	18
is_debug_successful	✗
is_leaf	✓
is_successful	✓
is_terminal	✗
num_children	0
prev_tutorial_prompt	### Condensed: Intro to Use Machine Learning or Deep Learning algorithms # Condensed: Intro to Use Machine Learning or Deep Learning algorithms Summary: You can use any machine learning or deep learning algorithms to complete the tasks. Make sure you # Intro to Use Machine Learning or Deep Learning algorithms You can use any machine learning or deep learning algorithms to complete the tasks. Make sure you have then
stage	evolve
time_step	18
tool_used	machine learning
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_reward	0.87966
validated_visits	1

validation_score	0.8797
visits	1
parent_id	16
child_ids	[]

Node 19 (evolve)

Property	Value
uct_value	1.2122
ctime	2026-05-23 08:39:41
debug_attempts	0
depth	6
execution_time	0.0
expected_child_count	0
failure_visits	0
id	19
is_debug_successful	✗
is_leaf	✓
is_successful	✓
is_terminal	✗
num_children	0
prev_tutorial_prompt	### Condensed: Intro to Use Machine Learning or Deep Learning algorithms # Condensed: Intro to Use Machine Learning or Deep Learning algorithms Summary: You can use any machine learning or deep learning algorithms to complete the tasks. Make sure you # Intro to Use Machine Learning or Deep Learning algorithms You can use any machine learning or deep learning algorithms to complete the tasks. Make sure you have them
stage	evolve
time_step	19
tool_used	machine learning
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_reward	0.88129
validated_visits	1

validation_score	0.8813
visits	1
parent_id	14
child_ids	[]