

# Node Structure Visualization


Click on any node in the tree to jump to its detailed information.

Total Nodes: 19 | No validation scores available

## Node Tree:

## Table of Contents:

| Node ID                                              | Stage | Status | Tool                 |
|------------------------------------------------------|-------|--------|----------------------|
| <a color="blue" href="#node_1">&gt;-1&lt;/a&gt;</a>  |       |        |                      |
| <a color="blue" href="#node_0">&gt;0&lt;/a&gt;</a>   |       |        | autogluon.multimodal |
| <a color="blue" href="#node_1">&gt;1&lt;/a&gt;</a>   |       |        | machine learning     |
| <a color="blue" href="#node_2">&gt;2&lt;/a&gt;</a>   |       |        | autogluon.tabular    |
| <a color="blue" href="#node_3">&gt;3&lt;/a&gt;</a>   |       |        | autogluon.multimodal |
| <a color="blue" href="#node_4">&gt;4&lt;/a&gt;</a>   |       |        | machine learning     |
| <a color="blue" href="#node_5">&gt;5&lt;/a&gt;</a>   |       |        | autogluon.multimodal |
| <a color="blue" href="#node_6">&gt;6&lt;/a&gt;</a>   |       |        | machine learning     |
| <a color="blue" href="#node_7">&gt;7&lt;/a&gt;</a>   |       |        | autogluon.tabular    |
| <a color="blue" href="#node_8">&gt;8&lt;/a&gt;</a>   |       |        | autogluon.multimodal |
| <a color="blue" href="#node_9">&gt;9&lt;/a&gt;</a>   |       |        | autogluon.multimodal |
| <a color="blue" href="#node_10">&gt;10&lt;/a&gt;</a> |       |        | machine learning     |
| <a color="blue" href="#node_11">&gt;11&lt;/a&gt;</a> |       |        | autogluon.tabular    |
| <a color="blue" href="#node_12">&gt;12&lt;/a&gt;</a> |       |        | autogluon.multimodal |
| <a color="blue" href="#node_13">&gt;13&lt;/a&gt;</a> |       |        | machine learning     |
| <a color="blue" href="#node_14">&gt;14&lt;/a&gt;</a> |       |        | autogluon.tabular    |
| <a color="blue" href="#node_15">&gt;15&lt;/a&gt;</a> |       |        | machine learning     |
| <a color="blue" href="#node_16">&gt;16&lt;/a&gt;</a> |       |        | autogluon.tabular    |
| <a color="blue" href="#node_17">&gt;17&lt;/a&gt;</a> |       |        | autogluon.tabular    |



| Status  | Color |
|---------|-------|
| Success | Green |
| Failure | Red   |
| Neutral | Blue  |

Node Details:

Node -1 (root)

| Property             | Value               |
|----------------------|---------------------|
| uct_value            | -0.4444             |
| ctime                | 2026-05-01 11:08:26 |
| debug_attempts       | 0                   |
| depth                | 0                   |
| execution_time       | 0.0                 |
| expected_child_count | 0                   |
| failure_visits       | 18                  |
| id                   | -1                  |
| is_debug_successful  | ✗                   |
| is_leaf              | ✗                   |
| is_successful        | ✗                   |
| is_terminal          | ✓                   |
| num_children         | 3                   |
| prev_tutorial_prompt | None                |
| stage                | root                |
| time_step            | -1                  |
| tool_used            |                     |
| tools_available      | []                  |
| unvalidated_visits   | 0                   |
| validated_reward     | 0.0                 |
| validated_visits     | 0                   |
| validation_score     | None                |
| visits               | 18                  |
| parent_id            | None                |
| child_ids            | [0, 1, 2]           |



## Node 0 (evolve)

| Property                 | Value                                                             |
|--------------------------|-------------------------------------------------------------------|
| uct_value                | 0.6481                                                            |
| ctime                    | 2026-05-01 11:09:11                                               |
| debug_attempts           | 2                                                                 |
| depth                    | 1                                                                 |
| execution_time           | 0.0                                                               |
| expected_child_count     | 0                                                                 |
| exploitation             | -0.3                                                              |
| exploration              | 0.9968262051089475                                                |
| failure_penalty          | -0.3                                                              |
| failure_visits           | 6                                                                 |
| id                       | 0                                                                 |
| is_debug_successful      | ✗                                                                 |
| is_leaf                  | ✗                                                                 |
| is_successful            | ✗                                                                 |
| is_terminal              | ✓                                                                 |
| normalized_failure_visit | 3                                                                 |
| num_children             | 2                                                                 |
| prev_tutorial_prompt     | None                                                              |
| stage                    | evolve                                                            |
| time_step                | 0                                                                 |
| tool_used                | autogluon.multimodal                                              |
| tools_available          | ['autogluon.multimodal', 'machine learning', 'autogluon.tabular'] |
| unvalidated_visits       | 0                                                                 |
| validated_contribution   | 0.0                                                               |
| validated_reward         | 0.0                                                               |
| validated_visits         | 0                                                                 |
| validation_score         | None                                                              |

|           |        |
|-----------|--------|
| visits    | 6      |
| parent_id | -1     |
| child_ids | [3, 5] |

### **Error Message:**

stderr:

==> WARNING: A newer version of conda exists. <==

current version: 25.11.0

latest version: 26.3.2

Please update conda by running

\$ conda update -n base -c conda-forge conda

Using Python 3.11.15 environment at: 29-basic\_prompt/node\_0/conda\_env

Resolved 237 packages in 1.16s

Uninstalled 1 package in 1.61s

Installed 235 packages in 41.80s

+ absl-py==2.4.0

+ accelerate==1.13.0

+ adagio==0.2.6

+ aiohappyeyeballs==2.6.1

+ aiohttp==3.13.5

+ aiohttp-cors==0.8.1

+ aiosignal==1.4.0

+ alembic==1.18.4

+ annotated-doc==0.0.4

+ annotated-types==0.7.0

+ antlr4-python3-runtime==4.9.3

+ attrs==26.1.0

+ autogluon==1.5.1b20260430

+ autogluon-common==1.5.1b20260430

+ autogluon-core==1.5.1b20260430

+ autogluon-features==1.5.1b20260430

+ autogluon-multimodal==1.5.1b20260430

+ autogluon-tabular==1.5.1b20260430

+ autogluon-timeseries==1.5.1b20260430

+ beartype==0.22.9

+ beautifulsoup4==4.14.3

+ blis==1.3.3

+ boto3==1.43.1

+ botocore==1.43.1

+ catalogue==2.0.10

+ catboost==1.2.10

+ certifi==2026.4.22

+ cffi==2.0.0

- + chardet==7.4.3
- + charset-normalizer==3.4.7
- + chronos-forecasting==2.2.2
- + click==8.3.3
- + cloudpathlib==0.24.0
- + cloudpickle==3.1.2
- + colorama==0.4.6
- + colorful==0.6.0a1
- + colorlog==6.10.1
- + confection==1.3.3
- + contourpy==1.3.3
- + coreforecast==0.0.16
- + cryptography==47.0.0
- + cycler==0.12.1
- + cymem==2.0.13
- + datasets==4.0.0
- + defusedxml==0.7.1
- + dill==0.3.8
- + distlib==0.4.0
- + einops==0.8.2
- + einx==0.4.3
- + evaluate==0.4.6
- + fastai==2.8.5
- + fastcore==1.8.18
- + fastdownload==0.0.7
- + fastprogress==1.0.5
- + fasttransform==0.0.2
- + filelock==3.29.0
- + fonttools==4.62.1
- + frozendict==2.4.7
- + frozenlist==1.8.0
- + fsspec==2025.3.0
- + fugue==0.9.7
- + future==1.0.0
- + gdown==6.0.0
- + gluonts==0.16.2
- + google-api-core==2.30.3
- + google-auth==2.50.0
- + googleapis-common-protos==1.74.0
- + graphviz==0.21
- + grpcio==1.80.0
- + hf-xet==1.5.0.dev3
- + httpx==1.0.dev3
- + huggingface-hub==0.36.2
- + hyperopt==0.2.7

+ idna==3.1... [truncated, 6787 chars total]

### ***Error Analysis:***

ERROR\_SUMMARY: The script failed with a FileNotFoundError because it could not locate a test CSV file in the data directory (/home/anri21/be-fair/mlzero/basic\_prompt\_data). The function find\_test\_csv expects a file with "test" in its name and a .csv extension, but none was found, causing the script to halt before model training or prediction.

SUGGESTED\_FIX: Check that a test CSV file (e.g., test.csv or mydataset\_test.csv) exists in /home/anri21/be-fair/mlzero/basic\_prompt\_data. If it is missing, create or copy the appropriate test CSV file into this directory, ensuring it matches the expected format (including an 'image\_name' column referencing available images), then rerun the script.



## Node 1 (evolve)

| Property                 | Value                                                             |
|--------------------------|-------------------------------------------------------------------|
| uct_value                | 0.6481                                                            |
| ctime                    | 2026-05-01 11:12:49                                               |
| debug_attempts           | 2                                                                 |
| depth                    | 1                                                                 |
| execution_time           | 0.0                                                               |
| expected_child_count     | 0                                                                 |
| exploitation             | -0.3                                                              |
| exploration              | 0.7804660679599289                                                |
| failure_penalty          | -0.3                                                              |
| failure_visits           | 6                                                                 |
| id                       | 1                                                                 |
| is_debug_successful      | ✗                                                                 |
| is_leaf                  | ✗                                                                 |
| is_successful            | ✗                                                                 |
| is_terminal              | ✓                                                                 |
| normalized_failure_visit | 3                                                                 |
| num_children             | 2                                                                 |
| prev_tutorial_prompt     | None                                                              |
| stage                    | evolve                                                            |
| time_step                | 1                                                                 |
| tool_used                | machine learning                                                  |
| tools_available          | ['autogluon.multimodal', 'machine learning', 'autogluon.tabular'] |
| unvalidated_visits       | 0                                                                 |
| validated_contribution   | 0.0                                                               |
| validated_reward         | 0.0                                                               |
| validated_visits         | 0                                                                 |
| validation_score         | None                                                              |

|           |        |
|-----------|--------|
| visits    | 6      |
| parent_id | -1     |
| child_ids | [4, 6] |

### **Error Message:**

stderr:

==> WARNING: A newer version of conda exists. <==

current version: 25.11.0

latest version: 26.3.2

Please update conda by running

\$ conda update -n base -c conda-forge conda

warning: Requirements file `~/home/anri21/.conda/envs/mlzero\_env/lib/python3.12/site-packages/autogluon/assistant/tools\_registry/machine learning/requirements.txt` does not contain any dependencies

Using Python 3.11.15 environment at: 29-basic\_prompt/node\_1/conda\_env

Resolved 79 packages in 311ms

Uninstalled 1 package in 1.57s

Installed 78 packages in 29.07s

+ aiohappyeyeballs==2.6.1

+ aiohttp==3.13.5

+ aiosignal==1.4.0

+ annotated-doc==0.0.4

+ annotated-types==0.7.0

+ anyio==4.13.0

+ attrs==26.1.0

+ certifi==2026.4.22

+ chardet==7.4.3

+ charset-normalizer==3.4.7

+ click==8.3.3

+ cuda-bindings==13.2.0

+ cuda-pathfinder==1.5.4

+ cuda-toolkit==13.0.2

+ datasets==4.8.5

+ dill==0.4.1

+ filelock==3.29.0

+ frozenlist==1.8.0

+ fsspec==2026.2.0

+ h11==0.16.0

+ hf-xet==1.5.0.dev3

+ httpcore==1.0.9

+ httpx==0.28.1

+ huggingface-hub==1.13.0

+ idna==3.13

+ jinja2==3.1.6

```
+ markdown-it-py==4.0.0
+ markupsafe==3.0.3
+ mdurl==0.1.2
+ mpmath==1.3.0
+ multidict==6.7.1
+ multiprocessing==0.70.19
+ networkx==3.6.1
+ numpy==2.4.4
+ nvidia-cublas==13.1.0.3
+ nvidia-cuda-cupti==13.0.85
+ nvidia-cuda-nvrtc==13.0.88
+ nvidia-cuda-runtime==13.0.96
+ nvidia-cudnn-cu13==9.19.0.56
+ nvidia-cufft==12.0.0.61
+ nvidia-cufile==1.15.1.6
+ nvidia-curand==10.4.0.35
+ nvidia-cusolver==12.0.4.66
+ nvidia-cusparselt-cu13==0.8.0
+ nvidia-nccl-cu13==2.28.9
+ nvidia-nvjitlink==13.0.88
+ nvidia-nvshmem-cu13==3.4.5
+ nvidia-nvtx==13.0.85
+ opencv-python==4.13.0.92
+ pandas==3.0.2
+ pillow==12.2.0
+ propcache==0.4.1
+ pyarrow==24.0.0
+ pydantic==2.13.3
+ pydantic-core==2.46.3
+ pygments==2.20.0
+ python-calamine==0.6.2
+ python-dateutil==2.9.0.post0
+ pytz==2026.1.post1
+ pyyaml==6.0.3
+ requests==2.33.1
+ rich==15.0.0
- setuptools==... [truncated, 2979 chars total]
```

### ***Error Analysis:***

ERROR\_SUMMARY: The error occurs because the script expects a test CSV file (such as test.csv) to be present in the data directory (/home/anri21/be-fair/mlzero/basic\_prompt\_data), but no such file exists. The function find\_test\_csv raises a FileNotFoundError when it cannot locate any CSV file with "test" in its name, which halts the script.

SUGGESTED\_FIX:

Check the data directory to ensure a test CSV file (e.g., test.csv or mydataset\_test.csv) is present; if not, create or obtain the appropriate test file with the required structure. If only mydataset.csv is available and should be used for both training and testing, adjust the script to skip the test file search or clarify the data split logic.

## Node 2 (evolve)

| Property                 | Value                                                             |
|--------------------------|-------------------------------------------------------------------|
| uct_value                | 0.6481                                                            |
| ctime                    | 2026-05-01 11:15:58                                               |
| debug_attempts           | 2                                                                 |
| depth                    | 1                                                                 |
| execution_time           | 0.0                                                               |
| expected_child_count     | 0                                                                 |
| exploitation             | -0.3                                                              |
| exploration              | 0.53219899601806                                                  |
| failure_penalty          | -0.3                                                              |
| failure_visits           | 6                                                                 |
| id                       | 2                                                                 |
| is_debug_successful      | ✗                                                                 |
| is_leaf                  | ✗                                                                 |
| is_successful            | ✗                                                                 |
| is_terminal              | ✓                                                                 |
| normalized_failure_visit | 3                                                                 |
| num_children             | 2                                                                 |
| prev_tutorial_prompt     | None                                                              |
| stage                    | evolve                                                            |
| time_step                | 2                                                                 |
| tool_used                | autogluon.tabular                                                 |
| tools_available          | ['autogluon.multimodal', 'machine learning', 'autogluon.tabular'] |
| unvalidated_visits       | 0                                                                 |
| validated_contribution   | 0.0                                                               |
| validated_reward         | 0.0                                                               |
| validated_visits         | 0                                                                 |
| validation_score         | None                                                              |

|           |         |
|-----------|---------|
| visits    | 6       |
| parent_id | -1      |
| child_ids | [11, 7] |

### **Error Message:**

stderr:

==> WARNING: A newer version of conda exists. <==

current version: 25.11.0

latest version: 26.3.2

Please update conda by running

\$ conda update -n base -c conda-forge conda

Using Python 3.11.15 environment at: 29-basic\_prompt/node\_2/conda\_env

Resolved 241 packages in 967ms

Uninstalled 1 package in 1.53s

Installed 239 packages in 49.44s

+ absl-py==2.4.0

+ accelerate==1.13.0

+ adagio==0.2.6

+ aiohappyeyeballs==2.6.1

+ aiohttp==3.13.5

+ aiohttp-cors==0.8.1

+ aiosignal==1.4.0

+ alembic==1.18.4

+ annotated-doc==0.0.4

+ annotated-types==0.7.0

+ antlr4-python3-runtime==4.9.3

+ attrs==26.1.0

+ autogluon==1.5.1b20260430

+ autogluon-common==1.5.1b20260430

+ autogluon-core==1.5.1b20260430

+ autogluon-features==1.5.1b20260430

+ autogluon-multimodal==1.5.1b20260430

+ autogluon-tabular==1.5.1b20260430

+ autogluon-timeseries==1.5.1b20260430

+ beartype==0.22.9

+ beautifulsoup4==4.14.3

+ blis==1.3.3

+ boto3==1.43.1

+ botocore==1.43.1

+ catalogue==2.0.10

+ catboost==1.2.10

+ certifi==2026.4.22

+ cffi==2.0.0

- + chardet==7.4.3
- + charset-normalizer==3.4.7
- + chronos-forecasting==2.2.2
- + click==8.3.3
- + cloudpathlib==0.24.0
- + cloudpickle==3.1.2
- + colorama==0.4.6
- + colorful==0.6.0a1
- + colorlog==6.10.1
- + confection==1.3.3
- + contourpy==1.3.3
- + coreforecast==0.0.16
- + cryptography==47.0.0
- + cycler==0.12.1
- + cymem==2.0.13
- + daal==2025.9.0
- + datasets==4.0.0
- + defusedxml==0.7.1
- + dill==0.3.8
- + distlib==0.4.0
- + einops==0.8.2
- + einx==0.4.3
- + evaluate==0.4.6
- + fastai==2.8.5
- + fastcore==1.8.18
- + fastdownload==0.0.7
- + fastprogress==1.0.5
- + fasttransform==0.0.2
- + filelock==3.29.0
- + fonttools==4.62.1
- + frozendict==2.4.7
- + frozenlist==1.8.0
- + fsspec==2025.3.0
- + fugue==0.9.7
- + future==1.0.0
- + gdown==6.0.0
- + gluonts==0.16.2
- + google-api-core==2.30.3
- + google-auth==2.50.0
- + googleapis-common-protos==1.74.0
- + graphviz==0.21
- + grpcio==1.80.0
- + hf-xet==1.5.0.dev3
- + httpx==1.0.dev3
- + huggingface-hub==0.36.2

+ hyperopt==... [truncated, 6426 chars total]

### ***Error Analysis:***

ERROR\_SUMMARY: The error occurs because the code expects a test CSV file (e.g., "test.csv" or similar) to be present in the data directory (/home/anri21/be-fair/mlzero/basic\_prompt\_data), but no such file exists. As a result, the function `find\_test\_csv` raises a FileNotFoundError and the script halts before any model training or prediction can proceed.

### **SUGGESTED\_FIX:**

Check the data directory to ensure a test CSV file is present and named appropriately (e.g., "test.csv", "mydataset\_test.csv", or any CSV containing "test" in its name). If no such file exists, create or obtain the required test CSV with the correct structure and place it in the data directory before rerunning the script.



### Node 3 (debug)

| Property                 | Value                                                             |
|--------------------------|-------------------------------------------------------------------|
| uct_value                | 0.9261                                                            |
| ctime                    | 2026-05-01 11:18:34                                               |
| debug_attempts           | 3                                                                 |
| depth                    | 2                                                                 |
| execution_time           | 0.0                                                               |
| expected_child_count     | 0                                                                 |
| exploitation             | 0.0                                                               |
| exploration              | 1.2684446626418298                                                |
| failure_penalty          | -0.0                                                              |
| failure_visits           | 3                                                                 |
| id                       | 3                                                                 |
| is_debug_successful      | ✗                                                                 |
| is_leaf                  | ✗                                                                 |
| is_successful            | ✗                                                                 |
| is_terminal              | ✓                                                                 |
| normalized_failure_visit | 0                                                                 |
| num_children             | 2                                                                 |
| prev_tutorial_prompt     | None                                                              |
| stage                    | debug                                                             |
| time_step                | 3                                                                 |
| tool_used                | autogluon.multimodal                                              |
| tools_available          | ['autogluon.multimodal', 'machine learning', 'autogluon.tabular'] |
| unvalidated_visits       | 0                                                                 |
| validated_contribution   | 0.0                                                               |
| validated_reward         | 0.0                                                               |
| validated_visits         | 0                                                                 |
| validation_score         | None                                                              |

|           |         |
|-----------|---------|
| visits    | 3       |
| parent_id | 0       |
| child_ids | [8, 12] |

### **Error Message:**

stderr:

==> WARNING: A newer version of conda exists. <==

current version: 25.11.0

latest version: 26.3.2

Please update conda by running

\$ conda update -n base -c conda-forge conda

Using Python 3.11.15 environment at: 29-basic\_prompt/node\_3/conda\_env

Resolved 237 packages in 2.96s

Uninstalled 1 package in 1.55s

Installed 235 packages in 34.33s

+ absl-py==2.4.0

+ accelerate==1.13.0

+ adagio==0.2.6

+ aiohappyeyeballs==2.6.1

+ aiohttp==3.13.5

+ aiohttp-cors==0.8.1

+ aiosignal==1.4.0

+ alembic==1.18.4

+ annotated-doc==0.0.4

+ annotated-types==0.7.0

+ antlr4-python3-runtime==4.9.3

+ attrs==26.1.0

+ autogluon==1.5.1b20260430

+ autogluon-common==1.5.1b20260430

+ autogluon-core==1.5.1b20260430

+ autogluon-features==1.5.1b20260430

+ autogluon-multimodal==1.5.1b20260430

+ autogluon-tabular==1.5.1b20260430

+ autogluon-timeseries==1.5.1b20260430

+ beartype==0.22.9

+ beautifulsoup4==4.14.3

+ blis==1.3.3

+ boto3==1.43.1

+ botocore==1.43.1

+ catalogue==2.0.10

+ catboost==1.2.10

+ certifi==2026.4.22

+ cffi==2.0.0

- + chardet==7.4.3
- + charset-normalizer==3.4.7
- + chronos-forecasting==2.2.2
- + click==8.3.3
- + cloudpathlib==0.24.0
- + cloudpickle==3.1.2
- + colorama==0.4.6
- + colorful==0.6.0a1
- + colorlog==6.10.1
- + confection==1.3.3
- + contourpy==1.3.3
- + coreforecast==0.0.16
- + cryptography==47.0.0
- + cycler==0.12.1
- + cymem==2.0.13
- + datasets==4.0.0
- + defusedxml==0.7.1
- + dill==0.3.8
- + distlib==0.4.0
- + einops==0.8.2
- + einx==0.4.3
- + evaluate==0.4.6
- + fastai==2.8.5
- + fastcore==1.8.18
- + fastdownload==0.0.7
- + fastprogress==1.0.5
- + fasttransform==0.0.2
- + filelock==3.29.0
- + fonttools==4.62.1
- + frozendict==2.4.7
- + frozenlist==1.8.0
- + fsspec==2025.3.0
- + fugue==0.9.7
- + future==1.0.0
- + gdown==6.0.0
- + gluonts==0.16.2
- + google-api-core==2.30.3
- + google-auth==2.50.0
- + googleapis-common-protos==1.74.0
- + graphviz==0.21
- + grpcio==1.80.0
- + hf-xet==1.5.0.dev3
- + httpx==1.0.dev3
- + huggingface-hub==0.36.2
- + hyperopt==0.2.7

+ idna==3.1... [truncated, 6724 chars total]

### ***Error Analysis:***

ERROR\_SUMMARY: The script failed with a FileNotFoundError because it could not locate a test CSV file (such as test.csv or mydataset\_test.csv) in the data directory (/home/anri21/be-fair/mlzero/basic\_prompt\_data). The function find\_test\_csv expects a test file to be present for making predictions, but only mydataset.csv (the training file) was found.

SUGGESTED\_FIX: Check the /home/anri21/be-fair/mlzero/basic\_prompt\_data directory and ensure that a test CSV file (e.g., test.csv or mydataset\_test.csv) exists and is named appropriately. If you have a test set, copy or rename it into this directory with a name containing "test" and the .csv extension; otherwise, generate a test CSV with the required structure and image references before rerunning the script.

## Node 4 (debug)

| Property                 | Value                                                             |
|--------------------------|-------------------------------------------------------------------|
| uct_value                | 0.9261                                                            |
| ctime                    | 2026-05-01 11:21:53                                               |
| debug_attempts           | 3                                                                 |
| depth                    | 2                                                                 |
| execution_time           | 0.0                                                               |
| expected_child_count     | 0                                                                 |
| exploitation             | 0.0                                                               |
| exploration              | 1.2684446626418298                                                |
| failure_penalty          | -0.0                                                              |
| failure_visits           | 3                                                                 |
| id                       | 4                                                                 |
| is_debug_successful      | ✗                                                                 |
| is_leaf                  | ✗                                                                 |
| is_successful            | ✗                                                                 |
| is_terminal              | ✓                                                                 |
| normalized_failure_visit | 0                                                                 |
| num_children             | 2                                                                 |
| prev_tutorial_prompt     | None                                                              |
| stage                    | debug                                                             |
| time_step                | 4                                                                 |
| tool_used                | machine learning                                                  |
| tools_available          | ['autogluon.multimodal', 'machine learning', 'autogluon.tabular'] |
| unvalidated_visits       | 0                                                                 |
| validated_contribution   | 0.0                                                               |
| validated_reward         | 0.0                                                               |
| validated_visits         | 0                                                                 |
| validation_score         | None                                                              |

|           |          |
|-----------|----------|
| visits    | 3        |
| parent_id | 1        |
| child_ids | [10, 15] |

### **Error Message:**

stderr:

==> WARNING: A newer version of conda exists. <==

current version: 25.11.0

latest version: 26.3.2

Please update conda by running

\$ conda update -n base -c conda-forge conda

warning: Requirements file `~/home/anri21/.conda/envs/mlzero\_env/lib/python3.12/site-packages/autogluon/assistant/tools\_registry/machine learning/requirements.txt` does not contain any dependencies

Using Python 3.11.15 environment at: 29-basic\_prompt/node\_4/conda\_env

Resolved 79 packages in 541ms

Uninstalled 1 package in 1.52s

Installed 78 packages in 31.80s

+ aiohappyeyeballs==2.6.1

+ aiohttp==3.13.5

+ aiosignal==1.4.0

+ annotated-doc==0.0.4

+ annotated-types==0.7.0

+ anyio==4.13.0

+ attrs==26.1.0

+ certifi==2026.4.22

+ chardet==7.4.3

+ charset-normalizer==3.4.7

+ click==8.3.3

+ cuda-bindings==13.2.0

+ cuda-pathfinder==1.5.4

+ cuda-toolkit==13.0.2

+ datasets==4.8.5

+ dill==0.4.1

+ filelock==3.29.0

+ frozenlist==1.8.0

+ fsspec==2026.2.0

+ h11==0.16.0

+ hf-xet==1.5.0.dev3

+ httpcore==1.0.9

+ httpx==0.28.1

+ huggingface-hub==1.13.0

+ idna==3.13

+ jinja2==3.1.6

```
+ markdown-it-py==4.0.0
+ markupsafe==3.0.3
+ mdurl==0.1.2
+ mpmath==1.3.0
+ multidict==6.7.1
+ multiprocessing==0.70.19
+ networkx==3.6.1
+ numpy==2.4.4
+ nvidia-cublas==13.1.0.3
+ nvidia-cuda-cupti==13.0.85
+ nvidia-cuda-nvrtc==13.0.88
+ nvidia-cuda-runtime==13.0.96
+ nvidia-cudnn-cu13==9.19.0.56
+ nvidia-cufft==12.0.0.61
+ nvidia-cufile==1.15.1.6
+ nvidia-curand==10.4.0.35
+ nvidia-cusolver==12.0.4.66
+ nvidia-cusparselt-cu13==0.8.0
+ nvidia-nccl-cu13==2.28.9
+ nvidia-nvjitlink==13.0.88
+ nvidia-nvshmem-cu13==3.4.5
+ nvidia-nvtx==13.0.85
+ opencv-python==4.13.0.92
+ pandas==3.0.2
+ pillow==12.2.0
+ propcache==0.4.1
+ pyarrow==24.0.0
+ pydantic==2.13.3
+ pydantic-core==2.46.3
+ pygments==2.20.0
+ python-calamine==0.6.2
+ python-dateutil==2.9.0.post0
+ pytz==2026.1.post1
+ pyyaml==6.0.3
+ requests==2.33.1
+ rich==15.0.0
- setuptools==... [truncated, 3018 chars total]
```

### ***Error Analysis:***

ERROR\_SUMMARY: The script failed with a FileNotFoundError because it could not locate a test CSV file in the specified data directory (/home/anri21/be-fair/mlzero/basic\_prompt\_data). The function `find\_test\_csv` did not find any file matching the expected test CSV naming patterns, so execution was halted before any model training or prediction.

SUGGESTED\_FIX: Check that a test CSV file (e.g., test.csv, mydataset\_test.csv, or any CSV with "test" in its name) exists in the data directory. If it does not, create or

copy the required test CSV file into /home/anri21/be-fair/mlzero/basic\_prompt\_data, ensuring it follows the expected format (including an 'image\_name' column), then rerun the script.



## Node 5 (debug)

| Property                 | Value                                                             |
|--------------------------|-------------------------------------------------------------------|
| uct_value                | 1.3384                                                            |
| ctime                    | 2026-05-01 11:24:56                                               |
| debug_attempts           | 3                                                                 |
| depth                    | 2                                                                 |
| execution_time           | 0.0                                                               |
| expected_child_count     | 0                                                                 |
| exploitation             | 0.0                                                               |
| exploration              | 1.664857771836881                                                 |
| failure_penalty          | -0.0                                                              |
| failure_visits           | 2                                                                 |
| id                       | 5                                                                 |
| is_debug_successful      | ✗                                                                 |
| is_leaf                  | ✗                                                                 |
| is_successful            | ✗                                                                 |
| is_terminal              | ✓                                                                 |
| normalized_failure_visit | 0                                                                 |
| num_children             | 1                                                                 |
| prev_tutorial_prompt     | None                                                              |
| stage                    | debug                                                             |
| time_step                | 5                                                                 |
| tool_used                | autogluon.multimodal                                              |
| tools_available          | ['autogluon.multimodal', 'machine learning', 'autogluon.tabular'] |
| unvalidated_visits       | 0                                                                 |
| validated_contribution   | 0.0                                                               |
| validated_reward         | 0.0                                                               |
| validated_visits         | 0                                                                 |
| validation_score         | None                                                              |

|           |     |
|-----------|-----|
| visits    | 2   |
| parent_id | 0   |
| child_ids | [9] |

### **Error Message:**

stderr:

==> WARNING: A newer version of conda exists. <==

current version: 25.11.0

latest version: 26.3.2

Please update conda by running

\$ conda update -n base -c conda-forge conda

Using Python 3.11.15 environment at: 29-basic\_prompt/node\_5/conda\_env

Resolved 237 packages in 1.00s

Uninstalled 1 package in 1.51s

Installed 235 packages in 51.48s

+ absl-py==2.4.0

+ accelerate==1.13.0

+ adagio==0.2.6

+ aiohappyeyeballs==2.6.1

+ aiohttp==3.13.5

+ aiohttp-cors==0.8.1

+ aiosignal==1.4.0

+ alembic==1.18.4

+ annotated-doc==0.0.4

+ annotated-types==0.7.0

+ antlr4-python3-runtime==4.9.3

+ attrs==26.1.0

+ autogluon==1.5.1b20260430

+ autogluon-common==1.5.1b20260430

+ autogluon-core==1.5.1b20260430

+ autogluon-features==1.5.1b20260430

+ autogluon-multimodal==1.5.1b20260430

+ autogluon-tabular==1.5.1b20260430

+ autogluon-timeseries==1.5.1b20260430

+ beartype==0.22.9

+ beautifulsoup4==4.14.3

+ blis==1.3.3

+ boto3==1.43.1

+ botocore==1.43.1

+ catalogue==2.0.10

+ catboost==1.2.10

+ certifi==2026.4.22

+ cffi==2.0.0

+ chardet==7.4.3  
+ charset-normalizer==3.4.7  
+ chronos-forecasting==2.2.2  
+ click==8.3.3  
+ cloudpathlib==0.24.0  
+ cloudpickle==3.1.2  
+ colorama==0.4.6  
+ colorful==0.6.0a1  
+ colorlog==6.10.1  
+ confection==1.3.3  
+ contourpy==1.3.3  
+ coreforecast==0.0.16  
+ cryptography==47.0.0  
+ cycler==0.12.1  
+ cymem==2.0.13  
+ datasets==4.0.0  
+ defusedxml==0.7.1  
+ dill==0.3.8  
+ distlib==0.4.0  
+ einops==0.8.2  
+ einx==0.4.3  
+ evaluate==0.4.6  
+ fastai==2.8.5  
+ fastcore==1.8.18  
+ fastdownload==0.0.7  
+ fastprogress==1.0.5  
+ fasttransform==0.0.2  
+ filelock==3.29.0  
+ fonttools==4.62.1  
+ frozendict==2.4.7  
+ frozenlist==1.8.0  
+ fsspec==2025.3.0  
+ fugue==0.9.7  
+ future==1.0.0  
+ gdown==6.0.0  
+ gluonts==0.16.2  
+ google-api-core==2.30.3  
+ google-auth==2.50.0  
+ googleapis-common-protos==1.74.0  
+ graphviz==0.21  
+ grpcio==1.80.0  
+ hf-xet==1.5.0.dev3  
+ httpx==1.0.dev3  
+ huggingface-hub==0.36.2  
+ hyperopt==0.2.7

+ idna==3.1... [truncated, 6701 chars total]

### ***Error Analysis:***

ERROR\_SUMMARY: The script failed with a FileNotFoundError because it could not locate a test CSV file in the specified data directory (/home/anri21/be-fair/mlzero/basic\_prompt\_data). The function `find\_test\_csv` did not find any file matching expected test CSV naming patterns, so execution stopped before model training or prediction.

### **SUGGESTED\_FIX:**

Check that a test CSV file (e.g., test.csv, mydataset\_test.csv, or any CSV with "test" in its name) exists in the data directory. If no such file exists, create or copy the appropriate test CSV into /home/anri21/be-fair/mlzero/basic\_prompt\_data, ensuring it matches the expected format (including 'image\_name' column). Then rerun the script.

## Node 6 (debug)

| Property                 | Value                                                             |
|--------------------------|-------------------------------------------------------------------|
| uct_value                | 1.3384                                                            |
| ctime                    | 2026-05-01 11:28:27                                               |
| debug_attempts           | 3                                                                 |
| depth                    | 2                                                                 |
| execution_time           | 0.0                                                               |
| expected_child_count     | 0                                                                 |
| exploitation             | 0.0                                                               |
| exploration              | 1.664857771836881                                                 |
| failure_penalty          | -0.0                                                              |
| failure_visits           | 2                                                                 |
| id                       | 6                                                                 |
| is_debug_successful      | ✗                                                                 |
| is_leaf                  | ✗                                                                 |
| is_successful            | ✗                                                                 |
| is_terminal              | ✓                                                                 |
| normalized_failure_visit | 0                                                                 |
| num_children             | 1                                                                 |
| prev_tutorial_prompt     | None                                                              |
| stage                    | debug                                                             |
| time_step                | 6                                                                 |
| tool_used                | machine learning                                                  |
| tools_available          | ['autogluon.multimodal', 'machine learning', 'autogluon.tabular'] |
| unvalidated_visits       | 0                                                                 |
| validated_contribution   | 0.0                                                               |
| validated_reward         | 0.0                                                               |
| validated_visits         | 0                                                                 |
| validation_score         | None                                                              |

|           |      |
|-----------|------|
| visits    | 2    |
| parent_id | 1    |
| child_ids | [13] |

### **Error Message:**

stderr:

==> WARNING: A newer version of conda exists. <==

current version: 25.11.0

latest version: 26.3.2

Please update conda by running

\$ conda update -n base -c conda-forge conda

warning: Requirements file `~/home/anri21/.conda/envs/mlzero\_env/lib/python3.12/site-packages/autogluon/assistant/tools\_registry/machine learning/requirements.txt` does not contain any dependencies

Using Python 3.11.15 environment at: 29-basic\_prompt/node\_6/conda\_env

Resolved 79 packages in 292ms

Uninstalled 1 package in 1.48s

Installed 78 packages in 30.55s

+ aiohappyeyeballs==2.6.1

+ aiohttp==3.13.5

+ aiosignal==1.4.0

+ annotated-doc==0.0.4

+ annotated-types==0.7.0

+ anyio==4.13.0

+ attrs==26.1.0

+ certifi==2026.4.22

+ chardet==7.4.3

+ charset-normalizer==3.4.7

+ click==8.3.3

+ cuda-bindings==13.2.0

+ cuda-pathfinder==1.5.4

+ cuda-toolkit==13.0.2

+ datasets==4.8.5

+ dill==0.4.1

+ filelock==3.29.0

+ frozenlist==1.8.0

+ fsspec==2026.2.0

+ h11==0.16.0

+ hf-xet==1.5.0.dev3

+ httpcore==1.0.9

+ httpx==0.28.1

+ huggingface-hub==1.13.0

+ idna==3.13

+ jinja2==3.1.6

```
+ markdown-it-py==4.0.0
+ markupsafe==3.0.3
+ mdurl==0.1.2
+ mpmath==1.3.0
+ multidict==6.7.1
+ multiprocessing==0.70.19
+ networkx==3.6.1
+ numpy==2.4.4
+ nvidia-cublas==13.1.0.3
+ nvidia-cuda-cupti==13.0.85
+ nvidia-cuda-nvrtc==13.0.88
+ nvidia-cuda-runtime==13.0.96
+ nvidia-cudnn-cu13==9.19.0.56
+ nvidia-cufft==12.0.0.61
+ nvidia-cufile==1.15.1.6
+ nvidia-curand==10.4.0.35
+ nvidia-cusolver==12.0.4.66
+ nvidia-cusparselt-cu13==0.8.0
+ nvidia-nccl-cu13==2.28.9
+ nvidia-nvjitlink==13.0.88
+ nvidia-nvshmem-cu13==3.4.5
+ nvidia-nvtx==13.0.85
+ opencv-python==4.13.0.92
+ pandas==3.0.2
+ pillow==12.2.0
+ propcache==0.4.1
+ pyarrow==24.0.0
+ pydantic==2.13.3
+ pydantic-core==2.46.3
+ pygments==2.20.0
+ python-calamine==0.6.2
+ python-dateutil==2.9.0.post0
+ pytz==2026.1.post1
+ pyyaml==6.0.3
+ requests==2.33.1
+ rich==15.0.0
- setuptools==... [truncated, 2966 chars total]
```

### ***Error Analysis:***

ERROR\_SUMMARY: The script failed with a FileNotFoundError because it could not locate a test CSV file in the data directory (/home/anri21/be-fair/mlzero/basic\_prompt\_data). The function find\_test\_csv expects a file with "test" in its name and a .csv extension, but no such file exists, so the script cannot proceed to make predictions.

SUGGESTED\_FIX: Check the data directory and ensure that a test CSV file (e.g., test.csv or mydataset\_test.csv) is present alongside the training CSV. If you do not

have a test file, create one with the same structure as the training CSV (at least including the 'image\_name' column) and place it in the data directory, then rerun the script.



## Node 7 (debug)

| Property                 | Value                                                             |
|--------------------------|-------------------------------------------------------------------|
| uct_value                | 0.9261                                                            |
| ctime                    | 2026-05-01 11:31:28                                               |
| debug_attempts           | 3                                                                 |
| depth                    | 2                                                                 |
| execution_time           | 0.0                                                               |
| expected_child_count     | 0                                                                 |
| exploitation             | 0.0                                                               |
| exploration              | 1.2684446626418298                                                |
| failure_penalty          | -0.0                                                              |
| failure_visits           | 3                                                                 |
| id                       | 7                                                                 |
| is_debug_successful      | ✗                                                                 |
| is_leaf                  | ✗                                                                 |
| is_successful            | ✗                                                                 |
| is_terminal              | ✓                                                                 |
| normalized_failure_visit | 0                                                                 |
| num_children             | 2                                                                 |
| prev_tutorial_prompt     | None                                                              |
| stage                    | debug                                                             |
| time_step                | 7                                                                 |
| tool_used                | autogluon.tabular                                                 |
| tools_available          | ['autogluon.multimodal', 'machine learning', 'autogluon.tabular'] |
| unvalidated_visits       | 0                                                                 |
| validated_contribution   | 0.0                                                               |
| validated_reward         | 0.0                                                               |
| validated_visits         | 0                                                                 |
| validation_score         | None                                                              |

|           |          |
|-----------|----------|
| visits    | 3        |
| parent_id | 2        |
| child_ids | [16, 17] |

### **Error Message:**

stderr:

==> WARNING: A newer version of conda exists. <==

current version: 25.11.0

latest version: 26.3.2

Please update conda by running

\$ conda update -n base -c conda-forge conda

Using Python 3.11.15 environment at: 29-basic\_prompt/node\_7/conda\_env

Resolved 241 packages in 1.00s

Uninstalled 1 package in 1.46s

Installed 239 packages in 47.81s

+ absl-py==2.4.0

+ accelerate==1.13.0

+ adagio==0.2.6

+ aiohappyeyeballs==2.6.1

+ aiohttp==3.13.5

+ aiohttp-cors==0.8.1

+ aiosignal==1.4.0

+ alembic==1.18.4

+ annotated-doc==0.0.4

+ annotated-types==0.7.0

+ antlr4-python3-runtime==4.9.3

+ attrs==26.1.0

+ autogluon==1.5.1b20260430

+ autogluon-common==1.5.1b20260430

+ autogluon-core==1.5.1b20260430

+ autogluon-features==1.5.1b20260430

+ autogluon-multimodal==1.5.1b20260430

+ autogluon-tabular==1.5.1b20260430

+ autogluon-timeseries==1.5.1b20260430

+ beartype==0.22.9

+ beautifulsoup4==4.14.3

+ blis==1.3.3

+ boto3==1.43.1

+ botocore==1.43.1

+ catalogue==2.0.10

+ catboost==1.2.10

+ certifi==2026.4.22

+ cffi==2.0.0

- + chardet==7.4.3
- + charset-normalizer==3.4.7
- + chronos-forecasting==2.2.2
- + click==8.3.3
- + cloudpathlib==0.24.0
- + cloudpickle==3.1.2
- + colorama==0.4.6
- + colorful==0.6.0a1
- + colorlog==6.10.1
- + confection==1.3.3
- + contourpy==1.3.3
- + coreforecast==0.0.16
- + cryptography==47.0.0
- + cycler==0.12.1
- + cymem==2.0.13
- + daal==2025.9.0
- + datasets==4.0.0
- + defusedxml==0.7.1
- + dill==0.3.8
- + distlib==0.4.0
- + einops==0.8.2
- + einx==0.4.3
- + evaluate==0.4.6
- + fastai==2.8.5
- + fastcore==1.8.18
- + fastdownload==0.0.7
- + fastprogress==1.0.5
- + fasttransform==0.0.2
- + filelock==3.29.0
- + fonttools==4.62.1
- + frozendict==2.4.7
- + frozenlist==1.8.0
- + fsspec==2025.3.0
- + fugue==0.9.7
- + future==1.0.0
- + gdown==6.0.0
- + gluonts==0.16.2
- + google-api-core==2.30.3
- + google-auth==2.50.0
- + googleapis-common-protos==1.74.0
- + graphviz==0.21
- + grpcio==1.80.0
- + hf-xet==1.5.0.dev3
- + httpx==1.0.dev3
- + huggingface-hub==0.36.2

+ hyperopt==... [truncated, 6531 chars total]

### ***Error Analysis:***

ERROR\_SUMMARY: The error occurred because the script expects a test CSV file in the data directory, but no such file matching the expected naming patterns (e.g., starting with "test" or "mydataset\_test") was found. The function `find_test_csv` raised a `FileNotFoundError` after failing to locate a suitable test CSV file in `/home/anri21/be-fair/mlzero/basic_prompt_data`.

SUGGESTED\_FIX: Check the data directory to ensure a test CSV file is present and named according to the script's expectations (e.g., `test.csv`, `mydataset_test.csv`). If no test file exists, create one with the same structure as the training CSV (excluding the label column if labels are unknown), and place it in the data directory so the script can locate and process it.

## Node 8 (debug)

| Property             | Value                                                             |
|----------------------|-------------------------------------------------------------------|
| uct_value            | 1.4821                                                            |
| ctime                | 2026-05-01 11:33:58                                               |
| debug_attempts       | 2                                                                 |
| depth                | 3                                                                 |
| execution_time       | 0.0                                                               |
| expected_child_count | 0                                                                 |
| failure_visits       | 1                                                                 |
| id                   | 8                                                                 |
| is_debug_successful  | ✗                                                                 |
| is_leaf              | ✓                                                                 |
| is_successful        | ✗                                                                 |
| is_terminal          | ✓                                                                 |
| num_children         | 0                                                                 |
| prev_tutorial_prompt | None                                                              |
| stage                | debug                                                             |
| time_step            | 8                                                                 |
| tool_used            | autogluon.multimodal                                              |
| tools_available      | ['autogluon.multimodal', 'machine learning', 'autogluon.tabular'] |
| unvalidated_visits   | 0                                                                 |
| validated_reward     | 0.0                                                               |
| validated_visits     | 0                                                                 |
| validation_score     | None                                                              |
| visits               | 1                                                                 |
| parent_id            | 3                                                                 |
| child_ids            | []                                                                |

**Error Message:**

stderr:

==> WARNING: A newer version of conda exists. <==

current version: 25.11.0

latest version: 26.3.2

Please update conda by running

\$ conda update -n base -c conda-forge conda

Using Python 3.11.15 environment at: 29-basic\_prompt/node\_8/conda\_env

Resolved 237 packages in 970ms

Uninstalled 1 package in 1.56s

Installed 235 packages in 42.57s

+ absl-py==2.4.0

+ accelerate==1.13.0

+ adagio==0.2.6

+ aiohappyeyeballs==2.6.1

+ aiohttp==3.13.5

+ aiohttp-cors==0.8.1

+ aiosignal==1.4.0

+ alembic==1.18.4

+ annotated-doc==0.0.4

+ annotated-types==0.7.0

+ antlr4-python3-runtime==4.9.3

+ attrs==26.1.0

+ autogluon==1.5.1b20260430

+ autogluon-common==1.5.1b20260430

+ autogluon-core==1.5.1b20260430

+ autogluon-features==1.5.1b20260430

+ autogluon-multimodal==1.5.1b20260430

+ autogluon-tabular==1.5.1b20260430

+ autogluon-timeseries==1.5.1b20260430

+ beartype==0.22.9

+ beautifulsoup4==4.14.3

+ blis==1.3.3

+ boto3==1.43.1

+ botocore==1.43.1

+ catalogue==2.0.10

+ catboost==1.2.10

+ certifi==2026.4.22

+ cffi==2.0.0

+ chardet==7.4.3

+ charset-normalizer==3.4.7

+ chronos-forecasting==2.2.2

+ click==8.3.3

+ cloudpathlib==0.24.0

+ cloudpickle==3.1.2

+ colorama==0.4.6

+ colorful==0.6.0a1

+ colorlog==6.10.1  
+ confection==1.3.3  
+ contourpy==1.3.3  
+ coreforecast==0.0.16  
+ cryptography==47.0.0  
+ cycler==0.12.1  
+ cymem==2.0.13  
+ datasets==4.0.0  
+ defusedxml==0.7.1  
+ dill==0.3.8  
+ distlib==0.4.0  
+ einops==0.8.2  
+ einx==0.4.3  
+ evaluate==0.4.6  
+ fastai==2.8.5  
+ fastcore==1.8.18  
+ fastdownload==0.0.7  
+ fastprogress==1.0.5  
+ fasttransform==0.0.2  
+ filelock==3.29.0  
+ fonttools==4.62.1  
+ frozendict==2.4.7  
+ frozenlist==1.8.0  
+ fsspec==2025.3.0  
+ fugue==0.9.7  
+ future==1.0.0  
+ gdown==6.0.0  
+ gluonts==0.16.2  
+ google-api-core==2.30.3  
+ google-auth==2.50.0  
+ googleapis-common-protos==1.74.0  
+ graphviz==0.21  
+ grpcio==1.80.0  
+ hf-xet==1.5.0.dev3  
+ httpx==1.0.dev3  
+ huggingface-hub==0.36.2  
+ hyperopt==0.2.7  
+ idna==3.1... [truncated, 6700 chars total]

### ***Error Analysis:***

ERROR\_SUMMARY: The script raises a `FileNotFoundError` because it expects a test CSV file (for prediction) in the data directory (`/home/anri21/be-fair/mlzero/basic_prompt_data`), but no such file is present. The function `find_test_csv` cannot locate any file matching typical test CSV naming patterns, and the fallback logic also fails since only one CSV (`mydataset.csv`) exists.

SUGGESTED\_FIX:

Add a test CSV file to ``/home/anri21/be-fair/mlzero/basic_prompt_data`` with the same structure as the training CSV (including the ``image_name`` column, but without the ``label`` column if labels are unknown). If you intend to run predictions, ensure this test file exists and is named appropriately (e.g., ``test.csv`` or ``mydataset_test.csv``) so the script can find it.



## Node 9 (debug)

| Property             | Value                                                             |
|----------------------|-------------------------------------------------------------------|
| uct_value            | 1.1772                                                            |
| ctime                | 2026-05-01 11:37:24                                               |
| debug_attempts       | 3                                                                 |
| depth                | 3                                                                 |
| execution_time       | 0.0                                                               |
| expected_child_count | 0                                                                 |
| failure_visits       | 1                                                                 |
| id                   | 9                                                                 |
| is_debug_successful  | ✗                                                                 |
| is_leaf              | ✓                                                                 |
| is_successful        | ✗                                                                 |
| is_terminal          | ✓                                                                 |
| num_children         | 0                                                                 |
| prev_tutorial_prompt | None                                                              |
| stage                | debug                                                             |
| time_step            | 9                                                                 |
| tool_used            | autogluon.multimodal                                              |
| tools_available      | ['autogluon.multimodal', 'machine learning', 'autogluon.tabular'] |
| unvalidated_visits   | 0                                                                 |
| validated_reward     | 0.0                                                               |
| validated_visits     | 0                                                                 |
| validation_score     | None                                                              |
| visits               | 1                                                                 |
| parent_id            | 5                                                                 |
| child_ids            | []                                                                |

**Error Message:**

stderr:

==> WARNING: A newer version of conda exists. <==

current version: 25.11.0

latest version: 26.3.2

Please update conda by running

\$ conda update -n base -c conda-forge conda

Using Python 3.11.15 environment at: 29-basic\_prompt/node\_9/conda\_env

Resolved 237 packages in 942ms

Uninstalled 1 package in 1.46s

Installed 235 packages in 45.19s

+ absl-py==2.4.0

+ accelerate==1.13.0

+ adagio==0.2.6

+ aiohappyeyeballs==2.6.1

+ aiohttp==3.13.5

+ aiohttp-cors==0.8.1

+ aiosignal==1.4.0

+ alembic==1.18.4

+ annotated-doc==0.0.4

+ annotated-types==0.7.0

+ antlr4-python3-runtime==4.9.3

+ attrs==26.1.0

+ autogluon==1.5.1b20260430

+ autogluon-common==1.5.1b20260430

+ autogluon-core==1.5.1b20260430

+ autogluon-features==1.5.1b20260430

+ autogluon-multimodal==1.5.1b20260430

+ autogluon-tabular==1.5.1b20260430

+ autogluon-timeseries==1.5.1b20260430

+ beartype==0.22.9

+ beautifulsoup4==4.14.3

+ blis==1.3.3

+ boto3==1.43.1

+ botocore==1.43.1

+ catalogue==2.0.10

+ catboost==1.2.10

+ certifi==2026.4.22

+ cffi==2.0.0

+ chardet==7.4.3

+ charset-normalizer==3.4.7

+ chronos-forecasting==2.2.2

+ click==8.3.3

+ cloudpathlib==0.24.0

+ cloudpickle==3.1.2

+ colorama==0.4.6

+ colorful==0.6.0a1

+ colorlog==6.10.1  
+ confection==1.3.3  
+ contourpy==1.3.3  
+ coreforecast==0.0.16  
+ cryptography==47.0.0  
+ cycler==0.12.1  
+ cymem==2.0.13  
+ datasets==4.0.0  
+ defusedxml==0.7.1  
+ dill==0.3.8  
+ distlib==0.4.0  
+ einops==0.8.2  
+ einx==0.4.3  
+ evaluate==0.4.6  
+ fastai==2.8.5  
+ fastcore==1.8.18  
+ fastdownload==0.0.7  
+ fastprogress==1.0.5  
+ fasttransform==0.0.2  
+ filelock==3.29.0  
+ fonttools==4.62.1  
+ frozendict==2.4.7  
+ frozenlist==1.8.0  
+ fsspec==2025.3.0  
+ fugue==0.9.7  
+ future==1.0.0  
+ gdown==6.0.0  
+ gluonts==0.16.2  
+ google-api-core==2.30.3  
+ google-auth==2.50.0  
+ googleapis-common-protos==1.74.0  
+ graphviz==0.21  
+ grpcio==1.80.0  
+ hf-xet==1.5.0.dev3  
+ httpx==1.0.dev3  
+ huggingface-hub==0.36.2  
+ hyperopt==0.2.7  
+ idna==3.1... [truncated, 6725 chars total]

### ***Error Analysis:***

ERROR\_SUMMARY: The script failed with a `FileNotFoundError` because it could not locate a test CSV file in the specified data directory (`/home/anri21/be-fair/mlzero/basic_prompt_data`). The `find_test_csv` function searches for a test CSV but none matching its criteria were found, causing the script to halt before model training or evaluation.

SUGGESTED\_FIX:

Check that a test CSV file (e.g., `test.csv`, `mydataset\_test.csv`, or any CSV with "test" in its name) exists in `/home/anri21/be-fair/mlzero/basic\_prompt\_data`. If it does not exist, create or copy the appropriate test CSV file into this directory, ensuring it contains the necessary columns (including `image\_name`) for prediction. Then, rerun the script.

## Node 10 (debug)

| Property             | Value                                                             |
|----------------------|-------------------------------------------------------------------|
| uct_value            | 1.4821                                                            |
| ctime                | 2026-05-01 11:40:55                                               |
| debug_attempts       | 2                                                                 |
| depth                | 3                                                                 |
| execution_time       | 0.0                                                               |
| expected_child_count | 0                                                                 |
| failure_visits       | 1                                                                 |
| id                   | 10                                                                |
| is_debug_successful  | ✗                                                                 |
| is_leaf              | ✓                                                                 |
| is_successful        | ✗                                                                 |
| is_terminal          | ✓                                                                 |
| num_children         | 0                                                                 |
| prev_tutorial_prompt | None                                                              |
| stage                | debug                                                             |
| time_step            | 10                                                                |
| tool_used            | machine learning                                                  |
| tools_available      | ['autogluon.multimodal', 'machine learning', 'autogluon.tabular'] |
| unvalidated_visits   | 0                                                                 |
| validated_reward     | 0.0                                                               |
| validated_visits     | 0                                                                 |
| validation_score     | None                                                              |
| visits               | 1                                                                 |
| parent_id            | 4                                                                 |
| child_ids            | []                                                                |

**Error Message:**

stderr:

==> WARNING: A newer version of conda exists. <==

current version: 25.11.0

latest version: 26.3.2

Please update conda by running

\$ conda update -n base -c conda-forge conda

warning: Requirements file `~/home/anri21/.conda/envs/mlzero\_env/lib/python3.12/site-packages/autogluon/assistant/tools\_registry/machine learning/requirements.txt` does not contain any dependencies

Using Python 3.11.15 environment at: 29-basic\_prompt/node\_10/conda\_env

Resolved 79 packages in 369ms

Uninstalled 1 package in 1.67s

Installed 78 packages in 37.14s

+ aiohappyeyeballs==2.6.1

+ aiohttp==3.13.5

+ aiosignal==1.4.0

+ annotated-doc==0.0.4

+ annotated-types==0.7.0

+ anyio==4.13.0

+ attrs==26.1.0

+ certifi==2026.4.22

+ chardet==7.4.3

+ charset-normalizer==3.4.7

+ click==8.3.3

+ cuda-bindings==13.2.0

+ cuda-pathfinder==1.5.4

+ cuda-toolkit==13.0.2

+ datasets==4.8.5

+ dill==0.4.1

+ filelock==3.29.0

+ frozenlist==1.8.0

+ fsspec==2026.2.0

+ h11==0.16.0

+ hf-xet==1.5.0.dev3

+ httpcore==1.0.9

+ httpx==0.28.1

+ huggingface-hub==1.13.0

+ idna==3.13

+ jinja2==3.1.6

+ markdown-it-py==4.0.0

+ markupsafe==3.0.3

+ mdurl==0.1.2

+ mpmath==1.3.0

+ multidict==6.7.1

+ multiprocessing==0.70.19

+ networkx==3.6.1

+ numpy==2.4.4

```
+ nvidia-cublas==13.1.0.3
+ nvidia-cuda-cupti==13.0.85
+ nvidia-cuda-nvrtc==13.0.88
+ nvidia-cuda-runtime==13.0.96
+ nvidia-cudnn-cu13==9.19.0.56
+ nvidia-cufft==12.0.0.61
+ nvidia-cufile==1.15.1.6
+ nvidia-curand==10.4.0.35
+ nvidia-cusolver==12.0.4.66
+ nvidia-cusparselt-cu13==0.8.0
+ nvidia-cusparse==12.6.3.3
+ nvidia-nccl-cu13==2.28.9
+ nvidia-nvjitlink==13.0.88
+ nvidia-nvshmem-cu13==3.4.5
+ nvidia-nvtx==13.0.85
+ opencv-python==4.13.0.92
+ pandas==3.0.2
+ pillow==12.2.0
+ propcache==0.4.1
+ pyarrow==24.0.0
+ pydantic==2.13.3
+ pydantic-core==2.46.3
+ pygments==2.20.0
+ python-calamine==0.6.2
+ python-dateutil==2.9.0.post0
+ pytz==2026.1.post1
+ pyyaml==6.0.3
+ requests==2.33.1
+ rich==15.0.0
- setuptools=... [truncated, 3009 chars total]
```

### ***Error Analysis:***

ERROR\_SUMMARY: The script failed with a `FileNotFoundError` because it could not locate a test CSV file in the specified data directory (`/home/anri21/be-fair/mlzero/basic\_prompt\_data`). The `find\_test\_csv` function searches for a file matching test CSV naming patterns but did not find any, causing the script to halt before model training or prediction.

### ***SUGGESTED\_FIX:***

Check that a test CSV file (e.g., `test.csv`, `mydataset\_test.csv`, or any CSV with "test" in its name) exists in `/home/anri21/be-fair/mlzero/basic\_prompt\_data`. If it does not exist, create or copy the appropriate test CSV file into this directory, ensuring it follows the expected format (including an `image\_name` column). Then, rerun the script.

## Node 11 (debug)

| Property                 | Value                                                             |
|--------------------------|-------------------------------------------------------------------|
| uct_value                | 1.3384                                                            |
| ctime                    | 2026-05-01 11:44:16                                               |
| debug_attempts           | 3                                                                 |
| depth                    | 2                                                                 |
| execution_time           | 0.0                                                               |
| expected_child_count     | 0                                                                 |
| exploitation             | 0.0                                                               |
| exploration              | 1.482079962591042                                                 |
| failure_penalty          | -0.0                                                              |
| failure_visits           | 2                                                                 |
| id                       | 11                                                                |
| is_debug_successful      | ✗                                                                 |
| is_leaf                  | ✗                                                                 |
| is_successful            | ✗                                                                 |
| is_terminal              | ✓                                                                 |
| normalized_failure_visit | 0                                                                 |
| num_children             | 1                                                                 |
| prev_tutorial_prompt     | None                                                              |
| stage                    | debug                                                             |
| time_step                | 11                                                                |
| tool_used                | autogluon.tabular                                                 |
| tools_available          | ['autogluon.multimodal', 'machine learning', 'autogluon.tabular'] |
| unvalidated_visits       | 0                                                                 |
| validated_contribution   | 0.0                                                               |
| validated_reward         | 0.0                                                               |
| validated_visits         | 0                                                                 |
| validation_score         | None                                                              |



|           |      |
|-----------|------|
| visits    | 2    |
| parent_id | 2    |
| child_ids | [14] |

### **Error Message:**

stderr:

==> WARNING: A newer version of conda exists. <==

current version: 25.11.0

latest version: 26.3.2

Please update conda by running

\$ conda update -n base -c conda-forge conda

Using Python 3.11.15 environment at: 29-basic\_prompt/node\_11/conda\_env

Resolved 241 packages in 1.14s

Uninstalled 1 package in 1.67s

Installed 239 packages in 49.85s

+ absl-py==2.4.0

+ accelerate==1.13.0

+ adagio==0.2.6

+ aiohappyeyeballs==2.6.1

+ aiohttp==3.13.5

+ aiohttp-cors==0.8.1

+ aiosignal==1.4.0

+ alembic==1.18.4

+ annotated-doc==0.0.4

+ annotated-types==0.7.0

+ antlr4-python3-runtime==4.9.3

+ attrs==26.1.0

+ autogluon==1.5.1b20260501

+ autogluon-common==1.5.1b20260501

+ autogluon-core==1.5.1b20260501

+ autogluon-features==1.5.1b20260501

+ autogluon-multimodal==1.5.1b20260501

+ autogluon-tabular==1.5.1b20260501

+ autogluon-timeseries==1.5.1b20260501

+ beartype==0.22.9

+ beautifulsoup4==4.14.3

+ blis==1.3.3

+ boto3==1.43.1

+ botocore==1.43.1

+ catalogue==2.0.10

+ catboost==1.2.10

+ certifi==2026.4.22

+ cffi==2.0.0

- + chardet==7.4.3
- + charset-normalizer==3.4.7
- + chronos-forecasting==2.2.2
- + click==8.3.3
- + cloudpathlib==0.24.0
- + cloudpickle==3.1.2
- + colorama==0.4.6
- + colorful==0.6.0a1
- + colorlog==6.10.1
- + confection==1.3.3
- + contourpy==1.3.3
- + coreforecast==0.0.16
- + cryptography==47.0.0
- + cycler==0.12.1
- + cymem==2.0.13
- + daal==2025.9.0
- + datasets==4.0.0
- + defusedxml==0.7.1
- + dill==0.3.8
- + distlib==0.4.0
- + einops==0.8.2
- + einx==0.4.3
- + evaluate==0.4.6
- + fastai==2.8.5
- + fastcore==1.8.18
- + fastdownload==0.0.7
- + fastprogress==1.0.5
- + fasttransform==0.0.2
- + filelock==3.29.0
- + fonttools==4.62.1
- + frozendict==2.4.7
- + frozenlist==1.8.0
- + fsspec==2025.3.0
- + fugue==0.9.7
- + future==1.0.0
- + gdown==6.0.0
- + gluonts==0.16.2
- + google-api-core==2.30.3
- + google-auth==2.50.0
- + googleapis-common-protos==1.74.0
- + graphviz==0.21
- + grpcio==1.80.0
- + hf-xet==1.5.0.dev3
- + httpx==1.0.dev3
- + huggingface-hub==0.36.2

+ hyperopt=... [truncated, 6409 chars total]

### ***Error Analysis:***

ERROR\_SUMMARY: The error occurs because the script expects a test CSV file in the data directory (/home/anri21/be-fair/mlzero/basic\_prompt\_data), but no such file is present or found by the `find\_test\_csv` function. As a result, a `FileNotFoundError` is raised before any model training or prediction can proceed.

### **SUGGESTED\_FIX:**

Check the data directory to ensure a test CSV file (e.g., test.csv or mydataset\_test.csv) exists alongside the training CSV. If it is missing, create or copy the appropriate test CSV file into the directory, making sure its structure matches the expected input format (including the 'image\_name' column). Then, rerun the script.

## Node 12 (debug)

| Property             | Value                                                             |
|----------------------|-------------------------------------------------------------------|
| uct_value            | 1.4821                                                            |
| ctime                | 2026-05-01 11:46:57                                               |
| debug_attempts       | 3                                                                 |
| depth                | 3                                                                 |
| execution_time       | 0.0                                                               |
| expected_child_count | 0                                                                 |
| failure_visits       | 1                                                                 |
| id                   | 12                                                                |
| is_debug_successful  | ✗                                                                 |
| is_leaf              | ✓                                                                 |
| is_successful        | ✗                                                                 |
| is_terminal          | ✓                                                                 |
| num_children         | 0                                                                 |
| prev_tutorial_prompt | None                                                              |
| stage                | debug                                                             |
| time_step            | 12                                                                |
| tool_used            | autogluon.multimodal                                              |
| tools_available      | ['autogluon.multimodal', 'machine learning', 'autogluon.tabular'] |
| unvalidated_visits   | 0                                                                 |
| validated_reward     | 0.0                                                               |
| validated_visits     | 0                                                                 |
| validation_score     | None                                                              |
| visits               | 1                                                                 |
| parent_id            | 3                                                                 |
| child_ids            | []                                                                |

**Error Message:**

stderr:

==> WARNING: A newer version of conda exists. <==

current version: 25.11.0

latest version: 26.3.2

Please update conda by running

\$ conda update -n base -c conda-forge conda

Using Python 3.11.15 environment at: 29-basic\_prompt/node\_12/conda\_env

Resolved 237 packages in 961ms

Uninstalled 1 package in 1.65s

Installed 235 packages in 45.69s

+ absl-py==2.4.0

+ accelerate==1.13.0

+ adagio==0.2.6

+ aiohappyeyeballs==2.6.1

+ aiohttp==3.13.5

+ aiohttp-cors==0.8.1

+ aiosignal==1.4.0

+ alembic==1.18.4

+ annotated-doc==0.0.4

+ annotated-types==0.7.0

+ antlr4-python3-runtime==4.9.3

+ attrs==26.1.0

+ autogluon==1.5.1b20260501

+ autogluon-common==1.5.1b20260501

+ autogluon-core==1.5.1b20260501

+ autogluon-features==1.5.1b20260501

+ autogluon-multimodal==1.5.1b20260501

+ autogluon-tabular==1.5.1b20260501

+ autogluon-timeseries==1.5.1b20260501

+ beartype==0.22.9

+ beautifulsoup4==4.14.3

+ blis==1.3.3

+ boto3==1.43.1

+ botocore==1.43.1

+ catalogue==2.0.10

+ catboost==1.2.10

+ certifi==2026.4.22

+ cffi==2.0.0

+ chardet==7.4.3

+ charset-normalizer==3.4.7

+ chronos-forecasting==2.2.2

+ click==8.3.3

+ cloudpathlib==0.24.0

+ cloudpickle==3.1.2

+ colorama==0.4.6

+ colorful==0.6.0a1

+ colorlog==6.10.1  
+ confection==1.3.3  
+ contourpy==1.3.3  
+ coreforecast==0.0.16  
+ cryptography==47.0.0  
+ cycler==0.12.1  
+ cymem==2.0.13  
+ datasets==4.0.0  
+ defusedxml==0.7.1  
+ dill==0.3.8  
+ distlib==0.4.0  
+ einops==0.8.2  
+ einx==0.4.3  
+ evaluate==0.4.6  
+ fastai==2.8.5  
+ fastcore==1.8.18  
+ fastdownload==0.0.7  
+ fastprogress==1.0.5  
+ fasttransform==0.0.2  
+ filelock==3.29.0  
+ fonttools==4.62.1  
+ frozendict==2.4.7  
+ frozenlist==1.8.0  
+ fsspec==2025.3.0  
+ fugue==0.9.7  
+ future==1.0.0  
+ gdown==6.0.0  
+ gluonts==0.16.2  
+ google-api-core==2.30.3  
+ google-auth==2.50.0  
+ googleapis-common-protos==1.74.0  
+ graphviz==0.21  
+ grpcio==1.80.0  
+ hf-xet==1.5.0.dev3  
+ httpx==1.0.dev3  
+ huggingface-hub==0.36.2  
+ hyperopt==0.2.7  
+ idna==3.... [truncated, 6704 chars total]

### ***Error Analysis:***

ERROR\_SUMMARY: The script raises a FileNotFoundError because it cannot locate a test CSV file in the data directory (/home/anri21/be-fair/mlzero/basic\_prompt\_data). The function find\_test\_csv expects a test CSV (e.g., test.csv, mydataset\_test.csv), but only mydataset.csv is present, so the script fails when attempting to load test data for prediction.

SUGGESTED\_FIX:

Check the data directory and ensure that a test CSV file (such as test.csv or mydataset\_test.csv) is present alongside mydataset.csv. If you only have one CSV, create a separate test CSV with the required structure and image references, or adjust the script to handle cases where only training data is available.

## Node 13 (debug)

| Property             | Value                                                             |
|----------------------|-------------------------------------------------------------------|
| uct_value            | 1.1772                                                            |
| ctime                | 2026-05-01 11:50:28                                               |
| debug_attempts       | 3                                                                 |
| depth                | 3                                                                 |
| execution_time       | 0.0                                                               |
| expected_child_count | 0                                                                 |
| failure_visits       | 1                                                                 |
| id                   | 13                                                                |
| is_debug_successful  | ✗                                                                 |
| is_leaf              | ✓                                                                 |
| is_successful        | ✗                                                                 |
| is_terminal          | ✓                                                                 |
| num_children         | 0                                                                 |
| prev_tutorial_prompt | None                                                              |
| stage                | debug                                                             |
| time_step            | 13                                                                |
| tool_used            | machine learning                                                  |
| tools_available      | ['autogluon.multimodal', 'machine learning', 'autogluon.tabular'] |
| unvalidated_visits   | 0                                                                 |
| validated_reward     | 0.0                                                               |
| validated_visits     | 0                                                                 |
| validation_score     | None                                                              |
| visits               | 1                                                                 |
| parent_id            | 6                                                                 |
| child_ids            | []                                                                |

**Error Message:**



```
stderr:
==> WARNING: A newer version of conda exists. <==
current version: 25.11.0
latest version: 26.3.2
Please update conda by running
$ conda update -n base -c conda-forge conda
warning: Requirements file `~/home/anri21/.conda/envs/mlzero_env/lib/python3.12/site-packages/autogluon/assistant/tools_registry/machine learning/requirements.txt`
does not contain any dependencies
Using Python 3.11.15 environment at: 29-basic_prompt/node_13/conda_env
Resolved 79 packages in 1.02s
Uninstalled 1 package in 1.47s
Installed 78 packages in 31.67s
+ aiohappyeyeballs==2.6.1
+ aiohttp==3.13.5
+ aiosignal==1.4.0
+ annotated-doc==0.0.4
+ annotated-types==0.7.0
+ anyio==4.13.0
+ attrs==26.1.0
+ certifi==2026.4.22
+ chardet==7.4.3
+ charset-normalizer==3.4.7
+ click==8.3.3
+ cuda-bindings==13.2.0
+ cuda-pathfinder==1.5.4
+ cuda-toolkit==13.0.2
+ datasets==4.8.5
+ dill==0.4.1
+ filelock==3.29.0
+ frozenlist==1.8.0
+ fsspec==2026.2.0
+ h11==0.16.0
+ hf-xet==1.5.0.dev3
+ httpcore==1.0.9
+ httpx==0.28.1
+ huggingface-hub==1.13.0
+ idna==3.13
+ jinja2==3.1.6
+ markdown-it-py==4.0.0
+ markupsafe==3.0.3
+ mdurl==0.1.2
+ mpmath==1.3.0
+ multidict==6.7.1
+ multiprocessing==0.70.19
+ networkx==3.6.1
+ numpy==2.4.4
```

```
+ nvidia-cublas==13.1.0.3
+ nvidia-cuda-cupti==13.0.85
+ nvidia-cuda-nvrtc==13.0.88
+ nvidia-cuda-runtime==13.0.96
+ nvidia-cudnn-cu13==9.19.0.56
+ nvidia-cufft==12.0.0.61
+ nvidia-cufile==1.15.1.6
+ nvidia-curand==10.4.0.35
+ nvidia-cusolver==12.0.4.66
+ nvidia-cusparselt-cu13==0.8.0
+ nvidia-nccl-cu13==2.28.9
+ nvidia-nvjitlink==13.0.88
+ nvidia-nvshmem-cu13==3.4.5
+ nvidia-nvtx==13.0.85
+ opencv-python==4.13.0.92
+ pandas==3.0.2
+ pillow==12.2.0
+ propcache==0.4.1
+ pyarrow==24.0.0
+ pydantic==2.13.3
+ pydantic-core==2.46.3
+ pygments==2.20.0
+ python-calamine==0.6.2
+ python-dateutil==2.9.0.post0
+ pytz==2026.1.post1
+ pyyaml==6.0.3
+ requests==2.33.1
+ rich==15.0.0
- setuptools=... [truncated, 2969 chars total]
```

### ***Error Analysis:***

ERROR\_SUMMARY: The script raises a FileNotFoundError because it cannot locate a test CSV file in the data directory (/home/anri21/be-fair/mlzero/basic\_prompt\_data). The function find\_test\_csv expects a file with "test" in its name and a .csv extension, but only mydataset.csv is present, so the script fails when trying to load test data for prediction.

SUGGESTED\_FIX: Add a properly formatted test CSV file (e.g., test.csv or mydataset\_test.csv) to the data directory, containing at least the 'image\_name' column for the images you want to predict on. If you do not have a test set, create a copy of mydataset.csv, remove the 'label' column, and rename it to test.csv to allow the script to proceed.

## Node 14 (debug)

| Property             | Value                                                             |
|----------------------|-------------------------------------------------------------------|
| uct_value            | 1.1772                                                            |
| ctime                | 2026-05-01 11:53:37                                               |
| debug_attempts       | 3                                                                 |
| depth                | 3                                                                 |
| execution_time       | 0.0                                                               |
| expected_child_count | 0                                                                 |
| failure_visits       | 1                                                                 |
| id                   | 14                                                                |
| is_debug_successful  | ✗                                                                 |
| is_leaf              | ✓                                                                 |
| is_successful        | ✗                                                                 |
| is_terminal          | ✓                                                                 |
| num_children         | 0                                                                 |
| prev_tutorial_prompt | None                                                              |
| stage                | debug                                                             |
| time_step            | 14                                                                |
| tool_used            | autogluon.tabular                                                 |
| tools_available      | ['autogluon.multimodal', 'machine learning', 'autogluon.tabular'] |
| unvalidated_visits   | 0                                                                 |
| validated_reward     | 0.0                                                               |
| validated_visits     | 0                                                                 |
| validation_score     | None                                                              |
| visits               | 1                                                                 |
| parent_id            | 11                                                                |
| child_ids            | []                                                                |

**Error Message:**

stderr:

==> WARNING: A newer version of conda exists. <==

current version: 25.11.0

latest version: 26.3.2

Please update conda by running

\$ conda update -n base -c conda-forge conda

Using Python 3.11.15 environment at: 29-basic\_prompt/node\_14/conda\_env

Resolved 241 packages in 2.53s

Uninstalled 1 package in 1.48s

Installed 239 packages in 58.21s

+ absl-py==2.4.0

+ accelerate==1.13.0

+ adagio==0.2.6

+ aiohappyeyeballs==2.6.1

+ aiohttp==3.13.5

+ aiohttp-cors==0.8.1

+ aiosignal==1.4.0

+ alembic==1.18.4

+ annotated-doc==0.0.4

+ annotated-types==0.7.0

+ antlr4-python3-runtime==4.9.3

+ attrs==26.1.0

+ autogluon==1.5.1b20260501

+ autogluon-common==1.5.1b20260501

+ autogluon-core==1.5.1b20260501

+ autogluon-features==1.5.1b20260501

+ autogluon-multimodal==1.5.1b20260501

+ autogluon-tabular==1.5.1b20260501

+ autogluon-timeseries==1.5.1b20260501

+ beartype==0.22.9

+ beautifulsoup4==4.14.3

+ blis==1.3.3

+ boto3==1.43.1

+ botocore==1.43.1

+ catalogue==2.0.10

+ catboost==1.2.10

+ certifi==2026.4.22

+ cffi==2.0.0

+ chardet==7.4.3

+ charset-normalizer==3.4.7

+ chronos-forecasting==2.2.2

+ click==8.3.3

+ cloudpathlib==0.24.0

+ cloudpickle==3.1.2

+ colorama==0.4.6

+ colorful==0.6.0a1

+ colorlog==6.10.1  
+ confection==1.3.3  
+ contourpy==1.3.3  
+ coreforecast==0.0.16  
+ cryptography==47.0.0  
+ cycler==0.12.1  
+ cymem==2.0.13  
+ daal==2025.9.0  
+ datasets==4.0.0  
+ defusedxml==0.7.1  
+ dill==0.3.8  
+ distlib==0.4.0  
+ einops==0.8.2  
+ einx==0.4.3  
+ evaluate==0.4.6  
+ fastai==2.8.5  
+ fastcore==1.8.18  
+ fastdownload==0.0.7  
+ fastprogress==1.0.5  
+ fasttransform==0.0.2  
+ filelock==3.29.0  
+ fonttools==4.62.1  
+ frozendict==2.4.7  
+ frozenlist==1.8.0  
+ fsspec==2025.3.0  
+ fugue==0.9.7  
+ future==1.0.0  
+ gdown==6.0.0  
+ gluonts==0.16.2  
+ google-api-core==2.30.3  
+ google-auth==2.50.0  
+ googleapis-common-protos==1.74.0  
+ graphviz==0.21  
+ grpcio==1.80.0  
+ hf-xet==1.5.0.dev3  
+ httpx==1.0.dev3  
+ huggingface-hub==0.36.2  
+ hyperopt=... [truncated, 6498 chars total]

### ***Error Analysis:***

ERROR\_SUMMARY: The script failed with a FileNotFoundError because it could not find a test CSV file in the data directory (/home/anri21/be-fair/mlzero/basic\_prompt\_data). The function find\_test\_csv() expects a test CSV (e.g., test.csv or mydataset\_test.csv), but only mydataset.csv (the training file) is present, so the script cannot proceed to make predictions.

SUGGESTED\_FIX: Check the data directory to ensure that a test CSV file is present and named appropriately (e.g., test.csv, mydataset\_test.csv, or any CSV

containing "test" in its name). If you have a test set, copy it into the data directory with a suitable name; if not, request or generate the required test CSV file before rerunning the script.

## Node 15 (debug)

| Property             | Value                                                             |
|----------------------|-------------------------------------------------------------------|
| uct_value            | 1.4821                                                            |
| ctime                | 2026-05-01 11:56:46                                               |
| debug_attempts       | 3                                                                 |
| depth                | 3                                                                 |
| execution_time       | 0.0                                                               |
| expected_child_count | 0                                                                 |
| failure_visits       | 1                                                                 |
| id                   | 15                                                                |
| is_debug_successful  | ✗                                                                 |
| is_leaf              | ✓                                                                 |
| is_successful        | ✗                                                                 |
| is_terminal          | ✓                                                                 |
| num_children         | 0                                                                 |
| prev_tutorial_prompt | None                                                              |
| stage                | debug                                                             |
| time_step            | 15                                                                |
| tool_used            | machine learning                                                  |
| tools_available      | ['autogluon.multimodal', 'machine learning', 'autogluon.tabular'] |
| unvalidated_visits   | 0                                                                 |
| validated_reward     | 0.0                                                               |
| validated_visits     | 0                                                                 |
| validation_score     | None                                                              |
| visits               | 1                                                                 |
| parent_id            | 4                                                                 |
| child_ids            | []                                                                |

**Error Message:**

```
stderr:
==> WARNING: A newer version of conda exists. <==
current version: 25.11.0
latest version: 26.3.2
Please update conda by running
$ conda update -n base -c conda-forge conda
warning: Requirements file `~/home/anri21/.conda/envs/mlzero_env/lib/python3.12/site-packages/autogluon/assistant/tools_registry/machine learning/requirements.txt`
does not contain any dependencies
Using Python 3.11.15 environment at: 29-basic_prompt/node_15/conda_env
Resolved 79 packages in 280ms
Uninstalled 1 package in 1.45s
Installed 78 packages in 31.95s
+ aiohappyeyeballs==2.6.1
+ aiohttp==3.13.5
+ aiosignal==1.4.0
+ annotated-doc==0.0.4
+ annotated-types==0.7.0
+ anyio==4.13.0
+ attrs==26.1.0
+ certifi==2026.4.22
+ chardet==7.4.3
+ charset-normalizer==3.4.7
+ click==8.3.3
+ cuda-bindings==13.2.0
+ cuda-pathfinder==1.5.4
+ cuda-toolkit==13.0.2
+ datasets==4.8.5
+ dill==0.4.1
+ filelock==3.29.0
+ frozenlist==1.8.0
+ fsspec==2026.2.0
+ h11==0.16.0
+ hf-xet==1.5.0.dev3
+ httpcore==1.0.9
+ httpx==0.28.1
+ huggingface-hub==1.13.0
+ idna==3.13
+ jinja2==3.1.6
+ markdown-it-py==4.0.0
+ markupsafe==3.0.3
+ mdurl==0.1.2
+ mpmath==1.3.0
+ multidict==6.7.1
+ multiprocessing==0.70.19
+ networkx==3.6.1
+ numpy==2.4.4
```



```
+ nvidia-cublas==13.1.0.3
+ nvidia-cuda-cupti==13.0.85
+ nvidia-cuda-nvrtc==13.0.88
+ nvidia-cuda-runtime==13.0.96
+ nvidia-cudnn-cu13==9.19.0.56
+ nvidia-cufft==12.0.0.61
+ nvidia-cufile==1.15.1.6
+ nvidia-curand==10.4.0.35
+ nvidia-cusolver==12.0.4.66
+ nvidia-cusparselt-cu13==0.8.0
+ nvidia-nccl-cu13==2.28.9
+ nvidia-nvjitlink==13.0.88
+ nvidia-nvshmem-cu13==3.4.5
+ nvidia-nvtx==13.0.85
+ opencv-python==4.13.0.92
+ pandas==3.0.2
+ pillow==12.2.0
+ propcache==0.4.1
+ pyarrow==24.0.0
+ pydantic==2.13.3
+ pydantic-core==2.46.3
+ pygments==2.20.0
+ python-calamine==0.6.2
+ python-dateutil==2.9.0.post0
+ pytz==2026.1.post1
+ pyyaml==6.0.3
+ requests==2.33.1
+ rich==15.0.0
- setuptools=... [truncated, 3004 chars total]
```

### ***Error Analysis:***

ERROR\_SUMMARY: The script failed with a FileNotFoundError because it could not locate a test CSV file in the data directory (/home/anri21/be-fair/mlzero/basic\_prompt\_data). The function `find\_test\_csv` searches for a test CSV but none matching its criteria (e.g., filenames containing "test") was found, so the script raised an exception and exited before making predictions.

SUGGESTED\_FIX: Check the data directory to ensure a test CSV file (e.g., test.csv, mydataset\_test.csv, or any CSV with "test" in its name) is present. If missing, create or copy the appropriate test CSV file into the data directory, ensuring its filename contains "test" and that it matches the expected input format (including an 'image\_name' column). Then rerun the script.

## Node 16 (debug)

| Property             | Value                                                             |
|----------------------|-------------------------------------------------------------------|
| uct_value            | 1.4821                                                            |
| ctime                | 2026-05-01 11:59:52                                               |
| debug_attempts       | 2                                                                 |
| depth                | 3                                                                 |
| execution_time       | 0.0                                                               |
| expected_child_count | 0                                                                 |
| failure_visits       | 1                                                                 |
| id                   | 16                                                                |
| is_debug_successful  | ✗                                                                 |
| is_leaf              | ✓                                                                 |
| is_successful        | ✗                                                                 |
| is_terminal          | ✓                                                                 |
| num_children         | 0                                                                 |
| prev_tutorial_prompt | None                                                              |
| stage                | debug                                                             |
| time_step            | 16                                                                |
| tool_used            | autogluon.tabular                                                 |
| tools_available      | ['autogluon.multimodal', 'machine learning', 'autogluon.tabular'] |
| unvalidated_visits   | 0                                                                 |
| validated_reward     | 0.0                                                               |
| validated_visits     | 0                                                                 |
| validation_score     | None                                                              |
| visits               | 1                                                                 |
| parent_id            | 7                                                                 |
| child_ids            | []                                                                |

**Error Message:**

stderr:

==> WARNING: A newer version of conda exists. <==

current version: 25.11.0

latest version: 26.3.2

Please update conda by running

\$ conda update -n base -c conda-forge conda

Using Python 3.11.15 environment at: 29-basic\_prompt/node\_16/conda\_env

Resolved 241 packages in 1.03s

Uninstalled 1 package in 1.57s

Installed 239 packages in 1m 09s

+ absl-py==2.4.0

+ accelerate==1.13.0

+ adagio==0.2.6

+ aiohappyeyeballs==2.6.1

+ aiohttp==3.13.5

+ aiohttp-cors==0.8.1

+ aiosignal==1.4.0

+ alembic==1.18.4

+ annotated-doc==0.0.4

+ annotated-types==0.7.0

+ antlr4-python3-runtime==4.9.3

+ attrs==26.1.0

+ autogluon==1.5.1b20260501

+ autogluon-common==1.5.1b20260501

+ autogluon-core==1.5.1b20260501

+ autogluon-features==1.5.1b20260501

+ autogluon-multimodal==1.5.1b20260501

+ autogluon-tabular==1.5.1b20260501

+ autogluon-timeseries==1.5.1b20260501

+ beartype==0.22.9

+ beautifulsoup4==4.14.3

+ blis==1.3.3

+ boto3==1.43.1

+ botocore==1.43.1

+ catalogue==2.0.10

+ catboost==1.2.10

+ certifi==2026.4.22

+ cffi==2.0.0

+ chardet==7.4.3

+ charset-normalizer==3.4.7

+ chronos-forecasting==2.2.2

+ click==8.3.3

+ cloudpathlib==0.24.0

+ cloudpickle==3.1.2

+ colorama==0.4.6

+ colorful==0.6.0a1

+ colorlog==6.10.1  
+ confection==1.3.3  
+ contourpy==1.3.3  
+ coreforecast==0.0.16  
+ cryptography==47.0.0  
+ cycler==0.12.1  
+ cymem==2.0.13  
+ daal==2025.9.0  
+ datasets==4.0.0  
+ defusedxml==0.7.1  
+ dill==0.3.8  
+ distlib==0.4.0  
+ einops==0.8.2  
+ einx==0.4.3  
+ evaluate==0.4.6  
+ fastai==2.8.5  
+ fastcore==1.8.18  
+ fastdownload==0.0.7  
+ fastprogress==1.0.5  
+ fasttransform==0.0.2  
+ filelock==3.29.0  
+ fonttools==4.62.1  
+ frozendict==2.4.7  
+ frozenlist==1.8.0  
+ fsspec==2025.3.0  
+ fugue==0.9.7  
+ future==1.0.0  
+ gdown==6.0.0  
+ gluonts==0.16.2  
+ google-api-core==2.30.3  
+ google-auth==2.50.0  
+ googleapis-common-protos==1.74.0  
+ graphviz==0.21  
+ grpcio==1.80.0  
+ hf-xet==1.5.0.dev3  
+ httpx==1.0.dev3  
+ huggingface-hub==0.36.2  
+ hyperopt=... [truncated, 6519 chars total]

### ***Error Analysis:***

ERROR\_SUMMARY: The script failed with a FileNotFoundError because it could not locate a test CSV file in the data directory (/home/anri21/be-fair/mlzero/basic\_prompt\_data). The function find\_test\_csv expects a separate test CSV, but only the training CSV (mydataset.csv) is present.

SUGGESTED\_FIX: Check the data directory to confirm whether a test CSV file exists. If not, either obtain or generate a test CSV file with the required structure and place it in the data directory, or modify the script to handle the case where only training data is available (e.g., by skipping test prediction or using a different evaluation

approach).

## Node 17 (debug)

| Property             | Value                                                             |
|----------------------|-------------------------------------------------------------------|
| uct_value            | 1.4821                                                            |
| ctime                | 2026-05-01 12:03:24                                               |
| debug_attempts       | 3                                                                 |
| depth                | 3                                                                 |
| execution_time       | 0.0                                                               |
| expected_child_count | 0                                                                 |
| failure_visits       | 1                                                                 |
| id                   | 17                                                                |
| is_debug_successful  | ✗                                                                 |
| is_leaf              | ✓                                                                 |
| is_successful        | ✗                                                                 |
| is_terminal          | ✓                                                                 |
| num_children         | 0                                                                 |
| prev_tutorial_prompt | None                                                              |
| stage                | debug                                                             |
| time_step            | 17                                                                |
| tool_used            | autogluon.tabular                                                 |
| tools_available      | ['autogluon.multimodal', 'machine learning', 'autogluon.tabular'] |
| unvalidated_visits   | 0                                                                 |
| validated_reward     | 0.0                                                               |
| validated_visits     | 0                                                                 |
| validation_score     | None                                                              |
| visits               | 1                                                                 |
| parent_id            | 7                                                                 |
| child_ids            | []                                                                |

**Error Message:**

stderr:

==> WARNING: A newer version of conda exists. <==

current version: 25.11.0

latest version: 26.3.2

Please update conda by running

\$ conda update -n base -c conda-forge conda

Using Python 3.11.15 environment at: 29-basic\_prompt/node\_17/conda\_env

Resolved 241 packages in 1.03s

Uninstalled 1 package in 2.07s

Installed 239 packages in 59.69s

+ absl-py==2.4.0

+ accelerate==1.13.0

+ adagio==0.2.6

+ aiohappyeyeballs==2.6.1

+ aiohttp==3.13.5

+ aiohttp-cors==0.8.1

+ aiosignal==1.4.0

+ alembic==1.18.4

+ annotated-doc==0.0.4

+ annotated-types==0.7.0

+ antlr4-python3-runtime==4.9.3

+ attrs==26.1.0

+ autogluon==1.5.1b20260501

+ autogluon-common==1.5.1b20260501

+ autogluon-core==1.5.1b20260501

+ autogluon-features==1.5.1b20260501

+ autogluon-multimodal==1.5.1b20260501

+ autogluon-tabular==1.5.1b20260501

+ autogluon-timeseries==1.5.1b20260501

+ beartype==0.22.9

+ beautifulsoup4==4.14.3

+ blis==1.3.3

+ boto3==1.43.1

+ botocore==1.43.1

+ catalogue==2.0.10

+ catboost==1.2.10

+ certifi==2026.4.22

+ cffi==2.0.0

+ chardet==7.4.3

+ charset-normalizer==3.4.7

+ chronos-forecasting==2.2.2

+ click==8.3.3

+ cloudpathlib==0.24.0

+ cloudpickle==3.1.2

+ colorama==0.4.6

+ colorful==0.6.0a1

```
+ colorlog==6.10.1
+ confection==1.3.3
+ contourpy==1.3.3
+ coreforecast==0.0.16
+ cryptography==47.0.0
+ cycler==0.12.1
+ cymem==2.0.13
+ daal==2025.9.0
+ datasets==4.0.0
+ defusedxml==0.7.1
+ dill==0.3.8
+ distlib==0.4.0
+ einops==0.8.2
+ einx==0.4.3
+ evaluate==0.4.6
+ fastai==2.8.5
+ fastcore==1.8.18
+ fastdownload==0.0.7
+ fastprogress==1.0.5
+ fasttransform==0.0.2
+ filelock==3.29.0
+ fonttools==4.62.1
+ frozendict==2.4.7
+ frozenlist==1.8.0
+ fsspec==2025.3.0
+ fugue==0.9.7
+ future==1.0.0
+ gdown==6.0.0
+ gluonts==0.16.2
+ google-api-core==2.30.3
+ google-auth==2.50.0
+ googleapis-common-protos==1.74.0
+ graphviz==0.21
+ grpcio==1.80.0
+ hf-xet==1.5.0.dev3
+ httpx==1.0.dev3
+ huggingface-hub==0.36.2
+ hyperopt=... [truncated, 6429 chars total]
```

### ***Error Analysis:***

ERROR\_SUMMARY: The error occurs because the script expects a test CSV file (for prediction/evaluation) in the data directory, but none is found. The function `find\_test\_csv` searches for a file matching test CSV naming patterns but fails, resulting in a `FileNotFoundError` and halting execution before model training or validation.

SUGGESTED\_FIX:



Check that a test CSV file (e.g., `test.csv`, `mydataset\_test.csv`, or similar) exists in `/home/anri21/be-fair/mlzero/basic\_prompt\_data`. If missing, create or copy the appropriate test CSV file into this directory, ensuring its format matches the expected input (including the `image\_name` column and any required features). Then, rerun the script.