

Node Structure Visualization


Click on any node in the tree to jump to its detailed information.

Total Nodes: 19 | No validation scores available

Node Tree:

Table of Contents:

Node ID	Stage	Status	Tool
>-1			
>0			autogluon.multimodal
>1			machine learning
>2			autogluon.tabular
>3			autogluon.multimodal
>4			machine learning
>5			autogluon.multimodal
>6			machine learning
>7			autogluon.tabular
>8			autogluon.multimodal
>9			autogluon.multimodal
>10			machine learning
>11			autogluon.tabular
>12			autogluon.multimodal
>13			machine learning
>14			autogluon.tabular
>15			machine learning
>16			autogluon.tabular
>17			autogluon.tabular



Status	Color
Success	Green
Failure	Red
Neutral	Blue

Node Details:

Node -1 (root)

Property	Value
uct_value	-0.4444
ctime	2026-05-01 11:08:25
debug_attempts	0
depth	0
execution_time	0.0
expected_child_count	0
failure_visits	18
id	-1
is_debug_successful	✗
is_leaf	✗
is_successful	✗
is_terminal	✓
num_children	3
prev_tutorial_prompt	None
stage	root
time_step	-1
tool_used	
tools_available	[]
unvalidated_visits	0
validated_reward	0.0
validated_visits	0
validation_score	None
visits	18
parent_id	None
child_ids	[0, 1, 2]

Node 0 (evolve)

Property	Value
uct_value	0.6481
ctime	2026-05-01 11:09:11
debug_attempts	2
depth	1
execution_time	0.0
expected_child_count	0
exploitation	-0.3
exploration	0.9968262051089475
failure_penalty	-0.3
failure_visits	6
id	0
is_debug_successful	✗
is_leaf	✗
is_successful	✗
is_terminal	✓
normalized_failure_visit	3
num_children	2
prev_tutorial_prompt	None
stage	evolve
time_step	0
tool_used	autogluon.multimodal
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_contribution	0.0
validated_reward	0.0
validated_visits	0
validation_score	None

visits	6
parent_id	-1
child_ids	[3, 5]

Error Message:

stderr:

==> WARNING: A newer version of conda exists. <==

current version: 25.11.0

latest version: 26.3.2

Please update conda by running

\$ conda update -n base -c conda-forge conda

Using Python 3.11.15 environment at: 30-basic_prompt/node_0/conda_env

Resolved 237 packages in 1.06s

Uninstalled 1 package in 1.76s

Installed 235 packages in 51.99s

+ absl-py==2.4.0

+ accelerate==1.13.0

+ adagio==0.2.6

+ aiohappyeyeballs==2.6.1

+ aiohttp==3.13.5

+ aiohttp-cors==0.8.1

+ aiosignal==1.4.0

+ alembic==1.18.4

+ annotated-doc==0.0.4

+ annotated-types==0.7.0

+ antlr4-python3-runtime==4.9.3

+ attrs==26.1.0

+ autogluon==1.5.1b20260430

+ autogluon-common==1.5.1b20260430

+ autogluon-core==1.5.1b20260430

+ autogluon-features==1.5.1b20260430

+ autogluon-multimodal==1.5.1b20260430

+ autogluon-tabular==1.5.1b20260430

+ autogluon-timeseries==1.5.1b20260430

+ beartype==0.22.9

+ beautifulsoup4==4.14.3

+ blis==1.3.3

+ boto3==1.43.1

+ botocore==1.43.1

+ catalogue==2.0.10

+ catboost==1.2.10

+ certifi==2026.4.22

+ cffi==2.0.0

- + chardet==7.4.3
- + charset-normalizer==3.4.7
- + chronos-forecasting==2.2.2
- + click==8.3.3
- + cloudpathlib==0.24.0
- + cloudpickle==3.1.2
- + colorama==0.4.6
- + colorful==0.6.0a1
- + colorlog==6.10.1
- + confection==1.3.3
- + contourpy==1.3.3
- + coreforecast==0.0.16
- + cryptography==47.0.0
- + cycler==0.12.1
- + cymem==2.0.13
- + datasets==4.0.0
- + defusedxml==0.7.1
- + dill==0.3.8
- + distlib==0.4.0
- + einops==0.8.2
- + einx==0.4.3
- + evaluate==0.4.6
- + fastai==2.8.5
- + fastcore==1.8.18
- + fastdownload==0.0.7
- + fastprogress==1.0.5
- + fasttransform==0.0.2
- + filelock==3.29.0
- + fonttools==4.62.1
- + frozendict==2.4.7
- + frozenlist==1.8.0
- + fsspec==2025.3.0
- + fugue==0.9.7
- + future==1.0.0
- + gdown==6.0.0
- + gluonts==0.16.2
- + google-api-core==2.30.3
- + google-auth==2.50.0
- + googleapis-common-protos==1.74.0
- + graphviz==0.21
- + grpcio==1.80.0
- + hf-xet==1.5.0.dev3
- + httpx==1.0.dev3
- + huggingface-hub==0.36.2
- + hyperopt==0.2.7

+ idna==3.1... [truncated, 6476 chars total]

Error Analysis:

ERROR_SUMMARY: The script failed with a FileNotFoundError because it could not locate a test CSV file (e.g., test.csv) in the data directory (/home/anri21/be-fair/mlzero/basic_prompt_data). The code expects a test CSV for making predictions, but none was found, causing execution to halt before any model training or validation.

SUGGESTED_FIX: Check the data directory to ensure a test CSV file (such as test.csv) is present and named correctly. If the test file is missing, obtain or generate it according to the expected format; if it exists under a different name, rename it to match the expected pattern (e.g., test.csv) so the script can detect and use it.

Node 1 (evolve)

Property	Value
uct_value	0.6481
ctime	2026-05-01 11:13:02
debug_attempts	2
depth	1
execution_time	0.0
expected_child_count	0
exploitation	-0.3
exploration	0.7804660679599289
failure_penalty	-0.3
failure_visits	6
id	1
is_debug_successful	✗
is_leaf	✗
is_successful	✗
is_terminal	✓
normalized_failure_visit	3
num_children	2
prev_tutorial_prompt	None
stage	evolve
time_step	1
tool_used	machine learning
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_contribution	0.0
validated_reward	0.0
validated_visits	0
validation_score	None

visits	6
parent_id	-1
child_ids	[4, 6]

Error Message:

stderr:

==> WARNING: A newer version of conda exists. <==

current version: 25.11.0

latest version: 26.3.2

Please update conda by running

\$ conda update -n base -c conda-forge conda

warning: Requirements file `~/home/anri21/.conda/envs/mlzero\_env/lib/python3.12/site-packages/autogluon/assistant/tools\_registry/machine learning/requirements.txt` does not contain any dependencies

Using Python 3.11.15 environment at: 30-basic_prompt/node_1/conda_env

Resolved 79 packages in 285ms

Uninstalled 1 package in 1.56s

Installed 78 packages in 27.35s

+ aiohappyeyeballs==2.6.1

+ aiohttp==3.13.5

+ aiosignal==1.4.0

+ annotated-doc==0.0.4

+ annotated-types==0.7.0

+ anyio==4.13.0

+ attrs==26.1.0

+ certifi==2026.4.22

+ chardet==7.4.3

+ charset-normalizer==3.4.7

+ click==8.3.3

+ cuda-bindings==13.2.0

+ cuda-pathfinder==1.5.4

+ cuda-toolkit==13.0.2

+ datasets==4.8.5

+ dill==0.4.1

+ filelock==3.29.0

+ frozenlist==1.8.0

+ fsspec==2026.2.0

+ h11==0.16.0

+ hf-xet==1.5.0.dev3

+ httpcore==1.0.9

+ httpx==0.28.1

+ huggingface-hub==1.13.0

+ idna==3.13

+ jinja2==3.1.6

```
+ markdown-it-py==4.0.0
+ markupsafe==3.0.3
+ mdurl==0.1.2
+ mpmath==1.3.0
+ multidict==6.7.1
+ multiprocessing==0.70.19
+ networkx==3.6.1
+ numpy==2.4.4
+ nvidia-cublas==13.1.0.3
+ nvidia-cuda-cupti==13.0.85
+ nvidia-cuda-nvrtc==13.0.88
+ nvidia-cuda-runtime==13.0.96
+ nvidia-cudnn-cu13==9.19.0.56
+ nvidia-cufft==12.0.0.61
+ nvidia-cufile==1.15.1.6
+ nvidia-curand==10.4.0.35
+ nvidia-cusolver==12.0.4.66
+ nvidia-cusparselt-cu13==0.8.0
+ nvidia-nccl-cu13==2.28.9
+ nvidia-nvjitlink==13.0.88
+ nvidia-nvshmem-cu13==3.4.5
+ nvidia-nvtx==13.0.85
+ opencv-python==4.13.0.92
+ pandas==3.0.2
+ pillow==12.2.0
+ propcache==0.4.1
+ pyarrow==24.0.0
+ pydantic==2.13.3
+ pydantic-core==2.46.3
+ pygments==2.20.0
+ python-calamine==0.6.2
+ python-dateutil==2.9.0.post0
+ pytz==2026.1.post1
+ pyyaml==6.0.3
+ requests==2.33.1
+ rich==15.0.0
- setuptools==... [truncated, 2818 chars total]
```

Error Analysis:

ERROR_SUMMARY: The error occurs because the Python script expects a test CSV file (with a filename starting with "test" and ending with ".csv") in the data directory (/home/anri21/be-fair/mlzero/basic_prompt_data), but no such file is present. As a result, the script raises a FileNotFoundError and halts execution.

SUGGESTED_FIX: Check the /home/anri21/be-fair/mlzero/basic_prompt_data directory and ensure that a test CSV file (e.g., test.csv or test_data.csv) exists and is named appropriately. If the test file is missing, create or copy the required test CSV file into this directory with a filename that matches the expected pattern.

Node 2 (evolve)

Property	Value
uct_value	0.6481
ctime	2026-05-01 11:16:26
debug_attempts	2
depth	1
execution_time	0.0
expected_child_count	0
exploitation	-0.3
exploration	0.53219899601806
failure_penalty	-0.3
failure_visits	6
id	2
is_debug_successful	✗
is_leaf	✗
is_successful	✗
is_terminal	✓
normalized_failure_visit	3
num_children	2
prev_tutorial_prompt	None
stage	evolve
time_step	2
tool_used	autogluon.tabular
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_contribution	0.0
validated_reward	0.0
validated_visits	0
validation_score	None

visits	6
parent_id	-1
child_ids	[11, 7]

Error Message:

stderr:

==> WARNING: A newer version of conda exists. <==

current version: 25.11.0

latest version: 26.3.2

Please update conda by running

\$ conda update -n base -c conda-forge conda

Using Python 3.11.15 environment at: 30-basic_prompt/node_2/conda_env

Resolved 241 packages in 1.05s

Uninstalled 1 package in 1.65s

Installed 239 packages in 43.81s

+ absl-py==2.4.0

+ accelerate==1.13.0

+ adagio==0.2.6

+ aiohappyeyeballs==2.6.1

+ aiohttp==3.13.5

+ aiohttp-cors==0.8.1

+ aiosignal==1.4.0

+ alembic==1.18.4

+ annotated-doc==0.0.4

+ annotated-types==0.7.0

+ antlr4-python3-runtime==4.9.3

+ attrs==26.1.0

+ autogluon==1.5.1b20260430

+ autogluon-common==1.5.1b20260430

+ autogluon-core==1.5.1b20260430

+ autogluon-features==1.5.1b20260430

+ autogluon-multimodal==1.5.1b20260430

+ autogluon-tabular==1.5.1b20260430

+ autogluon-timeseries==1.5.1b20260430

+ beartype==0.22.9

+ beautifulsoup4==4.14.3

+ blis==1.3.3

+ boto3==1.43.1

+ botocore==1.43.1

+ catalogue==2.0.10

+ catboost==1.2.10

+ certifi==2026.4.22

+ cffi==2.0.0

- + chardet==7.4.3
- + charset-normalizer==3.4.7
- + chronos-forecasting==2.2.2
- + click==8.3.3
- + cloudpathlib==0.24.0
- + cloudpickle==3.1.2
- + colorama==0.4.6
- + colorful==0.6.0a1
- + colorlog==6.10.1
- + confection==1.3.3
- + contourpy==1.3.3
- + coreforecast==0.0.16
- + cryptography==47.0.0
- + cycler==0.12.1
- + cymem==2.0.13
- + daal==2025.9.0
- + datasets==4.0.0
- + defusedxml==0.7.1
- + dill==0.3.8
- + distlib==0.4.0
- + einops==0.8.2
- + einx==0.4.3
- + evaluate==0.4.6
- + fastai==2.8.5
- + fastcore==1.8.18
- + fastdownload==0.0.7
- + fastprogress==1.0.5
- + fasttransform==0.0.2
- + filelock==3.29.0
- + fonttools==4.62.1
- + frozendict==2.4.7
- + frozenlist==1.8.0
- + fsspec==2025.3.0
- + fugue==0.9.7
- + future==1.0.0
- + gdown==6.0.0
- + gluonts==0.16.2
- + google-api-core==2.30.3
- + google-auth==2.50.0
- + googleapis-common-protos==1.74.0
- + graphviz==0.21
- + grpcio==1.80.0
- + hf-xet==1.5.0.dev3
- + httpx==1.0.dev3
- + huggingface-hub==0.36.2

+ hyperopt==... [truncated, 6267 chars total]

Error Analysis:

ERROR_SUMMARY: The error occurred because the code expects a test CSV file (with a filename starting with "test" and ending with ".csv") in the data directory (/home/anri21/be-fair/mlzero/basic_prompt_data), but no such file was found. As a result, a FileNotFoundError was raised and the script terminated before making any predictions or performing validation.

SUGGESTED_FIX: Check the /home/anri21/be-fair/mlzero/basic_prompt_data directory and ensure that a test CSV file (e.g., test.csv) exists and is named correctly (starts with "test" and ends with ".csv"). If the test file is missing, create or copy the appropriate test CSV file into this directory and rerun the script.

Node 3 (debug)

Property	Value
uct_value	0.9261
ctime	2026-05-01 11:19:03
debug_attempts	3
depth	2
execution_time	0.0
expected_child_count	0
exploitation	0.0
exploration	1.2684446626418298
failure_penalty	-0.0
failure_visits	3
id	3
is_debug_successful	✗
is_leaf	✗
is_successful	✗
is_terminal	✓
normalized_failure_visit	0
num_children	2
prev_tutorial_prompt	None
stage	debug
time_step	3
tool_used	autogluon.multimodal
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_contribution	0.0
validated_reward	0.0
validated_visits	0
validation_score	None

visits	3
parent_id	0
child_ids	[8, 12]

Error Message:

stderr:

==> WARNING: A newer version of conda exists. <==

current version: 25.11.0

latest version: 26.3.2

Please update conda by running

\$ conda update -n base -c conda-forge conda

Using Python 3.11.15 environment at: 30-basic_prompt/node_3/conda_env

Resolved 237 packages in 1.03s

Uninstalled 1 package in 1.53s

Installed 235 packages in 51.34s

+ absl-py==2.4.0

+ accelerate==1.13.0

+ adagio==0.2.6

+ aiohappyeyeballs==2.6.1

+ aiohttp==3.13.5

+ aiohttp-cors==0.8.1

+ aiosignal==1.4.0

+ alembic==1.18.4

+ annotated-doc==0.0.4

+ annotated-types==0.7.0

+ antlr4-python3-runtime==4.9.3

+ attrs==26.1.0

+ autogluon==1.5.1b20260430

+ autogluon-common==1.5.1b20260430

+ autogluon-core==1.5.1b20260430

+ autogluon-features==1.5.1b20260430

+ autogluon-multimodal==1.5.1b20260430

+ autogluon-tabular==1.5.1b20260430

+ autogluon-timeseries==1.5.1b20260430

+ beartype==0.22.9

+ beautifulsoup4==4.14.3

+ blis==1.3.3

+ boto3==1.43.1

+ botocore==1.43.1

+ catalogue==2.0.10

+ catboost==1.2.10

+ certifi==2026.4.22

+ cffi==2.0.0

- + chardet==7.4.3
- + charset-normalizer==3.4.7
- + chronos-forecasting==2.2.2
- + click==8.3.3
- + cloudpathlib==0.24.0
- + cloudpickle==3.1.2
- + colorama==0.4.6
- + colorful==0.6.0a1
- + colorlog==6.10.1
- + confection==1.3.3
- + contourpy==1.3.3
- + coreforecast==0.0.16
- + cryptography==47.0.0
- + cycler==0.12.1
- + cymem==2.0.13
- + datasets==4.0.0
- + defusedxml==0.7.1
- + dill==0.3.8
- + distlib==0.4.0
- + einops==0.8.2
- + einx==0.4.3
- + evaluate==0.4.6
- + fastai==2.8.5
- + fastcore==1.8.18
- + fastdownload==0.0.7
- + fastprogress==1.0.5
- + fasttransform==0.0.2
- + filelock==3.29.0
- + fonttools==4.62.1
- + frozendict==2.4.7
- + frozenlist==1.8.0
- + fsspec==2025.3.0
- + fugue==0.9.7
- + future==1.0.0
- + gdown==6.0.0
- + gluonts==0.16.2
- + google-api-core==2.30.3
- + google-auth==2.50.0
- + googleapis-common-protos==1.74.0
- + graphviz==0.21
- + grpcio==1.80.0
- + hf-xet==1.5.0.dev3
- + httpx==1.0.dev3
- + huggingface-hub==0.36.2
- + hyperopt==0.2.7

+ idna==3.1... [truncated, 6545 chars total]

Error Analysis:

ERROR_SUMMARY: The script raises a FileNotFoundError because it expects a test CSV file (with a filename starting with "test" and ending with ".csv") in the data directory (/home/anri21/be-fair/mlzero/basic_prompt_data), but no such file is present. As a result, the script cannot proceed to load or predict on the test data.

SUGGESTED_FIX:

Check the /home/anri21/be-fair/mlzero/basic_prompt_data directory and ensure that a test CSV file (e.g., test.csv or test_data.csv) exists and follows the expected naming convention. If the test file is missing, create or copy the appropriate test CSV file into this directory before rerunning the script.

Node 4 (debug)

Property	Value
uct_value	0.9261
ctime	2026-05-01 11:22:50
debug_attempts	3
depth	2
execution_time	0.0
expected_child_count	0
exploitation	0.0
exploration	1.2684446626418298
failure_penalty	-0.0
failure_visits	3
id	4
is_debug_successful	✗
is_leaf	✗
is_successful	✗
is_terminal	✓
normalized_failure_visit	0
num_children	2
prev_tutorial_prompt	None
stage	debug
time_step	4
tool_used	machine learning
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_contribution	0.0
validated_reward	0.0
validated_visits	0
validation_score	None

visits	3
parent_id	1
child_ids	[10, 15]

Error Message:

stderr:

==> WARNING: A newer version of conda exists. <==

current version: 25.11.0

latest version: 26.3.2

Please update conda by running

\$ conda update -n base -c conda-forge conda

warning: Requirements file `~/home/anri21/.conda/envs/mlzero\_env/lib/python3.12/site-packages/autogluon/assistant/tools\_registry/machine learning/requirements.txt` does not contain any dependencies

Using Python 3.11.15 environment at: 30-basic_prompt/node_4/conda_env

Resolved 79 packages in 310ms

Uninstalled 1 package in 1.59s

Installed 78 packages in 32.23s

+ aiohappyeyeballs==2.6.1

+ aiohttp==3.13.5

+ aiosignal==1.4.0

+ annotated-doc==0.0.4

+ annotated-types==0.7.0

+ anyio==4.13.0

+ attrs==26.1.0

+ certifi==2026.4.22

+ chardet==7.4.3

+ charset-normalizer==3.4.7

+ click==8.3.3

+ cuda-bindings==13.2.0

+ cuda-pathfinder==1.5.4

+ cuda-toolkit==13.0.2

+ datasets==4.8.5

+ dill==0.4.1

+ filelock==3.29.0

+ frozenlist==1.8.0

+ fsspec==2026.2.0

+ h11==0.16.0

+ hf-xet==1.5.0.dev3

+ httpcore==1.0.9

+ httpx==0.28.1

+ huggingface-hub==1.13.0

+ idna==3.13

+ jinja2==3.1.6

```
+ markdown-it-py==4.0.0
+ markupsafe==3.0.3
+ mdurl==0.1.2
+ mpmath==1.3.0
+ multidict==6.7.1
+ multiprocessing==0.70.19
+ networkx==3.6.1
+ numpy==2.4.4
+ nvidia-cublas==13.1.0.3
+ nvidia-cuda-cupti==13.0.85
+ nvidia-cuda-nvrtc==13.0.88
+ nvidia-cuda-runtime==13.0.96
+ nvidia-cudnn-cu13==9.19.0.56
+ nvidia-cufft==12.0.0.61
+ nvidia-cufile==1.15.1.6
+ nvidia-curand==10.4.0.35
+ nvidia-cusolver==12.0.4.66
+ nvidia-cusparselt-cu13==0.8.0
+ nvidia-nccl-cu13==2.28.9
+ nvidia-nvjitlink==13.0.88
+ nvidia-nvshmem-cu13==3.4.5
+ nvidia-nvtx==13.0.85
+ opencv-python==4.13.0.92
+ pandas==3.0.2
+ pillow==12.2.0
+ propcache==0.4.1
+ pyarrow==24.0.0
+ pydantic==2.13.3
+ pydantic-core==2.46.3
+ pygments==2.20.0
+ python-calamine==0.6.2
+ python-dateutil==2.9.0.post0
+ pytz==2026.1.post1
+ pyyaml==6.0.3
+ requests==2.33.1
+ rich==15.0.0
- setuptools==... [truncated, 2848 chars total]
```

Error Analysis:

ERROR_SUMMARY: The error occurs because the Python script expects a test CSV file (with a filename starting with "test" and ending with ".csv") in the data directory (/home/anri21/be-fair/mlzero/basic_prompt_data), but no such file exists. As a result, the script raises a FileNotFoundError and halts execution before any model training or prediction can proceed.

SUGGESTED_FIX: Check the /home/anri21/be-fair/mlzero/basic_prompt_data directory and ensure that a test CSV file (e.g., test.csv) is present and named correctly

(filename must start with "test" and end with ".csv"). If the test file is missing, create or copy the appropriate test CSV file into this directory before rerunning the script.

Node 5 (debug)

Property	Value
uct_value	1.3384
ctime	2026-05-01 11:26:06
debug_attempts	3
depth	2
execution_time	0.0
expected_child_count	0
exploitation	0.0
exploration	1.664857771836881
failure_penalty	-0.0
failure_visits	2
id	5
is_debug_successful	✗
is_leaf	✗
is_successful	✗
is_terminal	✓
normalized_failure_visit	0
num_children	1
prev_tutorial_prompt	None
stage	debug
time_step	5
tool_used	autogluon.multimodal
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_contribution	0.0
validated_reward	0.0
validated_visits	0
validation_score	None

visits	2
parent_id	0
child_ids	[9]

Error Message:

stderr:

==> WARNING: A newer version of conda exists. <==

current version: 25.11.0

latest version: 26.3.2

Please update conda by running

\$ conda update -n base -c conda-forge conda

Using Python 3.11.15 environment at: 30-basic_prompt/node_5/conda_env

Resolved 237 packages in 980ms

Uninstalled 1 package in 1.58s

Installed 235 packages in 43.94s

+ absl-py==2.4.0

+ accelerate==1.13.0

+ adagio==0.2.6

+ aiohappyeyeballs==2.6.1

+ aiohttp==3.13.5

+ aiohttp-cors==0.8.1

+ aiosignal==1.4.0

+ alembic==1.18.4

+ annotated-doc==0.0.4

+ annotated-types==0.7.0

+ antlr4-python3-runtime==4.9.3

+ attrs==26.1.0

+ autogluon==1.5.1b20260430

+ autogluon-common==1.5.1b20260430

+ autogluon-core==1.5.1b20260430

+ autogluon-features==1.5.1b20260430

+ autogluon-multimodal==1.5.1b20260430

+ autogluon-tabular==1.5.1b20260430

+ autogluon-timeseries==1.5.1b20260430

+ beartype==0.22.9

+ beautifulsoup4==4.14.3

+ blis==1.3.3

+ boto3==1.43.1

+ botocore==1.43.1

+ catalogue==2.0.10

+ catboost==1.2.10

+ certifi==2026.4.22

+ cffi==2.0.0

- + chardet==7.4.3
- + charset-normalizer==3.4.7
- + chronos-forecasting==2.2.2
- + click==8.3.3
- + cloudpathlib==0.24.0
- + cloudpickle==3.1.2
- + colorama==0.4.6
- + colorful==0.6.0a1
- + colorlog==6.10.1
- + confection==1.3.3
- + contourpy==1.3.3
- + coreforecast==0.0.16
- + cryptography==47.0.0
- + cycler==0.12.1
- + cymem==2.0.13
- + datasets==4.0.0
- + defusedxml==0.7.1
- + dill==0.3.8
- + distlib==0.4.0
- + einops==0.8.2
- + einx==0.4.3
- + evaluate==0.4.6
- + fastai==2.8.5
- + fastcore==1.8.18
- + fastdownload==0.0.7
- + fastprogress==1.0.5
- + fasttransform==0.0.2
- + filelock==3.29.0
- + fonttools==4.62.1
- + frozendict==2.4.7
- + frozenlist==1.8.0
- + fsspec==2025.3.0
- + fugue==0.9.7
- + future==1.0.0
- + gdown==6.0.0
- + gluonts==0.16.2
- + google-api-core==2.30.3
- + google-auth==2.50.0
- + googleapis-common-protos==1.74.0
- + graphviz==0.21
- + grpcio==1.80.0
- + hf-xet==1.5.0.dev3
- + httpx==1.0.dev3
- + huggingface-hub==0.36.2
- + hyperopt==0.2.7

+ idna==3.1... [truncated, 6550 chars total]

Error Analysis:

ERROR_SUMMARY: The script failed with a `FileNotFoundError` because it expects a test CSV file (with a filename starting with "test" and ending with ".csv") in the data directory (`/home/anri21/be-fair/mlzero/basic\_prompt\_data`), but no such file was found. The code explicitly searches for this file and raises an error if it does not exist.

SUGGESTED_FIX:

Check the data directory to ensure that a test CSV file (e.g., `test.csv` or similar) is present and correctly named. If the test file is missing, add or generate the required test CSV file in the data directory, making sure its filename starts with "test" and ends with ".csv" so the script can detect and use it.

Node 6 (debug)

Property	Value
uct_value	1.3384
ctime	2026-05-01 11:29:46
debug_attempts	3
depth	2
execution_time	0.0
expected_child_count	0
exploitation	0.0
exploration	1.664857771836881
failure_penalty	-0.0
failure_visits	2
id	6
is_debug_successful	✗
is_leaf	✗
is_successful	✗
is_terminal	✓
normalized_failure_visit	0
num_children	1
prev_tutorial_prompt	None
stage	debug
time_step	6
tool_used	machine learning
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_contribution	0.0
validated_reward	0.0
validated_visits	0
validation_score	None

visits	2
parent_id	1
child_ids	[13]

Error Message:

stderr:

==> WARNING: A newer version of conda exists. <==

current version: 25.11.0

latest version: 26.3.2

Please update conda by running

\$ conda update -n base -c conda-forge conda

warning: Requirements file `~/home/anri21/.conda/envs/mlzero\_env/lib/python3.12/site-packages/autogluon/assistant/tools\_registry/machine learning/requirements.txt` does not contain any dependencies

Using Python 3.11.15 environment at: 30-basic_prompt/node_6/conda_env

Resolved 79 packages in 895ms

Uninstalled 1 package in 1.72s

Installed 78 packages in 31.03s

+ aiohappyeyeballs==2.6.1

+ aiohttp==3.13.5

+ aiosignal==1.4.0

+ annotated-doc==0.0.4

+ annotated-types==0.7.0

+ anyio==4.13.0

+ attrs==26.1.0

+ certifi==2026.4.22

+ chardet==7.4.3

+ charset-normalizer==3.4.7

+ click==8.3.3

+ cuda-bindings==13.2.0

+ cuda-pathfinder==1.5.4

+ cuda-toolkit==13.0.2

+ datasets==4.8.5

+ dill==0.4.1

+ filelock==3.29.0

+ frozenlist==1.8.0

+ fsspec==2026.2.0

+ h11==0.16.0

+ hf-xet==1.5.0.dev3

+ httpcore==1.0.9

+ httpx==0.28.1

+ huggingface-hub==1.13.0

+ idna==3.13

+ jinja2==3.1.6

```
+ markdown-it-py==4.0.0
+ markupsafe==3.0.3
+ mdurl==0.1.2
+ mpmath==1.3.0
+ multidict==6.7.1
+ multiprocessing==0.70.19
+ networkx==3.6.1
+ numpy==2.4.4
+ nvidia-cublas==13.1.0.3
+ nvidia-cuda-cupti==13.0.85
+ nvidia-cuda-nvrtc==13.0.88
+ nvidia-cuda-runtime==13.0.96
+ nvidia-cudnn-cu13==9.19.0.56
+ nvidia-cufft==12.0.0.61
+ nvidia-cufile==1.15.1.6
+ nvidia-curand==10.4.0.35
+ nvidia-cusolver==12.0.4.66
+ nvidia-cusparselt-cu13==0.8.0
+ nvidia-nccl-cu13==2.28.9
+ nvidia-nvjitlink==13.0.88
+ nvidia-nvshmem-cu13==3.4.5
+ nvidia-nvtx==13.0.85
+ opencv-python==4.13.0.92
+ pandas==3.0.2
+ pillow==12.2.0
+ propcache==0.4.1
+ pyarrow==24.0.0
+ pydantic==2.13.3
+ pydantic-core==2.46.3
+ pygments==2.20.0
+ python-calamine==0.6.2
+ python-dateutil==2.9.0.post0
+ pytz==2026.1.post1
+ pyyaml==6.0.3
+ requests==2.33.1
+ rich==15.0.0
- setuptools==... [truncated, 2846 chars total]
```

Error Analysis:

ERROR_SUMMARY: The error occurs because the Python script expects a test CSV file (with a name starting with "test" and ending with ".csv") in the data directory (/home/anri21/be-fair/mlzero/basic_prompt_data), but no such file is present. As a result, the script raises a FileNotFoundError and halts execution before any model training or prediction can occur.

SUGGESTED_FIX:

Check the `/home/anri21/be-fair/mlzero/basic_prompt_data` directory and ensure that a test CSV file (e.g., `test.csv`) exists and is named correctly (starts with "test" and ends with ".csv"). If the test file is missing, create or copy the appropriate test CSV file into this directory before rerunning the script.

Node 7 (debug)

Property	Value
uct_value	0.9261
ctime	2026-05-01 11:33:00
debug_attempts	3
depth	2
execution_time	0.0
expected_child_count	0
exploitation	0.0
exploration	1.2684446626418298
failure_penalty	-0.0
failure_visits	3
id	7
is_debug_successful	✗
is_leaf	✗
is_successful	✗
is_terminal	✓
normalized_failure_visit	0
num_children	2
prev_tutorial_prompt	None
stage	debug
time_step	7
tool_used	autogluon.tabular
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_contribution	0.0
validated_reward	0.0
validated_visits	0
validation_score	None

visits	3
parent_id	2
child_ids	[16, 17]

Error Message:

stderr:

==> WARNING: A newer version of conda exists. <==

current version: 25.11.0

latest version: 26.3.2

Please update conda by running

\$ conda update -n base -c conda-forge conda

Using Python 3.11.15 environment at: 30-basic_prompt/node_7/conda_env

Resolved 241 packages in 1.03s

Uninstalled 1 package in 1.61s

Installed 239 packages in 45.51s

+ absl-py==2.4.0

+ accelerate==1.13.0

+ adagio==0.2.6

+ aiohappyeyeballs==2.6.1

+ aiohttp==3.13.5

+ aiohttp-cors==0.8.1

+ aiosignal==1.4.0

+ alembic==1.18.4

+ annotated-doc==0.0.4

+ annotated-types==0.7.0

+ antlr4-python3-runtime==4.9.3

+ attrs==26.1.0

+ autogluon==1.5.1b20260430

+ autogluon-common==1.5.1b20260430

+ autogluon-core==1.5.1b20260430

+ autogluon-features==1.5.1b20260430

+ autogluon-multimodal==1.5.1b20260430

+ autogluon-tabular==1.5.1b20260430

+ autogluon-timeseries==1.5.1b20260430

+ beartype==0.22.9

+ beautifulsoup4==4.14.3

+ blis==1.3.3

+ boto3==1.43.1

+ botocore==1.43.1

+ catalogue==2.0.10

+ catboost==1.2.10

+ certifi==2026.4.22

+ cffi==2.0.0

- + chardet==7.4.3
- + charset-normalizer==3.4.7
- + chronos-forecasting==2.2.2
- + click==8.3.3
- + cloudpathlib==0.24.0
- + cloudpickle==3.1.2
- + colorama==0.4.6
- + colorful==0.6.0a1
- + colorlog==6.10.1
- + confection==1.3.3
- + contourpy==1.3.3
- + coreforecast==0.0.16
- + cryptography==47.0.0
- + cycler==0.12.1
- + cymem==2.0.13
- + daal==2025.9.0
- + datasets==4.0.0
- + defusedxml==0.7.1
- + dill==0.3.8
- + distlib==0.4.0
- + einops==0.8.2
- + einx==0.4.3
- + evaluate==0.4.6
- + fastai==2.8.5
- + fastcore==1.8.18
- + fastdownload==0.0.7
- + fastprogress==1.0.5
- + fasttransform==0.0.2
- + filelock==3.29.0
- + fonttools==4.62.1
- + frozendict==2.4.7
- + frozenlist==1.8.0
- + fsspec==2025.3.0
- + fugue==0.9.7
- + future==1.0.0
- + gdown==6.0.0
- + gluonts==0.16.2
- + google-api-core==2.30.3
- + google-auth==2.50.0
- + googleapis-common-protos==1.74.0
- + graphviz==0.21
- + grpcio==1.80.0
- + hf-xet==1.5.0.dev3
- + httpx==1.0.dev3
- + huggingface-hub==0.36.2

+ hyperopt==... [truncated, 6239 chars total]

Error Analysis:

ERROR_SUMMARY: The Python script failed because it could not find a test CSV file in the data directory (/home/anri21/be-fair/mlzero/basic_prompt_data) whose filename starts with "test" and ends with ".csv". The code explicitly raises a FileNotFoundError if such a file is not present, which halted execution.

SUGGESTED_FIX: Check the data directory to ensure that a test CSV file (e.g., test.csv or test_set.csv) exists and is named correctly (filename must start with "test" and end with ".csv"). If the test file is missing, add or generate it; if it exists but is named differently, rename it to match the expected pattern.

Node 8 (debug)

Property	Value
uct_value	1.4821
ctime	2026-05-01 11:35:43
debug_attempts	2
depth	3
execution_time	0.0
expected_child_count	0
failure_visits	1
id	8
is_debug_successful	✗
is_leaf	✓
is_successful	✗
is_terminal	✓
num_children	0
prev_tutorial_prompt	None
stage	debug
time_step	8
tool_used	autogluon.multimodal
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_reward	0.0
validated_visits	0
validation_score	None
visits	1
parent_id	3
child_ids	[]

Error Message:

stderr:

==> WARNING: A newer version of conda exists. <==

current version: 25.11.0

latest version: 26.3.2

Please update conda by running

\$ conda update -n base -c conda-forge conda

Using Python 3.11.15 environment at: 30-basic_prompt/node_8/conda_env

Resolved 237 packages in 929ms

Uninstalled 1 package in 1.48s

Installed 235 packages in 54.39s

+ absl-py==2.4.0

+ accelerate==1.13.0

+ adagio==0.2.6

+ aiohappyeyeballs==2.6.1

+ aiohttp==3.13.5

+ aiohttp-cors==0.8.1

+ aiosignal==1.4.0

+ alembic==1.18.4

+ annotated-doc==0.0.4

+ annotated-types==0.7.0

+ antlr4-python3-runtime==4.9.3

+ attrs==26.1.0

+ autogluon==1.5.1b20260430

+ autogluon-common==1.5.1b20260430

+ autogluon-core==1.5.1b20260430

+ autogluon-features==1.5.1b20260430

+ autogluon-multimodal==1.5.1b20260430

+ autogluon-tabular==1.5.1b20260430

+ autogluon-timeseries==1.5.1b20260430

+ beartype==0.22.9

+ beautifulsoup4==4.14.3

+ blis==1.3.3

+ boto3==1.43.1

+ botocore==1.43.1

+ catalogue==2.0.10

+ catboost==1.2.10

+ certifi==2026.4.22

+ cffi==2.0.0

+ chardet==7.4.3

+ charset-normalizer==3.4.7

+ chronos-forecasting==2.2.2

+ click==8.3.3

+ cloudpathlib==0.24.0

+ cloudpickle==3.1.2

+ colorama==0.4.6

+ colorful==0.6.0a1

```
+ colorlog==6.10.1
+ confection==1.3.3
+ contourpy==1.3.3
+ coreforecast==0.0.16
+ cryptography==47.0.0
+ cycler==0.12.1
+ cymem==2.0.13
+ datasets==4.0.0
+ defusedxml==0.7.1
+ dill==0.3.8
+ distlib==0.4.0
+ einops==0.8.2
+ einx==0.4.3
+ evaluate==0.4.6
+ fastai==2.8.5
+ fastcore==1.8.18
+ fastdownload==0.0.7
+ fastprogress==1.0.5
+ fasttransform==0.0.2
+ filelock==3.29.0
+ fonttools==4.62.1
+ frozendict==2.4.7
+ frozenlist==1.8.0
+ fsspec==2025.3.0
+ fugue==0.9.7
+ future==1.0.0
+ gdown==6.0.0
+ gluonts==0.16.2
+ google-api-core==2.30.3
+ google-auth==2.50.0
+ googleapis-common-protos==1.74.0
+ graphviz==0.21
+ grpcio==1.80.0
+ hf-xet==1.5.0.dev3
+ httpx==1.0.dev3
+ huggingface-hub==0.36.2
+ hyperopt==0.2.7
+ idna==3.1... [truncated, 6548 chars total]
```

Error Analysis:

ERROR_SUMMARY: The script failed with a `FileNotFoundError` because it expects a test CSV file (whose name starts with "test" and ends with ".csv") in the data directory (`/home/anri21/be-fair/mlzero/basic\_prompt\_data`), but no such file was found. As a result, the script could not proceed to load or process test data for prediction.

SUGGESTED_FIX:

Check the data directory to ensure that a test CSV file (e.g., `test.csv` or similar) exists and is named appropriately (starts with "test" and ends with ".csv"). If the file is missing, obtain or generate the required test CSV file and place it in the data directory; if the file exists but is named differently, rename it to match the expected pattern.

Node 9 (debug)

Property	Value
uct_value	1.1772
ctime	2026-05-01 11:39:28
debug_attempts	3
depth	3
execution_time	0.0
expected_child_count	0
failure_visits	1
id	9
is_debug_successful	✗
is_leaf	✓
is_successful	✗
is_terminal	✓
num_children	0
prev_tutorial_prompt	None
stage	debug
time_step	9
tool_used	autogluon.multimodal
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_reward	0.0
validated_visits	0
validation_score	None
visits	1
parent_id	5
child_ids	[]

Error Message:

stderr:

==> WARNING: A newer version of conda exists. <==

current version: 25.11.0

latest version: 26.3.2

Please update conda by running

\$ conda update -n base -c conda-forge conda

Using Python 3.11.15 environment at: 30-basic_prompt/node_9/conda_env

Resolved 237 packages in 1.09s

Uninstalled 1 package in 1.62s

Installed 235 packages in 55.16s

+ absl-py==2.4.0

+ accelerate==1.13.0

+ adagio==0.2.6

+ aiohappyeyeballs==2.6.1

+ aiohttp==3.13.5

+ aiohttp-cors==0.8.1

+ aiosignal==1.4.0

+ alembic==1.18.4

+ annotated-doc==0.0.4

+ annotated-types==0.7.0

+ antlr4-python3-runtime==4.9.3

+ attrs==26.1.0

+ autogluon==1.5.1b20260430

+ autogluon-common==1.5.1b20260430

+ autogluon-core==1.5.1b20260430

+ autogluon-features==1.5.1b20260430

+ autogluon-multimodal==1.5.1b20260430

+ autogluon-tabular==1.5.1b20260430

+ autogluon-timeseries==1.5.1b20260430

+ beartype==0.22.9

+ beautifulsoup4==4.14.3

+ blis==1.3.3

+ boto3==1.43.1

+ botocore==1.43.1

+ catalogue==2.0.10

+ catboost==1.2.10

+ certifi==2026.4.22

+ cffi==2.0.0

+ chardet==7.4.3

+ charset-normalizer==3.4.7

+ chronos-forecasting==2.2.2

+ click==8.3.3

+ cloudpathlib==0.24.0

+ cloudpickle==3.1.2

+ colorama==0.4.6

+ colorful==0.6.0a1

+ colorlog==6.10.1
+ confection==1.3.3
+ contourpy==1.3.3
+ coreforecast==0.0.16
+ cryptography==47.0.0
+ cycler==0.12.1
+ cymem==2.0.13
+ datasets==4.0.0
+ defusedxml==0.7.1
+ dill==0.3.8
+ distlib==0.4.0
+ einops==0.8.2
+ einx==0.4.3
+ evaluate==0.4.6
+ fastai==2.8.5
+ fastcore==1.8.18
+ fastdownload==0.0.7
+ fastprogress==1.0.5
+ fasttransform==0.0.2
+ filelock==3.29.0
+ fonttools==4.62.1
+ frozendict==2.4.7
+ frozenlist==1.8.0
+ fsspec==2025.3.0
+ fugue==0.9.7
+ future==1.0.0
+ gdown==6.0.0
+ gluonts==0.16.2
+ google-api-core==2.30.3
+ google-auth==2.50.0
+ googleapis-common-protos==1.74.0
+ graphviz==0.21
+ grpcio==1.80.0
+ hf-xet==1.5.0.dev3
+ httpx==1.0.dev3
+ huggingface-hub==0.36.2
+ hyperopt==0.2.7
+ idna==3.1... [truncated, 6478 chars total]

Error Analysis:

ERROR_SUMMARY: The error occurred because the script expects a test CSV file (whose name starts with "test" and ends with ".csv") in the data directory, but no such file was found. As a result, a FileNotFoundError was raised before any model training or prediction could occur.

SUGGESTED_FIX: Ensure that a test CSV file (e.g., "test.csv") is present in the directory /home/anri21/be-fair/mlzero/basic_prompt_data. The file should be named so that it starts with "test" and ends with ".csv" (case-insensitive), and should contain the necessary columns (including image_name) for prediction. If you do not have a

test file, create a placeholder or copy the format from the training CSV, removing the label column if needed.

Node 10 (debug)

Property	Value
uct_value	1.4821
ctime	2026-05-01 11:43:20
debug_attempts	2
depth	3
execution_time	0.0
expected_child_count	0
failure_visits	1
id	10
is_debug_successful	✗
is_leaf	✓
is_successful	✗
is_terminal	✓
num_children	0
prev_tutorial_prompt	None
stage	debug
time_step	10
tool_used	machine learning
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_reward	0.0
validated_visits	0
validation_score	None
visits	1
parent_id	4
child_ids	[]

Error Message:

stderr:

==> WARNING: A newer version of conda exists. <==

current version: 25.11.0

latest version: 26.3.2

Please update conda by running

\$ conda update -n base -c conda-forge conda

warning: Requirements file `~/home/anri21/.conda/envs/mlzero\_env/lib/python3.12/site-packages/autogluon/assistant/tools\_registry/machine learning/requirements.txt` does not contain any dependencies

Using Python 3.11.15 environment at: 30-basic_prompt/node_10/conda_env

Resolved 79 packages in 355ms

Uninstalled 1 package in 1.83s

Installed 78 packages in 38.98s

+ aiohappyeyeballs==2.6.1

+ aiohttp==3.13.5

+ aiosignal==1.4.0

+ annotated-doc==0.0.4

+ annotated-types==0.7.0

+ anyio==4.13.0

+ attrs==26.1.0

+ certifi==2026.4.22

+ chardet==7.4.3

+ charset-normalizer==3.4.7

+ click==8.3.3

+ cuda-bindings==13.2.0

+ cuda-pathfinder==1.5.4

+ cuda-toolkit==13.0.2

+ datasets==4.8.5

+ dill==0.4.1

+ filelock==3.29.0

+ frozenlist==1.8.0

+ fsspec==2026.2.0

+ h11==0.16.0

+ hf-xet==1.5.0.dev3

+ httpcore==1.0.9

+ httpx==0.28.1

+ huggingface-hub==1.13.0

+ idna==3.13

+ jinja2==3.1.6

+ markdown-it-py==4.0.0

+ markupsafe==3.0.3

+ mdurl==0.1.2

+ mpmath==1.3.0

+ multidict==6.7.1

+ multiprocessing==0.70.19

+ networkx==3.6.1

+ numpy==2.4.4

```
+ nvidia-cublas==13.1.0.3
+ nvidia-cuda-cupti==13.0.85
+ nvidia-cuda-nvrtc==13.0.88
+ nvidia-cuda-runtime==13.0.96
+ nvidia-cudnn-cu13==9.19.0.56
+ nvidia-cufft==12.0.0.61
+ nvidia-cufile==1.15.1.6
+ nvidia-curand==10.4.0.35
+ nvidia-cusolver==12.0.4.66
+ nvidia-cusparselt-cu13==0.8.0
+ nvidia-cusparse==12.6.3.3
+ nvidia-nccl-cu13==2.28.9
+ nvidia-nvjitlink==13.0.88
+ nvidia-nvshmem-cu13==3.4.5
+ nvidia-nvtx==13.0.85
+ opencv-python==4.13.0.92
+ pandas==3.0.2
+ pillow==12.2.0
+ propcache==0.4.1
+ pyarrow==24.0.0
+ pydantic==2.13.3
+ pydantic-core==2.46.3
+ pygments==2.20.0
+ python-calamine==0.6.2
+ python-dateutil==2.9.0.post0
+ pytz==2026.1.post1
+ pyyaml==6.0.3
+ requests==2.33.1
+ rich==15.0.0
- setuptools=... [truncated, 2729 chars total]
```

Error Analysis:

ERROR_SUMMARY: The error occurs because the Python environment does not have the autogluon package installed, resulting in ModuleNotFoundError: No module named 'autogluon' when attempting to import MultiModalPredictor. The requirements file referenced in your setup does not specify autogluon as a dependency, so it is not installed during environment setup.

SUGGESTED_FIX: Manually install the autogluon package in your conda environment before running the script by executing `pip install autogluon.multimodal`. Additionally, ensure that your requirements files explicitly include `autogluon.multimodal` to avoid this issue in future automated setups.

Node 11 (debug)

Property	Value
uct_value	1.3384
ctime	2026-05-01 11:46:17
debug_attempts	3
depth	2
execution_time	0.0
expected_child_count	0
exploitation	0.0
exploration	1.482079962591042
failure_penalty	-0.0
failure_visits	2
id	11
is_debug_successful	✗
is_leaf	✗
is_successful	✗
is_terminal	✓
normalized_failure_visit	0
num_children	1
prev_tutorial_prompt	None
stage	debug
time_step	11
tool_used	autogluon.tabular
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_contribution	0.0
validated_reward	0.0
validated_visits	0
validation_score	None

visits	2
parent_id	2
child_ids	[14]

Error Message:

stderr:

==> WARNING: A newer version of conda exists. <==

current version: 25.11.0

latest version: 26.3.2

Please update conda by running

\$ conda update -n base -c conda-forge conda

Using Python 3.11.15 environment at: 30-basic_prompt/node_11/conda_env

Resolved 241 packages in 1.02s

Uninstalled 1 package in 1.54s

Installed 239 packages in 1m 00s

+ absl-py==2.4.0

+ accelerate==1.13.0

+ adagio==0.2.6

+ aiohappyeyeballs==2.6.1

+ aiohttp==3.13.5

+ aiohttp-cors==0.8.1

+ aiosignal==1.4.0

+ alembic==1.18.4

+ annotated-doc==0.0.4

+ annotated-types==0.7.0

+ antlr4-python3-runtime==4.9.3

+ attrs==26.1.0

+ autogluon==1.5.1b20260501

+ autogluon-common==1.5.1b20260501

+ autogluon-core==1.5.1b20260501

+ autogluon-features==1.5.1b20260501

+ autogluon-multimodal==1.5.1b20260501

+ autogluon-tabular==1.5.1b20260501

+ autogluon-timeseries==1.5.1b20260501

+ beartype==0.22.9

+ beautifulsoup4==4.14.3

+ blis==1.3.3

+ boto3==1.43.1

+ botocore==1.43.1

+ catalogue==2.0.10

+ catboost==1.2.10

+ certifi==2026.4.22

+ cffi==2.0.0

- + chardet==7.4.3
- + charset-normalizer==3.4.7
- + chronos-forecasting==2.2.2
- + click==8.3.3
- + cloudpathlib==0.24.0
- + cloudpickle==3.1.2
- + colorama==0.4.6
- + colorful==0.6.0a1
- + colorlog==6.10.1
- + confection==1.3.3
- + contourpy==1.3.3
- + coreforecast==0.0.16
- + cryptography==47.0.0
- + cycler==0.12.1
- + cymem==2.0.13
- + daal==2025.9.0
- + datasets==4.0.0
- + defusedxml==0.7.1
- + dill==0.3.8
- + distlib==0.4.0
- + einops==0.8.2
- + einx==0.4.3
- + evaluate==0.4.6
- + fastai==2.8.5
- + fastcore==1.8.18
- + fastdownload==0.0.7
- + fastprogress==1.0.5
- + fasttransform==0.0.2
- + filelock==3.29.0
- + fonttools==4.62.1
- + frozendict==2.4.7
- + frozenlist==1.8.0
- + fsspec==2025.3.0
- + fugue==0.9.7
- + future==1.0.0
- + gdown==6.0.0
- + gluonts==0.16.2
- + google-api-core==2.30.3
- + google-auth==2.50.0
- + googleapis-common-protos==1.74.0
- + graphviz==0.21
- + grpcio==1.80.0
- + hf-xet==1.5.0.dev3
- + httpx==1.0.dev3
- + huggingface-hub==0.36.2

+ hyperopt=... [truncated, 6285 chars total]

Error Analysis:

ERROR_SUMMARY: The error occurs because the code expects a test CSV file (with a filename starting with "test" and ending with ".csv") in the data directory (/home/anri21/be-fair/mlzero/basic_prompt_data), but no such file is present. As a result, the script raises a FileNotFoundError and halts before any model training or prediction.

SUGGESTED_FIX: Check the /home/anri21/be-fair/mlzero/basic_prompt_data directory and ensure that a test CSV file (e.g., test.csv) exists with the appropriate structure. If the test file is missing, create or copy it into the directory, making sure its filename starts with "test" and ends with ".csv" so the script can detect and use it.

Node 12 (debug)

Property	Value
uct_value	1.4821
ctime	2026-05-01 11:49:10
debug_attempts	3
depth	3
execution_time	0.0
expected_child_count	0
failure_visits	1
id	12
is_debug_successful	✗
is_leaf	✓
is_successful	✗
is_terminal	✓
num_children	0
prev_tutorial_prompt	None
stage	debug
time_step	12
tool_used	autogluon.multimodal
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_reward	0.0
validated_visits	0
validation_score	None
visits	1
parent_id	3
child_ids	[]

Error Message:

stderr:

==> WARNING: A newer version of conda exists. <==

current version: 25.11.0

latest version: 26.3.2

Please update conda by running

\$ conda update -n base -c conda-forge conda

Using Python 3.11.15 environment at: 30-basic_prompt/node_12/conda_env

Resolved 237 packages in 923ms

Uninstalled 1 package in 1.59s

Installed 235 packages in 53.36s

+ absl-py==2.4.0

+ accelerate==1.13.0

+ adagio==0.2.6

+ aiohappyeyeballs==2.6.1

+ aiohttp==3.13.5

+ aiohttp-cors==0.8.1

+ aiosignal==1.4.0

+ alembic==1.18.4

+ annotated-doc==0.0.4

+ annotated-types==0.7.0

+ antlr4-python3-runtime==4.9.3

+ attrs==26.1.0

+ autogluon==1.5.1b20260501

+ autogluon-common==1.5.1b20260501

+ autogluon-core==1.5.1b20260501

+ autogluon-features==1.5.1b20260501

+ autogluon-multimodal==1.5.1b20260501

+ autogluon-tabular==1.5.1b20260501

+ autogluon-timeseries==1.5.1b20260501

+ beartype==0.22.9

+ beautifulsoup4==4.14.3

+ blis==1.3.3

+ boto3==1.43.1

+ botocore==1.43.1

+ catalogue==2.0.10

+ catboost==1.2.10

+ certifi==2026.4.22

+ cffi==2.0.0

+ chardet==7.4.3

+ charset-normalizer==3.4.7

+ chronos-forecasting==2.2.2

+ click==8.3.3

+ cloudpathlib==0.24.0

+ cloudpickle==3.1.2

+ colorama==0.4.6

+ colorful==0.6.0a1

+ colorlog==6.10.1
+ confection==1.3.3
+ contourpy==1.3.3
+ coreforecast==0.0.16
+ cryptography==47.0.0
+ cycler==0.12.1
+ cymem==2.0.13
+ datasets==4.0.0
+ defusedxml==0.7.1
+ dill==0.3.8
+ distlib==0.4.0
+ einops==0.8.2
+ einx==0.4.3
+ evaluate==0.4.6
+ fastai==2.8.5
+ fastcore==1.8.18
+ fastdownload==0.0.7
+ fastprogress==1.0.5
+ fasttransform==0.0.2
+ filelock==3.29.0
+ fonttools==4.62.1
+ frozendict==2.4.7
+ frozenlist==1.8.0
+ fsspec==2025.3.0
+ fugue==0.9.7
+ future==1.0.0
+ gdown==6.0.0
+ gluonts==0.16.2
+ google-api-core==2.30.3
+ google-auth==2.50.0
+ googleapis-common-protos==1.74.0
+ graphviz==0.21
+ grpcio==1.80.0
+ hf-xet==1.5.0.dev3
+ httpx==1.0.dev3
+ huggingface-hub==0.36.2
+ hyperopt==0.2.7
+ idna==3.... [truncated, 6558 chars total]

Error Analysis:

ERROR_SUMMARY: The script failed because it could not find a test CSV file in the data directory (/home/anri21/be-fair/mlzero/basic_prompt_data) whose filename starts with "test" and ends with ".csv". The code explicitly searches for such a file and raises a FileNotFoundError if none is found.

SUGGESTED_FIX: Check the /home/anri21/be-fair/mlzero/basic_prompt_data directory and ensure that a test CSV file (e.g., test.csv or test_data.csv) exists with the expected format. If the test file is missing, add it; if it is named differently, rename it so that its filename starts with "test" and ends with ".csv".

Node 13 (debug)

Property	Value
uct_value	1.1772
ctime	2026-05-01 11:53:00
debug_attempts	3
depth	3
execution_time	0.0
expected_child_count	0
failure_visits	1
id	13
is_debug_successful	✗
is_leaf	✓
is_successful	✗
is_terminal	✓
num_children	0
prev_tutorial_prompt	None
stage	debug
time_step	13
tool_used	machine learning
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_reward	0.0
validated_visits	0
validation_score	None
visits	1
parent_id	6
child_ids	[]

Error Message:

stderr:

==> WARNING: A newer version of conda exists. <==

current version: 25.11.0

latest version: 26.3.2

Please update conda by running

\$ conda update -n base -c conda-forge conda

warning: Requirements file `~/home/anri21/.conda/envs/mlzero\_env/lib/python3.12/site-packages/autogluon/assistant/tools\_registry/machine learning/requirements.txt` does not contain any dependencies

Using Python 3.11.15 environment at: 30-basic_prompt/node_13/conda_env

Resolved 79 packages in 342ms

Uninstalled 1 package in 1.64s

Installed 78 packages in 33.43s

+ aiohappyeyeballs==2.6.1

+ aiohttp==3.13.5

+ aiosignal==1.4.0

+ annotated-doc==0.0.4

+ annotated-types==0.7.0

+ anyio==4.13.0

+ attrs==26.1.0

+ certifi==2026.4.22

+ chardet==7.4.3

+ charset-normalizer==3.4.7

+ click==8.3.3

+ cuda-bindings==13.2.0

+ cuda-pathfinder==1.5.4

+ cuda-toolkit==13.0.2

+ datasets==4.8.5

+ dill==0.4.1

+ filelock==3.29.0

+ frozenlist==1.8.0

+ fsspec==2026.2.0

+ h11==0.16.0

+ hf-xet==1.5.0.dev3

+ httpcore==1.0.9

+ httpx==0.28.1

+ huggingface-hub==1.13.0

+ idna==3.13

+ jinja2==3.1.6

+ markdown-it-py==4.0.0

+ markupsafe==3.0.3

+ mdurl==0.1.2

+ mpmath==1.3.0

+ multidict==6.7.1

+ multiprocessing==0.70.19

+ networkx==3.6.1

+ numpy==2.4.4

```
+ nvidia-cublas==13.1.0.3
+ nvidia-cuda-cupti==13.0.85
+ nvidia-cuda-nvrtc==13.0.88
+ nvidia-cuda-runtime==13.0.96
+ nvidia-cudnn-cu13==9.19.0.56
+ nvidia-cufft==12.0.0.61
+ nvidia-cufile==1.15.1.6
+ nvidia-curand==10.4.0.35
+ nvidia-cusolver==12.0.4.66
+ nvidia-cusparselt-cu13==0.8.0
+ nvidia-nccl-cu13==2.28.9
+ nvidia-nvjitlink==13.0.88
+ nvidia-nvshmem-cu13==3.4.5
+ nvidia-nvtx==13.0.85
+ opencv-python==4.13.0.92
+ pandas==3.0.2
+ pillow==12.2.0
+ propcache==0.4.1
+ pyarrow==24.0.0
+ pydantic==2.13.3
+ pydantic-core==2.46.3
+ pygments==2.20.0
+ python-calamine==0.6.2
+ python-dateutil==2.9.0.post0
+ pytz==2026.1.post1
+ pyyaml==6.0.3
+ requests==2.33.1
+ rich==15.0.0
- setuptools=... [truncated, 2822 chars total]
```

Error Analysis:

ERROR_SUMMARY: The Python script failed with a FileNotFoundError because it expects a test CSV file (with a filename starting with "test" and ending with ".csv") in the data directory (/home/anri21/be-fair/mlzero/basic_prompt_data), but no such file was found. The script searches for this file to generate predictions, and raises an error if it is missing.

SUGGESTED_FIX: Check the data directory to ensure that a test CSV file (e.g., test.csv or test_set.csv) exists and is named appropriately. If the file is missing, create or copy the required test CSV file into the data directory, making sure its filename starts with "test" and ends with ".csv" so the script can detect it.

Node 14 (debug)

Property	Value
uct_value	1.1772
ctime	2026-05-01 11:56:20
debug_attempts	3
depth	3
execution_time	0.0
expected_child_count	0
failure_visits	1
id	14
is_debug_successful	✗
is_leaf	✓
is_successful	✗
is_terminal	✓
num_children	0
prev_tutorial_prompt	None
stage	debug
time_step	14
tool_used	autogluon.tabular
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_reward	0.0
validated_visits	0
validation_score	None
visits	1
parent_id	11
child_ids	[]

Error Message:

stderr:

==> WARNING: A newer version of conda exists. <==

current version: 25.11.0

latest version: 26.3.2

Please update conda by running

\$ conda update -n base -c conda-forge conda

Using Python 3.11.15 environment at: 30-basic_prompt/node_14/conda_env

Resolved 241 packages in 1.02s

Uninstalled 1 package in 1.58s

Installed 239 packages in 1m 00s

+ absl-py==2.4.0

+ accelerate==1.13.0

+ adagio==0.2.6

+ aiohappyeyeballs==2.6.1

+ aiohttp==3.13.5

+ aiohttp-cors==0.8.1

+ aiosignal==1.4.0

+ alembic==1.18.4

+ annotated-doc==0.0.4

+ annotated-types==0.7.0

+ antlr4-python3-runtime==4.9.3

+ attrs==26.1.0

+ autogluon==1.5.1b20260501

+ autogluon-common==1.5.1b20260501

+ autogluon-core==1.5.1b20260501

+ autogluon-features==1.5.1b20260501

+ autogluon-multimodal==1.5.1b20260501

+ autogluon-tabular==1.5.1b20260501

+ autogluon-timeseries==1.5.1b20260501

+ beartype==0.22.9

+ beautifulsoup4==4.14.3

+ blis==1.3.3

+ boto3==1.43.1

+ botocore==1.43.1

+ catalogue==2.0.10

+ catboost==1.2.10

+ certifi==2026.4.22

+ cffi==2.0.0

+ chardet==7.4.3

+ charset-normalizer==3.4.7

+ chronos-forecasting==2.2.2

+ click==8.3.3

+ cloudpathlib==0.24.0

+ cloudpickle==3.1.2

+ colorama==0.4.6

+ colorful==0.6.0a1

```
+ colorlog==6.10.1
+ confection==1.3.3
+ contourpy==1.3.3
+ coreforecast==0.0.16
+ cryptography==47.0.0
+ cycler==0.12.1
+ cymem==2.0.13
+ daal==2025.9.0
+ datasets==4.0.0
+ defusedxml==0.7.1
+ dill==0.3.8
+ distlib==0.4.0
+ einops==0.8.2
+ einx==0.4.3
+ evaluate==0.4.6
+ fastai==2.8.5
+ fastcore==1.8.18
+ fastdownload==0.0.7
+ fastprogress==1.0.5
+ fasttransform==0.0.2
+ filelock==3.29.0
+ fonttools==4.62.1
+ frozendict==2.4.7
+ frozenlist==1.8.0
+ fsspec==2025.3.0
+ fugue==0.9.7
+ future==1.0.0
+ gdown==6.0.0
+ gluonts==0.16.2
+ google-api-core==2.30.3
+ google-auth==2.50.0
+ googleapis-common-protos==1.74.0
+ graphviz==0.21
+ grpcio==1.80.0
+ hf-xet==1.5.0.dev3
+ httpx==1.0.dev3
+ huggingface-hub==0.36.2
+ hyperopt=... [truncated, 6285 chars total]
```

Error Analysis:

ERROR_SUMMARY: The error occurs because the Python script expects a test CSV file (with a filename starting with "test" and ending with ".csv") in the data directory (/home/anri21/be-fair/mlzero/basic_prompt_data), but no such file is present. As a result, the script raises a FileNotFoundError and halts execution before any model training or prediction.

SUGGESTED_FIX:

Add a test CSV file to the data directory with a filename that starts with "test" and ends with ".csv" (e.g., "test.csv"), ensuring it has the same structure as the training CSV (at least the columns needed for prediction). If you do not have a test set, create a dummy test CSV with the required columns to allow the script to proceed.

Node 15 (debug)

Property	Value
uct_value	1.4821
ctime	2026-05-01 11:59:18
debug_attempts	3
depth	3
execution_time	0.0
expected_child_count	0
failure_visits	1
id	15
is_debug_successful	✗
is_leaf	✓
is_successful	✗
is_terminal	✓
num_children	0
prev_tutorial_prompt	None
stage	debug
time_step	15
tool_used	machine learning
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_reward	0.0
validated_visits	0
validation_score	None
visits	1
parent_id	4
child_ids	[]

Error Message:

```
stderr:
==> WARNING: A newer version of conda exists. <==
current version: 25.11.0
latest version: 26.3.2
Please update conda by running
$ conda update -n base -c conda-forge conda
warning: Requirements file `~/home/anri21/.conda/envs/mlzero_env/lib/python3.12/site-packages/autogluon/assistant/tools_registry/machine learning/requirements.txt`
does not contain any dependencies
Using Python 3.11.15 environment at: 30-basic_prompt/node_15/conda_env
Resolved 79 packages in 302ms
Uninstalled 1 package in 1.60s
Installed 78 packages in 55.32s
+ aiohappyeyeballs==2.6.1
+ aiohttp==3.13.5
+ aiosignal==1.4.0
+ annotated-doc==0.0.4
+ annotated-types==0.7.0
+ anyio==4.13.0
+ attrs==26.1.0
+ certifi==2026.4.22
+ chardet==7.4.3
+ charset-normalizer==3.4.7
+ click==8.3.3
+ cuda-bindings==13.2.0
+ cuda-pathfinder==1.5.4
+ cuda-toolkit==13.0.2
+ datasets==4.8.5
+ dill==0.4.1
+ filelock==3.29.0
+ frozenlist==1.8.0
+ fsspec==2026.2.0
+ h11==0.16.0
+ hf-xet==1.5.0.dev3
+ httpcore==1.0.9
+ httpx==0.28.1
+ huggingface-hub==1.13.0
+ idna==3.13
+ jinja2==3.1.6
+ markdown-it-py==4.0.0
+ markupsafe==3.0.3
+ mdurl==0.1.2
+ mpmath==1.3.0
+ multidict==6.7.1
+ multiprocessing==0.70.19
+ networkx==3.6.1
+ numpy==2.4.4
```

```
+ nvidia-cublas==13.1.0.3
+ nvidia-cuda-cupti==13.0.85
+ nvidia-cuda-nvrtc==13.0.88
+ nvidia-cuda-runtime==13.0.96
+ nvidia-cudnn-cu13==9.19.0.56
+ nvidia-cufft==12.0.0.61
+ nvidia-cufile==1.15.1.6
+ nvidia-curand==10.4.0.35
+ nvidia-cusolver==12.0.4.66
+ nvidia-cusparselt-cu13==0.8.0
+ nvidia-nccl-cu13==2.28.9
+ nvidia-nvjitlink==13.0.88
+ nvidia-nvshmem-cu13==3.4.5
+ nvidia-nvtx==13.0.85
+ opencv-python==4.13.0.92
+ pandas==3.0.2
+ pillow==12.2.0
+ propcache==0.4.1
+ pyarrow==24.0.0
+ pydantic==2.13.3
+ pydantic-core==2.46.3
+ pygments==2.20.0
+ python-calamine==0.6.2
+ python-dateutil==2.9.0.post0
+ pytz==2026.1.post1
+ pyyaml==6.0.3
+ requests==2.33.1
+ rich==15.0.0
- setuptools=... [truncated, 2845 chars total]
```

Error Analysis:

ERROR_SUMMARY: The error occurs because the Python script expects a test CSV file (with a filename starting with "test" and ending with ".csv") in the data directory (/home/anri21/be-fair/mlzero/basic_prompt_data), but no such file is present. As a result, the script raises a FileNotFoundError and halts execution before any model training or prediction can occur.

SUGGESTED_FIX:

Add a test CSV file to the data directory with a filename that starts with "test" and ends with ".csv" (e.g., "test.csv"). Ensure this file contains the necessary columns (including 'image_name') so the script can proceed with feature extraction and prediction.

Node 16 (debug)

Property	Value
uct_value	1.4821
ctime	2026-05-01 12:03:07
debug_attempts	2
depth	3
execution_time	0.0
expected_child_count	0
failure_visits	1
id	16
is_debug_successful	✗
is_leaf	✓
is_successful	✗
is_terminal	✓
num_children	0
prev_tutorial_prompt	None
stage	debug
time_step	16
tool_used	autogluon.tabular
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_reward	0.0
validated_visits	0
validation_score	None
visits	1
parent_id	7
child_ids	[]

Error Message:

stderr:

==> WARNING: A newer version of conda exists. <==

current version: 25.11.0

latest version: 26.3.2

Please update conda by running

\$ conda update -n base -c conda-forge conda

Using Python 3.11.15 environment at: 30-basic_prompt/node_16/conda_env

Resolved 241 packages in 1.00s

Uninstalled 1 package in 1.71s

Installed 239 packages in 50.81s

+ absl-py==2.4.0

+ accelerate==1.13.0

+ adagio==0.2.6

+ aiohappyeyeballs==2.6.1

+ aiohttp==3.13.5

+ aiohttp-cors==0.8.1

+ aiosignal==1.4.0

+ alembic==1.18.4

+ annotated-doc==0.0.4

+ annotated-types==0.7.0

+ antlr4-python3-runtime==4.9.3

+ attrs==26.1.0

+ autogluon==1.5.1b20260501

+ autogluon-common==1.5.1b20260501

+ autogluon-core==1.5.1b20260501

+ autogluon-features==1.5.1b20260501

+ autogluon-multimodal==1.5.1b20260501

+ autogluon-tabular==1.5.1b20260501

+ autogluon-timeseries==1.5.1b20260501

+ beartype==0.22.9

+ beautifulsoup4==4.14.3

+ blis==1.3.3

+ boto3==1.43.1

+ botocore==1.43.1

+ catalogue==2.0.10

+ catboost==1.2.10

+ certifi==2026.4.22

+ cffi==2.0.0

+ chardet==7.4.3

+ charset-normalizer==3.4.7

+ chronos-forecasting==2.2.2

+ click==8.3.3

+ cloudpathlib==0.24.0

+ cloudpickle==3.1.2

+ colorama==0.4.6

+ colorful==0.6.0a1

+ colorlog==6.10.1
+ confection==1.3.3
+ contourpy==1.3.3
+ coreforecast==0.0.16
+ cryptography==47.0.0
+ cycler==0.12.1
+ cymem==2.0.13
+ daal==2025.9.0
+ datasets==4.0.0
+ defusedxml==0.7.1
+ dill==0.3.8
+ distlib==0.4.0
+ einops==0.8.2
+ einx==0.4.3
+ evaluate==0.4.6
+ fastai==2.8.5
+ fastcore==1.8.18
+ fastdownload==0.0.7
+ fastprogress==1.0.5
+ fasttransform==0.0.2
+ filelock==3.29.0
+ fonttools==4.62.1
+ frozendict==2.4.7
+ frozenlist==1.8.0
+ fsspec==2025.3.0
+ fugue==0.9.7
+ future==1.0.0
+ gdown==6.0.0
+ gluonts==0.16.2
+ google-api-core==2.30.3
+ google-auth==2.50.0
+ googleapis-common-protos==1.74.0
+ graphviz==0.21
+ grpcio==1.80.0
+ hf-xet==1.5.0.dev3
+ httpx==1.0.dev3
+ huggingface-hub==0.36.2
+ hyperopt=... [truncated, 6217 chars total]

Error Analysis:

ERROR_SUMMARY: The code failed with a FileNotFoundError because it expects a test CSV file (filename starting with "test" and ending with ".csv") in the data directory (/home/anri21/be-fair/mlzero/basic_prompt_data), but no such file was found. The script searches for this file to generate predictions, and its absence causes the process to halt.

SUGGESTED_FIX: Check the /home/anri21/be-fair/mlzero/basic_prompt_data directory and ensure that a test CSV file (e.g., test.csv or test_data.csv) is present. If the

test file is missing, obtain or generate it according to the expected format; if it exists under a different name, rename it so that it starts with "test" and ends with ".csv".

Node 17 (debug)

Property	Value
uct_value	1.4821
ctime	2026-05-01 12:05:59
debug_attempts	3
depth	3
execution_time	0.0
expected_child_count	0
failure_visits	1
id	17
is_debug_successful	✗
is_leaf	✓
is_successful	✗
is_terminal	✓
num_children	0
prev_tutorial_prompt	None
stage	debug
time_step	17
tool_used	autogluon.tabular
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_reward	0.0
validated_visits	0
validation_score	None
visits	1
parent_id	7
child_ids	[]

Error Message:

stderr:

==> WARNING: A newer version of conda exists. <==

current version: 25.11.0

latest version: 26.3.2

Please update conda by running

\$ conda update -n base -c conda-forge conda

Using Python 3.11.15 environment at: 30-basic_prompt/node_17/conda_env

Resolved 241 packages in 1.04s

Uninstalled 1 package in 1.53s

Installed 239 packages in 1m 01s

+ absl-py==2.4.0

+ accelerate==1.13.0

+ adagio==0.2.6

+ aiohappyeyeballs==2.6.1

+ aiohttp==3.13.5

+ aiohttp-cors==0.8.1

+ aiosignal==1.4.0

+ alembic==1.18.4

+ annotated-doc==0.0.4

+ annotated-types==0.7.0

+ antlr4-python3-runtime==4.9.3

+ attrs==26.1.0

+ autogluon==1.5.1b20260501

+ autogluon-common==1.5.1b20260501

+ autogluon-core==1.5.1b20260501

+ autogluon-features==1.5.1b20260501

+ autogluon-multimodal==1.5.1b20260501

+ autogluon-tabular==1.5.1b20260501

+ autogluon-timeseries==1.5.1b20260501

+ beartype==0.22.9

+ beautifulsoup4==4.14.3

+ blis==1.3.3

+ boto3==1.43.1

+ botocore==1.43.1

+ catalogue==2.0.10

+ catboost==1.2.10

+ certifi==2026.4.22

+ cffi==2.0.0

+ chardet==7.4.3

+ charset-normalizer==3.4.7

+ chronos-forecasting==2.2.2

+ click==8.3.3

+ cloudpathlib==0.24.0

+ cloudpickle==3.1.2

+ colorama==0.4.6

+ colorful==0.6.0a1

+ colorlog==6.10.1
+ confection==1.3.3
+ contourpy==1.3.3
+ coreforecast==0.0.16
+ cryptography==47.0.0
+ cycler==0.12.1
+ cymem==2.0.13
+ daal==2025.9.0
+ datasets==4.0.0
+ defusedxml==0.7.1
+ dill==0.3.8
+ distlib==0.4.0
+ einops==0.8.2
+ einx==0.4.3
+ evaluate==0.4.6
+ fastai==2.8.5
+ fastcore==1.8.18
+ fastdownload==0.0.7
+ fastprogress==1.0.5
+ fasttransform==0.0.2
+ filelock==3.29.0
+ fonttools==4.62.1
+ frozendict==2.4.7
+ frozenlist==1.8.0
+ fsspec==2025.3.0
+ fugue==0.9.7
+ future==1.0.0
+ gdown==6.0.0
+ gluonts==0.16.2
+ google-api-core==2.30.3
+ google-auth==2.50.0
+ googleapis-common-protos==1.74.0
+ graphviz==0.21
+ grpcio==1.80.0
+ hf-xet==1.5.0.dev3
+ httpx==1.0.dev3
+ huggingface-hub==0.36.2
+ hyperopt=... [truncated, 6258 chars total]

Error Analysis:

ERROR_SUMMARY: The error occurs because the code expects a test CSV file (with a filename starting with "test" and ending with ".csv") in the data directory (/home/anri21/be-fair/mlzero/basic_prompt_data), but no such file is present. As a result, the script raises a FileNotFoundError and halts before any model training or prediction.

SUGGESTED_FIX: Check the /home/anri21/be-fair/mlzero/basic_prompt_data directory and ensure that a test CSV file (e.g., test.csv) exists and is named

appropriately (filename starts with "test" and ends with ".csv"). If the test file is missing, create or copy the required test CSV file into the data directory with the correct naming convention before rerunning the script.