

Node Structure Visualization


Click on any node in the tree to jump to its detailed information.

Total Nodes: 19 | No validation scores available

Node Tree:

Table of Contents:

Node ID	Stage	Status	Tool
>-1			
>0			autogluon.multimodal
>1			machine learning
>2			autogluon.tabular
>3			autogluon.multimodal
>4			machine learning
>5			autogluon.multimodal
>6			machine learning
>7			autogluon.tabular
>8			autogluon.multimodal
>9			autogluon.multimodal
>10			machine learning
>11			autogluon.tabular
>12			autogluon.multimodal
>13			machine learning
>14			autogluon.tabular
>15			machine learning
>16			autogluon.tabular
>17			autogluon.tabular



Status	Color
Success	Green
Failure	Red
Neutral	Blue

Node Details:

Node -1 (root)

Property	Value
uct_value	-0.4444
ctime	2026-05-01 12:06:39
debug_attempts	0
depth	0
execution_time	0.0
expected_child_count	0
failure_visits	18
id	-1
is_debug_successful	✗
is_leaf	✗
is_successful	✗
is_terminal	✓
num_children	3
prev_tutorial_prompt	None
stage	root
time_step	-1
tool_used	
tools_available	[]
unvalidated_visits	0
validated_reward	0.0
validated_visits	0
validation_score	None
visits	18
parent_id	None
child_ids	[0, 1, 2]

Node 0 (evolve)

Property	Value
uct_value	0.6481
ctime	2026-05-01 12:07:18
debug_attempts	2
depth	1
execution_time	0.0
expected_child_count	0
exploitation	-0.3
exploration	0.9968262051089475
failure_penalty	-0.3
failure_visits	6
id	0
is_debug_successful	✗
is_leaf	✗
is_successful	✗
is_terminal	✓
normalized_failure_visit	3
num_children	2
prev_tutorial_prompt	None
stage	evolve
time_step	0
tool_used	autogluon.multimodal
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_contribution	0.0
validated_reward	0.0
validated_visits	0
validation_score	None

visits	6
parent_id	-1
child_ids	[3, 5]

Error Message:

stderr:

==> WARNING: A newer version of conda exists. <==

current version: 25.11.0

latest version: 26.3.2

Please update conda by running

\$ conda update -n base -c conda-forge conda

Using Python 3.11.15 environment at: 33-basic_prompt/node_0/conda_env

Resolved 237 packages in 1.00s

Uninstalled 1 package in 1.54s

Installed 235 packages in 50.65s

+ absl-py==2.4.0

+ accelerate==1.13.0

+ adagio==0.2.6

+ aiohappyeyeballs==2.6.1

+ aiohttp==3.13.5

+ aiohttp-cors==0.8.1

+ aiosignal==1.4.0

+ alembic==1.18.4

+ annotated-doc==0.0.4

+ annotated-types==0.7.0

+ antlr4-python3-runtime==4.9.3

+ attrs==26.1.0

+ autogluon==1.5.1b20260501

+ autogluon-common==1.5.1b20260501

+ autogluon-core==1.5.1b20260501

+ autogluon-features==1.5.1b20260501

+ autogluon-multimodal==1.5.1b20260501

+ autogluon-tabular==1.5.1b20260501

+ autogluon-timeseries==1.5.1b20260501

+ beartype==0.22.9

+ beautifulsoup4==4.14.3

+ blis==1.3.3

+ boto3==1.43.1

+ botocore==1.43.1

+ catalogue==2.0.10

+ catboost==1.2.10

+ certifi==2026.4.22

+ cffi==2.0.0

- + chardet==7.4.3
- + charset-normalizer==3.4.7
- + chronos-forecasting==2.2.2
- + click==8.3.3
- + cloudpathlib==0.24.0
- + cloudpickle==3.1.2
- + colorama==0.4.6
- + colorful==0.6.0a1
- + colorlog==6.10.1
- + confection==1.3.3
- + contourpy==1.3.3
- + coreforecast==0.0.16
- + cryptography==47.0.0
- + cycler==0.12.1
- + cymem==2.0.13
- + datasets==4.0.0
- + defusedxml==0.7.1
- + dill==0.3.8
- + distlib==0.4.0
- + einops==0.8.2
- + einx==0.4.3
- + evaluate==0.4.6
- + fastai==2.8.5
- + fastcore==1.8.18
- + fastdownload==0.0.7
- + fastprogress==1.0.5
- + fasttransform==0.0.2
- + filelock==3.29.0
- + fonttools==4.62.1
- + frozendict==2.4.7
- + frozenlist==1.8.0
- + fsspec==2025.3.0
- + fugue==0.9.7
- + future==1.0.0
- + gdown==6.0.0
- + gluonts==0.16.2
- + google-api-core==2.30.3
- + google-auth==2.50.0
- + googleapis-common-protos==1.74.0
- + graphviz==0.21
- + grpcio==1.80.0
- + hf-xet==1.5.0.dev3
- + httpx==1.0.dev3
- + huggingface-hub==0.36.2
- + hyperopt==0.2.7

+ idna==3.1... [truncated, 6592 chars total]

Error Analysis:

ERROR_SUMMARY: The script failed with a `FileNotFoundError` because it expects a test file (such as `test.csv` or `sample\_submission.csv`) in the data directory, but no such file exists. The code attempts to locate these files to generate predictions, and raises an error if neither is found.

SUGGESTED_FIX:

Add a test file (e.g., `test.csv` or `sample\_submission.csv`) to `/home/anri21/be-fair/mlzero/basic\_prompt\_data` with at least an `image\_name` column listing the images to predict on. If you do not have a test set, create a placeholder file with the required structure so the script can proceed.

Node 1 (evolve)

Property	Value
uct_value	0.6481
ctime	2026-05-01 12:11:06
debug_attempts	2
depth	1
execution_time	0.0
expected_child_count	0
exploitation	-0.3
exploration	0.7804660679599289
failure_penalty	-0.3
failure_visits	6
id	1
is_debug_successful	✗
is_leaf	✗
is_successful	✗
is_terminal	✓
normalized_failure_visit	3
num_children	2
prev_tutorial_prompt	None
stage	evolve
time_step	1
tool_used	machine learning
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_contribution	0.0
validated_reward	0.0
validated_visits	0
validation_score	None

visits	6
parent_id	-1
child_ids	[4, 6]

Error Message:

stderr:

==> WARNING: A newer version of conda exists. <==

current version: 25.11.0

latest version: 26.3.2

Please update conda by running

\$ conda update -n base -c conda-forge conda

warning: Requirements file `~/home/anri21/.conda/envs/mlzero\_env/lib/python3.12/site-packages/autogluon/assistant/tools\_registry/machine learning/requirements.txt` does not contain any dependencies

Using Python 3.11.15 environment at: 33-basic_prompt/node_1/conda_env

Resolved 79 packages in 299ms

Uninstalled 1 package in 1.65s

Installed 78 packages in 36.09s

+ aiohappyeyeballs==2.6.1

+ aiohttp==3.13.5

+ aiosignal==1.4.0

+ annotated-doc==0.0.4

+ annotated-types==0.7.0

+ anyio==4.13.0

+ attrs==26.1.0

+ certifi==2026.4.22

+ chardet==7.4.3

+ charset-normalizer==3.4.7

+ click==8.3.3

+ cuda-bindings==13.2.0

+ cuda-pathfinder==1.5.4

+ cuda-toolkit==13.0.2

+ datasets==4.8.5

+ dill==0.4.1

+ filelock==3.29.0

+ frozenlist==1.8.0

+ fsspec==2026.2.0

+ h11==0.16.0

+ hf-xet==1.5.0.dev3

+ httpcore==1.0.9

+ httpx==0.28.1

+ huggingface-hub==1.13.0

+ idna==3.13

+ jinja2==3.1.6

```
+ markdown-it-py==4.0.0
+ markupsafe==3.0.3
+ mdurl==0.1.2
+ mpmath==1.3.0
+ multidict==6.7.1
+ multiprocessing==0.70.19
+ networkx==3.6.1
+ numpy==2.4.4
+ nvidia-cublas==13.1.0.3
+ nvidia-cuda-cupti==13.0.85
+ nvidia-cuda-nvrtc==13.0.88
+ nvidia-cuda-runtime==13.0.96
+ nvidia-cudnn-cu13==9.19.0.56
+ nvidia-cufft==12.0.0.61
+ nvidia-cufile==1.15.1.6
+ nvidia-curand==10.4.0.35
+ nvidia-cusolver==12.0.4.66
+ nvidia-cusparselt-cu13==0.8.0
+ nvidia-nccl-cu13==2.28.9
+ nvidia-nvjitlink==13.0.88
+ nvidia-nvshmem-cu13==3.4.5
+ nvidia-nvtx==13.0.85
+ opencv-python==4.13.0.92
+ pandas==3.0.2
+ pillow==12.2.0
+ propcache==0.4.1
+ pyarrow==24.0.0
+ pydantic==2.13.3
+ pydantic-core==2.46.3
+ pygments==2.20.0
+ python-calamine==0.6.2
+ python-dateutil==2.9.0.post0
+ pytz==2026.1.post1
+ pyyaml==6.0.3
+ requests==2.33.1
+ rich==15.0.0
- setuptools==... [truncated, 2968 chars total]
```

Error Analysis:

ERROR_SUMMARY: The script failed with a FileNotFoundError: "Test file not found in data directory." This occurred because the code expects a test file (such as test.csv or sample_submission.csv) to be present in the data directory (/home/anri21/be-fair/mlzero/basic_prompt_data), but no such file was found, causing the script to halt before training or prediction.

SUGGESTED_FIX:

Check the `/home/anri21/be-fair/mlzero/basic_prompt_data` directory and ensure that a test file (named `test.csv` or `sample_submission.csv`) exists there. If you do not have a test file, create a placeholder with the correct columns (at minimum, an `image_name` column) or adjust the script to skip test prediction if no test file is present.

Node 2 (evolve)

Property	Value
uct_value	0.6481
ctime	2026-05-01 12:14:25
debug_attempts	2
depth	1
execution_time	0.0
expected_child_count	0
exploitation	-0.3
exploration	0.53219899601806
failure_penalty	-0.3
failure_visits	6
id	2
is_debug_successful	✗
is_leaf	✗
is_successful	✗
is_terminal	✓
normalized_failure_visit	3
num_children	2
prev_tutorial_prompt	None
stage	evolve
time_step	2
tool_used	autogluon.tabular
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_contribution	0.0
validated_reward	0.0
validated_visits	0
validation_score	None

visits	6
parent_id	-1
child_ids	[11, 7]

Error Message:

stderr:

==> WARNING: A newer version of conda exists. <==

current version: 25.11.0

latest version: 26.3.2

Please update conda by running

\$ conda update -n base -c conda-forge conda

Using Python 3.11.15 environment at: 33-basic_prompt/node_2/conda_env

Resolved 241 packages in 1.02s

Uninstalled 1 package in 1.50s

Installed 239 packages in 51.45s

+ absl-py==2.4.0

+ accelerate==1.13.0

+ adagio==0.2.6

+ aiohappyeyeballs==2.6.1

+ aiohttp==3.13.5

+ aiohttp-cors==0.8.1

+ aiosignal==1.4.0

+ alembic==1.18.4

+ annotated-doc==0.0.4

+ annotated-types==0.7.0

+ antlr4-python3-runtime==4.9.3

+ attrs==26.1.0

+ autogluon==1.5.1b20260501

+ autogluon-common==1.5.1b20260501

+ autogluon-core==1.5.1b20260501

+ autogluon-features==1.5.1b20260501

+ autogluon-multimodal==1.5.1b20260501

+ autogluon-tabular==1.5.1b20260501

+ autogluon-timeseries==1.5.1b20260501

+ beartype==0.22.9

+ beautifulsoup4==4.14.3

+ blis==1.3.3

+ boto3==1.43.1

+ botocore==1.43.1

+ catalogue==2.0.10

+ catboost==1.2.10

+ certifi==2026.4.22

+ cffi==2.0.0

- + chardet==7.4.3
- + charset-normalizer==3.4.7
- + chronos-forecasting==2.2.2
- + click==8.3.3
- + cloudpathlib==0.24.0
- + cloudpickle==3.1.2
- + colorama==0.4.6
- + colorful==0.6.0a1
- + colorlog==6.10.1
- + confection==1.3.3
- + contourpy==1.3.3
- + coreforecast==0.0.16
- + cryptography==47.0.0
- + cycler==0.12.1
- + cymem==2.0.13
- + daal==2025.9.0
- + datasets==4.0.0
- + defusedxml==0.7.1
- + dill==0.3.8
- + distlib==0.4.0
- + einops==0.8.2
- + einx==0.4.3
- + evaluate==0.4.6
- + fastai==2.8.5
- + fastcore==1.8.18
- + fastdownload==0.0.7
- + fastprogress==1.0.5
- + fasttransform==0.0.2
- + filelock==3.29.0
- + fonttools==4.62.1
- + frozendict==2.4.7
- + frozenlist==1.8.0
- + fsspec==2025.3.0
- + fugue==0.9.7
- + future==1.0.0
- + gdown==6.0.0
- + gluonts==0.16.2
- + google-api-core==2.30.3
- + google-auth==2.50.0
- + googleapis-common-protos==1.74.0
- + graphviz==0.21
- + grpcio==1.80.0
- + hf-xet==1.5.0.dev3
- + httpx==1.0.dev3
- + huggingface-hub==0.36.2

+ hyperopt==... [truncated, 6367 chars total]

Error Analysis:

ERROR_SUMMARY: The error occurs because the script expects a test file (such as "test.csv" or "sample_submission.csv") in the data directory (/home/anri21/be-fair/mlzero/basic_prompt_data), but no such file is present. As a result, the code raises a FileNotFoundError when it attempts to locate and load the test file for prediction output.

SUGGESTED_FIX:

Add a test file (e.g., "test.csv" or "sample_submission.csv") to the data directory with the appropriate structure (at minimum, an "image_name" column listing the images to predict on). If you do not have a test set, create a dummy test file with the required columns to allow the script to proceed, or modify the script to skip test prediction if no test file is present.

Node 3 (debug)

Property	Value
uct_value	0.9261
ctime	2026-05-01 12:17:12
debug_attempts	3
depth	2
execution_time	0.0
expected_child_count	0
exploitation	0.0
exploration	1.2684446626418298
failure_penalty	-0.0
failure_visits	3
id	3
is_debug_successful	✗
is_leaf	✗
is_successful	✗
is_terminal	✓
normalized_failure_visit	0
num_children	2
prev_tutorial_prompt	None
stage	debug
time_step	3
tool_used	autogluon.multimodal
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_contribution	0.0
validated_reward	0.0
validated_visits	0
validation_score	None

visits	3
parent_id	0
child_ids	[8, 12]

Error Message:

stderr:

==> WARNING: A newer version of conda exists. <==

current version: 25.11.0

latest version: 26.3.2

Please update conda by running

\$ conda update -n base -c conda-forge conda

Using Python 3.11.15 environment at: 33-basic_prompt/node_3/conda_env

Resolved 237 packages in 2.43s

Uninstalled 1 package in 1.54s

Installed 235 packages in 1m 02s

+ absl-py==2.4.0

+ accelerate==1.13.0

+ adagio==0.2.6

+ aiohappyeyeballs==2.6.1

+ aiohttp==3.13.5

+ aiohttp-cors==0.8.1

+ aiosignal==1.4.0

+ alembic==1.18.4

+ annotated-doc==0.0.4

+ annotated-types==0.7.0

+ antlr4-python3-runtime==4.9.3

+ attrs==26.1.0

+ autogluon==1.5.1b20260501

+ autogluon-common==1.5.1b20260501

+ autogluon-core==1.5.1b20260501

+ autogluon-features==1.5.1b20260501

+ autogluon-multimodal==1.5.1b20260501

+ autogluon-tabular==1.5.1b20260501

+ autogluon-timeseries==1.5.1b20260501

+ beartype==0.22.9

+ beautifulsoup4==4.14.3

+ blis==1.3.3

+ boto3==1.43.1

+ botocore==1.43.1

+ catalogue==2.0.10

+ catboost==1.2.10

+ certifi==2026.4.22

+ cffi==2.0.0

- + chardet==7.4.3
- + charset-normalizer==3.4.7
- + chronos-forecasting==2.2.2
- + click==8.3.3
- + cloudpathlib==0.24.0
- + cloudpickle==3.1.2
- + colorama==0.4.6
- + colorful==0.6.0a1
- + colorlog==6.10.1
- + confection==1.3.3
- + contourpy==1.3.3
- + coreforecast==0.0.16
- + cryptography==47.0.0
- + cycler==0.12.1
- + cymem==2.0.13
- + datasets==4.0.0
- + defusedxml==0.7.1
- + dill==0.3.8
- + distlib==0.4.0
- + einops==0.8.2
- + einx==0.4.3
- + evaluate==0.4.6
- + fastai==2.8.5
- + fastcore==1.8.18
- + fastdownload==0.0.7
- + fastprogress==1.0.5
- + fasttransform==0.0.2
- + filelock==3.29.0
- + fonttools==4.62.1
- + frozendict==2.4.7
- + frozenlist==1.8.0
- + fsspec==2025.3.0
- + fugue==0.9.7
- + future==1.0.0
- + gdown==6.0.0
- + gluonts==0.16.2
- + google-api-core==2.30.3
- + google-auth==2.50.0
- + googleapis-common-protos==1.74.0
- + graphviz==0.21
- + grpcio==1.80.0
- + hf-xet==1.5.0.dev3
- + httpx==1.0.dev3
- + huggingface-hub==0.36.2
- + hyperopt==0.2.7

+ idna==3.1... [truncated, 6561 chars total]

Error Analysis:

ERROR_SUMMARY: The script failed with a `FileNotFoundError` because it expects a test file (such as `test.csv` or `sample_submission.csv`) in the data directory (`/home/anri21/be-fair/mlzero/basic_prompt_data`), but no such file is present. The code attempts to locate this file to generate predictions, and raises an error when it cannot find one.

SUGGESTED_FIX:

Add a test file (e.g., `test.csv` or `sample_submission.csv`) containing the list of images for which predictions are required to the data directory. If you do not have a test file, create a CSV with at least an `image_name` column listing the images to predict on, and place it in `/home/anri21/be-fair/mlzero/basic_prompt_data` before rerunning the script.

Node 4 (debug)

Property	Value
uct_value	0.9261
ctime	2026-05-01 12:21:12
debug_attempts	3
depth	2
execution_time	0.0
expected_child_count	0
exploitation	0.0
exploration	1.2684446626418298
failure_penalty	-0.0
failure_visits	3
id	4
is_debug_successful	✗
is_leaf	✗
is_successful	✗
is_terminal	✓
normalized_failure_visit	0
num_children	2
prev_tutorial_prompt	None
stage	debug
time_step	4
tool_used	machine learning
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_contribution	0.0
validated_reward	0.0
validated_visits	0
validation_score	None

visits	3
parent_id	1
child_ids	[10, 15]

Error Message:

stderr:

==> WARNING: A newer version of conda exists. <==

current version: 25.11.0

latest version: 26.3.2

Please update conda by running

\$ conda update -n base -c conda-forge conda

warning: Requirements file `~/home/anri21/.conda/envs/mlzero\_env/lib/python3.12/site-packages/autogluon/assistant/tools\_registry/machine learning/requirements.txt` does not contain any dependencies

Using Python 3.11.15 environment at: 33-basic_prompt/node_4/conda_env

Resolved 79 packages in 499ms

Uninstalled 1 package in 1.65s

Installed 78 packages in 38.22s

+ aiohappyeyeballs==2.6.1

+ aiohttp==3.13.5

+ aiosignal==1.4.0

+ annotated-doc==0.0.4

+ annotated-types==0.7.0

+ anyio==4.13.0

+ attrs==26.1.0

+ certifi==2026.4.22

+ chardet==7.4.3

+ charset-normalizer==3.4.7

+ click==8.3.3

+ cuda-bindings==13.2.0

+ cuda-pathfinder==1.5.4

+ cuda-toolkit==13.0.2

+ datasets==4.8.5

+ dill==0.4.1

+ filelock==3.29.0

+ frozenlist==1.8.0

+ fsspec==2026.2.0

+ h11==0.16.0

+ hf-xet==1.5.0.dev3

+ httpcore==1.0.9

+ httpx==0.28.1

+ huggingface-hub==1.13.0

+ idna==3.13

+ jinja2==3.1.6

```
+ markdown-it-py==4.0.0
+ markupsafe==3.0.3
+ mdurl==0.1.2
+ mpmath==1.3.0
+ multidict==6.7.1
+ multiprocessing==0.70.19
+ networkx==3.6.1
+ numpy==2.4.4
+ nvidia-cublas==13.1.0.3
+ nvidia-cuda-cupti==13.0.85
+ nvidia-cuda-nvrtc==13.0.88
+ nvidia-cuda-runtime==13.0.96
+ nvidia-cudnn-cu13==9.19.0.56
+ nvidia-cufft==12.0.0.61
+ nvidia-cufile==1.15.1.6
+ nvidia-curand==10.4.0.35
+ nvidia-cusolver==12.0.4.66
+ nvidia-cusparselt-cu13==0.8.0
+ nvidia-cusparse==12.6.3.3
+ nvidia-nccl-cu13==2.28.9
+ nvidia-nvjitlink==13.0.88
+ nvidia-nvshmem-cu13==3.4.5
+ nvidia-nvtx==13.0.85
+ opencv-python==4.13.0.92
+ pandas==3.0.2
+ pillow==12.2.0
+ propcache==0.4.1
+ pyarrow==24.0.0
+ pydantic==2.13.3
+ pydantic-core==2.46.3
+ pygments==2.20.0
+ python-calamine==0.6.2
+ python-dateutil==2.9.0.post0
+ pytz==2026.1.post1
+ pyyaml==6.0.3
+ requests==2.33.1
+ rich==15.0.0
- setuptools==... [truncated, 2821 chars total]
```

Error Analysis:

ERROR_SUMMARY: The error occurs because the script expects a test file (such as test.csv or sample_submission.csv) to be present in the data directory (/home/anri21/be-fair/mlzero/basic_prompt_data), but no such file is found. As a result, a FileNotFoundError is raised and the script halts before model training and prediction.

SUGGESTED_FIX:

Check the `/home/anri21/be-fair/mlzero/basic_prompt_data` directory and ensure that a test file (named `test.csv` or `sample_submission.csv`) exists and is accessible. If you do not have a test file, create a placeholder `test.csv` with the required columns (at minimum, `image_name`) or rename an existing file accordingly, then rerun the script.

Node 5 (debug)

Property	Value
uct_value	1.3384
ctime	2026-05-01 12:24:37
debug_attempts	3
depth	2
execution_time	0.0
expected_child_count	0
exploitation	0.0
exploration	1.664857771836881
failure_penalty	-0.0
failure_visits	2
id	5
is_debug_successful	✗
is_leaf	✗
is_successful	✗
is_terminal	✓
normalized_failure_visit	0
num_children	1
prev_tutorial_prompt	None
stage	debug
time_step	5
tool_used	autogluon.multimodal
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_contribution	0.0
validated_reward	0.0
validated_visits	0
validation_score	None

visits	2
parent_id	0
child_ids	[9]

Error Message:

stderr:

==> WARNING: A newer version of conda exists. <==

current version: 25.11.0

latest version: 26.3.2

Please update conda by running

\$ conda update -n base -c conda-forge conda

Using Python 3.11.15 environment at: 33-basic_prompt/node_5/conda_env

Resolved 237 packages in 1.12s

Uninstalled 1 package in 1.77s

Installed 235 packages in 1m 11s

+ absl-py==2.4.0

+ accelerate==1.13.0

+ adagio==0.2.6

+ aiohappyeyeballs==2.6.1

+ aiohttp==3.13.5

+ aiohttp-cors==0.8.1

+ aiosignal==1.4.0

+ alembic==1.18.4

+ annotated-doc==0.0.4

+ annotated-types==0.7.0

+ antlr4-python3-runtime==4.9.3

+ attrs==26.1.0

+ autogluon==1.5.1b20260501

+ autogluon-common==1.5.1b20260501

+ autogluon-core==1.5.1b20260501

+ autogluon-features==1.5.1b20260501

+ autogluon-multimodal==1.5.1b20260501

+ autogluon-tabular==1.5.1b20260501

+ autogluon-timeseries==1.5.1b20260501

+ beartype==0.22.9

+ beautifulsoup4==4.14.3

+ blis==1.3.3

+ boto3==1.43.1

+ botocore==1.43.1

+ catalogue==2.0.10

+ catboost==1.2.10

+ certifi==2026.4.22

+ cffi==2.0.0

- + chardet==7.4.3
- + charset-normalizer==3.4.7
- + chronos-forecasting==2.2.2
- + click==8.3.3
- + cloudpathlib==0.24.0
- + cloudpickle==3.1.2
- + colorama==0.4.6
- + colorful==0.6.0a1
- + colorlog==6.10.1
- + confection==1.3.3
- + contourpy==1.3.3
- + coreforecast==0.0.16
- + cryptography==47.0.0
- + cycler==0.12.1
- + cymem==2.0.13
- + datasets==4.0.0
- + defusedxml==0.7.1
- + dill==0.3.8
- + distlib==0.4.0
- + einops==0.8.2
- + einx==0.4.3
- + evaluate==0.4.6
- + fastai==2.8.5
- + fastcore==1.8.18
- + fastdownload==0.0.7
- + fastprogress==1.0.5
- + fasttransform==0.0.2
- + filelock==3.29.0
- + fonttools==4.62.1
- + frozendict==2.4.7
- + frozenlist==1.8.0
- + fsspec==2025.3.0
- + fugue==0.9.7
- + future==1.0.0
- + gdown==6.0.0
- + gluonts==0.16.2
- + google-api-core==2.30.3
- + google-auth==2.50.0
- + googleapis-common-protos==1.74.0
- + graphviz==0.21
- + grpcio==1.80.0
- + hf-xet==1.5.0.dev3
- + httpx==1.0.dev3
- + huggingface-hub==0.36.2
- + hyperopt==0.2.7

+ idna==3.1... [truncated, 6571 chars total]

Error Analysis:

ERROR_SUMMARY: The script raised a `FileNotFoundError` because it could not find a test file (such as `test.csv` or `sample\_submission.csv`) in the data directory `/home/anri21/be-fair/mlzero/basic\_prompt\_data`. This caused the script to halt before model training or prediction could proceed, as the test set is required for output generation and validation.

SUGGESTED_FIX:

Check the contents of `/home/anri21/be-fair/mlzero/basic\_prompt\_data` and ensure that a test file (named `test.csv` or `sample\_submission.csv`) is present. If you do not have a test set, create a placeholder file with the required columns (e.g., `image\_name`) or adjust the script to skip test prediction steps when no test file is available.

Node 6 (debug)

Property	Value
uct_value	1.3384
ctime	2026-05-01 12:29:01
debug_attempts	3
depth	2
execution_time	0.0
expected_child_count	0
exploitation	0.0
exploration	1.664857771836881
failure_penalty	-0.0
failure_visits	2
id	6
is_debug_successful	✗
is_leaf	✗
is_successful	✗
is_terminal	✓
normalized_failure_visit	0
num_children	1
prev_tutorial_prompt	None
stage	debug
time_step	6
tool_used	machine learning
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_contribution	0.0
validated_reward	0.0
validated_visits	0
validation_score	None

visits	2
parent_id	1
child_ids	[13]

Error Message:

stderr:

==> WARNING: A newer version of conda exists. <==

current version: 25.11.0

latest version: 26.3.2

Please update conda by running

\$ conda update -n base -c conda-forge conda

warning: Requirements file `~/home/anri21/.conda/envs/mlzero\_env/lib/python3.12/site-packages/autogluon/assistant/tools\_registry/machine learning/requirements.txt` does not contain any dependencies

Using Python 3.11.15 environment at: 33-basic_prompt/node_6/conda_env

Resolved 79 packages in 331ms

Uninstalled 1 package in 1.62s

Installed 78 packages in 51.70s

+ aiohappyeyeballs==2.6.1

+ aiohttp==3.13.5

+ aiosignal==1.4.0

+ annotated-doc==0.0.4

+ annotated-types==0.7.0

+ anyio==4.13.0

+ attrs==26.1.0

+ certifi==2026.4.22

+ chardet==7.4.3

+ charset-normalizer==3.4.7

+ click==8.3.3

+ cuda-bindings==13.2.0

+ cuda-pathfinder==1.5.4

+ cuda-toolkit==13.0.2

+ datasets==4.8.5

+ dill==0.4.1

+ filelock==3.29.0

+ frozenlist==1.8.0

+ fsspec==2026.2.0

+ h11==0.16.0

+ hf-xet==1.5.0.dev3

+ httpcore==1.0.9

+ httpx==0.28.1

+ huggingface-hub==1.13.0

+ idna==3.13

+ jinja2==3.1.6

```
+ markdown-it-py==4.0.0
+ markupsafe==3.0.3
+ mdurl==0.1.2
+ mpmath==1.3.0
+ multidict==6.7.1
+ multiprocessing==0.70.19
+ networkx==3.6.1
+ numpy==2.4.4
+ nvidia-cublas==13.1.0.3
+ nvidia-cuda-cupti==13.0.85
+ nvidia-cuda-nvrtc==13.0.88
+ nvidia-cuda-runtime==13.0.96
+ nvidia-cudnn-cu13==9.19.0.56
+ nvidia-cufft==12.0.0.61
+ nvidia-cufile==1.15.1.6
+ nvidia-curand==10.4.0.35
+ nvidia-cusolver==12.0.4.66
+ nvidia-cusparselt-cu13==0.8.0
+ nvidia-nccl-cu13==2.28.9
+ nvidia-nvjitlink==13.0.88
+ nvidia-nvshmem-cu13==3.4.5
+ nvidia-nvtx==13.0.85
+ opencv-python==4.13.0.92
+ pandas==3.0.2
+ pillow==12.2.0
+ propcache==0.4.1
+ pyarrow==24.0.0
+ pydantic==2.13.3
+ pydantic-core==2.46.3
+ pygments==2.20.0
+ python-calamine==0.6.2
+ python-dateutil==2.9.0.post0
+ pytz==2026.1.post1
+ pyyaml==6.0.3
+ requests==2.33.1
+ rich==15.0.0
- setuptools==... [truncated, 2859 chars total]
```

Error Analysis:

ERROR_SUMMARY: The script failed with a `FileNotFoundError` because it expects a test file (such as `test\*.csv` or `sample\_submission\*.csv`) in the data directory (`/home/anri21/be-fair/mlzero/basic\_prompt\_data`), but no such file was found. As a result, the script could not proceed to model validation or prediction.

SUGGESTED_FIX:

Check the data directory to ensure that a test file (e.g., `test.csv` or `sample\_submission.csv`) is present. If missing, add the appropriate test file with the required

structure (at minimum, an `image\_name` column referencing the test images) to the data directory, then rerun the script.

Node 7 (debug)

Property	Value
uct_value	0.9261
ctime	2026-05-01 12:32:53
debug_attempts	3
depth	2
execution_time	0.0
expected_child_count	0
exploitation	0.0
exploration	1.2684446626418298
failure_penalty	-0.0
failure_visits	3
id	7
is_debug_successful	✗
is_leaf	✗
is_successful	✗
is_terminal	✓
normalized_failure_visit	0
num_children	2
prev_tutorial_prompt	None
stage	debug
time_step	7
tool_used	autogluon.tabular
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_contribution	0.0
validated_reward	0.0
validated_visits	0
validation_score	None

visits	3
parent_id	2
child_ids	[16, 17]

Error Message:

stderr:

==> WARNING: A newer version of conda exists. <==

current version: 25.11.0

latest version: 26.3.2

Please update conda by running

\$ conda update -n base -c conda-forge conda

Using Python 3.11.15 environment at: 33-basic_prompt/node_7/conda_env

Resolved 241 packages in 1.10s

Uninstalled 1 package in 1.49s

Installed 239 packages in 1m 08s

+ absl-py==2.4.0

+ accelerate==1.13.0

+ adagio==0.2.6

+ aiohappyeyeballs==2.6.1

+ aiohttp==3.13.5

+ aiohttp-cors==0.8.1

+ aiosignal==1.4.0

+ alembic==1.18.4

+ annotated-doc==0.0.4

+ annotated-types==0.7.0

+ antlr4-python3-runtime==4.9.3

+ attrs==26.1.0

+ autogluon==1.5.1b20260501

+ autogluon-common==1.5.1b20260501

+ autogluon-core==1.5.1b20260501

+ autogluon-features==1.5.1b20260501

+ autogluon-multimodal==1.5.1b20260501

+ autogluon-tabular==1.5.1b20260501

+ autogluon-timeseries==1.5.1b20260501

+ beartype==0.22.9

+ beautifulsoup4==4.14.3

+ blis==1.3.3

+ boto3==1.43.1

+ botocore==1.43.1

+ catalogue==2.0.10

+ catboost==1.2.10

+ certifi==2026.4.22

+ cffi==2.0.0

- + chardet==7.4.3
- + charset-normalizer==3.4.7
- + chronos-forecasting==2.2.2
- + click==8.3.3
- + cloudpathlib==0.24.0
- + cloudpickle==3.1.2
- + colorama==0.4.6
- + colorful==0.6.0a1
- + colorlog==6.10.1
- + confection==1.3.3
- + contourpy==1.3.3
- + coreforecast==0.0.16
- + cryptography==47.0.0
- + cycler==0.12.1
- + cymem==2.0.13
- + daal==2025.9.0
- + datasets==4.0.0
- + defusedxml==0.7.1
- + dill==0.3.8
- + distlib==0.4.0
- + einops==0.8.2
- + einx==0.4.3
- + evaluate==0.4.6
- + fastai==2.8.5
- + fastcore==1.8.18
- + fastdownload==0.0.7
- + fastprogress==1.0.5
- + fasttransform==0.0.2
- + filelock==3.29.0
- + fonttools==4.62.1
- + frozendict==2.4.7
- + frozenlist==1.8.0
- + fsspec==2025.3.0
- + fugue==0.9.7
- + future==1.0.0
- + gdown==6.0.0
- + gluonts==0.16.2
- + google-api-core==2.30.3
- + google-auth==2.50.0
- + googleapis-common-protos==1.74.0
- + graphviz==0.21
- + grpcio==1.80.0
- + hf-xet==1.5.0.dev3
- + httpx==1.0.dev3
- + huggingface-hub==0.36.2

+ hyperopt==... [truncated, 6394 chars total]

Error Analysis:

ERROR_SUMMARY: The script failed with a `FileNotFoundError` because it expects a test file (such as `test.csv` or `sample_submission.csv`) in the data directory (`/home/anri21/be-fair/mlzero/basic_prompt_data`), but no such file is present. The code is designed to raise this error if it cannot find a test file to generate predictions for, which is required for its workflow.

SUGGESTED_FIX:

Add a test file (e.g., `test.csv` or `sample_submission.csv`) to the data directory with the appropriate structure (at minimum, an `image_name` column listing the images to predict on). If you do not have a test file, create a dummy one with the required columns and image names, then rerun the script.

Node 8 (debug)

Property	Value
uct_value	1.4821
ctime	2026-05-01 12:35:58
debug_attempts	2
depth	3
execution_time	0.0
expected_child_count	0
failure_visits	1
id	8
is_debug_successful	✗
is_leaf	✓
is_successful	✗
is_terminal	✓
num_children	0
prev_tutorial_prompt	None
stage	debug
time_step	8
tool_used	autogluon.multimodal
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_reward	0.0
validated_visits	0
validation_score	None
visits	1
parent_id	3
child_ids	[]

Error Message:

stderr:

==> WARNING: A newer version of conda exists. <==

current version: 25.11.0

latest version: 26.3.2

Please update conda by running

\$ conda update -n base -c conda-forge conda

Using Python 3.11.15 environment at: 33-basic_prompt/node_8/conda_env

Resolved 237 packages in 1.11s

Uninstalled 1 package in 1.69s

Installed 235 packages in 1m 11s

+ absl-py==2.4.0

+ accelerate==1.13.0

+ adagio==0.2.6

+ aiohappyeyeballs==2.6.1

+ aiohttp==3.13.5

+ aiohttp-cors==0.8.1

+ aiosignal==1.4.0

+ alembic==1.18.4

+ annotated-doc==0.0.4

+ annotated-types==0.7.0

+ antlr4-python3-runtime==4.9.3

+ attrs==26.1.0

+ autogluon==1.5.1b20260501

+ autogluon-common==1.5.1b20260501

+ autogluon-core==1.5.1b20260501

+ autogluon-features==1.5.1b20260501

+ autogluon-multimodal==1.5.1b20260501

+ autogluon-tabular==1.5.1b20260501

+ autogluon-timeseries==1.5.1b20260501

+ beartype==0.22.9

+ beautifulsoup4==4.14.3

+ blis==1.3.3

+ boto3==1.43.1

+ botocore==1.43.1

+ catalogue==2.0.10

+ catboost==1.2.10

+ certifi==2026.4.22

+ cffi==2.0.0

+ chardet==7.4.3

+ charset-normalizer==3.4.7

+ chronos-forecasting==2.2.2

+ click==8.3.3

+ cloudpathlib==0.24.0

+ cloudpickle==3.1.2

+ colorama==0.4.6

+ colorful==0.6.0a1

+ colorlog==6.10.1
+ confection==1.3.3
+ contourpy==1.3.3
+ coreforecast==0.0.16
+ cryptography==47.0.0
+ cycler==0.12.1
+ cymem==2.0.13
+ datasets==4.0.0
+ defusedxml==0.7.1
+ dill==0.3.8
+ distlib==0.4.0
+ einops==0.8.2
+ einx==0.4.3
+ evaluate==0.4.6
+ fastai==2.8.5
+ fastcore==1.8.18
+ fastdownload==0.0.7
+ fastprogress==1.0.5
+ fasttransform==0.0.2
+ filelock==3.29.0
+ fonttools==4.62.1
+ frozendict==2.4.7
+ frozenlist==1.8.0
+ fsspec==2025.3.0
+ fugue==0.9.7
+ future==1.0.0
+ gdown==6.0.0
+ gluonts==0.16.2
+ google-api-core==2.30.3
+ google-auth==2.50.0
+ googleapis-common-protos==1.74.0
+ graphviz==0.21
+ grpcio==1.80.0
+ hf-xet==1.5.0.dev3
+ httpx==1.0.dev3
+ huggingface-hub==0.36.2
+ hyperopt==0.2.7
+ idna==3.1... [truncated, 6555 chars total]

Error Analysis:

ERROR_SUMMARY: The script raises a `FileNotFoundError` because it expects a test file (such as `test.csv` or `sample\_submission.csv`) to be present in the data directory (`/home/anri21/be-fair/mlzero/basic\_prompt\_data`), but no such file exists. As a result, the script halts before model training or evaluation can proceed.

SUGGESTED_FIX:

Add a test file (e.g., `test.csv` or `sample\_submission.csv`) containing at least the `image\_name` column to the data directory. If you do not have a test set, create a

placeholder CSV with the required structure, or modify the script to skip test prediction steps when no test file is present.

Node 9 (debug)

Property	Value
uct_value	1.1772
ctime	2026-05-01 12:40:09
debug_attempts	3
depth	3
execution_time	0.0
expected_child_count	0
failure_visits	1
id	9
is_debug_successful	✗
is_leaf	✓
is_successful	✗
is_terminal	✓
num_children	0
prev_tutorial_prompt	None
stage	debug
time_step	9
tool_used	autogluon.multimodal
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_reward	0.0
validated_visits	0
validation_score	None
visits	1
parent_id	5
child_ids	[]

Error Message:

stderr:

==> WARNING: A newer version of conda exists. <==

current version: 25.11.0

latest version: 26.3.2

Please update conda by running

\$ conda update -n base -c conda-forge conda

Using Python 3.11.15 environment at: 33-basic_prompt/node_9/conda_env

Resolved 237 packages in 957ms

Uninstalled 1 package in 1.56s

Installed 235 packages in 54.46s

+ absl-py==2.4.0

+ accelerate==1.13.0

+ adagio==0.2.6

+ aiohappyeyeballs==2.6.1

+ aiohttp==3.13.5

+ aiohttp-cors==0.8.1

+ aiosignal==1.4.0

+ alembic==1.18.4

+ annotated-doc==0.0.4

+ annotated-types==0.7.0

+ antlr4-python3-runtime==4.9.3

+ attrs==26.1.0

+ autogluon==1.5.1b20260501

+ autogluon-common==1.5.1b20260501

+ autogluon-core==1.5.1b20260501

+ autogluon-features==1.5.1b20260501

+ autogluon-multimodal==1.5.1b20260501

+ autogluon-tabular==1.5.1b20260501

+ autogluon-timeseries==1.5.1b20260501

+ beartype==0.22.9

+ beautifulsoup4==4.14.3

+ blis==1.3.3

+ boto3==1.43.1

+ botocore==1.43.1

+ catalogue==2.0.10

+ catboost==1.2.10

+ certifi==2026.4.22

+ cffi==2.0.0

+ chardet==7.4.3

+ charset-normalizer==3.4.7

+ chronos-forecasting==2.2.2

+ click==8.3.3

+ cloudpathlib==0.24.0

+ cloudpickle==3.1.2

+ colorama==0.4.6

+ colorful==0.6.0a1

```
+ colorlog==6.10.1
+ confection==1.3.3
+ contourpy==1.3.3
+ coreforecast==0.0.16
+ cryptography==47.0.0
+ cycler==0.12.1
+ cymem==2.0.13
+ datasets==4.0.0
+ defusedxml==0.7.1
+ dill==0.3.8
+ distlib==0.4.0
+ einops==0.8.2
+ einx==0.4.3
+ evaluate==0.4.6
+ fastai==2.8.5
+ fastcore==1.8.18
+ fastdownload==0.0.7
+ fastprogress==1.0.5
+ fasttransform==0.0.2
+ filelock==3.29.0
+ fonttools==4.62.1
+ frozendict==2.4.7
+ frozenlist==1.8.0
+ fsspec==2025.3.0
+ fugue==0.9.7
+ future==1.0.0
+ gdown==6.0.0
+ gluonts==0.16.2
+ google-api-core==2.30.3
+ google-auth==2.50.0
+ googleapis-common-protos==1.74.0
+ graphviz==0.21
+ grpcio==1.80.0
+ hf-xet==1.5.0.dev3
+ httpx==1.0.dev3
+ huggingface-hub==0.36.2
+ hyperopt==0.2.7
+ idna==3.1... [truncated, 6503 chars total]
```

Error Analysis:

ERROR_SUMMARY: The script failed with a `FileNotFoundError` because it could not locate a test file (such as `test.csv` or `sample\_submission.csv`) in the specified data directory. This caused the script to halt before model training or evaluation could proceed.

SUGGESTED_FIX:

Check the `/home/anri21/be-fair/mlzero/basic\_prompt\_data` directory and ensure that a test file named `test.csv` or `sample\_submission.csv` is present. If such a file

does not exist, create a test file with the required structure (at minimum, an `image\_name` column referencing the test images) and place it in the data directory before rerunning the script.

Node 10 (debug)

Property	Value
uct_value	1.4821
ctime	2026-05-01 12:44:03
debug_attempts	2
depth	3
execution_time	0.0
expected_child_count	0
failure_visits	1
id	10
is_debug_successful	✗
is_leaf	✓
is_successful	✗
is_terminal	✓
num_children	0
prev_tutorial_prompt	None
stage	debug
time_step	10
tool_used	machine learning
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_reward	0.0
validated_visits	0
validation_score	None
visits	1
parent_id	4
child_ids	[]

Error Message:

stderr:

==> WARNING: A newer version of conda exists. <==

current version: 25.11.0

latest version: 26.3.2

Please update conda by running

\$ conda update -n base -c conda-forge conda

warning: Requirements file `~/home/anri21/.conda/envs/mlzero\_env/lib/python3.12/site-packages/autogluon/assistant/tools\_registry/machine learning/requirements.txt` does not contain any dependencies

Using Python 3.11.15 environment at: 33-basic_prompt/node_10/conda_env

Resolved 79 packages in 526ms

Uninstalled 1 package in 1.57s

Installed 78 packages in 38.49s

+ aiohappyeyeballs==2.6.1

+ aiohttp==3.13.5

+ aiosignal==1.4.0

+ annotated-doc==0.0.4

+ annotated-types==0.7.0

+ anyio==4.13.0

+ attrs==26.1.0

+ certifi==2026.4.22

+ chardet==7.4.3

+ charset-normalizer==3.4.7

+ click==8.3.3

+ cuda-bindings==13.2.0

+ cuda-pathfinder==1.5.4

+ cuda-toolkit==13.0.2

+ datasets==4.8.5

+ dill==0.4.1

+ filelock==3.29.0

+ frozenlist==1.8.0

+ fsspec==2026.2.0

+ h11==0.16.0

+ hf-xet==1.5.0.dev3

+ httpcore==1.0.9

+ httpx==0.28.1

+ huggingface-hub==1.13.0

+ idna==3.13

+ jinja2==3.1.6

+ markdown-it-py==4.0.0

+ markupsafe==3.0.3

+ mdurl==0.1.2

+ mpmath==1.3.0

+ multidict==6.7.1

+ multiprocessing==0.70.19

+ networkx==3.6.1

+ numpy==2.4.4

```
+ nvidia-cublas==13.1.0.3
+ nvidia-cuda-cupti==13.0.85
+ nvidia-cuda-nvrtc==13.0.88
+ nvidia-cuda-runtime==13.0.96
+ nvidia-cudnn-cu13==9.19.0.56
+ nvidia-cufft==12.0.0.61
+ nvidia-cufile==1.15.1.6
+ nvidia-curand==10.4.0.35
+ nvidia-cusolver==12.0.4.66
+ nvidia-cusparselt-cu13==0.8.0
+ nvidia-cusparse==12.6.3.3
+ nvidia-nccl-cu13==2.28.9
+ nvidia-nvjitlink==13.0.88
+ nvidia-nvshmem-cu13==3.4.5
+ nvidia-nvtx==13.0.85
+ opencv-python==4.13.0.92
+ pandas==3.0.2
+ pillow==12.2.0
+ propcache==0.4.1
+ pyarrow==24.0.0
+ pydantic==2.13.3
+ pydantic-core==2.46.3
+ pygments==2.20.0
+ python-calamine==0.6.2
+ python-dateutil==2.9.0.post0
+ pytz==2026.1.post1
+ pyyaml==6.0.3
+ requests==2.33.1
+ rich==15.0.0
- setuptools=... [truncated, 2861 chars total]
```

Error Analysis:

ERROR_SUMMARY: The error occurs because the script expects a test file (such as test*.csv or sample_submission*.csv) in the data directory (/home/anri21/be-fair/mlzero/basic_prompt_data), but no such file is present. As a result, a FileNotFoundError is raised and the script halts before any model training or prediction can occur.

SUGGESTED_FIX:

Check the /home/anri21/be-fair/mlzero/basic_prompt_data directory and ensure that a test file (named like test.csv or sample_submission.csv) exists and is properly formatted. If you do not have a test file, create a placeholder test.csv with at least the 'image_name' column referencing available images, or adjust the script to skip test prediction if no test file is present.

Node 11 (debug)

Property	Value
uct_value	1.3384
ctime	2026-05-01 12:47:49
debug_attempts	3
depth	2
execution_time	0.0
expected_child_count	0
exploitation	0.0
exploration	1.482079962591042
failure_penalty	-0.0
failure_visits	2
id	11
is_debug_successful	✗
is_leaf	✗
is_successful	✗
is_terminal	✓
normalized_failure_visit	0
num_children	1
prev_tutorial_prompt	None
stage	debug
time_step	11
tool_used	autogluon.tabular
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_contribution	0.0
validated_reward	0.0
validated_visits	0
validation_score	None

visits	2
parent_id	2
child_ids	[14]

Error Message:

stderr:

==> WARNING: A newer version of conda exists. <==

current version: 25.11.0

latest version: 26.3.2

Please update conda by running

\$ conda update -n base -c conda-forge conda

Using Python 3.11.15 environment at: 33-basic_prompt/node_11/conda_env

Resolved 241 packages in 2.74s

Uninstalled 1 package in 1.78s

Installed 239 packages in 1m 13s

+ absl-py==2.4.0

+ accelerate==1.13.0

+ adagio==0.2.6

+ aiohappyeyeballs==2.6.1

+ aiohttp==3.13.5

+ aiohttp-cors==0.8.1

+ aiosignal==1.4.0

+ alembic==1.18.4

+ annotated-doc==0.0.4

+ annotated-types==0.7.0

+ antlr4-python3-runtime==4.9.3

+ attrs==26.1.0

+ autogluon==1.5.1b20260501

+ autogluon-common==1.5.1b20260501

+ autogluon-core==1.5.1b20260501

+ autogluon-features==1.5.1b20260501

+ autogluon-multimodal==1.5.1b20260501

+ autogluon-tabular==1.5.1b20260501

+ autogluon-timeseries==1.5.1b20260501

+ beartype==0.22.9

+ beautifulsoup4==4.14.3

+ blis==1.3.3

+ boto3==1.43.1

+ botocore==1.43.1

+ catalogue==2.0.10

+ catboost==1.2.10

+ certifi==2026.4.22

+ cffi==2.0.0

- + chardet==7.4.3
- + charset-normalizer==3.4.7
- + chronos-forecasting==2.2.2
- + click==8.3.3
- + cloudpathlib==0.24.0
- + cloudpickle==3.1.2
- + colorama==0.4.6
- + colorful==0.6.0a1
- + colorlog==6.10.1
- + confection==1.3.3
- + contourpy==1.3.3
- + coreforecast==0.0.16
- + cryptography==47.0.0
- + cycler==0.12.1
- + cymem==2.0.13
- + daal==2025.9.0
- + datasets==4.0.0
- + defusedxml==0.7.1
- + dill==0.3.8
- + distlib==0.4.0
- + einops==0.8.2
- + einx==0.4.3
- + evaluate==0.4.6
- + fastai==2.8.5
- + fastcore==1.8.18
- + fastdownload==0.0.7
- + fastprogress==1.0.5
- + fasttransform==0.0.2
- + filelock==3.29.0
- + fonttools==4.62.1
- + frozendict==2.4.7
- + frozenlist==1.8.0
- + fsspec==2025.3.0
- + fugue==0.9.7
- + future==1.0.0
- + gdown==6.0.0
- + gluonts==0.16.2
- + google-api-core==2.30.3
- + google-auth==2.50.0
- + googleapis-common-protos==1.74.0
- + graphviz==0.21
- + grpcio==1.80.0
- + hf-xet==1.5.0.dev3
- + httpx==1.0.dev3
- + huggingface-hub==0.36.2

+ hyperopt=... [truncated, 6228 chars total]

Error Analysis:

ERROR_SUMMARY: The error occurs because the Python script expects a test file (with a name starting with "test" or "sample_submission") in the data directory (/home/anri21/be-fair/mlzero/basic_prompt_data), but no such file is present. As a result, the script raises a FileNotFoundError and halts before model training or evaluation can proceed.

SUGGESTED_FIX:

Check the /home/anri21/be-fair/mlzero/basic_prompt_data directory and ensure that a test file (e.g., test.csv or sample_submission.csv) exists and is named appropriately. If you have a test set, copy or rename it to match the expected naming convention; otherwise, create a placeholder test file with the required columns to allow the script to run.

Node 12 (debug)

Property	Value
uct_value	1.4821
ctime	2026-05-01 12:51:14
debug_attempts	3
depth	3
execution_time	0.0
expected_child_count	0
failure_visits	1
id	12
is_debug_successful	✗
is_leaf	✓
is_successful	✗
is_terminal	✓
num_children	0
prev_tutorial_prompt	None
stage	debug
time_step	12
tool_used	autogluon.multimodal
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_reward	0.0
validated_visits	0
validation_score	None
visits	1
parent_id	3
child_ids	[]

Error Message:

stderr:

==> WARNING: A newer version of conda exists. <==

current version: 25.11.0

latest version: 26.3.2

Please update conda by running

\$ conda update -n base -c conda-forge conda

Using Python 3.11.15 environment at: 33-basic_prompt/node_12/conda_env

Resolved 237 packages in 1.00s

Uninstalled 1 package in 1.77s

Installed 235 packages in 59.40s

+ absl-py==2.4.0

+ accelerate==1.13.0

+ adagio==0.2.6

+ aiohappyeyeballs==2.6.1

+ aiohttp==3.13.5

+ aiohttp-cors==0.8.1

+ aiosignal==1.4.0

+ alembic==1.18.4

+ annotated-doc==0.0.4

+ annotated-types==0.7.0

+ antlr4-python3-runtime==4.9.3

+ attrs==26.1.0

+ autogluon==1.5.1b20260501

+ autogluon-common==1.5.1b20260501

+ autogluon-core==1.5.1b20260501

+ autogluon-features==1.5.1b20260501

+ autogluon-multimodal==1.5.1b20260501

+ autogluon-tabular==1.5.1b20260501

+ autogluon-timeseries==1.5.1b20260501

+ beartype==0.22.9

+ beautifulsoup4==4.14.3

+ blis==1.3.3

+ boto3==1.43.1

+ botocore==1.43.1

+ catalogue==2.0.10

+ catboost==1.2.10

+ certifi==2026.4.22

+ cffi==2.0.0

+ chardet==7.4.3

+ charset-normalizer==3.4.7

+ chronos-forecasting==2.2.2

+ click==8.3.3

+ cloudpathlib==0.24.0

+ cloudpickle==3.1.2

+ colorama==0.4.6

+ colorful==0.6.0a1

+ colorlog==6.10.1
+ confection==1.3.3
+ contourpy==1.3.3
+ coreforecast==0.0.16
+ cryptography==47.0.0
+ cycler==0.12.1
+ cymem==2.0.13
+ datasets==4.0.0
+ defusedxml==0.7.1
+ dill==0.3.8
+ distlib==0.4.0
+ einops==0.8.2
+ einx==0.4.3
+ evaluate==0.4.6
+ fastai==2.8.5
+ fastcore==1.8.18
+ fastdownload==0.0.7
+ fastprogress==1.0.5
+ fasttransform==0.0.2
+ filelock==3.29.0
+ fonttools==4.62.1
+ frozendict==2.4.7
+ frozenlist==1.8.0
+ fsspec==2025.3.0
+ fugue==0.9.7
+ future==1.0.0
+ gdown==6.0.0
+ gluonts==0.16.2
+ google-api-core==2.30.3
+ google-auth==2.50.0
+ googleapis-common-protos==1.74.0
+ graphviz==0.21
+ grpcio==1.80.0
+ hf-xet==1.5.0.dev3
+ httpx==1.0.dev3
+ huggingface-hub==0.36.2
+ hyperopt==0.2.7
+ idna==3.... [truncated, 6500 chars total]

Error Analysis:

ERROR_SUMMARY: The script raised a `FileNotFoundError` because it could not find a test file (such as `test.csv` or `sample\_submission.csv`) in the specified data directory (`/home/anri21/be-fair/mlzero/basic\_prompt\_data`). This caused the script to halt before model training or prediction could proceed, as the test set is required for output generation and validation.

SUGGESTED_FIX:

Check the contents of ``/home/anri21/be-fair/mlzero/basic_prompt_data`` and ensure that a test file named ``test.csv`` or ``sample_submission.csv`` (with at least ``image_name`` column) is present. If such a file does not exist, create a test file with the required structure, or modify the script to handle the absence of a test set if appropriate for your workflow.

Node 13 (debug)

Property	Value
uct_value	1.1772
ctime	2026-05-01 12:55:33
debug_attempts	3
depth	3
execution_time	0.0
expected_child_count	0
failure_visits	1
id	13
is_debug_successful	✗
is_leaf	✓
is_successful	✗
is_terminal	✓
num_children	0
prev_tutorial_prompt	None
stage	debug
time_step	13
tool_used	machine learning
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_reward	0.0
validated_visits	0
validation_score	None
visits	1
parent_id	6
child_ids	[]

Error Message:

stderr:

==> WARNING: A newer version of conda exists. <==

current version: 25.11.0

latest version: 26.3.2

Please update conda by running

\$ conda update -n base -c conda-forge conda

warning: Requirements file `~/home/anri21/.conda/envs/mlzero\_env/lib/python3.12/site-packages/autogluon/assistant/tools\_registry/machine learning/requirements.txt` does not contain any dependencies

Using Python 3.11.15 environment at: 33-basic_prompt/node_13/conda_env

Resolved 79 packages in 324ms

Uninstalled 1 package in 1.51s

Installed 78 packages in 36.35s

+ aiohappyeyeballs==2.6.1

+ aiohttp==3.13.5

+ aiosignal==1.4.0

+ annotated-doc==0.0.4

+ annotated-types==0.7.0

+ anyio==4.13.0

+ attrs==26.1.0

+ certifi==2026.4.22

+ chardet==7.4.3

+ charset-normalizer==3.4.7

+ click==8.3.3

+ cuda-bindings==13.2.0

+ cuda-pathfinder==1.5.4

+ cuda-toolkit==13.0.2

+ datasets==4.8.5

+ dill==0.4.1

+ filelock==3.29.0

+ frozenlist==1.8.0

+ fsspec==2026.2.0

+ h11==0.16.0

+ hf-xet==1.5.0.dev3

+ httpcore==1.0.9

+ httpx==0.28.1

+ huggingface-hub==1.13.0

+ idna==3.13

+ jinja2==3.1.6

+ markdown-it-py==4.0.0

+ markupsafe==3.0.3

+ mdurl==0.1.2

+ mpmath==1.3.0

+ multidict==6.7.1

+ multiprocessing==0.70.19

+ networkx==3.6.1

+ numpy==2.4.4

```
+ nvidia-cublas==13.1.0.3
+ nvidia-cuda-cupti==13.0.85
+ nvidia-cuda-nvrtc==13.0.88
+ nvidia-cuda-runtime==13.0.96
+ nvidia-cudnn-cu13==9.19.0.56
+ nvidia-cufft==12.0.0.61
+ nvidia-cufile==1.15.1.6
+ nvidia-curand==10.4.0.35
+ nvidia-cusolver==12.0.4.66
+ nvidia-cusparselt-cu13==0.8.0
+ nvidia-cusparse==12.6.3.3
+ nvidia-nccl-cu13==2.28.9
+ nvidia-nvjitlink==13.0.88
+ nvidia-nvshmem-cu13==3.4.5
+ nvidia-nvtx==13.0.85
+ opencv-python==4.13.0.92
+ pandas==3.0.2
+ pillow==12.2.0
+ propcache==0.4.1
+ pyarrow==24.0.0
+ pydantic==2.13.3
+ pydantic-core==2.46.3
+ pygments==2.20.0
+ python-calamine==0.6.2
+ python-dateutil==2.9.0.post0
+ pytz==2026.1.post1
+ pyyaml==6.0.3
+ requests==2.33.1
+ rich==15.0.0
- setuptools=... [truncated, 2817 chars total]
```

Error Analysis:

ERROR_SUMMARY: The script raised a FileNotFoundError because it expects a test file (such as test.csv or sample_submission.csv) in the data directory (/home/anri21/be-fair/mlzero/basic_prompt_data), but no such file was found. The code attempts to locate a test set for making predictions and validating output format, and fails if neither file is present.

SUGGESTED_FIX:

Add a test file (e.g., test.csv or sample_submission.csv) to the data directory with at least an image_name column listing the images to predict on. If you do not have a test set, create a dummy test.csv with the required structure, or modify the script to skip test prediction steps when no test file is present.

Node 14 (debug)

Property	Value
uct_value	1.1772
ctime	2026-05-01 12:59:19
debug_attempts	3
depth	3
execution_time	0.0
expected_child_count	0
failure_visits	1
id	14
is_debug_successful	✗
is_leaf	✓
is_successful	✗
is_terminal	✓
num_children	0
prev_tutorial_prompt	None
stage	debug
time_step	14
tool_used	autogluon.tabular
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_reward	0.0
validated_visits	0
validation_score	None
visits	1
parent_id	11
child_ids	[]

Error Message:

stderr:

==> WARNING: A newer version of conda exists. <==

current version: 25.11.0

latest version: 26.3.2

Please update conda by running

\$ conda update -n base -c conda-forge conda

Using Python 3.11.15 environment at: 33-basic_prompt/node_14/conda_env

Resolved 241 packages in 998ms

Uninstalled 1 package in 1.56s

Installed 239 packages in 1m 10s

+ absl-py==2.4.0

+ accelerate==1.13.0

+ adagio==0.2.6

+ aiohappyeyeballs==2.6.1

+ aiohttp==3.13.5

+ aiohttp-cors==0.8.1

+ aiosignal==1.4.0

+ alembic==1.18.4

+ annotated-doc==0.0.4

+ annotated-types==0.7.0

+ antlr4-python3-runtime==4.9.3

+ attrs==26.1.0

+ autogluon==1.5.1b20260501

+ autogluon-common==1.5.1b20260501

+ autogluon-core==1.5.1b20260501

+ autogluon-features==1.5.1b20260501

+ autogluon-multimodal==1.5.1b20260501

+ autogluon-tabular==1.5.1b20260501

+ autogluon-timeseries==1.5.1b20260501

+ beartype==0.22.9

+ beautifulsoup4==4.14.3

+ blis==1.3.3

+ boto3==1.43.1

+ botocore==1.43.1

+ catalogue==2.0.10

+ catboost==1.2.10

+ certifi==2026.4.22

+ cffi==2.0.0

+ chardet==7.4.3

+ charset-normalizer==3.4.7

+ chronos-forecasting==2.2.2

+ click==8.3.3

+ cloudpathlib==0.24.0

+ cloudpickle==3.1.2

+ colorama==0.4.6

+ colorful==0.6.0a1

```
+ colorlog==6.10.1
+ confection==1.3.3
+ contourpy==1.3.3
+ coreforecast==0.0.16
+ cryptography==47.0.0
+ cycler==0.12.1
+ cymem==2.0.13
+ daal==2025.9.0
+ datasets==4.0.0
+ defusedxml==0.7.1
+ dill==0.3.8
+ distlib==0.4.0
+ einops==0.8.2
+ einx==0.4.3
+ evaluate==0.4.6
+ fastai==2.8.5
+ fastcore==1.8.18
+ fastdownload==0.0.7
+ fastprogress==1.0.5
+ fasttransform==0.0.2
+ filelock==3.29.0
+ fonttools==4.62.1
+ frozendict==2.4.7
+ frozenlist==1.8.0
+ fsspec==2025.3.0
+ fugue==0.9.7
+ future==1.0.0
+ gdown==6.0.0
+ gluonts==0.16.2
+ google-api-core==2.30.3
+ google-auth==2.50.0
+ googleapis-common-protos==1.74.0
+ graphviz==0.21
+ grpcio==1.80.0
+ hf-xet==1.5.0.dev3
+ httpx==1.0.dev3
+ huggingface-hub==0.36.2
+ hyperopt=... [truncated, 6177 chars total]
```

Error Analysis:

ERROR_SUMMARY: The script failed with a `FileNotFoundError` because it could not find a test file (named `test\*.csv` or `sample\_submission\*`) in the specified data directory (`/home/anri21/be-fair/mlzero/basic\_prompt\_data`). The code is designed to require such a file for making predictions and saving results, but only `mydataset.csv` and `descriptions.txt` are present.

SUGGESTED_FIX:

Add a test file (e.g., `test.csv` or `sample\_submission.csv`) to the `/home/anri21/be-fair/mlzero/basic\_prompt\_data` directory. This file should contain at least the columns needed for prediction (such as `image\_name` and any required features), even if the label column is missing or empty. If you do not have a test set, create a dummy `test.csv` with the appropriate structure to allow the script to proceed.

Node 15 (debug)

Property	Value
uct_value	1.4821
ctime	2026-05-01 13:02:32
debug_attempts	3
depth	3
execution_time	0.0
expected_child_count	0
failure_visits	1
id	15
is_debug_successful	✗
is_leaf	✓
is_successful	✗
is_terminal	✓
num_children	0
prev_tutorial_prompt	None
stage	debug
time_step	15
tool_used	machine learning
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_reward	0.0
validated_visits	0
validation_score	None
visits	1
parent_id	4
child_ids	[]

Error Message:

```
stderr:
==> WARNING: A newer version of conda exists. <==
current version: 25.11.0
latest version: 26.3.2
Please update conda by running
$ conda update -n base -c conda-forge conda
warning: Requirements file `~/home/anri21/.conda/envs/mlzero_env/lib/python3.12/site-packages/autogluon/assistant/tools_registry/machine learning/requirements.txt`
does not contain any dependencies
Using Python 3.11.15 environment at: 33-basic_prompt/node_15/conda_env
Resolved 79 packages in 285ms
Uninstalled 1 package in 1.46s
Installed 78 packages in 36.21s
+ aiohappyeyeballs==2.6.1
+ aiohttp==3.13.5
+ aiosignal==1.4.0
+ annotated-doc==0.0.4
+ annotated-types==0.7.0
+ anyio==4.13.0
+ attrs==26.1.0
+ certifi==2026.4.22
+ chardet==7.4.3
+ charset-normalizer==3.4.7
+ click==8.3.3
+ cuda-bindings==13.2.0
+ cuda-pathfinder==1.5.4
+ cuda-toolkit==13.0.2
+ datasets==4.8.5
+ dill==0.4.1
+ filelock==3.29.0
+ frozenlist==1.8.0
+ fsspec==2026.2.0
+ h11==0.16.0
+ hf-xet==1.5.0.dev3
+ httpcore==1.0.9
+ httpx==0.28.1
+ huggingface-hub==1.13.0
+ idna==3.13
+ jinja2==3.1.6
+ markdown-it-py==4.0.0
+ markupsafe==3.0.3
+ mdurl==0.1.2
+ mpmath==1.3.0
+ multidict==6.7.1
+ multiprocessing==0.70.19
+ networkx==3.6.1
+ numpy==2.4.4
```



```
+ nvidia-cublas==13.1.0.3
+ nvidia-cuda-cupti==13.0.85
+ nvidia-cuda-nvrtc==13.0.88
+ nvidia-cuda-runtime==13.0.96
+ nvidia-cudnn-cu13==9.19.0.56
+ nvidia-cufft==12.0.0.61
+ nvidia-cufile==1.15.1.6
+ nvidia-curand==10.4.0.35
+ nvidia-cusolver==12.0.4.66
+ nvidia-cusparselt-cu13==0.8.0
+ nvidia-cusparselt-cu13==0.8.0
+ nvidia-nccl-cu13==2.28.9
+ nvidia-nvjitlink==13.0.88
+ nvidia-nvshmem-cu13==3.4.5
+ nvidia-nvtx==13.0.85
+ opencv-python==4.13.0.92
+ pandas==3.0.2
+ pillow==12.2.0
+ propcache==0.4.1
+ pyarrow==24.0.0
+ pydantic==2.13.3
+ pydantic-core==2.46.3
+ pygments==2.20.0
+ python-calamine==0.6.2
+ python-dateutil==2.9.0.post0
+ pytz==2026.1.post1
+ pyyaml==6.0.3
+ requests==2.33.1
+ rich==15.0.0
- setuptools=... [truncated, 2838 chars total]
```

Error Analysis:

ERROR_SUMMARY: The script raised a FileNotFoundError because it expects a test file (such as test.csv or sample_submission.csv) in the data directory (/home/anri21/be-fair/mlzero/basic_prompt_data), but no such file was found. As a result, the script halted before model training and evaluation could complete.

SUGGESTED_FIX: Check the data directory to ensure that a test file (e.g., test.csv or sample_submission.csv) is present and correctly named. If no test file is provided, create a placeholder test file with the required columns (at minimum, image_name) or adjust the script to skip test prediction if no test file is available.

Node 16 (debug)

Property	Value
uct_value	1.4821
ctime	2026-05-01 13:06:16
debug_attempts	2
depth	3
execution_time	0.0
expected_child_count	0
failure_visits	1
id	16
is_debug_successful	✗
is_leaf	✓
is_successful	✗
is_terminal	✓
num_children	0
prev_tutorial_prompt	None
stage	debug
time_step	16
tool_used	autogluon.tabular
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_reward	0.0
validated_visits	0
validation_score	None
visits	1
parent_id	7
child_ids	[]

Error Message:

stderr:

==> WARNING: A newer version of conda exists. <==

current version: 25.11.0

latest version: 26.3.2

Please update conda by running

\$ conda update -n base -c conda-forge conda

Using Python 3.11.15 environment at: 33-basic_prompt/node_16/conda_env

Resolved 241 packages in 977ms

Uninstalled 1 package in 1.51s

Installed 239 packages in 59.09s

+ absl-py==2.4.0

+ accelerate==1.13.0

+ adagio==0.2.6

+ aiohappyeyeballs==2.6.1

+ aiohttp==3.13.5

+ aiohttp-cors==0.8.1

+ aiosignal==1.4.0

+ alembic==1.18.4

+ annotated-doc==0.0.4

+ annotated-types==0.7.0

+ antlr4-python3-runtime==4.9.3

+ attrs==26.1.0

+ autogluon==1.5.1b20260501

+ autogluon-common==1.5.1b20260501

+ autogluon-core==1.5.1b20260501

+ autogluon-features==1.5.1b20260501

+ autogluon-multimodal==1.5.1b20260501

+ autogluon-tabular==1.5.1b20260501

+ autogluon-timeseries==1.5.1b20260501

+ beartype==0.22.9

+ beautifulsoup4==4.14.3

+ blis==1.3.3

+ boto3==1.43.1

+ botocore==1.43.1

+ catalogue==2.0.10

+ catboost==1.2.10

+ certifi==2026.4.22

+ cffi==2.0.0

+ chardet==7.4.3

+ charset-normalizer==3.4.7

+ chronos-forecasting==2.2.2

+ click==8.3.3

+ cloudpathlib==0.24.0

+ cloudpickle==3.1.2

+ colorama==0.4.6

+ colorful==0.6.0a1

```
+ colorlog==6.10.1
+ confection==1.3.3
+ contourpy==1.3.3
+ coreforecast==0.0.16
+ cryptography==47.0.0
+ cycler==0.12.1
+ cymem==2.0.13
+ daal==2025.9.0
+ datasets==4.0.0
+ defusedxml==0.7.1
+ dill==0.3.8
+ distlib==0.4.0
+ einops==0.8.2
+ einx==0.4.3
+ evaluate==0.4.6
+ fastai==2.8.5
+ fastcore==1.8.18
+ fastdownload==0.0.7
+ fastprogress==1.0.5
+ fasttransform==0.0.2
+ filelock==3.29.0
+ fonttools==4.62.1
+ frozendict==2.4.7
+ frozenlist==1.8.0
+ fsspec==2025.3.0
+ fugue==0.9.7
+ future==1.0.0
+ gdown==6.0.0
+ gluonts==0.16.2
+ google-api-core==2.30.3
+ google-auth==2.50.0
+ googleapis-common-protos==1.74.0
+ graphviz==0.21
+ grpcio==1.80.0
+ hf-xet==1.5.0.dev3
+ httpx==1.0.dev3
+ huggingface-hub==0.36.2
+ hyperopt=... [truncated, 6282 chars total]
```

Error Analysis:

ERROR_SUMMARY: The script failed with a FileNotFoundError because it could not locate a test file (such as "test.csv" or "sample_submission.csv") in the specified data directory (/home/anri21/be-fair/mlzero/basic_prompt_data). The code expects a test file for making predictions and saving results, but none was found, causing the execution to halt.

SUGGESTED_FIX: Check the /home/anri21/be-fair/mlzero/basic_prompt_data directory and ensure that a test file named "test.csv" or "sample_submission.csv" exists

and is accessible. If such a file is missing, create or copy the appropriate test file into the directory, then rerun the script.

Node 17 (debug)

Property	Value
uct_value	1.4821
ctime	2026-05-01 13:09:50
debug_attempts	3
depth	3
execution_time	0.0
expected_child_count	0
failure_visits	1
id	17
is_debug_successful	✗
is_leaf	✓
is_successful	✗
is_terminal	✓
num_children	0
prev_tutorial_prompt	None
stage	debug
time_step	17
tool_used	autogluon.tabular
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_reward	0.0
validated_visits	0
validation_score	None
visits	1
parent_id	7
child_ids	[]

Error Message:

stderr:

==> WARNING: A newer version of conda exists. <==

current version: 25.11.0

latest version: 26.3.2

Please update conda by running

\$ conda update -n base -c conda-forge conda

Using Python 3.11.15 environment at: 33-basic_prompt/node_17/conda_env

Resolved 241 packages in 978ms

Uninstalled 1 package in 1.55s

Installed 239 packages in 1m 06s

+ absl-py==2.4.0

+ accelerate==1.13.0

+ adagio==0.2.6

+ aiohappyeyeballs==2.6.1

+ aiohttp==3.13.5

+ aiohttp-cors==0.8.1

+ aiosignal==1.4.0

+ alembic==1.18.4

+ annotated-doc==0.0.4

+ annotated-types==0.7.0

+ antlr4-python3-runtime==4.9.3

+ attrs==26.1.0

+ autogluon==1.5.1b20260501

+ autogluon-common==1.5.1b20260501

+ autogluon-core==1.5.1b20260501

+ autogluon-features==1.5.1b20260501

+ autogluon-multimodal==1.5.1b20260501

+ autogluon-tabular==1.5.1b20260501

+ autogluon-timeseries==1.5.1b20260501

+ beartype==0.22.9

+ beautifulsoup4==4.14.3

+ blis==1.3.3

+ boto3==1.43.1

+ botocore==1.43.1

+ catalogue==2.0.10

+ catboost==1.2.10

+ certifi==2026.4.22

+ cffi==2.0.0

+ chardet==7.4.3

+ charset-normalizer==3.4.7

+ chronos-forecasting==2.2.2

+ click==8.3.3

+ cloudpathlib==0.24.0

+ cloudpickle==3.1.2

+ colorama==0.4.6

+ colorful==0.6.0a1

```
+ colorlog==6.10.1
+ confection==1.3.3
+ contourpy==1.3.3
+ coreforecast==0.0.16
+ cryptography==47.0.0
+ cycler==0.12.1
+ cymem==2.0.13
+ daal==2025.9.0
+ datasets==4.0.0
+ defusedxml==0.7.1
+ dill==0.3.8
+ distlib==0.4.0
+ einops==0.8.2
+ einx==0.4.3
+ evaluate==0.4.6
+ fastai==2.8.5
+ fastcore==1.8.18
+ fastdownload==0.0.7
+ fastprogress==1.0.5
+ fasttransform==0.0.2
+ filelock==3.29.0
+ fonttools==4.62.1
+ frozendict==2.4.7
+ frozenlist==1.8.0
+ fsspec==2025.3.0
+ fugue==0.9.7
+ future==1.0.0
+ gdown==6.0.0
+ gluonts==0.16.2
+ google-api-core==2.30.3
+ google-auth==2.50.0
+ googleapis-common-protos==1.74.0
+ graphviz==0.21
+ grpcio==1.80.0
+ hf-xet==1.5.0.dev3
+ httpx==1.0.dev3
+ huggingface-hub==0.36.2
+ hyperopt=... [truncated, 6282 chars total]
```

Error Analysis:

ERROR_SUMMARY: The script failed with a `FileNotFoundError` because it expects a test file (such as `test\*.csv` or `sample\_submission\*.csv`) in the data directory (/home/anri21/be-fair/mlzero/basic_prompt_data`), but no such file was found. As a result, the script could not proceed to model evaluation or prediction.

SUGGESTED_FIX:

Check the data directory to ensure that a test file (e.g., `test.csv` or `sample\_submission.csv`) is present. If missing, add the appropriate test file with the required

columns (such as `image\_name`) to the data directory, then rerun the script. If you do not have a test file, create a placeholder with the correct structure to allow the script to execute.