

Node Structure Visualization


Click on any node in the tree to jump to its detailed information.

Total Nodes: 19 | No validation scores available

Node Tree:

Table of Contents:

Node ID	Stage	Status	Tool
>-1			
>0			autogluon.multimodal
>1			machine learning
>2			autogluon.tabular
>3			autogluon.multimodal
>4			machine learning
>5			autogluon.multimodal
>6			machine learning
>7			autogluon.tabular
>8			autogluon.multimodal
>9			autogluon.multimodal
>10			machine learning
>11			autogluon.tabular
>12			autogluon.multimodal
>13			machine learning
>14			autogluon.tabular
>15			machine learning
>16			autogluon.tabular
>17			autogluon.tabular



Status	Color
Success	Green
Failure	Red
Neutral	Blue

Node Details:

Node -1 (root)

Property	Value
uct_value	-0.4444
ctime	2026-05-01 12:09:31
debug_attempts	0
depth	0
execution_time	0.0
expected_child_count	0
failure_visits	18
id	-1
is_debug_successful	✗
is_leaf	✗
is_successful	✗
is_terminal	✓
num_children	3
prev_tutorial_prompt	None
stage	root
time_step	-1
tool_used	
tools_available	[]
unvalidated_visits	0
validated_reward	0.0
validated_visits	0
validation_score	None
visits	18
parent_id	None
child_ids	[0, 1, 2]

Node 0 (evolve)

Property	Value
uct_value	0.6481
ctime	2026-05-01 12:10:15
debug_attempts	2
depth	1
execution_time	0.0
expected_child_count	0
exploitation	-0.3
exploration	0.9968262051089475
failure_penalty	-0.3
failure_visits	6
id	0
is_debug_successful	✗
is_leaf	✗
is_successful	✗
is_terminal	✓
normalized_failure_visit	3
num_children	2
prev_tutorial_prompt	None
stage	evolve
time_step	0
tool_used	autogluon.multimodal
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_contribution	0.0
validated_reward	0.0
validated_visits	0
validation_score	None

visits	6
parent_id	-1
child_ids	[3, 5]

Error Message:

stderr:

==> WARNING: A newer version of conda exists. <==

current version: 25.11.0

latest version: 26.3.2

Please update conda by running

\$ conda update -n base -c conda-forge conda

Using Python 3.11.15 environment at: 34-basic_prompt/node_0/conda_env

Resolved 237 packages in 1.15s

Uninstalled 1 package in 1.50s

Installed 235 packages in 1m 11s

+ absl-py==2.4.0

+ accelerate==1.13.0

+ adagio==0.2.6

+ aiohappyeyeballs==2.6.1

+ aiohttp==3.13.5

+ aiohttp-cors==0.8.1

+ aiosignal==1.4.0

+ alembic==1.18.4

+ annotated-doc==0.0.4

+ annotated-types==0.7.0

+ antlr4-python3-runtime==4.9.3

+ attrs==26.1.0

+ autogluon==1.5.1b20260501

+ autogluon-common==1.5.1b20260501

+ autogluon-core==1.5.1b20260501

+ autogluon-features==1.5.1b20260501

+ autogluon-multimodal==1.5.1b20260501

+ autogluon-tabular==1.5.1b20260501

+ autogluon-timeseries==1.5.1b20260501

+ beartype==0.22.9

+ beautifulsoup4==4.14.3

+ blis==1.3.3

+ boto3==1.43.1

+ botocore==1.43.1

+ catalogue==2.0.10

+ catboost==1.2.10

+ certifi==2026.4.22

+ cffi==2.0.0

- + chardet==7.4.3
- + charset-normalizer==3.4.7
- + chronos-forecasting==2.2.2
- + click==8.3.3
- + cloudpathlib==0.24.0
- + cloudpickle==3.1.2
- + colorama==0.4.6
- + colorful==0.6.0a1
- + colorlog==6.10.1
- + confection==1.3.3
- + contourpy==1.3.3
- + coreforecast==0.0.16
- + cryptography==47.0.0
- + cycler==0.12.1
- + cymem==2.0.13
- + datasets==4.0.0
- + defusedxml==0.7.1
- + dill==0.3.8
- + distlib==0.4.0
- + einops==0.8.2
- + einx==0.4.3
- + evaluate==0.4.6
- + fastai==2.8.5
- + fastcore==1.8.18
- + fastdownload==0.0.7
- + fastprogress==1.0.5
- + fasttransform==0.0.2
- + filelock==3.29.0
- + fonttools==4.62.1
- + frozendict==2.4.7
- + frozenlist==1.8.0
- + fsspec==2025.3.0
- + fugue==0.9.7
- + future==1.0.0
- + gdown==6.0.0
- + gluonts==0.16.2
- + google-api-core==2.30.3
- + google-auth==2.50.0
- + googleapis-common-protos==1.74.0
- + graphviz==0.21
- + grpcio==1.80.0
- + hf-xet==1.5.0.dev3
- + httpx==1.0.dev3
- + huggingface-hub==0.36.2
- + hyperopt==0.2.7

+ idna==3.1... [truncated, 6542 chars total]

Error Analysis:

ERROR_SUMMARY: The error occurs because the code expects a test CSV file (e.g., test.csv) to be present in the data directory (/home/anri21/be-fair/mlzero/basic_prompt_data), but no such file is found. As a result, a FileNotFoundError is raised before any model training or prediction can proceed.

SUGGESTED_FIX: Ensure that a test CSV file (such as test.csv) exists in the data directory (/home/anri21/be-fair/mlzero/basic_prompt_data) and that it contains the necessary columns (e.g., image_name). If you do not have a test set, create a placeholder test.csv with the required structure, or modify the code to skip test prediction if no test file is present.

Node 1 (evolve)

Property	Value
uct_value	0.6481
ctime	2026-05-01 12:14:46
debug_attempts	2
depth	1
execution_time	0.0
expected_child_count	0
exploitation	-0.3
exploration	0.7804660679599289
failure_penalty	-0.3
failure_visits	6
id	1
is_debug_successful	✗
is_leaf	✗
is_successful	✗
is_terminal	✓
normalized_failure_visit	3
num_children	2
prev_tutorial_prompt	None
stage	evolve
time_step	1
tool_used	machine learning
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_contribution	0.0
validated_reward	0.0
validated_visits	0
validation_score	None

visits	6
parent_id	-1
child_ids	[4, 6]

Error Message:

stderr:

==> WARNING: A newer version of conda exists. <==

current version: 25.11.0

latest version: 26.3.2

Please update conda by running

\$ conda update -n base -c conda-forge conda

warning: Requirements file `~/home/anri21/.conda/envs/mlzero\_env/lib/python3.12/site-packages/autogluon/assistant/tools\_registry/machine learning/requirements.txt` does not contain any dependencies

Using Python 3.11.15 environment at: 34-basic_prompt/node_1/conda_env

Resolved 79 packages in 382ms

Uninstalled 1 package in 1.52s

Installed 78 packages in 35.06s

+ aiohappyeyeballs==2.6.1

+ aiohttp==3.13.5

+ aiosignal==1.4.0

+ annotated-doc==0.0.4

+ annotated-types==0.7.0

+ anyio==4.13.0

+ attrs==26.1.0

+ certifi==2026.4.22

+ chardet==7.4.3

+ charset-normalizer==3.4.7

+ click==8.3.3

+ cuda-bindings==13.2.0

+ cuda-pathfinder==1.5.4

+ cuda-toolkit==13.0.2

+ datasets==4.8.5

+ dill==0.4.1

+ filelock==3.29.0

+ frozenlist==1.8.0

+ fsspec==2026.2.0

+ h11==0.16.0

+ hf-xet==1.5.0.dev3

+ httpcore==1.0.9

+ httpx==0.28.1

+ huggingface-hub==1.13.0

+ idna==3.13

+ jinja2==3.1.6

```
+ markdown-it-py==4.0.0
+ markupsafe==3.0.3
+ mdurl==0.1.2
+ mpmath==1.3.0
+ multidict==6.7.1
+ multiprocessing==0.70.19
+ networkx==3.6.1
+ numpy==2.4.4
+ nvidia-cublas==13.1.0.3
+ nvidia-cuda-cupti==13.0.85
+ nvidia-cuda-nvrtc==13.0.88
+ nvidia-cuda-runtime==13.0.96
+ nvidia-cudnn-cu13==9.19.0.56
+ nvidia-cufft==12.0.0.61
+ nvidia-cufile==1.15.1.6
+ nvidia-curand==10.4.0.35
+ nvidia-cusolver==12.0.4.66
+ nvidia-cusparselt-cu13==0.8.0
+ nvidia-nccl-cu13==2.28.9
+ nvidia-nvjitlink==13.0.88
+ nvidia-nvshmem-cu13==3.4.5
+ nvidia-nvtx==13.0.85
+ opencv-python==4.13.0.92
+ pandas==3.0.2
+ pillow==12.2.0
+ propcache==0.4.1
+ pyarrow==24.0.0
+ pydantic==2.13.3
+ pydantic-core==2.46.3
+ pygments==2.20.0
+ python-calamine==0.6.2
+ python-dateutil==2.9.0.post0
+ pytz==2026.1.post1
+ pyyaml==6.0.3
+ requests==2.33.1
+ rich==15.0.0
- setuptools==... [truncated, 2821 chars total]
```

Error Analysis:

ERROR_SUMMARY: The error occurred because the Python script expects a test CSV file (whose name starts with "test" and ends with ".csv") in the data directory (/home/anri21/be-fair/mlzero/basic_prompt_data), but no such file was found. As a result, the script raised a FileNotFoundError and terminated before any model training or prediction could occur.

SUGGESTED_FIX: Ensure that a test CSV file (e.g., test.csv) is present in the /home/anri21/be-fair/mlzero/basic_prompt_data directory. The file should be named with

a "test" prefix and ".csv" extension, and should contain at least an 'image_name' column referencing the images to be predicted. If you do not have a test set, create a placeholder test CSV with the required structure for the script to proceed.

Node 2 (evolve)

Property	Value
uct_value	0.6481
ctime	2026-05-01 12:18:05
debug_attempts	2
depth	1
execution_time	0.0
expected_child_count	0
exploitation	-0.3
exploration	0.53219899601806
failure_penalty	-0.3
failure_visits	6
id	2
is_debug_successful	✗
is_leaf	✗
is_successful	✗
is_terminal	✓
normalized_failure_visit	3
num_children	2
prev_tutorial_prompt	None
stage	evolve
time_step	2
tool_used	autogluon.tabular
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_contribution	0.0
validated_reward	0.0
validated_visits	0
validation_score	None

visits	6
parent_id	-1
child_ids	[11, 7]

Error Message:

stderr:

==> WARNING: A newer version of conda exists. <==

current version: 25.11.0

latest version: 26.3.2

Please update conda by running

\$ conda update -n base -c conda-forge conda

Using Python 3.11.15 environment at: 34-basic_prompt/node_2/conda_env

Resolved 241 packages in 1.03s

Uninstalled 1 package in 1.50s

Installed 239 packages in 50.82s

+ absl-py==2.4.0

+ accelerate==1.13.0

+ adagio==0.2.6

+ aiohappyeyeballs==2.6.1

+ aiohttp==3.13.5

+ aiohttp-cors==0.8.1

+ aiosignal==1.4.0

+ alembic==1.18.4

+ annotated-doc==0.0.4

+ annotated-types==0.7.0

+ antlr4-python3-runtime==4.9.3

+ attrs==26.1.0

+ autogluon==1.5.1b20260501

+ autogluon-common==1.5.1b20260501

+ autogluon-core==1.5.1b20260501

+ autogluon-features==1.5.1b20260501

+ autogluon-multimodal==1.5.1b20260501

+ autogluon-tabular==1.5.1b20260501

+ autogluon-timeseries==1.5.1b20260501

+ beartype==0.22.9

+ beautifulsoup4==4.14.3

+ blis==1.3.3

+ boto3==1.43.1

+ botocore==1.43.1

+ catalogue==2.0.10

+ catboost==1.2.10

+ certifi==2026.4.22

+ cffi==2.0.0

- + chardet==7.4.3
- + charset-normalizer==3.4.7
- + chronos-forecasting==2.2.2
- + click==8.3.3
- + cloudpathlib==0.24.0
- + cloudpickle==3.1.2
- + colorama==0.4.6
- + colorful==0.6.0a1
- + colorlog==6.10.1
- + confection==1.3.3
- + contourpy==1.3.3
- + coreforecast==0.0.16
- + cryptography==47.0.0
- + cycler==0.12.1
- + cymem==2.0.13
- + daal==2025.9.0
- + datasets==4.0.0
- + defusedxml==0.7.1
- + dill==0.3.8
- + distlib==0.4.0
- + einops==0.8.2
- + einx==0.4.3
- + evaluate==0.4.6
- + fastai==2.8.5
- + fastcore==1.8.18
- + fastdownload==0.0.7
- + fastprogress==1.0.5
- + fasttransform==0.0.2
- + filelock==3.29.0
- + fonttools==4.62.1
- + frozendict==2.4.7
- + frozenlist==1.8.0
- + fsspec==2025.3.0
- + fugue==0.9.7
- + future==1.0.0
- + gdown==6.0.0
- + gluonts==0.16.2
- + google-api-core==2.30.3
- + google-auth==2.50.0
- + googleapis-common-protos==1.74.0
- + graphviz==0.21
- + grpcio==1.80.0
- + hf-xet==1.5.0.dev3
- + httpx==1.0.dev3
- + huggingface-hub==0.36.2

+ hyperopt==... [truncated, 6204 chars total]

Error Analysis:

ERROR_SUMMARY: The error occurs because the code expects a test CSV file (with a filename starting with "test" and ending with ".csv") in the data directory (/home/anri21/be-fair/mlzero/basic_prompt_data), but no such file is present. As a result, the script raises a FileNotFoundError and halts execution.

SUGGESTED_FIX: Place a test CSV file (e.g., test.csv) in the data directory with the appropriate structure and columns matching the training data. Ensure the filename starts with "test" and ends with ".csv" so the script can detect and use it for predictions.

Node 3 (debug)

Property	Value
uct_value	0.9261
ctime	2026-05-01 12:20:46
debug_attempts	3
depth	2
execution_time	0.0
expected_child_count	0
exploitation	0.0
exploration	1.2684446626418298
failure_penalty	-0.0
failure_visits	3
id	3
is_debug_successful	✗
is_leaf	✗
is_successful	✗
is_terminal	✓
normalized_failure_visit	0
num_children	2
prev_tutorial_prompt	None
stage	debug
time_step	3
tool_used	autogluon.multimodal
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_contribution	0.0
validated_reward	0.0
validated_visits	0
validation_score	None

visits	3
parent_id	0
child_ids	[8, 12]

Error Message:

stderr:

==> WARNING: A newer version of conda exists. <==

current version: 25.11.0

latest version: 26.3.2

Please update conda by running

\$ conda update -n base -c conda-forge conda

Using Python 3.11.15 environment at: 34-basic_prompt/node_3/conda_env

Resolved 237 packages in 910ms

Uninstalled 1 package in 1.51s

Installed 235 packages in 1m 02s

+ absl-py==2.4.0

+ accelerate==1.13.0

+ adagio==0.2.6

+ aiohappyeyeballs==2.6.1

+ aiohttp==3.13.5

+ aiohttp-cors==0.8.1

+ aiosignal==1.4.0

+ alembic==1.18.4

+ annotated-doc==0.0.4

+ annotated-types==0.7.0

+ antlr4-python3-runtime==4.9.3

+ attrs==26.1.0

+ autogluon==1.5.1b20260501

+ autogluon-common==1.5.1b20260501

+ autogluon-core==1.5.1b20260501

+ autogluon-features==1.5.1b20260501

+ autogluon-multimodal==1.5.1b20260501

+ autogluon-tabular==1.5.1b20260501

+ autogluon-timeseries==1.5.1b20260501

+ beartype==0.22.9

+ beautifulsoup4==4.14.3

+ blis==1.3.3

+ boto3==1.43.1

+ botocore==1.43.1

+ catalogue==2.0.10

+ catboost==1.2.10

+ certifi==2026.4.22

+ cffi==2.0.0

- + chardet==7.4.3
- + charset-normalizer==3.4.7
- + chronos-forecasting==2.2.2
- + click==8.3.3
- + cloudpathlib==0.24.0
- + cloudpickle==3.1.2
- + colorama==0.4.6
- + colorful==0.6.0a1
- + colorlog==6.10.1
- + confection==1.3.3
- + contourpy==1.3.3
- + coreforecast==0.0.16
- + cryptography==47.0.0
- + cycler==0.12.1
- + cymem==2.0.13
- + datasets==4.0.0
- + defusedxml==0.7.1
- + dill==0.3.8
- + distlib==0.4.0
- + einops==0.8.2
- + einx==0.4.3
- + evaluate==0.4.6
- + fastai==2.8.5
- + fastcore==1.8.18
- + fastdownload==0.0.7
- + fastprogress==1.0.5
- + fasttransform==0.0.2
- + filelock==3.29.0
- + fonttools==4.62.1
- + frozendict==2.4.7
- + frozenlist==1.8.0
- + fsspec==2025.3.0
- + fugue==0.9.7
- + future==1.0.0
- + gdown==6.0.0
- + gluonts==0.16.2
- + google-api-core==2.30.3
- + google-auth==2.50.0
- + googleapis-common-protos==1.74.0
- + graphviz==0.21
- + grpcio==1.80.0
- + hf-xet==1.5.0.dev3
- + httpx==1.0.dev3
- + huggingface-hub==0.36.2
- + hyperopt==0.2.7

+ idna==3.1... [truncated, 6579 chars total]

Error Analysis:

ERROR_SUMMARY: The script raised a FileNotFoundError because it expects a test CSV file (with a filename starting with "test" and ending with ".csv") in the data directory (/home/anri21/be-fair/mlzero/basic_prompt_data), but no such file was found. As a result, the script terminated before any model training or prediction could occur.

SUGGESTED_FIX:

Check the /home/anri21/be-fair/mlzero/basic_prompt_data directory and ensure that a test CSV file (e.g., test.csv) exists and is named correctly (starts with "test" and ends with ".csv"). If you have a test set, copy or rename it to match this pattern; if not, create a suitable test CSV with the required columns (including 'image_name') for the script to proceed.

Node 4 (debug)

Property	Value
uct_value	0.9261
ctime	2026-05-01 12:24:37
debug_attempts	3
depth	2
execution_time	0.0
expected_child_count	0
exploitation	0.0
exploration	1.2684446626418298
failure_penalty	-0.0
failure_visits	3
id	4
is_debug_successful	✗
is_leaf	✗
is_successful	✗
is_terminal	✓
normalized_failure_visit	0
num_children	2
prev_tutorial_prompt	None
stage	debug
time_step	4
tool_used	machine learning
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_contribution	0.0
validated_reward	0.0
validated_visits	0
validation_score	None

visits	3
parent_id	1
child_ids	[10, 15]

Error Message:

stderr:

==> WARNING: A newer version of conda exists. <==

current version: 25.11.0

latest version: 26.3.2

Please update conda by running

\$ conda update -n base -c conda-forge conda

warning: Requirements file `~/home/anri21/.conda/envs/mlzero\_env/lib/python3.12/site-packages/autogluon/assistant/tools\_registry/machine learning/requirements.txt` does not contain any dependencies

Using Python 3.11.15 environment at: 34-basic_prompt/node_4/conda_env

Resolved 79 packages in 887ms

Uninstalled 1 package in 1.55s

Installed 78 packages in 33.34s

+ aiohappyeyeballs==2.6.1

+ aiohttp==3.13.5

+ aiosignal==1.4.0

+ annotated-doc==0.0.4

+ annotated-types==0.7.0

+ anyio==4.13.0

+ attrs==26.1.0

+ certifi==2026.4.22

+ chardet==7.4.3

+ charset-normalizer==3.4.7

+ click==8.3.3

+ cuda-bindings==13.2.0

+ cuda-pathfinder==1.5.4

+ cuda-toolkit==13.0.2

+ datasets==4.8.5

+ dill==0.4.1

+ filelock==3.29.0

+ frozenlist==1.8.0

+ fsspec==2026.2.0

+ h11==0.16.0

+ hf-xet==1.5.0.dev3

+ httpcore==1.0.9

+ httpx==0.28.1

+ huggingface-hub==1.13.0

+ idna==3.13

+ jinja2==3.1.6

```
+ markdown-it-py==4.0.0
+ markupsafe==3.0.3
+ mdurl==0.1.2
+ mpmath==1.3.0
+ multidict==6.7.1
+ multiprocessing==0.70.19
+ networkx==3.6.1
+ numpy==2.4.4
+ nvidia-cublas==13.1.0.3
+ nvidia-cuda-cupti==13.0.85
+ nvidia-cuda-nvrtc==13.0.88
+ nvidia-cuda-runtime==13.0.96
+ nvidia-cudnn-cu13==9.19.0.56
+ nvidia-cufft==12.0.0.61
+ nvidia-cufile==1.15.1.6
+ nvidia-curand==10.4.0.35
+ nvidia-cusolver==12.0.4.66
+ nvidia-cusparselt-cu13==0.8.0
+ nvidia-nccl-cu13==2.28.9
+ nvidia-nvjitlink==13.0.88
+ nvidia-nvshmem-cu13==3.4.5
+ nvidia-nvtx==13.0.85
+ opencv-python==4.13.0.92
+ pandas==3.0.2
+ pillow==12.2.0
+ propcache==0.4.1
+ pyarrow==24.0.0
+ pydantic==2.13.3
+ pydantic-core==2.46.3
+ pygments==2.20.0
+ python-calamine==0.6.2
+ python-dateutil==2.9.0.post0
+ pytz==2026.1.post1
+ pyyaml==6.0.3
+ requests==2.33.1
+ rich==15.0.0
- setuptools==... [truncated, 2810 chars total]
```

Error Analysis:

ERROR_SUMMARY: The error occurs because the script expects a test CSV file (with a filename starting with "test" and ending with ".csv") in the data directory (/home/anri21/be-fair/mlzero/basic_prompt_data), but no such file is present, resulting in a FileNotFoundError.

SUGGESTED_FIX: Check the /home/anri21/be-fair/mlzero/basic_prompt_data directory and ensure that a test CSV file (e.g., test.csv) exists and is named correctly. If the test file is missing, create or copy the appropriate test CSV file into this directory, making sure its filename starts with "test" and ends with ".csv".

Node 5 (debug)

Property	Value
uct_value	1.3384
ctime	2026-05-01 12:27:48
debug_attempts	3
depth	2
execution_time	0.0
expected_child_count	0
exploitation	0.0
exploration	1.664857771836881
failure_penalty	-0.0
failure_visits	2
id	5
is_debug_successful	✗
is_leaf	✗
is_successful	✗
is_terminal	✓
normalized_failure_visit	0
num_children	1
prev_tutorial_prompt	None
stage	debug
time_step	5
tool_used	autogluon.multimodal
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_contribution	0.0
validated_reward	0.0
validated_visits	0
validation_score	None

visits	2
parent_id	0
child_ids	[9]

Error Message:

```

stderr:
==> WARNING: A newer version of conda exists. <==
current version: 25.11.0
latest version: 26.3.2
Please update conda by running
$ conda update -n base -c conda-forge conda
Using Python 3.11.15 environment at: 34-basic_prompt/node_5/conda_env
Resolved 237 packages in 2.46s
Uninstalled 1 package in 1.54s
Installed 235 packages in 1m 07s
+ absl-py==2.4.0
+ accelerate==1.13.0
+ adagio==0.2.6
+ aiohappyeyeballs==2.6.1
+ aiohttp==3.13.5
+ aiohttp-cors==0.8.1
+ aiosignal==1.4.0
+ alembic==1.18.4
+ annotated-doc==0.0.4
+ annotated-types==0.7.0
+ antlr4-python3-runtime==4.9.3
+ attrs==26.1.0
+ autogluon==1.5.1b20260501
+ autogluon-common==1.5.1b20260501
+ autogluon-core==1.5.1b20260501
+ autogluon-features==1.5.1b20260501
+ autogluon-multimodal==1.5.1b20260501
+ autogluon-tabular==1.5.1b20260501
+ autogluon-timeseries==1.5.1b20260501
+ beartype==0.22.9
+ beautifulsoup4==4.14.3
+ blis==1.3.3
+ boto3==1.43.1
+ botocore==1.43.1
+ catalogue==2.0.10
+ catboost==1.2.10
+ certifi==2026.4.22
+ cffi==2.0.0

```

+ chardet==7.4.3
+ charset-normalizer==3.4.7
+ chronos-forecasting==2.2.2
+ click==8.3.3
+ cloudpathlib==0.24.0
+ cloudpickle==3.1.2
+ colorama==0.4.6
+ colorful==0.6.0a1
+ colorlog==6.10.1
+ confection==1.3.3
+ contourpy==1.3.3
+ coreforecast==0.0.16
+ cryptography==47.0.0
+ cycler==0.12.1
+ cymem==2.0.13
+ datasets==4.0.0
+ defusedxml==0.7.1
+ dill==0.3.8
+ distlib==0.4.0
+ einops==0.8.2
+ einx==0.4.3
+ evaluate==0.4.6
+ fastai==2.8.5
+ fastcore==1.8.18
+ fastdownload==0.0.7
+ fastprogress==1.0.5
+ fasttransform==0.0.2
+ filelock==3.29.0
+ fonttools==4.62.1
+ frozendict==2.4.7
+ frozenlist==1.8.0
+ fsspec==2025.3.0
+ fugue==0.9.7
+ future==1.0.0
+ gdown==6.0.0
+ gluonts==0.16.2
+ google-api-core==2.30.3
+ google-auth==2.50.0
+ googleapis-common-protos==1.74.0
+ graphviz==0.21
+ grpcio==1.80.0
+ hf-xet==1.5.0.dev3
+ httpx==1.0.dev3
+ huggingface-hub==0.36.2
+ hyperopt==0.2.7

+ idna==3.1... [truncated, 6547 chars total]

Error Analysis:

ERROR_SUMMARY: The script failed with a FileNotFoundError because it could not find a test CSV file (filename starting with "test" and ending with ".csv") in the data directory (/home/anri21/be-fair/mlzero/basic_prompt_data). The code expects this file to exist in order to generate predictions, but none was present.

SUGGESTED_FIX: Check that a test CSV file (e.g., test.csv) is present in /home/anri21/be-fair/mlzero/basic_prompt_data and that its filename starts with "test" and ends with ".csv". If the file is missing, create or copy the appropriate test CSV file into this directory before rerunning the script.

Node 6 (debug)

Property	Value
uct_value	1.3384
ctime	2026-05-01 12:31:43
debug_attempts	3
depth	2
execution_time	0.0
expected_child_count	0
exploitation	0.0
exploration	1.664857771836881
failure_penalty	-0.0
failure_visits	2
id	6
is_debug_successful	✗
is_leaf	✗
is_successful	✗
is_terminal	✓
normalized_failure_visit	0
num_children	1
prev_tutorial_prompt	None
stage	debug
time_step	6
tool_used	machine learning
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_contribution	0.0
validated_reward	0.0
validated_visits	0
validation_score	None

visits	2
parent_id	1
child_ids	[13]

Error Message:

stderr:

==> WARNING: A newer version of conda exists. <==

current version: 25.11.0

latest version: 26.3.2

Please update conda by running

\$ conda update -n base -c conda-forge conda

warning: Requirements file `~/home/anri21/.conda/envs/mlzero\_env/lib/python3.12/site-packages/autogluon/assistant/tools\_registry/machine learning/requirements.txt` does not contain any dependencies

Using Python 3.11.15 environment at: 34-basic_prompt/node_6/conda_env

Resolved 79 packages in 2.03s

Uninstalled 1 package in 1.50s

Installed 78 packages in 35.90s

+ aiohappyeyeballs==2.6.1

+ aiohttp==3.13.5

+ aiosignal==1.4.0

+ annotated-doc==0.0.4

+ annotated-types==0.7.0

+ anyio==4.13.0

+ attrs==26.1.0

+ certifi==2026.4.22

+ chardet==7.4.3

+ charset-normalizer==3.4.7

+ click==8.3.3

+ cuda-bindings==13.2.0

+ cuda-pathfinder==1.5.4

+ cuda-toolkit==13.0.2

+ datasets==4.8.5

+ dill==0.4.1

+ filelock==3.29.0

+ frozenlist==1.8.0

+ fsspec==2026.2.0

+ h11==0.16.0

+ hf-xet==1.5.0.dev3

+ httpcore==1.0.9

+ httpx==0.28.1

+ huggingface-hub==1.13.0

+ idna==3.13

+ jinja2==3.1.6

```
+ markdown-it-py==4.0.0
+ markupsafe==3.0.3
+ mdurl==0.1.2
+ mpmath==1.3.0
+ multidict==6.7.1
+ multiprocessing==0.70.19
+ networkx==3.6.1
+ numpy==2.4.4
+ nvidia-cublas==13.1.0.3
+ nvidia-cuda-cupti==13.0.85
+ nvidia-cuda-nvrtc==13.0.88
+ nvidia-cuda-runtime==13.0.96
+ nvidia-cudnn-cu13==9.19.0.56
+ nvidia-cufft==12.0.0.61
+ nvidia-cufile==1.15.1.6
+ nvidia-curand==10.4.0.35
+ nvidia-cusolver==12.0.4.66
+ nvidia-cusparselt-cu13==0.8.0
+ nvidia-nccl-cu13==2.28.9
+ nvidia-nvjitlink==13.0.88
+ nvidia-nvshmem-cu13==3.4.5
+ nvidia-nvtx==13.0.85
+ opencv-python==4.13.0.92
+ pandas==3.0.2
+ pillow==12.2.0
+ propcache==0.4.1
+ pyarrow==24.0.0
+ pydantic==2.13.3
+ pydantic-core==2.46.3
+ pygments==2.20.0
+ python-calamine==0.6.2
+ python-dateutil==2.9.0.post0
+ pytz==2026.1.post1
+ pyyaml==6.0.3
+ requests==2.33.1
+ rich==15.0.0
- setuptools==... [truncated, 2853 chars total]
```

Error Analysis:

ERROR_SUMMARY: The error occurs because the code expects a test CSV file (with a name starting with "test" and ending with ".csv") in the data directory (/home/anri21/be-fair/mlzero/basic_prompt_data), but no such file is present. As a result, the script raises a FileNotFoundError and halts before any model training or prediction can proceed.

SUGGESTED_FIX: Place a test CSV file (e.g., test.csv) containing the required columns (including at least 'image_name') in the

/home/anri21/be-fair/mlzero/basic_prompt_data directory. Ensure the file is named appropriately (starts with "test" and ends with ".csv") so the script can detect and use it for predictions.

Node 7 (debug)

Property	Value
uct_value	0.9261
ctime	2026-05-01 12:35:00
debug_attempts	3
depth	2
execution_time	0.0
expected_child_count	0
exploitation	0.0
exploration	1.2684446626418298
failure_penalty	-0.0
failure_visits	3
id	7
is_debug_successful	✗
is_leaf	✗
is_successful	✗
is_terminal	✓
normalized_failure_visit	0
num_children	2
prev_tutorial_prompt	None
stage	debug
time_step	7
tool_used	autogluon.tabular
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_contribution	0.0
validated_reward	0.0
validated_visits	0
validation_score	None

visits	3
parent_id	2
child_ids	[16, 17]

Error Message:

stderr:

==> WARNING: A newer version of conda exists. <==

current version: 25.11.0

latest version: 26.3.2

Please update conda by running

\$ conda update -n base -c conda-forge conda

Using Python 3.11.15 environment at: 34-basic_prompt/node_7/conda_env

Resolved 241 packages in 1.49s

Uninstalled 1 package in 1.50s

Installed 239 packages in 1m 04s

+ absl-py==2.4.0

+ accelerate==1.13.0

+ adagio==0.2.6

+ aiohappyeyeballs==2.6.1

+ aiohttp==3.13.5

+ aiohttp-cors==0.8.1

+ aiosignal==1.4.0

+ alembic==1.18.4

+ annotated-doc==0.0.4

+ annotated-types==0.7.0

+ antlr4-python3-runtime==4.9.3

+ attrs==26.1.0

+ autogluon==1.5.1b20260501

+ autogluon-common==1.5.1b20260501

+ autogluon-core==1.5.1b20260501

+ autogluon-features==1.5.1b20260501

+ autogluon-multimodal==1.5.1b20260501

+ autogluon-tabular==1.5.1b20260501

+ autogluon-timeseries==1.5.1b20260501

+ beartype==0.22.9

+ beautifulsoup4==4.14.3

+ blis==1.3.3

+ boto3==1.43.1

+ botocore==1.43.1

+ catalogue==2.0.10

+ catboost==1.2.10

+ certifi==2026.4.22

+ cffi==2.0.0

- + chardet==7.4.3
- + charset-normalizer==3.4.7
- + chronos-forecasting==2.2.2
- + click==8.3.3
- + cloudpathlib==0.24.0
- + cloudpickle==3.1.2
- + colorama==0.4.6
- + colorful==0.6.0a1
- + colorlog==6.10.1
- + confection==1.3.3
- + contourpy==1.3.3
- + coreforecast==0.0.16
- + cryptography==47.0.0
- + cycler==0.12.1
- + cymem==2.0.13
- + daal==2025.9.0
- + datasets==4.0.0
- + defusedxml==0.7.1
- + dill==0.3.8
- + distlib==0.4.0
- + einops==0.8.2
- + einx==0.4.3
- + evaluate==0.4.6
- + fastai==2.8.5
- + fastcore==1.8.18
- + fastdownload==0.0.7
- + fastprogress==1.0.5
- + fasttransform==0.0.2
- + filelock==3.29.0
- + fonttools==4.62.1
- + frozendict==2.4.7
- + frozenlist==1.8.0
- + fsspec==2025.3.0
- + fugue==0.9.7
- + future==1.0.0
- + gdown==6.0.0
- + gluonts==0.16.2
- + google-api-core==2.30.3
- + google-auth==2.50.0
- + googleapis-common-protos==1.74.0
- + graphviz==0.21
- + grpcio==1.80.0
- + hf-xet==1.5.0.dev3
- + httpx==1.0.dev3
- + huggingface-hub==0.36.2

+ hyperopt==... [truncated, 6231 chars total]

Error Analysis:

ERROR_SUMMARY: The error occurs because the code expects a test CSV file (with a filename starting with "test" and ending with ".csv") in the data directory (/home/anri21/be-fair/mlzero/basic_prompt_data), but no such file is present, resulting in a FileNotFoundError.

SUGGESTED_FIX: Check the /home/anri21/be-fair/mlzero/basic_prompt_data directory and ensure that a test CSV file (e.g., test.csv) exists and is named correctly (starts with "test" and ends with ".csv"). If the test file is missing, create or copy the appropriate test CSV file into this directory before rerunning the script.

Node 8 (debug)

Property	Value
uct_value	1.4821
ctime	2026-05-01 12:37:56
debug_attempts	2
depth	3
execution_time	0.0
expected_child_count	0
failure_visits	1
id	8
is_debug_successful	✗
is_leaf	✓
is_successful	✗
is_terminal	✓
num_children	0
prev_tutorial_prompt	None
stage	debug
time_step	8
tool_used	autogluon.multimodal
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_reward	0.0
validated_visits	0
validation_score	None
visits	1
parent_id	3
child_ids	[]

Error Message:

stderr:

==> WARNING: A newer version of conda exists. <==

current version: 25.11.0

latest version: 26.3.2

Please update conda by running

\$ conda update -n base -c conda-forge conda

Using Python 3.11.15 environment at: 34-basic_prompt/node_8/conda_env

Resolved 237 packages in 2.45s

Uninstalled 1 package in 1.43s

Installed 235 packages in 53.80s

+ absl-py==2.4.0

+ accelerate==1.13.0

+ adagio==0.2.6

+ aiohappyeyeballs==2.6.1

+ aiohttp==3.13.5

+ aiohttp-cors==0.8.1

+ aiosignal==1.4.0

+ alembic==1.18.4

+ annotated-doc==0.0.4

+ annotated-types==0.7.0

+ antlr4-python3-runtime==4.9.3

+ attrs==26.1.0

+ autogluon==1.5.1b20260501

+ autogluon-common==1.5.1b20260501

+ autogluon-core==1.5.1b20260501

+ autogluon-features==1.5.1b20260501

+ autogluon-multimodal==1.5.1b20260501

+ autogluon-tabular==1.5.1b20260501

+ autogluon-timeseries==1.5.1b20260501

+ beartype==0.22.9

+ beautifulsoup4==4.14.3

+ blis==1.3.3

+ boto3==1.43.1

+ botocore==1.43.1

+ catalogue==2.0.10

+ catboost==1.2.10

+ certifi==2026.4.22

+ cffi==2.0.0

+ chardet==7.4.3

+ charset-normalizer==3.4.7

+ chronos-forecasting==2.2.2

+ click==8.3.3

+ cloudpathlib==0.24.0

+ cloudpickle==3.1.2

+ colorama==0.4.6

+ colorful==0.6.0a1

+ colorlog==6.10.1
+ confection==1.3.3
+ contourpy==1.3.3
+ coreforecast==0.0.16
+ cryptography==47.0.0
+ cycler==0.12.1
+ cymem==2.0.13
+ datasets==4.0.0
+ defusedxml==0.7.1
+ dill==0.3.8
+ distlib==0.4.0
+ einops==0.8.2
+ einx==0.4.3
+ evaluate==0.4.6
+ fastai==2.8.5
+ fastcore==1.8.18
+ fastdownload==0.0.7
+ fastprogress==1.0.5
+ fasttransform==0.0.2
+ filelock==3.29.0
+ fonttools==4.62.1
+ frozendict==2.4.7
+ frozenlist==1.8.0
+ fsspec==2025.3.0
+ fugue==0.9.7
+ future==1.0.0
+ gdown==6.0.0
+ gluonts==0.16.2
+ google-api-core==2.30.3
+ google-auth==2.50.0
+ googleapis-common-protos==1.74.0
+ graphviz==0.21
+ grpcio==1.80.0
+ hf-xet==1.5.0.dev3
+ httpx==1.0.dev3
+ huggingface-hub==0.36.2
+ hyperopt==0.2.7
+ idna==3.1... [truncated, 6611 chars total]

Error Analysis:

ERROR_SUMMARY: The error occurs because the script expects a test CSV file (with a filename starting with "test" and ending with ".csv") in the data directory (/home/anri21/be-fair/mlzero/basic_prompt_data), but no such file is present. As a result, the script raises a FileNotFoundError and halts before any model training or prediction can occur.

SUGGESTED_FIX:

Add a test CSV file to /home/anri21/be-fair/mlzero/basic_prompt_data with a filename that starts with "test" and ends with ".csv" (e.g., test.csv), containing the required columns (such as 'image_name'). Ensure that the file is properly formatted and references valid image files in the dataset directory. Then, rerun the script.

Node 9 (debug)

Property	Value
uct_value	1.1772
ctime	2026-05-01 12:41:40
debug_attempts	3
depth	3
execution_time	0.0
expected_child_count	0
failure_visits	1
id	9
is_debug_successful	✗
is_leaf	✓
is_successful	✗
is_terminal	✓
num_children	0
prev_tutorial_prompt	None
stage	debug
time_step	9
tool_used	autogluon.multimodal
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_reward	0.0
validated_visits	0
validation_score	None
visits	1
parent_id	5
child_ids	[]

Error Message:

stderr:

==> WARNING: A newer version of conda exists. <==

current version: 25.11.0

latest version: 26.3.2

Please update conda by running

\$ conda update -n base -c conda-forge conda

Using Python 3.11.15 environment at: 34-basic_prompt/node_9/conda_env

Resolved 237 packages in 922ms

Uninstalled 1 package in 1.49s

Installed 235 packages in 1m 07s

+ absl-py==2.4.0

+ accelerate==1.13.0

+ adagio==0.2.6

+ aiohappyeyeballs==2.6.1

+ aiohttp==3.13.5

+ aiohttp-cors==0.8.1

+ aiosignal==1.4.0

+ alembic==1.18.4

+ annotated-doc==0.0.4

+ annotated-types==0.7.0

+ antlr4-python3-runtime==4.9.3

+ attrs==26.1.0

+ autogluon==1.5.1b20260501

+ autogluon-common==1.5.1b20260501

+ autogluon-core==1.5.1b20260501

+ autogluon-features==1.5.1b20260501

+ autogluon-multimodal==1.5.1b20260501

+ autogluon-tabular==1.5.1b20260501

+ autogluon-timeseries==1.5.1b20260501

+ beartype==0.22.9

+ beautifulsoup4==4.14.3

+ blis==1.3.3

+ boto3==1.43.1

+ botocore==1.43.1

+ catalogue==2.0.10

+ catboost==1.2.10

+ certifi==2026.4.22

+ cffi==2.0.0

+ chardet==7.4.3

+ charset-normalizer==3.4.7

+ chronos-forecasting==2.2.2

+ click==8.3.3

+ cloudpathlib==0.24.0

+ cloudpickle==3.1.2

+ colorama==0.4.6

+ colorful==0.6.0a1

```
+ colorlog==6.10.1
+ confection==1.3.3
+ contourpy==1.3.3
+ coreforecast==0.0.16
+ cryptography==47.0.0
+ cycler==0.12.1
+ cymem==2.0.13
+ datasets==4.0.0
+ defusedxml==0.7.1
+ dill==0.3.8
+ distlib==0.4.0
+ einops==0.8.2
+ einx==0.4.3
+ evaluate==0.4.6
+ fastai==2.8.5
+ fastcore==1.8.18
+ fastdownload==0.0.7
+ fastprogress==1.0.5
+ fasttransform==0.0.2
+ filelock==3.29.0
+ fonttools==4.62.1
+ frozendict==2.4.7
+ frozenlist==1.8.0
+ fsspec==2025.3.0
+ fugue==0.9.7
+ future==1.0.0
+ gdown==6.0.0
+ gluonts==0.16.2
+ google-api-core==2.30.3
+ google-auth==2.50.0
+ googleapis-common-protos==1.74.0
+ graphviz==0.21
+ grpcio==1.80.0
+ hf-xet==1.5.0.dev3
+ httpx==1.0.dev3
+ huggingface-hub==0.36.2
+ hyperopt==0.2.7
+ idna==3.1... [truncated, 6570 chars total]
```

Error Analysis:

ERROR_SUMMARY: The error occurs because the code expects a test CSV file (with a filename starting with "test" and ending with ".csv") in the data directory (/home/anri21/be-fair/mlzero/basic_prompt_data), but no such file is present. As a result, the script raises a FileNotFoundError and halts before any model training or evaluation.

SUGGESTED_FIX:

Check the `/home/anri21/be-fair/mlzero/basic_prompt_data` directory and ensure that a test CSV file (e.g., `test.csv`) exists and follows the expected naming convention. If you have a test set, rename or copy it to match the required pattern; otherwise, create a placeholder test CSV with the correct columns for development and rerun the script.

Node 10 (debug)

Property	Value
uct_value	1.4821
ctime	2026-05-01 12:45:37
debug_attempts	2
depth	3
execution_time	0.0
expected_child_count	0
failure_visits	1
id	10
is_debug_successful	✗
is_leaf	✓
is_successful	✗
is_terminal	✓
num_children	0
prev_tutorial_prompt	None
stage	debug
time_step	10
tool_used	machine learning
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_reward	0.0
validated_visits	0
validation_score	None
visits	1
parent_id	4
child_ids	[]

Error Message:

stderr:

==> WARNING: A newer version of conda exists. <==

current version: 25.11.0

latest version: 26.3.2

Please update conda by running

\$ conda update -n base -c conda-forge conda

warning: Requirements file `~/home/anri21/.conda/envs/mlzero\_env/lib/python3.12/site-packages/autogluon/assistant/tools\_registry/machine learning/requirements.txt` does not contain any dependencies

Using Python 3.11.15 environment at: 34-basic_prompt/node_10/conda_env

Resolved 79 packages in 328ms

Uninstalled 1 package in 1.49s

Installed 78 packages in 36.30s

+ aiohappyeyeballs==2.6.1

+ aiohttp==3.13.5

+ aiosignal==1.4.0

+ annotated-doc==0.0.4

+ annotated-types==0.7.0

+ anyio==4.13.0

+ attrs==26.1.0

+ certifi==2026.4.22

+ chardet==7.4.3

+ charset-normalizer==3.4.7

+ click==8.3.3

+ cuda-bindings==13.2.0

+ cuda-pathfinder==1.5.4

+ cuda-toolkit==13.0.2

+ datasets==4.8.5

+ dill==0.4.1

+ filelock==3.29.0

+ frozenlist==1.8.0

+ fsspec==2026.2.0

+ h11==0.16.0

+ hf-xet==1.5.0.dev3

+ httpcore==1.0.9

+ httpx==0.28.1

+ huggingface-hub==1.13.0

+ idna==3.13

+ jinja2==3.1.6

+ markdown-it-py==4.0.0

+ markupsafe==3.0.3

+ mdurl==0.1.2

+ mpmath==1.3.0

+ multidict==6.7.1

+ multiprocessing==0.70.19

+ networkx==3.6.1

+ numpy==2.4.4

```
+ nvidia-cublas==13.1.0.3
+ nvidia-cuda-cupti==13.0.85
+ nvidia-cuda-nvrtc==13.0.88
+ nvidia-cuda-runtime==13.0.96
+ nvidia-cudnn-cu13==9.19.0.56
+ nvidia-cufft==12.0.0.61
+ nvidia-cufile==1.15.1.6
+ nvidia-curand==10.4.0.35
+ nvidia-cusolver==12.0.4.66
+ nvidia-cusparselt-cu13==0.8.0
+ nvidia-nccl-cu13==2.28.9
+ nvidia-nvjitlink==13.0.88
+ nvidia-nvshmem-cu13==3.4.5
+ nvidia-nvtx==13.0.85
+ opencv-python==4.13.0.92
+ pandas==3.0.2
+ pillow==12.2.0
+ propcache==0.4.1
+ pyarrow==24.0.0
+ pydantic==2.13.3
+ pydantic-core==2.46.3
+ pygments==2.20.0
+ python-calamine==0.6.2
+ python-dateutil==2.9.0.post0
+ pytz==2026.1.post1
+ pyyaml==6.0.3
+ requests==2.33.1
+ rich==15.0.0
- setuptools=... [truncated, 2848 chars total]
```

Error Analysis:

ERROR_SUMMARY: The error occurs because the Python script expects a test CSV file (with a filename starting with "test" and ending with ".csv") in the data directory (/home/anri21/be-fair/mlzero/basic_prompt_data), but no such file is present. As a result, the script raises a FileNotFoundError and halts execution before any model training or prediction can occur.

SUGGESTED_FIX: Place a test CSV file (e.g., test.csv) in the /home/anri21/be-fair/mlzero/basic_prompt_data directory, ensuring it contains at least an 'image_name' column referencing the images to be predicted. If you do not have a test set, create a dummy test CSV with the required structure to allow the script to proceed.

Node 11 (debug)

Property	Value
uct_value	1.3384
ctime	2026-05-01 12:48:56
debug_attempts	3
depth	2
execution_time	0.0
expected_child_count	0
exploitation	0.0
exploration	1.482079962591042
failure_penalty	-0.0
failure_visits	2
id	11
is_debug_successful	✗
is_leaf	✗
is_successful	✗
is_terminal	✓
normalized_failure_visit	0
num_children	1
prev_tutorial_prompt	None
stage	debug
time_step	11
tool_used	autogluon.tabular
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_contribution	0.0
validated_reward	0.0
validated_visits	0
validation_score	None

visits	2
parent_id	2
child_ids	[14]

Error Message:

stderr:

==> WARNING: A newer version of conda exists. <==

current version: 25.11.0

latest version: 26.3.2

Please update conda by running

\$ conda update -n base -c conda-forge conda

Using Python 3.11.15 environment at: 34-basic_prompt/node_11/conda_env

Resolved 241 packages in 958ms

Uninstalled 1 package in 1.50s

Installed 239 packages in 54.45s

+ absl-py==2.4.0

+ accelerate==1.13.0

+ adagio==0.2.6

+ aiohappyeyeballs==2.6.1

+ aiohttp==3.13.5

+ aiohttp-cors==0.8.1

+ aiosignal==1.4.0

+ alembic==1.18.4

+ annotated-doc==0.0.4

+ annotated-types==0.7.0

+ antlr4-python3-runtime==4.9.3

+ attrs==26.1.0

+ autogluon==1.5.1b20260501

+ autogluon-common==1.5.1b20260501

+ autogluon-core==1.5.1b20260501

+ autogluon-features==1.5.1b20260501

+ autogluon-multimodal==1.5.1b20260501

+ autogluon-tabular==1.5.1b20260501

+ autogluon-timeseries==1.5.1b20260501

+ beartype==0.22.9

+ beautifulsoup4==4.14.3

+ blis==1.3.3

+ boto3==1.43.1

+ botocore==1.43.1

+ catalogue==2.0.10

+ catboost==1.2.10

+ certifi==2026.4.22

+ cffi==2.0.0

+ chardet==7.4.3
+ charset-normalizer==3.4.7
+ chronos-forecasting==2.2.2
+ click==8.3.3
+ cloudpathlib==0.24.0
+ cloudpickle==3.1.2
+ colorama==0.4.6
+ colorful==0.6.0a1
+ colorlog==6.10.1
+ confection==1.3.3
+ contourpy==1.3.3
+ coreforecast==0.0.16
+ cryptography==47.0.0
+ cycler==0.12.1
+ cymem==2.0.13
+ daal==2025.9.0
+ datasets==4.0.0
+ defusedxml==0.7.1
+ dill==0.3.8
+ distlib==0.4.0
+ einops==0.8.2
+ einx==0.4.3
+ evaluate==0.4.6
+ fastai==2.8.5
+ fastcore==1.8.18
+ fastdownload==0.0.7
+ fastprogress==1.0.5
+ fasttransform==0.0.2
+ filelock==3.29.0
+ fonttools==4.62.1
+ frozendict==2.4.7
+ frozenlist==1.8.0
+ fsspec==2025.3.0
+ fugue==0.9.7
+ future==1.0.0
+ gdown==6.0.0
+ gluonts==0.16.2
+ google-api-core==2.30.3
+ google-auth==2.50.0
+ googleapis-common-protos==1.74.0
+ graphviz==0.21
+ grpcio==1.80.0
+ hf-xet==1.5.0.dev3
+ httpx==1.0.dev3
+ huggingface-hub==0.36.2

+ hyperopt=... [truncated, 6269 chars total]

Error Analysis:

ERROR_SUMMARY: The script failed with a `FileNotFoundError` because it expects a test CSV file (whose name starts with "test" and ends with ".csv") to be present in the data directory (`/home/anri21/be-fair/mlzero/basic\_prompt\_data`). No such file was found, so the script terminated before any model training or prediction could occur.

SUGGESTED_FIX:

Check the `/home/anri21/be-fair/mlzero/basic\_prompt\_data` directory and ensure that a test CSV file (e.g., `test.csv`) exists and is named correctly (starts with "test" and ends with ".csv"). If the test file is missing, create or copy it into the directory; if it is misnamed, rename it to match the expected pattern.

Node 12 (debug)

Property	Value
uct_value	1.4821
ctime	2026-05-01 12:51:47
debug_attempts	3
depth	3
execution_time	0.0
expected_child_count	0
failure_visits	1
id	12
is_debug_successful	✗
is_leaf	✓
is_successful	✗
is_terminal	✓
num_children	0
prev_tutorial_prompt	None
stage	debug
time_step	12
tool_used	autogluon.multimodal
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_reward	0.0
validated_visits	0
validation_score	None
visits	1
parent_id	3
child_ids	[]

Error Message:

stderr:

==> WARNING: A newer version of conda exists. <==

current version: 25.11.0

latest version: 26.3.2

Please update conda by running

\$ conda update -n base -c conda-forge conda

Using Python 3.11.15 environment at: 34-basic_prompt/node_12/conda_env

Resolved 237 packages in 892ms

Uninstalled 1 package in 1.51s

Installed 235 packages in 59.07s

+ absl-py==2.4.0

+ accelerate==1.13.0

+ adagio==0.2.6

+ aiohappyeyeballs==2.6.1

+ aiohttp==3.13.5

+ aiohttp-cors==0.8.1

+ aiosignal==1.4.0

+ alembic==1.18.4

+ annotated-doc==0.0.4

+ annotated-types==0.7.0

+ antlr4-python3-runtime==4.9.3

+ attrs==26.1.0

+ autogluon==1.5.1b20260501

+ autogluon-common==1.5.1b20260501

+ autogluon-core==1.5.1b20260501

+ autogluon-features==1.5.1b20260501

+ autogluon-multimodal==1.5.1b20260501

+ autogluon-tabular==1.5.1b20260501

+ autogluon-timeseries==1.5.1b20260501

+ beartype==0.22.9

+ beautifulsoup4==4.14.3

+ blis==1.3.3

+ boto3==1.43.1

+ botocore==1.43.1

+ catalogue==2.0.10

+ catboost==1.2.10

+ certifi==2026.4.22

+ cffi==2.0.0

+ chardet==7.4.3

+ charset-normalizer==3.4.7

+ chronos-forecasting==2.2.2

+ click==8.3.3

+ cloudpathlib==0.24.0

+ cloudpickle==3.1.2

+ colorama==0.4.6

+ colorful==0.6.0a1

```
+ colorlog==6.10.1
+ confection==1.3.3
+ contourpy==1.3.3
+ coreforecast==0.0.16
+ cryptography==47.0.0
+ cycler==0.12.1
+ cymem==2.0.13
+ datasets==4.0.0
+ defusedxml==0.7.1
+ dill==0.3.8
+ distlib==0.4.0
+ einops==0.8.2
+ einx==0.4.3
+ evaluate==0.4.6
+ fastai==2.8.5
+ fastcore==1.8.18
+ fastdownload==0.0.7
+ fastprogress==1.0.5
+ fasttransform==0.0.2
+ filelock==3.29.0
+ fonttools==4.62.1
+ frozendict==2.4.7
+ frozenlist==1.8.0
+ fsspec==2025.3.0
+ fugue==0.9.7
+ future==1.0.0
+ gdown==6.0.0
+ gluonts==0.16.2
+ google-api-core==2.30.3
+ google-auth==2.50.0
+ googleapis-common-protos==1.74.0
+ graphviz==0.21
+ grpcio==1.80.0
+ hf-xet==1.5.0.dev3
+ httpx==1.0.dev3
+ huggingface-hub==0.36.2
+ hyperopt==0.2.7
+ idna==3.... [truncated, 6546 chars total]
```

Error Analysis:

ERROR_SUMMARY: The script failed with a `FileNotFoundError` because it expects a test CSV file (whose name starts with "test" and ends with ".csv") in the data directory (`/home/anri21/be-fair/mlzero/basic\_prompt\_data`), but no such file was found. As a result, the code raised an exception and did not proceed to model training or prediction.

SUGGESTED_FIX:

Check the contents of the data directory and ensure that a test CSV file (e.g., `test.csv` or similar) is present. If you do not have a test file, create one with the required columns (including at least `image\_name`) and place it in `/home/anri21/be-fair/mlzero/basic\_prompt\_data` so the script can locate and process it.

Node 13 (debug)

Property	Value
uct_value	1.1772
ctime	2026-05-01 12:55:39
debug_attempts	3
depth	3
execution_time	0.0
expected_child_count	0
failure_visits	1
id	13
is_debug_successful	✗
is_leaf	✓
is_successful	✗
is_terminal	✓
num_children	0
prev_tutorial_prompt	None
stage	debug
time_step	13
tool_used	machine learning
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_reward	0.0
validated_visits	0
validation_score	None
visits	1
parent_id	6
child_ids	[]

Error Message:

stderr:

==> WARNING: A newer version of conda exists. <==

current version: 25.11.0

latest version: 26.3.2

Please update conda by running

\$ conda update -n base -c conda-forge conda

warning: Requirements file `~/home/anri21/.conda/envs/mlzero\_env/lib/python3.12/site-packages/autogluon/assistant/tools\_registry/machine learning/requirements.txt` does not contain any dependencies

Using Python 3.11.15 environment at: 34-basic_prompt/node_13/conda_env

Resolved 79 packages in 1.03s

Uninstalled 1 package in 1.45s

Installed 78 packages in 35.56s

+ aiohappyeyeballs==2.6.1

+ aiohttp==3.13.5

+ aiosignal==1.4.0

+ annotated-doc==0.0.4

+ annotated-types==0.7.0

+ anyio==4.13.0

+ attrs==26.1.0

+ certifi==2026.4.22

+ chardet==7.4.3

+ charset-normalizer==3.4.7

+ click==8.3.3

+ cuda-bindings==13.2.0

+ cuda-pathfinder==1.5.4

+ cuda-toolkit==13.0.2

+ datasets==4.8.5

+ dill==0.4.1

+ filelock==3.29.0

+ frozenlist==1.8.0

+ fsspec==2026.2.0

+ h11==0.16.0

+ hf-xet==1.5.0.dev3

+ httpcore==1.0.9

+ httpx==0.28.1

+ huggingface-hub==1.13.0

+ idna==3.13

+ jinja2==3.1.6

+ markdown-it-py==4.0.0

+ markupsafe==3.0.3

+ mdurl==0.1.2

+ mpmath==1.3.0

+ multidict==6.7.1

+ multiprocessing==0.70.19

+ networkx==3.6.1

+ numpy==2.4.4

```
+ nvidia-cublas==13.1.0.3
+ nvidia-cuda-cupti==13.0.85
+ nvidia-cuda-nvrtc==13.0.88
+ nvidia-cuda-runtime==13.0.96
+ nvidia-cudnn-cu13==9.19.0.56
+ nvidia-cufft==12.0.0.61
+ nvidia-cufile==1.15.1.6
+ nvidia-curand==10.4.0.35
+ nvidia-cusolver==12.0.4.66
+ nvidia-cusparselt-cu13==0.8.0
+ nvidia-nccl-cu13==2.28.9
+ nvidia-nvjitlink==13.0.88
+ nvidia-nvshmem-cu13==3.4.5
+ nvidia-nvtx==13.0.85
+ opencv-python==4.13.0.92
+ pandas==3.0.2
+ pillow==12.2.0
+ propcache==0.4.1
+ pyarrow==24.0.0
+ pydantic==2.13.3
+ pydantic-core==2.46.3
+ pygments==2.20.0
+ python-calamine==0.6.2
+ python-dateutil==2.9.0.post0
+ pytz==2026.1.post1
+ pyyaml==6.0.3
+ requests==2.33.1
+ rich==15.0.0
- setuptools=... [truncated, 2883 chars total]
```

Error Analysis:

ERROR_SUMMARY: The script raises a FileNotFoundError because it expects a test CSV file (with a filename starting with "test" and ending with ".csv") in the data directory (/home/anri21/be-fair/mlzero/basic_prompt_data), but no such file exists. As a result, the script cannot proceed to model training or prediction.

SUGGESTED_FIX:

Check the /home/anri21/be-fair/mlzero/basic_prompt_data directory and ensure that a test CSV file (e.g., test.csv) is present and correctly named. If you have a test set, rename or copy it so that its filename starts with "test" and ends with ".csv"; otherwise, generate or obtain the required test CSV file and place it in the data directory before rerunning the script.

Node 14 (debug)

Property	Value
uct_value	1.1772
ctime	2026-05-01 12:58:55
debug_attempts	3
depth	3
execution_time	0.0
expected_child_count	0
failure_visits	1
id	14
is_debug_successful	✗
is_leaf	✓
is_successful	✗
is_terminal	✓
num_children	0
prev_tutorial_prompt	None
stage	debug
time_step	14
tool_used	autogluon.tabular
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_reward	0.0
validated_visits	0
validation_score	None
visits	1
parent_id	11
child_ids	[]

Error Message:

stderr:

==> WARNING: A newer version of conda exists. <==

current version: 25.11.0

latest version: 26.3.2

Please update conda by running

\$ conda update -n base -c conda-forge conda

Using Python 3.11.15 environment at: 34-basic_prompt/node_14/conda_env

Resolved 241 packages in 2.68s

Uninstalled 1 package in 1.73s

Installed 239 packages in 1m 09s

+ absl-py==2.4.0

+ accelerate==1.13.0

+ adagio==0.2.6

+ aiohappyeyeballs==2.6.1

+ aiohttp==3.13.5

+ aiohttp-cors==0.8.1

+ aiosignal==1.4.0

+ alembic==1.18.4

+ annotated-doc==0.0.4

+ annotated-types==0.7.0

+ antlr4-python3-runtime==4.9.3

+ attrs==26.1.0

+ autogluon==1.5.1b20260501

+ autogluon-common==1.5.1b20260501

+ autogluon-core==1.5.1b20260501

+ autogluon-features==1.5.1b20260501

+ autogluon-multimodal==1.5.1b20260501

+ autogluon-tabular==1.5.1b20260501

+ autogluon-timeseries==1.5.1b20260501

+ beartype==0.22.9

+ beautifulsoup4==4.14.3

+ blis==1.3.3

+ boto3==1.43.1

+ botocore==1.43.1

+ catalogue==2.0.10

+ catboost==1.2.10

+ certifi==2026.4.22

+ cffi==2.0.0

+ chardet==7.4.3

+ charset-normalizer==3.4.7

+ chronos-forecasting==2.2.2

+ click==8.3.3

+ cloudpathlib==0.24.0

+ cloudpickle==3.1.2

+ colorama==0.4.6

+ colorful==0.6.0a1

+ colorlog==6.10.1
+ confection==1.3.3
+ contourpy==1.3.3
+ coreforecast==0.0.16
+ cryptography==47.0.0
+ cycler==0.12.1
+ cymem==2.0.13
+ daal==2025.9.0
+ datasets==4.0.0
+ defusedxml==0.7.1
+ dill==0.3.8
+ distlib==0.4.0
+ einops==0.8.2
+ einx==0.4.3
+ evaluate==0.4.6
+ fastai==2.8.5
+ fastcore==1.8.18
+ fastdownload==0.0.7
+ fastprogress==1.0.5
+ fasttransform==0.0.2
+ filelock==3.29.0
+ fonttools==4.62.1
+ frozendict==2.4.7
+ frozenlist==1.8.0
+ fsspec==2025.3.0
+ fugue==0.9.7
+ future==1.0.0
+ gdown==6.0.0
+ gluonts==0.16.2
+ google-api-core==2.30.3
+ google-auth==2.50.0
+ googleapis-common-protos==1.74.0
+ graphviz==0.21
+ grpcio==1.80.0
+ hf-xet==1.5.0.dev3
+ httpx==1.0.dev3
+ huggingface-hub==0.36.2
+ hyperopt=... [truncated, 6285 chars total]

Error Analysis:

ERROR_SUMMARY: The error occurs because the code expects a test CSV file (with a filename starting with "test" and ending with ".csv") in the data directory (/home/anri21/be-fair/mlzero/basic_prompt_data), but no such file is present. As a result, the script raises a FileNotFoundError and stops execution before any model training or prediction.

SUGGESTED_FIX:

Check the `/home/anri21/be-fair/mlzero/basic_prompt_data` directory and ensure that a test CSV file (e.g., `test.csv`) exists and is named correctly. If you have a test set, copy or rename it so that its filename starts with "test" and ends with ".csv" (e.g., `test_data.csv`), then rerun the script.

Node 15 (debug)

Property	Value
uct_value	1.4821
ctime	2026-05-01 13:02:17
debug_attempts	3
depth	3
execution_time	0.0
expected_child_count	0
failure_visits	1
id	15
is_debug_successful	✗
is_leaf	✓
is_successful	✗
is_terminal	✓
num_children	0
prev_tutorial_prompt	None
stage	debug
time_step	15
tool_used	machine learning
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_reward	0.0
validated_visits	0
validation_score	None
visits	1
parent_id	4
child_ids	[]

Error Message:

stderr:

==> WARNING: A newer version of conda exists. <==

current version: 25.11.0

latest version: 26.3.2

Please update conda by running

\$ conda update -n base -c conda-forge conda

warning: Requirements file `/home/anri21/.conda/envs/mlzero\_env/lib/python3.12/site-packages/autogluon/assistant/tools\_registry/machine learning/requirements.txt` does not contain any dependencies

Using Python 3.11.15 environment at: 34-basic_prompt/node_15/conda_env

Resolved 79 packages in 318ms

Uninstalled 1 package in 1.64s

Installed 78 packages in 36.47s

+ aiohappyeyeballs==2.6.1

+ aiohttp==3.13.5

+ aiosignal==1.4.0

+ annotated-doc==0.0.4

+ annotated-types==0.7.0

+ anyio==4.13.0

+ attrs==26.1.0

+ certifi==2026.4.22

+ chardet==7.4.3

+ charset-normalizer==3.4.7

+ click==8.3.3

+ cuda-bindings==13.2.0

+ cuda-pathfinder==1.5.4

+ cuda-toolkit==13.0.2

+ datasets==4.8.5

+ dill==0.4.1

+ filelock==3.29.0

+ frozenlist==1.8.0

+ fsspec==2026.2.0

+ h11==0.16.0

+ hf-xet==1.5.0.dev3

+ httpcore==1.0.9

+ httpx==0.28.1

+ huggingface-hub==1.13.0

+ idna==3.13

+ jinja2==3.1.6

+ markdown-it-py==4.0.0

+ markupsafe==3.0.3

+ mdurl==0.1.2

+ mpmath==1.3.0

+ multidict==6.7.1

+ multiprocessing==0.70.19

+ networkx==3.6.1

+ numpy==2.4.4


```
+ nvidia-cublas==13.1.0.3
+ nvidia-cuda-cupti==13.0.85
+ nvidia-cuda-nvrtc==13.0.88
+ nvidia-cuda-runtime==13.0.96
+ nvidia-cudnn-cu13==9.19.0.56
+ nvidia-cufft==12.0.0.61
+ nvidia-cufile==1.15.1.6
+ nvidia-curand==10.4.0.35
+ nvidia-cusolver==12.0.4.66
+ nvidia-cusparselt-cu13==0.8.0
+ nvidia-nccl-cu13==2.28.9
+ nvidia-nvjitlink==13.0.88
+ nvidia-nvshmem-cu13==3.4.5
+ nvidia-nvtx==13.0.85
+ opencv-python==4.13.0.92
+ pandas==3.0.2
+ pillow==12.2.0
+ propcache==0.4.1
+ pyarrow==24.0.0
+ pydantic==2.13.3
+ pydantic-core==2.46.3
+ pygments==2.20.0
+ python-calamine==0.6.2
+ python-dateutil==2.9.0.post0
+ pytz==2026.1.post1
+ pyyaml==6.0.3
+ requests==2.33.1
+ rich==15.0.0
- setuptools=... [truncated, 2810 chars total]
```

Error Analysis:

ERROR_SUMMARY: The error occurs because the code expects a test CSV file (with a filename starting with "test" and ending with ".csv") in the data directory (/home/anri21/be-fair/mlzero/basic_prompt_data), but no such file is present. As a result, the script raises a FileNotFoundError and stops execution.

SUGGESTED_FIX: Check the /home/anri21/be-fair/mlzero/basic_prompt_data directory and ensure that a test CSV file (e.g., test.csv) exists and is named correctly (starts with "test" and ends with ".csv"). If you have the test data under a different name or location, rename or move it accordingly so the script can find it.

Node 16 (debug)

Property	Value
uct_value	1.4821
ctime	2026-05-01 13:05:49
debug_attempts	2
depth	3
execution_time	0.0
expected_child_count	0
failure_visits	1
id	16
is_debug_successful	✗
is_leaf	✓
is_successful	✗
is_terminal	✓
num_children	0
prev_tutorial_prompt	None
stage	debug
time_step	16
tool_used	autogluon.tabular
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_reward	0.0
validated_visits	0
validation_score	None
visits	1
parent_id	7
child_ids	[]

Error Message:

stderr:

==> WARNING: A newer version of conda exists. <==

current version: 25.11.0

latest version: 26.3.2

Please update conda by running

\$ conda update -n base -c conda-forge conda

Using Python 3.11.15 environment at: 34-basic_prompt/node_16/conda_env

Resolved 241 packages in 1.49s

Uninstalled 1 package in 1.42s

Installed 239 packages in 58.55s

+ absl-py==2.4.0

+ accelerate==1.13.0

+ adagio==0.2.6

+ aiohappyeyeballs==2.6.1

+ aiohttp==3.13.5

+ aiohttp-cors==0.8.1

+ aiosignal==1.4.0

+ alembic==1.18.4

+ annotated-doc==0.0.4

+ annotated-types==0.7.0

+ antlr4-python3-runtime==4.9.3

+ attrs==26.1.0

+ autogluon==1.5.1b20260501

+ autogluon-common==1.5.1b20260501

+ autogluon-core==1.5.1b20260501

+ autogluon-features==1.5.1b20260501

+ autogluon-multimodal==1.5.1b20260501

+ autogluon-tabular==1.5.1b20260501

+ autogluon-timeseries==1.5.1b20260501

+ beartype==0.22.9

+ beautifulsoup4==4.14.3

+ blis==1.3.3

+ boto3==1.43.1

+ botocore==1.43.1

+ catalogue==2.0.10

+ catboost==1.2.10

+ certifi==2026.4.22

+ cffi==2.0.0

+ chardet==7.4.3

+ charset-normalizer==3.4.7

+ chronos-forecasting==2.2.2

+ click==8.3.3

+ cloudpathlib==0.24.0

+ cloudpickle==3.1.2

+ colorama==0.4.6

+ colorful==0.6.0a1

```
+ colorlog==6.10.1
+ confection==1.3.3
+ contourpy==1.3.3
+ coreforecast==0.0.16
+ cryptography==47.0.0
+ cycler==0.12.1
+ cymem==2.0.13
+ daal==2025.9.0
+ datasets==4.0.0
+ defusedxml==0.7.1
+ dill==0.3.8
+ distlib==0.4.0
+ einops==0.8.2
+ einx==0.4.3
+ evaluate==0.4.6
+ fastai==2.8.5
+ fastcore==1.8.18
+ fastdownload==0.0.7
+ fastprogress==1.0.5
+ fasttransform==0.0.2
+ filelock==3.29.0
+ fonttools==4.62.1
+ frozendict==2.4.7
+ frozenlist==1.8.0
+ fsspec==2025.3.0
+ fugue==0.9.7
+ future==1.0.0
+ gdown==6.0.0
+ gluonts==0.16.2
+ google-api-core==2.30.3
+ google-auth==2.50.0
+ googleapis-common-protos==1.74.0
+ graphviz==0.21
+ grpcio==1.80.0
+ hf-xet==1.5.0.dev3
+ httpx==1.0.dev3
+ huggingface-hub==0.36.2
+ hyperopt=... [truncated, 6233 chars total]
```

Error Analysis:

ERROR_SUMMARY: The error occurs because the code expects a test CSV file (with a filename starting with "test" and ending with ".csv") in the directory ``/home/anri21/be-fair/mlzero/basic_prompt_data``, but no such file is present. As a result, the script raises a ``FileNotFoundError`` and halts execution before any model training or prediction.

SUGGESTED_FIX:

Check the ``/home/anri21/be-fair/mlzero/basic_prompt_data`` directory and ensure that a test CSV file (e.g., ``test.csv``) exists and is named appropriately (starts with "test" and ends with ".csv"). If the test file is missing, create or copy the required test CSV file into this directory before rerunning the script.

Node 17 (debug)

Property	Value
uct_value	1.4821
ctime	2026-05-01 13:08:45
debug_attempts	3
depth	3
execution_time	0.0
expected_child_count	0
failure_visits	1
id	17
is_debug_successful	✗
is_leaf	✓
is_successful	✗
is_terminal	✓
num_children	0
prev_tutorial_prompt	None
stage	debug
time_step	17
tool_used	autogluon.tabular
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_reward	0.0
validated_visits	0
validation_score	None
visits	1
parent_id	7
child_ids	[]

Error Message:

stderr:

==> WARNING: A newer version of conda exists. <==

current version: 25.11.0

latest version: 26.3.2

Please update conda by running

\$ conda update -n base -c conda-forge conda

Using Python 3.11.15 environment at: 34-basic_prompt/node_17/conda_env

Resolved 241 packages in 901ms

Uninstalled 1 package in 1.54s

Installed 239 packages in 1m 12s

+ absl-py==2.4.0

+ accelerate==1.13.0

+ adagio==0.2.6

+ aiohappyeyeballs==2.6.1

+ aiohttp==3.13.5

+ aiohttp-cors==0.8.1

+ aiosignal==1.4.0

+ alembic==1.18.4

+ annotated-doc==0.0.4

+ annotated-types==0.7.0

+ antlr4-python3-runtime==4.9.3

+ attrs==26.1.0

+ autogluon==1.5.1b20260501

+ autogluon-common==1.5.1b20260501

+ autogluon-core==1.5.1b20260501

+ autogluon-features==1.5.1b20260501

+ autogluon-multimodal==1.5.1b20260501

+ autogluon-tabular==1.5.1b20260501

+ autogluon-timeseries==1.5.1b20260501

+ beartype==0.22.9

+ beautifulsoup4==4.14.3

+ blis==1.3.3

+ boto3==1.43.1

+ botocore==1.43.1

+ catalogue==2.0.10

+ catboost==1.2.10

+ certifi==2026.4.22

+ cffi==2.0.0

+ chardet==7.4.3

+ charset-normalizer==3.4.7

+ chronos-forecasting==2.2.2

+ click==8.3.3

+ cloudpathlib==0.24.0

+ cloudpickle==3.1.2

+ colorama==0.4.6

+ colorful==0.6.0a1

```
+ colorlog==6.10.1
+ confection==1.3.3
+ contourpy==1.3.3
+ coreforecast==0.0.16
+ cryptography==47.0.0
+ cycler==0.12.1
+ cymem==2.0.13
+ daal==2025.9.0
+ datasets==4.0.0
+ defusedxml==0.7.1
+ dill==0.3.8
+ distlib==0.4.0
+ einops==0.8.2
+ einx==0.4.3
+ evaluate==0.4.6
+ fastai==2.8.5
+ fastcore==1.8.18
+ fastdownload==0.0.7
+ fastprogress==1.0.5
+ fasttransform==0.0.2
+ filelock==3.29.0
+ fonttools==4.62.1
+ frozendict==2.4.7
+ frozenlist==1.8.0
+ fsspec==2025.3.0
+ fugue==0.9.7
+ future==1.0.0
+ gdown==6.0.0
+ gluonts==0.16.2
+ google-api-core==2.30.3
+ google-auth==2.50.0
+ googleapis-common-protos==1.74.0
+ graphviz==0.21
+ grpcio==1.80.0
+ hf-xet==1.5.0.dev3
+ httpx==1.0.dev3
+ huggingface-hub==0.36.2
+ hyperopt=... [truncated, 6233 chars total]
```

Error Analysis:

ERROR_SUMMARY: The error occurs because the code expects a test CSV file (with a filename starting with "test" and ending with ".csv") in the data directory (/home/anri21/be-fair/mlzero/basic_prompt_data), but no such file is present, resulting in a FileNotFoundError.

SUGGESTED_FIX: Ensure that a test CSV file (e.g., test.csv) exists in the /home/anri21/be-fair/mlzero/basic_prompt_data directory. If you have a test set, copy or rename it to match the expected pattern; otherwise, generate or obtain the required test CSV file before rerunning the script.

