

Node Structure Visualization


Click on any node in the tree to jump to its detailed information.

Total Nodes: 21 | Best Validation Score: 0.9665 (Node 0)

Node Tree:

Table of Contents:

Node ID	Stage	Status	Tool
-1			
0			autogluon.multimodal
1			machine learning
2			autogluon.tabular
3			autogluon.multimodal
4			autogluon.multimodal
5			autogluon.multimodal
6			machine learning
7			autogluon.multimodal
8			autogluon.multimodal
9			machine learning
10			autogluon.tabular
11			autogluon.multimodal
12			autogluon.multimodal
13			autogluon.multimodal
14			autogluon.multimodal
15			machine learning
16			autogluon.multimodal
17			autogluon.tabular
18			autogluon.multimodal
19			autogluon.multimodal



Status	Color
Success	Green
Failure	Red
Neutral	Blue

Node Details:

Node -1 (root)

Property	Value
uct_value	-0.1000
ctime	2026-05-21 23:09:47
debug_attempts	0
depth	0
execution_time	0.0
expected_child_count	0
failure_visits	8
id	-1
is_debug_successful	✗
is_leaf	✗
is_successful	✗
is_terminal	✗
num_children	3
prev_tutorial_prompt	None
stage	root
time_step	-1
tool_used	
tools_available	[]
unvalidated_visits	0
validated_reward	11.268590000000003
validated_visits	12
validation_score	None
visits	20
parent_id	None
child_ids	[0, 1, 2]

Node 0 (evolve)

Property	Value
uct_value	0.7557
avg_raw_score	0.9392763636363639
ctime	2026-05-21 23:10:43
debug_attempts	0
depth	1
execution_time	0.0
expected_child_count	0
exploitation	0.083333333333334197
exploration	0.700422462826868
failure_penalty	-0.0
failure_visits	1
id	0
is_debug_successful	✗
is_leaf	✗
is_successful	✓
is_terminal	✗
normalized_failure_visit	0
normalized_score	0.09090909090910033
num_children	3
prev_tutorial_prompt	None
stage	evolve
time_step	0
tool_used	autogluon.multimodal
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_contribution	0.083333333333334197
validated_reward	11.268590000000003

validated_visits	12
validated_weight	0.9166666666666666
validation_score	0.9665
visits	13
parent_id	-1
child_ids	[3, 4, 5]

Node 1 (evolve)

Property	Value
uct_value	0.9737
ctime	2026-05-21 23:47:15
debug_attempts	2
depth	1
execution_time	0.0
expected_child_count	0
exploitation	-0.25
exploration	0.9098754692839941
failure_penalty	-0.25
failure_visits	4
id	1
is_debug_successful	✗
is_leaf	✗
is_successful	✗
is_terminal	✗
normalized_failure_visit	2
num_children	2
prev_tutorial_prompt	None
stage	evolve
time_step	1
tool_used	machine learning
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_contribution	0.0
validated_reward	0.0
validated_visits	0
validation_score	None

visits	4
parent_id	-1
child_ids	[9, 6]

Error Message:

stderr:

==> WARNING: A newer version of conda exists. <==

current version: 25.11.0

latest version: 26.5.0

Please update conda by running

\$ conda update -n base -c conda-forge conda

warning: Requirements file `~/home/anri21/.conda/envs/mlzero\_env/lib/python3.11/site-packages/autogluon/assistant/tools\_registry/machine learning/requirements.txt` does not contain any dependencies

Using Python 3.11.15 environment at: 30-basic_prompt/node_1/conda_env

Resolved 79 packages in 625ms

Uninstalled 1 package in 1.83s

Installed 78 packages in 41.67s

+ aiohappyeyeballs==2.6.2

+ aiohttp==3.13.5

+ aiosignal==1.4.0

+ annotated-doc==0.0.4

+ annotated-types==0.7.0

+ anyio==4.13.0

+ attrs==26.1.0

+ certifi==2026.5.20

+ chardet==7.4.3

+ charset-normalizer==3.4.7

+ click==8.4.0

+ cuda-bindings==13.2.0

+ cuda-pathfinder==1.5.4

+ cuda-toolkit==13.0.2

+ datasets==4.8.5

+ dill==0.4.1

+ filelock==3.29.0

+ frozenlist==1.8.0

+ fsspec==2026.2.0

+ h11==0.16.0

+ hf-xet==1.5.0

+ httpcore==1.0.9

+ httpx==0.28.1

+ huggingface-hub==1.16.1

+ idna==3.15

+ jinja2==3.1.6

```
+ markdown-it-py==4.2.0
+ markupsafe==3.0.3
+ mdurl==0.1.2
+ mpmath==1.3.0
+ multidict==6.7.1
+ multiprocessing==0.70.19
+ networkx==3.6.1
+ numpy==2.4.6
+ nvidia-cublas==13.1.1.3
+ nvidia-cuda-cupti==13.0.85
+ nvidia-cuda-nvrtc==13.0.88
+ nvidia-cuda-runtime==13.0.96
+ nvidia-cudnn-cu13==9.20.0.48
+ nvidia-cufft==12.0.0.61
+ nvidia-cufile==1.15.1.6
+ nvidia-curand==10.4.0.35
+ nvidia-cusolver==12.0.4.66
+ nvidia-cusparselt-cu13==0.8.1
+ nvidia-nccl-cu13==2.29.7
+ nvidia-nvjitlink==13.0.88
+ nvidia-nvshmem-cu13==3.4.5
+ nvidia-nvtx==13.0.85
+ opencv-python==4.13.0.92
+ pandas==3.0.3
+ pillow==12.2.0
+ propcache==0.5.2
+ pyarrow==24.0.0
+ pydantic==2.13.4
+ pydantic-core==2.46.4
+ pygments==2.20.0
+ python-calamine==0.6.2
+ python-dateutil==2.9.0.post0
+ pytz==2026.2
+ pyyaml==6.0.3
+ requests==2.34.2
+ rich==15.0.0
- setuptools==82.0.1
+ s... [truncated, 7336 chars total]
```

Error Analysis:

ERROR_SUMMARY: TensorFlow failed to initialize the cuDNN DNN library on the GPU, resulting in a runtime error during image feature extraction with EfficientNetB0. The error "Could not create cudnn handle: CUDNN_STATUS_NOT_INITIALIZED" indicates a CUDA/cuDNN driver or library incompatibility or misconfiguration, possibly due to a mismatch between the installed CUDA/cuDNN versions, the NVIDIA driver, and the TensorFlow build.

SUGGESTED_FIX: Verify that your NVIDIA driver, CUDA toolkit, cuDNN library, and TensorFlow versions are all compatible and correctly installed. Ensure that the CUDA and cuDNN versions used by TensorFlow match those installed on your system, and that the NVIDIA driver is up to date and supports your GPU and CUDA version; if necessary, reinstall or update these components and restart the environment before rerunning the script.

Node 2 (evolve)

Property	Value
uct_value	1.2463
ctime	2026-05-21 23:56:29
debug_attempts	2
depth	1
execution_time	0.0
expected_child_count	0
exploitation	-0.16666666666666666
exploration	0.700422462826868
failure_penalty	-0.16666666666666666
failure_visits	3
id	2
is_debug_successful	✗
is_leaf	✗
is_successful	✗
is_terminal	✗
normalized_failure_visit	1
num_children	2
prev_tutorial_prompt	None
stage	evolve
time_step	2
tool_used	autogluon.tabular
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_contribution	0.0
validated_reward	0.0
validated_visits	0
validation_score	None

visits	3
parent_id	-1
child_ids	[17, 10]

Error Message:

stderr:

==> WARNING: A newer version of conda exists. <==

current version: 25.11.0

latest version: 26.5.0

Please update conda by running

\$ conda update -n base -c conda-forge conda

Using Python 3.11.15 environment at: 30-basic_prompt/node_2/conda_env

Resolved 239 packages in 3.08s

Uninstalled 1 package in 1.69s

Installed 237 packages in 54.68s

+ absl-py==2.4.0

+ accelerate==1.13.0

+ adagio==0.2.6

+ aiohappyeyeballs==2.6.2

+ aiohttp==3.13.5

+ aiohttp-cors==0.8.1

+ aiosignal==1.4.0

+ alembic==1.18.4

+ annotated-doc==0.0.4

+ annotated-types==0.7.0

+ antlr4-python3-runtime==4.9.3

+ attrs==26.1.0

+ autogluon==1.5.1b20260521

+ autogluon-common==1.5.1b20260521

+ autogluon-core==1.5.1b20260521

+ autogluon-features==1.5.1b20260521

+ autogluon-multimodal==1.5.1b20260521

+ autogluon-tabular==1.5.1b20260521

+ autogluon-timeseries==1.5.1b20260521

+ beartype==0.22.9

+ beautifulsoup4==4.14.3

+ blis==1.3.3

+ boto3==1.43.13

+ botocore==1.43.13

+ catalogue==2.0.10

+ catboost==1.2.10

+ certifi==2026.5.20

+ cffi==2.0.0

- + chardet==7.4.3
- + charset-normalizer==3.4.7
- + chronos-forecasting==2.2.2
- + click==8.4.0
- + cloudpathlib==0.24.0
- + cloudpickle==3.1.2
- + colorama==0.4.6
- + colorful==0.6.0a1
- + colorlog==6.10.1
- + confection==1.3.3
- + contourpy==1.3.3
- + coreforecast==0.0.16
- + cryptography==48.0.0
- + cycler==0.12.1
- + cymem==2.0.13
- + daal==2025.9.0
- + datasets==4.0.0
- + defusedxml==0.7.1
- + dill==0.3.8
- + distlib==0.4.0
- + einops==0.8.2
- + einx==0.4.3
- + evaluate==0.4.6
- + fastai==2.8.5
- + fastcore==1.8.18
- + fastdownload==0.0.7
- + fastprogress==1.0.5
- + fasttransform==0.0.2
- + filelock==3.29.0
- + fonttools==4.63.0
- + frozendict==2.4.7
- + frozenlist==1.8.0
- + fsspec==2025.3.0
- + fugue==0.9.7
- + future==1.0.0
- + gdown==6.0.0
- + gluonts==0.16.2
- + google-api-core==2.30.3
- + google-auth==2.53.0
- + googleapis-common-protos==1.75.0
- + graphviz==0.21
- + grpcio==1.81.0rc1
- + hf-xet==1.5.0
- + httpx==1.0.dev3
- + huggingface-hub==0.36.2

+ hyperopt==... [truncated, 84907 chars total]

Error Analysis:

ERROR_SUMMARY: AutoGluon failed to train any models because the Ray backend attempted to create a UNIX domain socket with a path longer than the system limit (107 bytes), resulting in OSError: "validate_socket_filename failed: AF_UNIX path length cannot exceed 107 bytes". This caused all model training attempts to be skipped, leading to a RuntimeError: "No models were trained successfully during fit()".

SUGGESTED_FIX:

Shorten the directory paths used for temporary files and model output—move your working directory (including data, environment, and output folders) to a location with a much shorter absolute path (e.g., ``tmp/mlzero/``). Ensure that all relevant environment variables (such as ``TMPDIR``, ``TEMP``, and ``TMP``) and any Ray or AutoGluon configuration point to this shorter path before running your script. Then, rerun the training process.

Node 3 (evolve)

Property	Value
uct_value	2.2646
ctime	2026-05-22 00:04:06
debug_attempts	0
depth	2
execution_time	0.0
expected_child_count	0
exploitation	0.0
exploration	1.482079962591042
failure_penalty	-0.0
failure_visits	1
id	3
is_debug_successful	✗
is_leaf	✓
is_successful	✗
is_terminal	✓
normalized_failure_visit	0
num_children	0
prev_tutorial_prompt	### Condensed: ```python # Condensed: ```python Summary: This tutorial demonstrates image classification using AutoGluon MultiModal, covering implementation
stage	evolve
time_step	3
tool_used	autogluon.multimodal
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_contribution	0.0
validated_reward	0.0

validated_visits	0
validation_score	None
visits	1
parent_id	0
child_ids	[]

Error Message:

```

stderr:
==> WARNING: A newer version of conda exists. <==
current version: 25.11.0
latest version: 26.5.0
Please update conda by running
$ conda update -n base -c conda-forge conda
Using Python 3.11.15 environment at: 30-basic_prompt/node_3/conda_env
Resolved 235 packages in 1.17s
Uninstalled 1 package in 1.78s
Installed 233 packages in 56.42s
+ absl-py==2.4.0
+ accelerate==1.13.0
+ adagio==0.2.6
+ aiohappyeyeballs==2.6.2
+ aiohttp==3.13.5
+ aiohttp-cors==0.8.1
+ aiosignal==1.4.0
+ alembic==1.18.4
+ annotated-doc==0.0.4
+ annotated-types==0.7.0
+ antlr4-python3-runtime==4.9.3
+ attrs==26.1.0
+ autogluon==1.5.1b20260521
+ autogluon-common==1.5.1b20260521
+ autogluon-core==1.5.1b20260521
+ autogluon-features==1.5.1b20260521
+ autogluon-multimodal==1.5.1b20260521
+ autogluon-tabular==1.5.1b20260521
+ autogluon-timeseries==1.5.1b20260521
+ beartype==0.22.9
+ beautifulsoup4==4.14.3
+ blis==1.3.3
+ boto3==1.43.13
+ botocore==1.43.13
+ catalogue==2.0.10

```

- + catboost==1.2.10
- + certifi==2026.5.20
- + cffi==2.0.0
- + chardet==7.4.3
- + charset-normalizer==3.4.7
- + chronos-forecasting==2.2.2
- + click==8.4.0
- + cloudpathlib==0.24.0
- + cloudpickle==3.1.2
- + colorama==0.4.6
- + colorful==0.6.0a1
- + colorlog==6.10.1
- + confection==1.3.3
- + contourpy==1.3.3
- + coreforecast==0.0.16
- + cryptography==48.0.0
- + cycler==0.12.1
- + cymem==2.0.13
- + datasets==4.0.0
- + defusedxml==0.7.1
- + dill==0.3.8
- + distlib==0.4.0
- + einops==0.8.2
- + einx==0.4.3
- + evaluate==0.4.6
- + fastai==2.8.5
- + fastcore==1.8.18
- + fastdownload==0.0.7
- + fastprogress==1.0.5
- + fasttransform==0.0.2
- + filelock==3.29.0
- + fonttools==4.63.0
- + frozendict==2.4.7
- + frozenlist==1.8.0
- + fsspec==2025.3.0
- + fugue==0.9.7
- + future==1.0.0
- + gdown==6.0.0
- + gluonts==0.16.2
- + google-api-core==2.30.3
- + google-auth==2.53.0
- + googleapis-common-protos==1.75.0
- + graphviz==0.21
- + grpcio==1.81.0rc1
- + hf-xet==1.5.0

+ httpx==1.0.dev3
+ huggingface-hub==0.36.2
+ hyperopt==0.2.7
+ idna==3.1... [truncated, 9812 chars total]

Error Analysis:

ERROR_SUMMARY: The error occurs because the class weights (`alpha``) passed to the focal loss function are a list of strings instead of floats. When `torch.tensor(alpha, dtype=torch.float32)`` is called, it fails with `ValueError: too many dimensions 'str'`` since PyTorch cannot convert string values to floats, causing the model training to crash during loss function initialization.

SUGGESTED_FIX:

Check how the class weights (`weights``) are computed and ensure they are a list of floats, not strings. Explicitly convert the weights to floats before passing them to the hyperparameters (e.g., use `weights = [float(w) for w in weights]``), and verify that the list contains only numeric types before assigning to `optim.focal_loss.alpha``.

Node 4 (evolve)

Property	Value
uct_value	0.9245
avg_raw_score	0.9365500000000001
ctime	2026-05-22 00:11:26
debug_attempts	0
depth	2
execution_time	0.0
expected_child_count	0
exploitation	3.7019774078864885e-15
exploration	0.9968262051089475
failure_penalty	-0.0
failure_visits	0
id	4
is_debug_successful	✗
is_leaf	✗
is_successful	✓
is_terminal	✗
normalized_failure_visit	0
normalized_score	3.7019774078864885e-15
num_children	2
prev_tutorial_prompt	### Condensed: ```python # Condensed: ```python Summary: This tutorial demonstrates image classification using AutoGluon MultiModal, covering implementation
stage	evolve
time_step	4
tool_used	autogluon.multimodal
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0

validated_contribution	3.7019774078864885e-15
validated_reward	5.6193000000000001
validated_visits	6
validated_weight	1.0
validation_score	0.9365
visits	6
parent_id	0
child_ids	[11, 7]

Node 5 (debug)

Property	Value
uct_value	1.0128
avg_raw_score	0.9365500000000001
ctime	2026-05-22 00:34:10
debug_attempts	1
depth	3
execution_time	0.0
expected_child_count	0
exploitation	3.7019774078864885e-15
exploration	0.9968262051089475
failure_penalty	-0.0
failure_visits	0
id	5
is_debug_successful	✗
is_leaf	✗
is_successful	✓
is_terminal	✗
normalized_failure_visit	0
normalized_score	3.7019774078864885e-15
num_children	2
prev_tutorial_prompt	### Condensed: ```python # Condensed: ```python Summary: This tutorial demonstrates image classification using AutoGluon MultiModal, covering implementation
stage	debug
time_step	5
tool_used	autogluon.multimodal
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0

validated_contribution	3.7019774078864885e-15
validated_reward	4.68275
validated_visits	5
validated_weight	1.0
validation_score	0.9365
visits	5
parent_id	0
child_ids	[8, 12]

Node 6 (debug)

Property	Value
uct_value	1.6649
ctime	2026-05-22 00:56:46
debug_attempts	1
depth	2
execution_time	0.0
expected_child_count	0
exploitation	0.0
exploration	1.482079962591042
failure_penalty	-0.0
failure_visits	1
id	6
is_debug_successful	✗
is_leaf	✓
is_successful	✗
is_terminal	✗
normalized_failure_visit	0
num_children	0
prev_tutorial_prompt	### Condensed: Intro to Use Machine Learning or Deep Learning algorithms # Condensed: Intro to Use Machine Learning or Deep Learning algorithms Summary: You can use any machine learning or deep learning algorithms to complete the tasks. Make sure you # Intro to Use Machine Learning or Deep Learning algorithms You can use any machine learning or deep learning algorithms to complete the tasks. Make sure you have then
stage	debug
time_step	6
tool_used	machine learning

tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_contribution	0.0
validated_reward	0.0
validated_visits	0
validation_score	None
visits	1
parent_id	1
child_ids	[]

Error Message:

```

stderr:
==> WARNING: A newer version of conda exists. <==
current version: 25.11.0
latest version: 26.5.0
Please update conda by running
$ conda update -n base -c conda-forge conda
warning: Requirements file `~/home/anri21/.conda/envs/mlzero_env/lib/python3.11/site-packages/autogluon/assistant/tools_registry/machine learning/requirements.txt`
does not contain any dependencies
Using Python 3.11.15 environment at: 30-basic_prompt/node_6/conda_env
Resolved 79 packages in 570ms
Uninstalled 1 package in 1.72s
Installed 78 packages in 38.02s
+ aiohappyeyeballs==2.6.2
+ aiohttp==3.13.5
+ aiosignal==1.4.0
+ annotated-doc==0.0.4
+ annotated-types==0.7.0
+ anyio==4.13.0
+ attrs==26.1.0
+ certifi==2026.5.20
+ chardet==7.4.3
+ charset-normalizer==3.4.7
+ click==8.4.0
+ cuda-bindings==13.2.0
+ cuda-pathfinder==1.5.4
+ cuda-toolkit==13.0.2
+ datasets==4.8.5
+ dill==0.4.1
+ filelock==3.29.0

```

- + frozenlist==1.8.0
- + fsspec==2026.2.0
- + h11==0.16.0
- + hf-xet==1.5.0
- + httpcore==1.0.9
- + httpx==0.28.1
- + huggingface-hub==1.16.1
- + idna==3.15
- + jinja2==3.1.6
- + markdown-it-py==4.2.0
- + markupsafe==3.0.3
- + mdurl==0.1.2
- + mpmath==1.3.0
- + multidict==6.7.1
- + multiprocessing==0.70.19
- + networkx==3.6.1
- + numpy==2.4.6
- + nvidia-cublas==13.1.1.3
- + nvidia-cuda-cupti==13.0.85
- + nvidia-cuda-nvrtc==13.0.88
- + nvidia-cuda-runtime==13.0.96
- + nvidia-cudnn-cu13==9.20.0.48
- + nvidia-cufft==12.0.0.61
- + nvidia-cufile==1.15.1.6
- + nvidia-curand==10.4.0.35
- + nvidia-cusolver==12.0.4.66
- + nvidia-cusparselt-cu13==0.8.1
- + nvidia-cusparse==12.6.3.3
- + nvidia-nccl-cu13==2.29.7
- + nvidia-nvjitlink==13.0.88
- + nvidia-nvshmem-cu13==3.4.5
- + nvidia-nvtx==13.0.85
- + opencv-python==4.13.0.92
- + pandas==3.0.3
- + pillow==12.2.0
- + propcache==0.5.2
- + pyarrow==24.0.0
- + pydantic==2.13.4
- + pydantic-core==2.46.4
- + pygments==2.20.0
- + python-calamine==0.6.2
- + python-dateutil==2.9.0.post0
- + pytz==2026.2
- + pyyaml==6.0.3
- + requests==2.34.2

+ rich==15.0.0
- setuptools==82.0.1
+ s... [truncated, 7399 chars total]

Error Analysis:

ERROR_SUMMARY: TensorFlow failed to initialize the cuDNN DNN library on the GPU, resulting in a runtime error during image feature extraction with EfficientNetB0. The error "Could not create cudnn handle: CUDNN_STATUS_NOT_INITIALIZED" indicates a problem with CUDA/cuDNN compatibility or GPU driver support, possibly due to an insufficient or mismatched NVIDIA driver or library version.

SUGGESTED_FIX: Verify that the installed CUDA, cuDNN, and NVIDIA driver versions are fully compatible with your TensorFlow version and the detected GPU (NVIDIA A100). Ensure the driver is up to date and matches the CUDA/cuDNN runtime versions required by TensorFlow. If running in a managed environment, check for resource limits or conflicts, and consider running TensorFlow in CPU mode (by setting the environment variable `CUDA\_VISIBLE\_DEVICES=""`) if GPU compatibility cannot be resolved.

Node 7 (evolve)

Property	Value
uct_value	1.3384
avg_raw_score	0.93655
ctime	2026-05-22 01:05:29
debug_attempts	0
depth	3
execution_time	0.0
expected_child_count	0
exploitation	0.0
exploration	1.2684446626418298
failure_penalty	-0.0
failure_visits	0
id	7
is_debug_successful	✗
is_leaf	✗
is_successful	✓
is_terminal	✗
normalized_failure_visit	0
normalized_score	0.0
num_children	1
prev_tutorial_prompt	### Condensed: ```python # Condensed: ```python Summary: This tutorial demonstrates image classification using AutoGluon MultiModal, covering implementation
stage	evolve
time_step	7
tool_used	autogluon.multimodal
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0

validated_contribution	0.0
validated_reward	1.8731
validated_visits	2
validated_weight	1.0
validation_score	0.9365
visits	2
parent_id	4
child_ids	[16]

Node 8 (evolve)

Property	Value
uct_value	1.2684
avg_raw_score	0.93655
ctime	2026-05-22 01:28:24
debug_attempts	0
depth	4
execution_time	0.0
expected_child_count	0
exploitation	0.0
exploration	1.1772322201769845
failure_penalty	-0.0
failure_visits	0
id	8
is_debug_successful	✗
is_leaf	✗
is_successful	✓
is_terminal	✗
normalized_failure_visit	0
normalized_score	0.0
num_children	1
prev_tutorial_prompt	### Condensed: ```python # Condensed: ```python Summary: This tutorial demonstrates image classification using AutoGluon MultiModal, covering implementation
stage	evolve
time_step	8
tool_used	autogluon.multimodal
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0

validated_contribution	0.0
validated_reward	1.8731
validated_visits	2
validated_weight	1.0
validation_score	0.9365
visits	2
parent_id	5
child_ids	[14]

Node 9 (debug)

Property	Value
uct_value	1.1772
ctime	2026-05-22 01:51:14
debug_attempts	3
depth	2
execution_time	0.0
expected_child_count	0
exploitation	0.0
exploration	1.482079962591042
failure_penalty	-0.0
failure_visits	2
id	9
is_debug_successful	✗
is_leaf	✗
is_successful	✗
is_terminal	✓
normalized_failure_visit	0
num_children	1
prev_tutorial_prompt	### Condensed: Intro to Use Machine Learning or Deep Learning algorithms # Condensed: Intro to Use Machine Learning or Deep Learning algorithms Summary: You can use any machine learning or deep learning algorithms to complete the tasks. Make sure you # Intro to Use Machine Learning or Deep Learning algorithms You can use any machine learning or deep learning algorithms to complete the tasks. Make sure you have them
stage	debug
time_step	9
tool_used	machine learning

tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_contribution	0.0
validated_reward	0.0
validated_visits	0
validation_score	None
visits	2
parent_id	1
child_ids	[15]

Error Message:

```

stderr:
==> WARNING: A newer version of conda exists. <==
current version: 25.11.0
latest version: 26.5.0
Please update conda by running
$ conda update -n base -c conda-forge conda
warning: Requirements file `~/home/anri21/.conda/envs/mlzero_env/lib/python3.11/site-packages/autogluon/assistant/tools_registry/machine learning/requirements.txt`
does not contain any dependencies
Using Python 3.11.15 environment at: 30-basic_prompt/node_9/conda_env
Resolved 79 packages in 1.14s
Uninstalled 1 package in 1.61s
Installed 78 packages in 36.19s
+ aiohappyeyeballs==2.6.2
+ aiohttp==3.13.5
+ aiosignal==1.4.0
+ annotated-doc==0.0.4
+ annotated-types==0.7.0
+ anyio==4.13.0
+ attrs==26.1.0
+ certifi==2026.5.20
+ chardet==7.4.3
+ charset-normalizer==3.4.7
+ click==8.4.0
+ cuda-bindings==13.2.0
+ cuda-pathfinder==1.5.4
+ cuda-toolkit==13.0.2
+ datasets==4.8.5
+ dill==0.4.1
+ filelock==3.29.0

```

- + frozenlist==1.8.0
- + fsspec==2026.2.0
- + h11==0.16.0
- + hf-xet==1.5.0
- + httpcore==1.0.9
- + httpx==0.28.1
- + huggingface-hub==1.16.1
- + idna==3.15
- + jinja2==3.1.6
- + markdown-it-py==4.2.0
- + markupsafe==3.0.3
- + mdurl==0.1.2
- + mpmath==1.3.0
- + multidict==6.7.1
- + multiprocessing==0.70.19
- + networkx==3.6.1
- + numpy==2.4.6
- + nvidia-cublas==13.1.1.3
- + nvidia-cuda-cupti==13.0.85
- + nvidia-cuda-nvrtc==13.0.88
- + nvidia-cuda-runtime==13.0.96
- + nvidia-cudnn-cu13==9.20.0.48
- + nvidia-cufft==12.0.0.61
- + nvidia-cufile==1.15.1.6
- + nvidia-curand==10.4.0.35
- + nvidia-cusolver==12.0.4.66
- + nvidia-cusparselt-cu13==0.8.1
- + nvidia-cusparse==12.6.3.3
- + nvidia-nccl-cu13==2.29.7
- + nvidia-nvjitlink==13.0.88
- + nvidia-nvshmem-cu13==3.4.5
- + nvidia-nvtx==13.0.85
- + opencv-python==4.13.0.92
- + pandas==3.0.3
- + pillow==12.2.0
- + propcache==0.5.2
- + pyarrow==24.0.0
- + pydantic==2.13.4
- + pydantic-core==2.46.4
- + pygments==2.20.0
- + python-calamine==0.6.2
- + python-dateutil==2.9.0.post0
- + pytz==2026.2
- + pyyaml==6.0.3
- + requests==2.34.2

+ rich==15.0.0
- setuptools==82.0.1
+ s... [truncated, 7336 chars total]

Error Analysis:

ERROR_SUMMARY: TensorFlow failed to initialize the cuDNN DNN library on the GPU, resulting in a runtime error during image feature extraction with EfficientNetB0. The key error "Could not create cudnn handle: CUDNN_STATUS_NOT_INITIALIZED" indicates a CUDA/cuDNN driver or library incompatibility or misconfiguration, possibly due to mismatched CUDA/cuDNN versions, insufficient GPU memory, or an outdated/incompatible NVIDIA driver.

SUGGESTED_FIX:

Check that your NVIDIA driver, CUDA toolkit, and cuDNN library versions are all compatible with the installed TensorFlow version. Ensure the driver is up to date (matching or exceeding the requirements for your CUDA/cuDNN versions), and verify that the correct CUDA/cuDNN libraries are visible in your environment (e.g., via `LD\_LIBRARY\_PATH`). If running in a managed environment, confirm that the GPU is not oversubscribed and that sufficient memory is available; consider reducing batch size if memory is tight.

Node 10 (debug)

Property	Value
uct_value	1.4821
ctime	2026-05-22 02:00:10
debug_attempts	1
depth	2
execution_time	0.0
expected_child_count	0
failure_visits	1
id	10
is_debug_successful	✗
is_leaf	✓
is_successful	✗
is_terminal	✗
num_children	0
prev_tutorial_prompt	### Condensed: ```python # Condensed: ```python Summary: This tutorial demonstrates using AutoGluon Multimodal for multimodal classification on the PetFinder dataset.
stage	debug
time_step	10
tool_used	autogluon.tabular
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_reward	0.0
validated_visits	0
validation_score	None
visits	1
parent_id	2
child_ids	[]

Error Message:

stderr:

==> WARNING: A newer version of conda exists. <==

current version: 25.11.0

latest version: 26.5.0

Please update conda by running

\$ conda update -n base -c conda-forge conda

Using Python 3.11.15 environment at: 30-basic_prompt/node_10/conda_env

Resolved 239 packages in 1.38s

Uninstalled 1 package in 1.63s

Installed 237 packages in 56.35s

+ absl-py==2.4.0

+ accelerate==1.13.0

+ adagio==0.2.6

+ aiohappyeyeballs==2.6.2

+ aiohttp==3.13.5

+ aiohttp-cors==0.8.1

+ aiosignal==1.4.0

+ alembic==1.18.4

+ annotated-doc==0.0.4

+ annotated-types==0.7.0

+ antlr4-python3-runtime==4.9.3

+ attrs==26.1.0

+ autogluon==1.5.1b20260521

+ autogluon-common==1.5.1b20260521

+ autogluon-core==1.5.1b20260521

+ autogluon-features==1.5.1b20260521

+ autogluon-multimodal==1.5.1b20260521

+ autogluon-tabular==1.5.1b20260521

+ autogluon-timeseries==1.5.1b20260521

+ beartype==0.22.9

+ beautifulsoup4==4.14.3

+ blis==1.3.3

+ boto3==1.43.13

+ botocore==1.43.13

+ catalogue==2.0.10

+ catboost==1.2.10

+ certifi==2026.5.20

+ cffi==2.0.0

+ chardet==7.4.3

+ charset-normalizer==3.4.7

+ chronos-forecasting==2.2.2

+ click==8.4.0

+ cloudpathlib==0.24.0

+ cloudpickle==3.1.2
+ colorama==0.4.6
+ colorful==0.6.0a1
+ colorlog==6.10.1
+ confection==1.3.3
+ contourpy==1.3.3
+ coreforecast==0.0.16
+ cryptography==48.0.0
+ cycler==0.12.1
+ cymem==2.0.13
+ daal==2025.9.0
+ datasets==4.0.0
+ defusedxml==0.7.1
+ dill==0.3.8
+ distlib==0.4.0
+ einops==0.8.2
+ einx==0.4.3
+ evaluate==0.4.6
+ fastai==2.8.5
+ fastcore==1.8.18
+ fastdownload==0.0.7
+ fastprogress==1.0.5
+ fasttransform==0.0.2
+ filelock==3.29.0
+ fonttools==4.63.0
+ frozendict==2.4.7
+ frozenlist==1.8.0
+ fsspec==2025.3.0
+ fugue==0.9.7
+ future==1.0.0
+ gdown==6.0.0
+ gluonts==0.16.2
+ google-api-core==2.30.3
+ google-auth==2.53.0
+ googleapis-common-protos==1.75.0
+ graphviz==0.21
+ grpcio==1.81.0rc1
+ hf-xet==1.5.0
+ httpx==1.0.dev3
+ huggingface-hub==0.36.2
+ hyperopt=... [truncated, 85033 chars total]

Error Analysis:

ERROR_SUMMARY: AutoGluon failed to train any models because the UNIX socket path used by Ray (a backend library) exceeded the system limit of 107 bytes, resulting in an OSError: "validate_socket_filename failed: AF_UNIX path length cannot exceed 107 bytes". This is due to the use of a deeply nested or long temporary

directory path, causing all models to fail and the script to terminate with a `RuntimeError`.

SUGGESTED_FIX:

Shorten the temporary directory path used by Ray and AutoGluon by setting the environment variable ``TMPDIR`` (or ``TEMP`/`TMP``) to a directory with a much shorter absolute path (e.g., ``/tmp/agtmp``). Ensure this is set before running your script or launching the Python process, so that all temporary files and UNIX sockets are created in a path well under the 107-character limit. Clean up any old temporary directories if necessary, and rerun the training.

Node 11 (evolve)

Property	Value
uct_value	1.0928
avg_raw_score	0.93655
ctime	2026-05-22 02:06:18
debug_attempts	0
depth	3
execution_time	0.0
expected_child_count	0
exploitation	0.0
exploration	1.2684446626418298
failure_penalty	-0.0
failure_visits	0
id	11
is_debug_successful	✗
is_leaf	✗
is_successful	✓
is_terminal	✗
normalized_failure_visit	0
normalized_score	0.0
num_children	2
prev_tutorial_prompt	### Condensed: ```python # Condensed: ```python Summary: This tutorial demonstrates image classification using AutoGluon MultiModal, covering implementation
stage	evolve
time_step	11
tool_used	autogluon.multimodal
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0

validated_contribution	0.0
validated_reward	2.80965
validated_visits	3
validated_weight	1.0
validation_score	0.9365
visits	3
parent_id	4
child_ids	[19, 13]

Node 12 (evolve)

Property	Value
uct_value	1.2684
avg_raw_score	0.93655
ctime	2026-05-22 02:28:47
debug_attempts	0
depth	4
execution_time	0.0
expected_child_count	0
exploitation	0.0
exploration	1.664857771836881
failure_penalty	-0.0
failure_visits	0
id	12
is_debug_successful	✗
is_leaf	✗
is_successful	✓
is_terminal	✗
normalized_failure_visit	0
normalized_score	0.0
num_children	1
prev_tutorial_prompt	### Condensed: ```python # Condensed: ```python Summary: This tutorial demonstrates image classification using AutoGluon MultiModal, covering implementation
stage	evolve
time_step	12
tool_used	autogluon.multimodal
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0

validated_contribution	0.0
validated_reward	1.8731
validated_visits	2
validated_weight	1.0
validation_score	0.9365
visits	2
parent_id	5
child_ids	[18]

Node 13 (evolve)

Property	Value
uct_value	1.4821
ctime	2026-05-22 02:51:16
debug_attempts	0
depth	4
execution_time	0.0
expected_child_count	0
failure_visits	0
id	13
is_debug_successful	✗
is_leaf	✓
is_successful	✓
is_terminal	✗
num_children	0
prev_tutorial_prompt	### Condensed: ```python # Condensed: ```python Summary: This tutorial demonstrates image classification using AutoGluon MultiModal, covering implementation
stage	evolve
time_step	13
tool_used	autogluon.multimodal
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_reward	0.93655
validated_visits	1
validation_score	0.9365
visits	1
parent_id	11
child_ids	[]

Node 14 (evolve)

Property	Value
uct_value	1.1772
ctime	2026-05-22 03:13:39
debug_attempts	0
depth	5
execution_time	0.0
expected_child_count	0
failure_visits	0
id	14
is_debug_successful	✗
is_leaf	✓
is_successful	✓
is_terminal	✗
num_children	0
prev_tutorial_prompt	### Condensed: ```python # Condensed: ```python Summary: This tutorial demonstrates image classification using AutoGluon MultiModal, covering implementation
stage	evolve
time_step	14
tool_used	autogluon.multimodal
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_reward	0.93655
validated_visits	1
validation_score	0.9365
visits	1
parent_id	8
child_ids	[]

Node 15 (debug)

Property	Value
uct_value	1.1772
ctime	2026-05-22 03:36:17
debug_attempts	3
depth	3
execution_time	0.0
expected_child_count	0
failure_visits	1
id	15
is_debug_successful	✗
is_leaf	✓
is_successful	✗
is_terminal	✓
num_children	0
prev_tutorial_prompt	### Condensed: Intro to Use Machine Learning or Deep Learning algorithms # Condensed: Intro to Use Machine Learning or Deep Learning algorithms Summary: You can use any machine learning or deep learning algorithms to complete the tasks. Make sure you # Intro to Use Machine Learning or Deep Learning algorithms You can use any machine learning or deep learning algorithms to complete the tasks. Make sure you have them
stage	debug
time_step	15
tool_used	machine learning
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_reward	0.0
validated_visits	0

validation_score	None
visits	1
parent_id	9
child_ids	[]

Error Message:

```

stderr:
==> WARNING: A newer version of conda exists. <==
current version: 25.11.0
latest version: 26.5.0
Please update conda by running
$ conda update -n base -c conda-forge conda
warning: Requirements file `~/home/anri21/.conda/envs/mlzero_env/lib/python3.11/site-packages/autogluon/assistant/tools_registry/machine learning/requirements.txt`
does not contain any dependencies
Using Python 3.11.15 environment at: 30-basic_prompt/node_15/conda_env
Resolved 79 packages in 1.13s
Uninstalled 1 package in 1.64s
Installed 78 packages in 36.90s
+ aiohappyeyeballs==2.6.2
+ aiohttp==3.13.5
+ aiosignal==1.4.0
+ annotated-doc==0.0.4
+ annotated-types==0.7.0
+ anyio==4.13.0
+ attrs==26.1.0
+ certifi==2026.5.20
+ chardet==7.4.3
+ charset-normalizer==3.4.7
+ click==8.4.0
+ cuda-bindings==13.2.0
+ cuda-pathfinder==1.5.4
+ cuda-toolkit==13.0.2
+ datasets==4.8.5
+ dill==0.4.1
+ filelock==3.29.0
+ frozenlist==1.8.0
+ fsspec==2026.2.0
+ h11==0.16.0
+ hf-xet==1.5.0
+ httpcore==1.0.9
+ httpx==0.28.1
+ huggingface-hub==1.16.1
+ idna==3.16

```

```
+ jinja2==3.1.6
+ markdown-it-py==4.2.0
+ markupsafe==3.0.3
+ mdurl==0.1.2
+ mpmath==1.3.0
+ multidict==6.7.1
+ multiprocessing==0.70.19
+ networkx==3.6.1
+ numpy==2.4.6
+ nvidia-cublas==13.1.1.3
+ nvidia-cuda-cupti==13.0.85
+ nvidia-cuda-nvrtc==13.0.88
+ nvidia-cuda-runtime==13.0.96
+ nvidia-cudnn-cu13==9.20.0.48
+ nvidia-cufft==12.0.0.61
+ nvidia-cufile==1.15.1.6
+ nvidia-curand==10.4.0.35
+ nvidia-cusolver==12.0.4.66
+ nvidia-cusparselt-cu13==0.8.1
+ nvidia-nccl-cu13==2.29.7
+ nvidia-nvjitlink==13.0.88
+ nvidia-nvshmem-cu13==3.4.5
+ nvidia-nvtx==13.0.85
+ opencv-python==4.13.0.92
+ pandas==3.0.3
+ pillow==12.2.0
+ propcache==0.5.2
+ pyarrow==24.0.0
+ pydantic==2.13.4
+ pydantic-core==2.46.4
+ pygments==2.20.0
+ python-calamine==0.6.2
+ python-dateutil==2.9.0.post0
+ pytz==2026.2
+ pyyaml==6.0.3
+ requests==2.34.2
+ rich==15.0.0
- setuptools==82.0.1
+ ... [truncated, 7346 chars total]
```

Error Analysis:

ERROR_SUMMARY: TensorFlow failed to initialize the cuDNN DNN library on the GPU, resulting in a runtime error during image feature extraction with EfficientNetB0. The error logs indicate "Could not create cudnn handle: CUDNN_STATUS_NOT_INITIALIZED" and "Possibly insufficient driver version: 565.57.1", suggesting a mismatch or incompatibility between the installed NVIDIA driver, CUDA toolkit, and/or cuDNN library versions required by TensorFlow.

SUGGESTED_FIX: Verify that the installed NVIDIA driver, CUDA toolkit, and cuDNN versions are all compatible with the TensorFlow version you are using (see TensorFlow's official GPU support matrix). If necessary, update the NVIDIA driver to the latest supported version, and ensure that the CUDA and cuDNN libraries match the requirements for TensorFlow 2.x. After updating, restart the environment and re-run the script to confirm that TensorFlow can successfully initialize GPU and cuDNN.

Node 16 (evolve)

Property	Value
uct_value	1.1772
ctime	2026-05-22 03:44:52
debug_attempts	0
depth	4
execution_time	0.0
expected_child_count	0
failure_visits	0
id	16
is_debug_successful	✗
is_leaf	✓
is_successful	✓
is_terminal	✗
num_children	0
prev_tutorial_prompt	### Condensed: ```python # Condensed: ```python Summary: This tutorial demonstrates image classification using AutoGluon MultiModal, covering implementation
stage	evolve
time_step	16
tool_used	autogluon.multimodal
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_reward	0.93655
validated_visits	1
validation_score	0.9365
visits	1
parent_id	7
child_ids	[]

Node 17 (debug)

Property	Value
uct_value	1.4821
ctime	2026-05-22 04:07:31
debug_attempts	2
depth	2
execution_time	0.0
expected_child_count	0
failure_visits	1
id	17
is_debug_successful	✗
is_leaf	✓
is_successful	✗
is_terminal	✗
num_children	0
prev_tutorial_prompt	### Condensed: ```python # Condensed: ```python Summary: This tutorial demonstrates using AutoGluon Multimodal for multimodal classification on the PetFinder dataset.
stage	debug
time_step	17
tool_used	autogluon.tabular
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_reward	0.0
validated_visits	0
validation_score	None
visits	1
parent_id	2
child_ids	[]

Error Message:

stderr:

==> WARNING: A newer version of conda exists. <==

current version: 25.11.0

latest version: 26.5.0

Please update conda by running

\$ conda update -n base -c conda-forge conda

Using Python 3.11.15 environment at: 30-basic_prompt/node_17/conda_env

Resolved 239 packages in 1.36s

Uninstalled 1 package in 1.60s

Installed 237 packages in 49.22s

+ absl-py==2.4.0

+ accelerate==1.13.0

+ adagio==0.2.6

+ aiohappyeyeballs==2.6.2

+ aiohttp==3.13.5

+ aiohttp-cors==0.8.1

+ aiosignal==1.4.0

+ alembic==1.18.4

+ annotated-doc==0.0.4

+ annotated-types==0.7.0

+ antlr4-python3-runtime==4.9.3

+ attrs==26.1.0

+ autogluon==1.5.1b20260521

+ autogluon-common==1.5.1b20260521

+ autogluon-core==1.5.1b20260521

+ autogluon-features==1.5.1b20260521

+ autogluon-multimodal==1.5.1b20260521

+ autogluon-tabular==1.5.1b20260521

+ autogluon-timeseries==1.5.1b20260521

+ beartype==0.22.9

+ beautifulsoup4==4.14.3

+ blis==1.3.3

+ boto3==1.43.13

+ botocore==1.43.13

+ catalogue==2.0.10

+ catboost==1.2.10

+ certifi==2026.5.20

+ cffi==2.0.0

+ chardet==7.4.3

+ charset-normalizer==3.4.7

+ chronos-forecasting==2.2.2

+ click==8.4.0

+ cloudpathlib==0.24.0

+ cloudpickle==3.1.2
+ colorama==0.4.6
+ colorful==0.6.0a1
+ colorlog==6.10.1
+ confection==1.3.3
+ contourpy==1.3.3
+ coreforecast==0.0.16
+ cryptography==48.0.0
+ cycler==0.12.1
+ cymem==2.0.13
+ daal==2025.9.0
+ datasets==4.0.0
+ defusedxml==0.7.1
+ dill==0.3.8
+ distlib==0.4.0
+ einops==0.8.2
+ einx==0.4.3
+ evaluate==0.4.6
+ fastai==2.8.5
+ fastcore==1.8.18
+ fastdownload==0.0.7
+ fastprogress==1.0.5
+ fasttransform==0.0.2
+ filelock==3.29.0
+ fonttools==4.63.0
+ frozendict==2.4.7
+ frozenlist==1.8.0
+ fsspec==2025.3.0
+ fugue==0.9.7
+ future==1.0.0
+ gdown==6.0.0
+ gluonts==0.16.2
+ google-api-core==2.30.3
+ google-auth==2.53.0
+ googleapis-common-protos==1.75.0
+ graphviz==0.21
+ grpcio==1.81.0rc1
+ hf-xet==1.5.0
+ httpx==1.0.dev3
+ huggingface-hub==0.36.2
+ hyperopt=... [truncated, 85040 chars total]

Error Analysis:

ERROR_SUMMARY: The root cause is an OSError triggered by the Ray backend (used by AutoGluon) when attempting to create a UNIX domain socket with a path longer than 107 bytes. This is due to the deeply nested directory structure in your scratch space, causing the socket path (e.g.,

`/sc-scratch/sc-scratch-ikim-guidlight/tmp/ray/session\_2026-05-22\_04-10-49\_335985\_3746595/sockets/plasma\_store`) to exceed the AF_UNIX path length limit. As a result, all model training fails and AutoGluon raises a RuntimeError: "No models were trained successfully during fit()".

SUGGESTED_FIX:

Shorten the directory paths used for temporary files and output by setting the `TMPDIR`, `TEMP`, and `TMP` environment variables to a much shorter path (e.g., `/tmp/raytmp`) before running your script. Alternatively, move your working/output directories to a location with a shorter absolute path, or configure Ray's temp directory via the `RAY\_TMPDIR` environment variable to ensure all socket paths remain under 107 bytes. Then, rerun your training script.

Node 18 (evolve)

Property	Value
uct_value	1.1772
ctime	2026-05-22 04:13:33
debug_attempts	0
depth	5
execution_time	0.0
expected_child_count	0
failure_visits	0
id	18
is_debug_successful	✗
is_leaf	✓
is_successful	✓
is_terminal	✗
num_children	0
prev_tutorial_prompt	### Condensed: ```python # Condensed: ```python Summary: This tutorial demonstrates image classification using AutoGluon MultiModal, covering implementation
stage	evolve
time_step	18
tool_used	autogluon.multimodal
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_reward	0.93655
validated_visits	1
validation_score	0.9365
visits	1
parent_id	12
child_ids	[]

Node 19 (evolve)

Property	Value
uct_value	1.4821
ctime	2026-05-22 04:35:43
debug_attempts	0
depth	4
execution_time	0.0
expected_child_count	0
failure_visits	0
id	19
is_debug_successful	✗
is_leaf	✓
is_successful	✓
is_terminal	✗
num_children	0
prev_tutorial_prompt	### Condensed: ```python # Condensed: ```python Summary: This tutorial demonstrates image classification using AutoGluon MultiModal, covering implementation
stage	evolve
time_step	19
tool_used	autogluon.multimodal
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_reward	0.93655
validated_visits	1
validation_score	0.9365
visits	1
parent_id	11
child_ids	[]

