

Node Structure Visualization


Click on any node in the tree to jump to its detailed information.

Total Nodes: 21 | Best Validation Score: 0.9674 (Node 3)

Node Tree:

Table of Contents:

Node ID	Stage	Status	Tool
>-1			
>0			autogluon.multimodal
>1			machine learning
>2			autogluon.tabular
>3			autogluon.multimodal
>4			autogluon.multimodal
>5			autogluon.multimodal
>6			autogluon.multimodal
>7			machine learning
>8			autogluon.multimodal
>9			autogluon.multimodal
>10			autogluon.multimodal
>11			machine learning
>12			autogluon.multimodal
>13			autogluon.multimodal
>14			autogluon.multimodal
>15			autogluon.multimodal
>16			autogluon.multimodal
>17			autogluon.multimodal
>18			autogluon.multimodal
>19			autogluon.multimodal



Status	Color
Success	Green
Failure	Red
Neutral	Blue

Node Details:

Node -1 (root)

Property	Value
uct_value	0.5616
ctime	2026-05-21 23:30:45
debug_attempts	0
depth	0
execution_time	0.0
expected_child_count	0
failure_visits	5
id	-1
is_debug_successful	✗
is_leaf	✗
is_successful	✗
is_terminal	✗
num_children	5
prev_tutorial_prompt	None
stage	root
time_step	-1
tool_used	
tools_available	[]
unvalidated_visits	0
validated_reward	14.23641
validated_visits	15
validation_score	None
visits	20
parent_id	None
child_ids	[0, 1, 2, 3, 7]

Node 0 (evolve)

Property	Value
uct_value	2.4474
ctime	2026-05-21 23:31:44
debug_attempts	0
depth	1
execution_time	0.0
expected_child_count	0
exploitation	0.0
exploration	1.482079962591042
failure_penalty	-0.0
failure_visits	1
id	0
is_debug_successful	✗
is_leaf	✓
is_successful	✗
is_terminal	✓
normalized_failure_visit	0
num_children	0
prev_tutorial_prompt	None
stage	evolve
time_step	0
tool_used	autogluon.multimodal
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_contribution	0.0
validated_reward	0.0
validated_visits	0
validation_score	None

visits	1
parent_id	-1
child_ids	[]

Error Message:

stderr:

==> WARNING: A newer version of conda exists. <==

current version: 25.11.0

latest version: 26.5.0

Please update conda by running

\$ conda update -n base -c conda-forge conda

Using Python 3.11.15 environment at: 31-basic_prompt/node_0/conda_env

Resolved 235 packages in 1.41s

Uninstalled 1 package in 1.77s

Installed 233 packages in 1m 04s

+ absl-py==2.4.0

+ accelerate==1.13.0

+ adagio==0.2.6

+ aiohappyeyeballs==2.6.2

+ aiohttp==3.13.5

+ aiohttp-cors==0.8.1

+ aiosignal==1.4.0

+ alembic==1.18.4

+ annotated-doc==0.0.4

+ annotated-types==0.7.0

+ antlr4-python3-runtime==4.9.3

+ attrs==26.1.0

+ autogluon==1.5.1b20260521

+ autogluon-common==1.5.1b20260521

+ autogluon-core==1.5.1b20260521

+ autogluon-features==1.5.1b20260521

+ autogluon-multimodal==1.5.1b20260521

+ autogluon-tabular==1.5.1b20260521

+ autogluon-timeseries==1.5.1b20260521

+ beartype==0.22.9

+ beautifulsoup4==4.14.3

+ blis==1.3.3

+ boto3==1.43.12

+ botocore==1.43.12

+ catalogue==2.0.10

+ catboost==1.2.10

+ certifi==2026.5.20

+ cffi==2.0.0

- + chardet==7.4.3
- + charset-normalizer==3.4.7
- + chronos-forecasting==2.2.2
- + click==8.4.0
- + cloudpathlib==0.24.0
- + cloudpickle==3.1.2
- + colorama==0.4.6
- + colorful==0.6.0a1
- + colorlog==6.10.1
- + confection==1.3.3
- + contourpy==1.3.3
- + coreforecast==0.0.16
- + cryptography==48.0.0
- + cycler==0.12.1
- + cymem==2.0.13
- + datasets==4.0.0
- + defusedxml==0.7.1
- + dill==0.3.8
- + distlib==0.4.0
- + einops==0.8.2
- + einx==0.4.3
- + evaluate==0.4.6
- + fastai==2.8.5
- + fastcore==1.8.18
- + fastdownload==0.0.7
- + fastprogress==1.0.5
- + fasttransform==0.0.2
- + filelock==3.29.0
- + fonttools==4.63.0
- + frozendict==2.4.7
- + frozenlist==1.8.0
- + fsspec==2025.3.0
- + fugue==0.9.7
- + future==1.0.0
- + gdown==6.0.0
- + gluonts==0.16.2
- + google-api-core==2.30.3
- + google-auth==2.53.0
- + googleapis-common-protos==1.75.0
- + graphviz==0.21
- + grpcio==1.81.0rc1
- + hf-xet==1.5.0
- + httpx==1.0.dev3
- + huggingface-hub==0.36.2
- + hyperopt==0.2.7

+ idna==3.1... [truncated, 17461 chars total]

Error Analysis:

ERROR_SUMMARY: The error occurs because AutoGluon MultiModalPredictor expects the test data to have the same columns as the training data (specifically: ['image_name', 'alternative_skin_tone', 'expert_opinion', 'skin_tone']), but the provided test set only contains the 'image_name' column. As a result, a ValueError is raised during prediction, indicating the missing columns.

SUGGESTED_FIX:

Modify your test data preparation so that the DataFrame passed to `predict\_proba` includes all columns required by the model: 'image_name', 'alternative_skin_tone', 'expert_opinion', and 'skin_tone'. For columns not available in the test set, add them with placeholder values (e.g., NaN or a default value) to match the training data schema before calling the predictor.

Node 1 (evolve)

Property	Value
uct_value	2.4474
ctime	2026-05-22 00:18:42
debug_attempts	0
depth	1
execution_time	0.0
expected_child_count	0
exploitation	0.0
exploration	1.4793538436473155
failure_penalty	-0.0
failure_visits	1
id	1
is_debug_successful	✗
is_leaf	✓
is_successful	✗
is_terminal	✓
normalized_failure_visit	0
num_children	0
prev_tutorial_prompt	None
stage	evolve
time_step	1
tool_used	machine learning
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_contribution	0.0
validated_reward	0.0
validated_visits	0
validation_score	None

visits	1
parent_id	-1
child_ids	[]

Error Message:

stderr:

==> WARNING: A newer version of conda exists. <==

current version: 25.11.0

latest version: 26.5.0

Please update conda by running

\$ conda update -n base -c conda-forge conda

warning: Requirements file `~/home/anri21/.conda/envs/mlzero\_env/lib/python3.11/site-packages/autogluon/assistant/tools\_registry/machine learning/requirements.txt` does not contain any dependencies

Using Python 3.11.15 environment at: 31-basic_prompt/node_1/conda_env

Resolved 79 packages in 684ms

Uninstalled 1 package in 1.78s

Installed 78 packages in 53.26s

+ aiohappyeyeballs==2.6.2

+ aiohttp==3.13.5

+ aiosignal==1.4.0

+ annotated-doc==0.0.4

+ annotated-types==0.7.0

+ anyio==4.13.0

+ attrs==26.1.0

+ certifi==2026.5.20

+ chardet==7.4.3

+ charset-normalizer==3.4.7

+ click==8.4.0

+ cuda-bindings==13.2.0

+ cuda-pathfinder==1.5.4

+ cuda-toolkit==13.0.2

+ datasets==4.8.5

+ dill==0.4.1

+ filelock==3.29.0

+ frozenlist==1.8.0

+ fsspec==2026.2.0

+ h11==0.16.0

+ hf-xet==1.5.0

+ httpcore==1.0.9

+ httpx==0.28.1

+ huggingface-hub==1.16.1

+ idna==3.15

+ jinja2==3.1.6

```
+ markdown-it-py==4.2.0
+ markupsafe==3.0.3
+ mdurl==0.1.2
+ mpmath==1.3.0
+ multidict==6.7.1
+ multiprocessing==0.70.19
+ networkx==3.6.1
+ numpy==2.4.6
+ nvidia-cublas==13.1.1.3
+ nvidia-cuda-cupti==13.0.85
+ nvidia-cuda-nvrtc==13.0.88
+ nvidia-cuda-runtime==13.0.96
+ nvidia-cudnn-cu13==9.20.0.48
+ nvidia-cufft==12.0.0.61
+ nvidia-cufile==1.15.1.6
+ nvidia-curand==10.4.0.35
+ nvidia-cusolver==12.0.4.66
+ nvidia-cusparselt-cu13==0.8.1
+ nvidia-nccl-cu13==2.29.7
+ nvidia-nvjitlink==13.0.88
+ nvidia-nvshmem-cu13==3.4.5
+ nvidia-nvtx==13.0.85
+ opencv-python==4.13.0.92
+ pandas==3.0.3
+ pillow==12.2.0
+ propcache==0.5.2
+ pyarrow==24.0.0
+ pydantic==2.13.4
+ pydantic-core==2.46.4
+ pygments==2.20.0
+ python-calamine==0.6.2
+ python-dateutil==2.9.0.post0
+ pytz==2026.2
+ pyyaml==6.0.3
+ requests==2.34.2
+ rich==15.0.0
- setuptools==82.0.1
+ s... [truncated, 10490 chars total]
```

Error Analysis:

ERROR_SUMMARY: The root cause is that the `predict_proba` function expects each batch from the DataLoader to be a tensor of images, but when used with a DataLoader created from a Dataset that returns `(image, label)` tuples (as in validation), each batch is actually a tuple `(images, labels)`. This leads to the error `'list' object has no attribute 'to'` because the code tries to call `.to(device)` on a tuple or list instead of a tensor. The repeated `OSError: [Errno 16] Device or resource busy` messages are related to the NFS filesystem and are not directly responsible for the model logic failure.

SUGGESTED_FIX:

Update the `predict_proba` function to handle both cases: if the `DataLoader` yields a tuple `(images, labels)`, extract only the images before moving them to the device; if it yields just images, proceed as before. This can be done by checking the type or length of the batch in the prediction loop and unpacking accordingly.

Node 2 (evolve)

Property	Value
uct_value	2.4474
ctime	2026-05-22 01:17:22
debug_attempts	0
depth	1
execution_time	0.0
expected_child_count	0
exploitation	0.0
exploration	1.2131672923786587
failure_penalty	-0.0
failure_visits	1
id	2
is_debug_successful	✗
is_leaf	✓
is_successful	✗
is_terminal	✗
normalized_failure_visit	0
num_children	0
prev_tutorial_prompt	None
stage	evolve
time_step	2
tool_used	autogluon.tabular
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_contribution	0.0
validated_reward	0.0
validated_visits	0
validation_score	None

visits	1
parent_id	-1
child_ids	[]

Error Message:

stderr:

==> WARNING: A newer version of conda exists. <==

current version: 25.11.0

latest version: 26.5.0

Please update conda by running

\$ conda update -n base -c conda-forge conda

Using Python 3.11.15 environment at: 31-basic_prompt/node_2/conda_env

Resolved 239 packages in 1.57s

Uninstalled 1 package in 1.69s

Installed 237 packages in 54.12s

+ absl-py==2.4.0

+ accelerate==1.13.0

+ adagio==0.2.6

+ aiohappyeyeballs==2.6.2

+ aiohttp==3.13.5

+ aiohttp-cors==0.8.1

+ aiosignal==1.4.0

+ alembic==1.18.4

+ annotated-doc==0.0.4

+ annotated-types==0.7.0

+ antlr4-python3-runtime==4.9.3

+ attrs==26.1.0

+ autogluon==1.5.1b20260521

+ autogluon-common==1.5.1b20260521

+ autogluon-core==1.5.1b20260521

+ autogluon-features==1.5.1b20260521

+ autogluon-multimodal==1.5.1b20260521

+ autogluon-tabular==1.5.1b20260521

+ autogluon-timeseries==1.5.1b20260521

+ beartype==0.22.9

+ beautifulsoup4==4.14.3

+ blis==1.3.3

+ boto3==1.43.13

+ botocore==1.43.13

+ catalogue==2.0.10

+ catboost==1.2.10

+ certifi==2026.5.20

+ cffi==2.0.0

- + chardet==7.4.3
- + charset-normalizer==3.4.7
- + chronos-forecasting==2.2.2
- + click==8.4.0
- + cloudpathlib==0.24.0
- + cloudpickle==3.1.2
- + colorama==0.4.6
- + colorful==0.6.0a1
- + colorlog==6.10.1
- + confection==1.3.3
- + contourpy==1.3.3
- + coreforecast==0.0.16
- + cryptography==48.0.0
- + cycler==0.12.1
- + cymem==2.0.13
- + daal==2025.9.0
- + datasets==4.0.0
- + defusedxml==0.7.1
- + dill==0.3.8
- + distlib==0.4.0
- + einops==0.8.2
- + einx==0.4.3
- + evaluate==0.4.6
- + fastai==2.8.5
- + fastcore==1.8.18
- + fastdownload==0.0.7
- + fastprogress==1.0.5
- + fasttransform==0.0.2
- + filelock==3.29.0
- + fonttools==4.63.0
- + frozendict==2.4.7
- + frozenlist==1.8.0
- + fsspec==2025.3.0
- + fugue==0.9.7
- + future==1.0.0
- + gdown==6.0.0
- + gluonts==0.16.2
- + google-api-core==2.30.3
- + google-auth==2.53.0
- + googleapis-common-protos==1.75.0
- + graphviz==0.21
- + grpcio==1.81.0rc1
- + hf-xet==1.5.0
- + httpx==1.0.dev3
- + huggingface-hub==0.36.2

+ hyperopt==... [truncated, 42427 chars total]

Error Analysis:

ERROR_SUMMARY: AutoGluon failed to train any models because the Ray backend (used for parallel model training) attempted to create UNIX domain sockets with file paths exceeding the system limit of 107 bytes. This resulted in repeated OSError exceptions (`validate_socket_filename failed: AF_UNIX path length cannot exceed 107 bytes`), causing all model training attempts to be skipped and ultimately raising a RuntimeError: "No models were trained successfully during fit()".

SUGGESTED_FIX:

Shorten the directory paths used for temporary files and model output, especially those under `~/sc-scratch/sc-scratch-ikim-guidlight/...`, to ensure that all UNIX socket paths (including Ray's `plasma_store` sockets) remain under 107 characters. Move your working directory, data, and output/model directories to a location with a much shorter absolute path (e.g., `/tmp/agjob/`), and re-run the script. If using a cluster or scratch space, create a symlink from a short path to your working directory to avoid long socket paths.

Node 3 (debug)

Property	Value
uct_value	1.4807
avg_raw_score	0.9565869230769231
ctime	2026-05-22 01:23:32
debug_attempts	1
depth	2
execution_time	0.0
expected_child_count	0
exploitation	0.8455877153699298
exploration	0.6484651944173071
failure_penalty	-0.0
failure_visits	1
id	3
is_debug_successful	✗
is_leaf	✗
is_successful	✓
is_terminal	✗
normalized_failure_visit	0
normalized_score	0.9106329242445398
num_children	3
prev_tutorial_prompt	None
stage	debug
time_step	3
tool_used	autogluon.multimodal
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_contribution	0.8455877153699298
validated_reward	13.39021

validated_visits	14
validated_weight	0.9285714285714286
validation_score	0.9674
visits	15
parent_id	-1
child_ids	[4, 5, 6]

Node 4 (evolve)

Property	Value
uct_value	2.3269
ctime	2026-05-22 02:05:42
debug_attempts	0
depth	3
execution_time	0.0
expected_child_count	0
exploitation	0.0
exploration	1.482079962591042
failure_penalty	-0.0
failure_visits	1
id	4
is_debug_successful	✗
is_leaf	✓
is_successful	✗
is_terminal	✓
normalized_failure_visit	0
num_children	0
prev_tutorial_prompt	### Condensed: ```python # Condensed: ```python Summary: This tutorial demonstrates image classification using AutoGluon MultiModal, covering implementation
stage	evolve
time_step	4
tool_used	autogluon.multimodal
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_contribution	0.0
validated_reward	0.0

validated_visits	0
validation_score	None
visits	1
parent_id	3
child_ids	[]

Error Message:

```

stderr:
==> WARNING: A newer version of conda exists. <==
current version: 25.11.0
latest version: 26.5.0
Please update conda by running
$ conda update -n base -c conda-forge conda
Using Python 3.11.15 environment at: 31-basic_prompt/node_4/conda_env
Resolved 235 packages in 1.37s
Uninstalled 1 package in 1.82s
Installed 233 packages in 51.57s
+ absl-py==2.4.0
+ accelerate==1.13.0
+ adagio==0.2.6
+ aiohappyeyeballs==2.6.2
+ aiohttp==3.13.5
+ aiohttp-cors==0.8.1
+ aiosignal==1.4.0
+ alembic==1.18.4
+ annotated-doc==0.0.4
+ annotated-types==0.7.0
+ antlr4-python3-runtime==4.9.3
+ attrs==26.1.0
+ autogluon==1.5.1b20260521
+ autogluon-common==1.5.1b20260521
+ autogluon-core==1.5.1b20260521
+ autogluon-features==1.5.1b20260521
+ autogluon-multimodal==1.5.1b20260521
+ autogluon-tabular==1.5.1b20260521
+ autogluon-timeseries==1.5.1b20260521
+ beartype==0.22.9
+ beautifulsoup4==4.14.3
+ blis==1.3.3
+ boto3==1.43.13
+ botocore==1.43.13
+ catalogue==2.0.10

```

- + catboost==1.2.10
- + certifi==2026.5.20
- + cffi==2.0.0
- + chardet==7.4.3
- + charset-normalizer==3.4.7
- + chronos-forecasting==2.2.2
- + click==8.4.0
- + cloudpathlib==0.24.0
- + cloudpickle==3.1.2
- + colorama==0.4.6
- + colorful==0.6.0a1
- + colorlog==6.10.1
- + confection==1.3.3
- + contourpy==1.3.3
- + coreforecast==0.0.16
- + cryptography==48.0.0
- + cycler==0.12.1
- + cymem==2.0.13
- + datasets==4.0.0
- + defusedxml==0.7.1
- + dill==0.3.8
- + distlib==0.4.0
- + einops==0.8.2
- + einx==0.4.3
- + evaluate==0.4.6
- + fastai==2.8.5
- + fastcore==1.8.18
- + fastdownload==0.0.7
- + fastprogress==1.0.5
- + fasttransform==0.0.2
- + filelock==3.29.0
- + fonttools==4.63.0
- + frozendict==2.4.7
- + frozenlist==1.8.0
- + fsspec==2025.3.0
- + fugue==0.9.7
- + future==1.0.0
- + gdown==6.0.0
- + gluonts==0.16.2
- + google-api-core==2.30.3
- + google-auth==2.53.0
- + googleapis-common-protos==1.75.0
- + graphviz==0.21
- + grpcio==1.81.0rc1
- + hf-xet==1.5.0

```
+ httpx==1.0.dev3
+ huggingface-hub==0.36.2
+ hyperopt==0.2.7
+ idna==3.1... [truncated, 9736 chars total]
```

Error Analysis:

ERROR_SUMMARY: The error occurs because the hyperparameters dictionary passed to AutoGluon MultiModalPredictor.fit() includes keys data.image.train_transform_types and data.image.val_transform_types, which are not recognized in the current AutoGluon configuration schema. As a result, a KeyError is raised when the library attempts to apply these overrides, aborting the training process before any model is trained.

SUGGESTED_FIX:

Remove the data.image.train_transform_types and data.image.val_transform_types keys from your hyperparameters dictionary. Rely on AutoGluon's default image augmentation and validation transforms, or consult the latest AutoGluon documentation for supported augmentation-related hyperparameters if you wish to customize them. Then, rerun your script to allow training to proceed without unrecognized config keys.

Node 5 (evolve)

Property	Value
uct_value	1.7829
avg_raw_score	0.955905
ctime	2026-05-22 02:12:59
debug_attempts	0
depth	3
execution_time	0.0
expected_child_count	0
exploitation	0.9050074245174068
exploration	0.9377740193852168
failure_penalty	-0.0
failure_visits	0
id	5
is_debug_successful	✗
is_leaf	✗
is_successful	✓
is_terminal	✗
normalized_failure_visit	0
normalized_score	0.9050074245174068
num_children	2
prev_tutorial_prompt	### Condensed: ```python # Condensed: ```python Summary: This tutorial demonstrates image classification using AutoGluon MultiModal, covering implementation
stage	evolve
time_step	5
tool_used	autogluon.multimodal
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0

validated_contribution	0.9050074245174068
validated_reward	6.69001
validated_visits	7
validated_weight	1.0
validation_score	0.9572
visits	7
parent_id	3
child_ids	[8, 10]

Node 6 (debug)

Property	Value
uct_value	1.8513
avg_raw_score	0.9554633333333333
ctime	2026-05-22 02:29:22
debug_attempts	1
depth	4
execution_time	0.0
expected_child_count	0
exploitation	0.901363911345763
exploration	0.9377740193852168
failure_penalty	-0.0
failure_visits	0
id	6
is_debug_successful	✗
is_leaf	✗
is_successful	✓
is_terminal	✗
normalized_failure_visit	0
normalized_score	0.901363911345763
num_children	2
prev_tutorial_prompt	### Condensed: ```python # Condensed: ```python Summary: This tutorial demonstrates image classification using AutoGluon MultiModal, covering implementation
stage	debug
time_step	6
tool_used	autogluon.multimodal
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0

validated_contribution	0.901363911345763
validated_reward	5.73278
validated_visits	6
validated_weight	1.0
validation_score	0.9572
visits	6
parent_id	3
child_ids	[9, 12]

Node 7 (debug)

Property	Value
uct_value	1.7306
avg_raw_score	0.8462
ctime	2026-05-22 02:44:57
debug_attempts	1
depth	2
execution_time	0.0
expected_child_count	0
exploitation	0.0
exploration	1.2867582287320087
failure_penalty	-0.0
failure_visits	1
id	7
is_debug_successful	✗
is_leaf	✗
is_successful	✓
is_terminal	✗
normalized_failure_visit	0
normalized_score	0.0
num_children	1
prev_tutorial_prompt	None
stage	debug
time_step	7
tool_used	machine learning
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_contribution	0.0
validated_reward	0.8462

validated_visits	1
validated_weight	0.5
validation_score	0.8462
visits	2
parent_id	-1
child_ids	[11]

Node 8 (evolve)

Property	Value
uct_value	2.0402
avg_raw_score	0.9554633333333333
ctime	2026-05-22 03:44:16
debug_attempts	0
depth	4
execution_time	0.0
expected_child_count	0
exploitation	0.901363911345763
exploration	1.0927696792610198
failure_penalty	-0.0
failure_visits	0
id	8
is_debug_successful	✗
is_leaf	✗
is_successful	✓
is_terminal	✗
normalized_failure_visit	0
normalized_score	0.901363911345763
num_children	2
prev_tutorial_prompt	### Condensed: ```python # Condensed: ```python Summary: This tutorial demonstrates image classification using AutoGluon MultiModal, covering implementation
stage	evolve
time_step	8
tool_used	autogluon.multimodal
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0

validated_contribution	0.901363911345763
validated_reward	2.86639
validated_visits	3
validated_weight	1.0
validation_score	0.9572
visits	3
parent_id	5
child_ids	[17, 13]

Node 9 (evolve)

Property	Value
uct_value	1.9941
avg_raw_score	0.955905
ctime	2026-05-22 04:00:11
debug_attempts	0
depth	5
execution_time	0.0
expected_child_count	0
exploitation	0.9050074245174068
exploration	1.2684446626418298
failure_penalty	-0.0
failure_visits	0
id	9
is_debug_successful	✗
is_leaf	✗
is_successful	✓
is_terminal	✗
normalized_failure_visit	0
normalized_score	0.9050074245174068
num_children	2
prev_tutorial_prompt	### Condensed: ```python # Condensed: ```python Summary: This tutorial demonstrates image classification using AutoGluon MultiModal, covering implementation
stage	evolve
time_step	9
tool_used	autogluon.multimodal
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0

validated_contribution	0.9050074245174068
validated_reward	2.86639
validated_visits	3
validated_weight	1.0
validation_score	0.9572
visits	3
parent_id	6
child_ids	[18, 14]

Node 10 (evolve)

Property	Value
uct_value	2.0402
avg_raw_score	0.955905
ctime	2026-05-22 04:15:40
debug_attempts	0
depth	4
execution_time	0.0
expected_child_count	0
exploitation	0.9050074245174068
exploration	1.3383640602871656
failure_penalty	-0.0
failure_visits	0
id	10
is_debug_successful	✗
is_leaf	✗
is_successful	✓
is_terminal	✗
normalized_failure_visit	0
normalized_score	0.9050074245174068
num_children	2
prev_tutorial_prompt	### Condensed: ```python # Condensed: ```python Summary: This tutorial demonstrates image classification using AutoGluon MultiModal, covering implementation
stage	evolve
time_step	10
tool_used	autogluon.multimodal
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0

validated_contribution	0.9050074245174068
validated_reward	2.86639
validated_visits	3
validated_weight	1.0
validation_score	0.9572
visits	3
parent_id	5
child_ids	[19, 15]

Node 11 (evolve)

Property	Value
uct_value	1.1772
ctime	2026-05-22 04:31:21
debug_attempts	0
depth	3
execution_time	0.0
expected_child_count	0
failure_visits	1
id	11
is_debug_successful	✗
is_leaf	✓
is_successful	✗
is_terminal	✗
num_children	0
prev_tutorial_prompt	### Condensed: Intro to Use Machine Learning or Deep Learning algorithms # Condensed: Intro to Use Machine Learning or Deep Learning algorithms Summary: You can use any machine learning or deep learning algorithms to complete the tasks. Make sure you # Intro to Use Machine Learning or Deep Learning algorithms You can use any machine learning or deep learning algorithms to complete the tasks. Make sure you have them
stage	evolve
time_step	11
tool_used	machine learning
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_reward	0.0
validated_visits	0

validation_score	None
visits	1
parent_id	7
child_ids	[]

Error Message:

```

stderr:
==> WARNING: A newer version of conda exists. <==
current version: 25.11.0
latest version: 26.5.0
Please update conda by running
$ conda update -n base -c conda-forge conda
warning: Requirements file `~/home/anri21/.conda/envs/mlzero_env/lib/python3.11/site-packages/autogluon/assistant/tools_registry/machine learning/requirements.txt`
does not contain any dependencies
Using Python 3.11.15 environment at: 31-basic_prompt/node_11/conda_env
Resolved 79 packages in 1.16s
Uninstalled 1 package in 1.70s
Installed 78 packages in 37.87s
+ aiohappyeyeballs==2.6.2
+ aiohttp==3.13.5
+ aiosignal==1.4.0
+ annotated-doc==0.0.4
+ annotated-types==0.7.0
+ anyio==4.13.0
+ attrs==26.1.0
+ certifi==2026.5.20
+ chardet==7.4.3
+ charset-normalizer==3.4.7
+ click==8.4.0
+ cuda-bindings==13.2.0
+ cuda-pathfinder==1.5.4
+ cuda-toolkit==13.0.2
+ datasets==4.8.5
+ dill==0.4.1
+ filelock==3.29.0
+ frozenlist==1.8.0
+ fsspec==2026.2.0
+ h11==0.16.0
+ hf-xet==1.5.0
+ httpcore==1.0.9
+ httpx==0.28.1
+ huggingface-hub==1.16.1
+ idna==3.16

```

```
+ jinja2==3.1.6
+ markdown-it-py==4.2.0
+ markupsafe==3.0.3
+ mdurl==0.1.2
+ mpmath==1.3.0
+ multidict==6.7.1
+ multiprocessing==0.70.19
+ networkx==3.6.1
+ numpy==2.4.6
+ nvidia-cublas==13.1.1.3
+ nvidia-cuda-cupti==13.0.85
+ nvidia-cuda-nvrtc==13.0.88
+ nvidia-cuda-runtime==13.0.96
+ nvidia-cudnn-cu13==9.20.0.48
+ nvidia-cufft==12.0.0.61
+ nvidia-cufile==1.15.1.6
+ nvidia-curand==10.4.0.35
+ nvidia-cusolver==12.0.4.66
+ nvidia-cusparselt-cu13==0.8.1
+ nvidia-nccl-cu13==2.29.7
+ nvidia-nvjitlink==13.0.88
+ nvidia-nvshmem-cu13==3.4.5
+ nvidia-nvtx==13.0.85
+ opencv-python==4.13.0.92
+ pandas==3.0.3
+ pillow==12.2.0
+ propcache==0.5.2
+ pyarrow==24.0.0
+ pydantic==2.13.4
+ pydantic-core==2.46.4
+ pygments==2.20.0
+ python-calamine==0.6.2
+ python-dateutil==2.9.0.post0
+ pytz==2026.2
+ pyyaml==6.0.3
+ requests==2.34.2
+ rich==15.0.0
- setuptools==82.0.1
+ ... [truncated, 6303 chars total]
```

Error Analysis:

ERROR_SUMMARY: The main error is that the process was terminated after reaching the 1-hour wall-clock time limit, with only the first training epoch completed. This caused the model training, prediction, and output saving steps to be incomplete. The repeated OSError: [Errno 16] Device or resource busy messages are secondary and occur during cleanup, likely due to open file handles on an NFS-mounted filesystem.

SUGGESTED_FIX:

Reduce the overall runtime by decreasing the model size (e.g., use ResNet18 instead of ResNet50), lowering the batch size, or reducing the number of training epochs. Additionally, ensure that all file handles are properly closed after use to minimize NFS resource busy errors, and consider using fewer DataLoader workers if file contention persists.

Node 12 (evolve)

Property	Value
uct_value	2.2324
avg_raw_score	0.95458
ctime	2026-05-22 05:33:32
debug_attempts	0
depth	5
execution_time	0.0
expected_child_count	0
exploitation	0.8940768850024752
exploration	1.2684446626418298
failure_penalty	-0.0
failure_visits	0
id	12
is_debug_successful	✗
is_leaf	✗
is_successful	✓
is_terminal	✗
normalized_failure_visit	0
normalized_score	0.8940768850024752
num_children	1
prev_tutorial_prompt	### Condensed: ```python # Condensed: ```python Summary: This tutorial demonstrates image classification using AutoGluon MultiModal, covering implementation
stage	evolve
time_step	12
tool_used	autogluon.multimodal
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0

validated_contribution	0.8940768850024752
validated_reward	1.90916
validated_visits	2
validated_weight	1.0
validation_score	0.9546
visits	2
parent_id	6
child_ids	[16]

Node 13 (evolve)

Property	Value
uct_value	2.3762
ctime	2026-05-22 05:48:23
debug_attempts	0
depth	5
execution_time	0.0
expected_child_count	0
failure_visits	0
id	13
is_debug_successful	✗
is_leaf	✓
is_successful	✓
is_terminal	✗
num_children	0
prev_tutorial_prompt	### Condensed: ```python # Condensed: ```python Summary: This tutorial demonstrates image classification using AutoGluon MultiModal, covering implementation
stage	evolve
time_step	13
tool_used	autogluon.multimodal
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_reward	0.95458
validated_visits	1
validation_score	0.9546
visits	1
parent_id	8
child_ids	[]

Node 14 (evolve)

Property	Value
uct_value	2.3762
ctime	2026-05-22 06:03:53
debug_attempts	0
depth	6
execution_time	0.0
expected_child_count	0
failure_visits	0
id	14
is_debug_successful	✗
is_leaf	✓
is_successful	✓
is_terminal	✗
num_children	0
prev_tutorial_prompt	### Condensed: ```python # Condensed: ```python Summary: This tutorial demonstrates image classification using AutoGluon MultiModal, covering implementation
stage	evolve
time_step	14
tool_used	autogluon.multimodal
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_reward	0.95458
validated_visits	1
validation_score	0.9546
visits	1
parent_id	9
child_ids	[]

Node 15 (evolve)

Property	Value
uct_value	2.3762
ctime	2026-05-22 06:18:14
debug_attempts	0
depth	5
execution_time	0.0
expected_child_count	0
failure_visits	0
id	15
is_debug_successful	✗
is_leaf	✓
is_successful	✓
is_terminal	✗
num_children	0
prev_tutorial_prompt	### Condensed: ```python # Condensed: ```python Summary: This tutorial demonstrates image classification using AutoGluon MultiModal, covering implementation
stage	evolve
time_step	15
tool_used	autogluon.multimodal
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_reward	0.95458
validated_visits	1
validation_score	0.9546
visits	1
parent_id	10
child_ids	[]

Node 16 (evolve)

Property	Value
uct_value	2.0713
ctime	2026-05-22 06:32:09
debug_attempts	0
depth	6
execution_time	0.0
expected_child_count	0
failure_visits	0
id	16
is_debug_successful	✗
is_leaf	✓
is_successful	✓
is_terminal	✗
num_children	0
prev_tutorial_prompt	### Condensed: ```python # Condensed: ```python Summary: This tutorial demonstrates image classification using AutoGluon MultiModal, covering implementation
stage	evolve
time_step	16
tool_used	autogluon.multimodal
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_reward	0.95458
validated_visits	1
validation_score	0.9546
visits	1
parent_id	12
child_ids	[]

Node 17 (evolve)

Property	Value
uct_value	2.3762
ctime	2026-05-22 06:45:56
debug_attempts	0
depth	5
execution_time	0.0
expected_child_count	0
failure_visits	0
id	17
is_debug_successful	✗
is_leaf	✓
is_successful	✓
is_terminal	✗
num_children	0
prev_tutorial_prompt	### Condensed: ```python # Condensed: ```python Summary: This tutorial demonstrates image classification using AutoGluon MultiModal, covering implementation
stage	evolve
time_step	17
tool_used	autogluon.multimodal
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_reward	0.95458
validated_visits	1
validation_score	0.9546
visits	1
parent_id	8
child_ids	[]

Node 18 (evolve)

Property	Value
uct_value	2.3762
ctime	2026-05-22 06:59:50
debug_attempts	0
depth	6
execution_time	0.0
expected_child_count	0
failure_visits	0
id	18
is_debug_successful	✗
is_leaf	✓
is_successful	✓
is_terminal	✗
num_children	0
prev_tutorial_prompt	### Condensed: ```python # Condensed: ```python Summary: This tutorial demonstrates image classification using AutoGluon MultiModal, covering implementation
stage	evolve
time_step	18
tool_used	autogluon.multimodal
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_reward	0.95458
validated_visits	1
validation_score	0.9546
visits	1
parent_id	9
child_ids	[]

Node 19 (evolve)

Property	Value
uct_value	2.3762
ctime	2026-05-22 07:13:46
debug_attempts	0
depth	5
execution_time	0.0
expected_child_count	0
failure_visits	0
id	19
is_debug_successful	✗
is_leaf	✓
is_successful	✓
is_terminal	✗
num_children	0
prev_tutorial_prompt	### Condensed: ```python # Condensed: ```python Summary: This tutorial demonstrates image classification using AutoGluon MultiModal, covering implementation
stage	evolve
time_step	19
tool_used	autogluon.multimodal
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_reward	0.95458
validated_visits	1
validation_score	0.9546
visits	1
parent_id	10
child_ids	[]

