

Node Structure Visualization


Click on any node in the tree to jump to its detailed information.

Total Nodes: 19 | No validation scores available

Node Tree:

Table of Contents:

Node ID	Stage	Status	Tool
>-1			
>0			autogluon.multimodal
>1			machine learning
>2			autogluon.tabular
>3			autogluon.multimodal
>4			machine learning
>5			autogluon.multimodal
>6			machine learning
>7			autogluon.tabular
>8			autogluon.multimodal
>9			autogluon.multimodal
>10			machine learning
>11			autogluon.tabular
>12			autogluon.multimodal
>13			machine learning
>14			autogluon.tabular
>15			machine learning
>16			autogluon.tabular
>17			autogluon.tabular



Status	Color
Success	Green
Failure	Red
Neutral	Blue

Node Details:

Node -1 (root)

Property	Value
uct_value	-0.4444
ctime	2026-05-01 11:06:03
debug_attempts	0
depth	0
execution_time	0.0
expected_child_count	0
failure_visits	18
id	-1
is_debug_successful	✗
is_leaf	✗
is_successful	✗
is_terminal	✓
num_children	3
prev_tutorial_prompt	None
stage	root
time_step	-1
tool_used	
tools_available	[]
unvalidated_visits	0
validated_reward	0.0
validated_visits	0
validation_score	None
visits	18
parent_id	None
child_ids	[0, 1, 2]

Node 0 (evolve)

Property	Value
uct_value	0.6481
ctime	2026-05-01 11:06:46
debug_attempts	2
depth	1
execution_time	0.0
expected_child_count	0
exploitation	-0.3
exploration	0.9968262051089475
failure_penalty	-0.3
failure_visits	6
id	0
is_debug_successful	✗
is_leaf	✗
is_successful	✗
is_terminal	✓
normalized_failure_visit	3
num_children	2
prev_tutorial_prompt	None
stage	evolve
time_step	0
tool_used	autogluon.multimodal
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_contribution	0.0
validated_reward	0.0
validated_visits	0
validation_score	None

visits	6
parent_id	-1
child_ids	[3, 5]

Error Message:

stderr:

==> WARNING: A newer version of conda exists. <==

current version: 25.11.0

latest version: 26.3.2

Please update conda by running

\$ conda update -n base -c conda-forge conda

Using Python 3.11.15 environment at: 28-basic_prompt/node_0/conda_env

Resolved 237 packages in 3.12s

Uninstalled 1 package in 1.55s

Installed 235 packages in 45.29s

+ absl-py==2.4.0

+ accelerate==1.13.0

+ adagio==0.2.6

+ aiohappyeyeballs==2.6.1

+ aiohttp==3.13.5

+ aiohttp-cors==0.8.1

+ aiosignal==1.4.0

+ alembic==1.18.4

+ annotated-doc==0.0.4

+ annotated-types==0.7.0

+ antlr4-python3-runtime==4.9.3

+ attrs==26.1.0

+ autogluon==1.5.1b20260430

+ autogluon-common==1.5.1b20260430

+ autogluon-core==1.5.1b20260430

+ autogluon-features==1.5.1b20260430

+ autogluon-multimodal==1.5.1b20260430

+ autogluon-tabular==1.5.1b20260430

+ autogluon-timeseries==1.5.1b20260430

+ beartype==0.22.9

+ beautifulsoup4==4.14.3

+ blis==1.3.3

+ boto3==1.43.1

+ botocore==1.43.1

+ catalogue==2.0.10

+ catboost==1.2.10

+ certifi==2026.4.22

+ cffi==2.0.0

- + chardet==7.4.3
- + charset-normalizer==3.4.7
- + chronos-forecasting==2.2.2
- + click==8.3.3
- + cloudpathlib==0.24.0
- + cloudpickle==3.1.2
- + colorama==0.4.6
- + colorful==0.6.0a1
- + colorlog==6.10.1
- + confection==1.3.3
- + contourpy==1.3.3
- + coreforecast==0.0.16
- + cryptography==47.0.0
- + cycler==0.12.1
- + cymem==2.0.13
- + datasets==4.0.0
- + defusedxml==0.7.1
- + dill==0.3.8
- + distlib==0.4.0
- + einops==0.8.2
- + einx==0.4.3
- + evaluate==0.4.6
- + fastai==2.8.5
- + fastcore==1.8.18
- + fastdownload==0.0.7
- + fastprogress==1.0.5
- + fasttransform==0.0.2
- + filelock==3.29.0
- + fonttools==4.62.1
- + frozendict==2.4.7
- + frozenlist==1.8.0
- + fsspec==2025.3.0
- + fugue==0.9.7
- + future==1.0.0
- + gdown==6.0.0
- + gluonts==0.16.2
- + google-api-core==2.30.3
- + google-auth==2.50.0
- + googleapis-common-protos==1.74.0
- + graphviz==0.21
- + grpcio==1.80.0
- + hf-xet==1.5.0.dev3
- + httpx==1.0.dev3
- + huggingface-hub==0.36.2
- + hyperopt==0.2.7

+ idna==3.1... [truncated, 6529 chars total]

Error Analysis:

ERROR_SUMMARY: The script failed with a FileNotFoundError because it expects a test CSV file in the data directory ("/home/anri21/be-fair/mlzero/basic_prompt_data") that is not named "mydataset.csv", but no such file was found. The code attempts to locate any CSV file other than "mydataset.csv" to use as the test set, and raises an error if none is present.

SUGGESTED_FIX: Add a test CSV file (with the same structure as "mydataset.csv" but without labels) to the data directory, ensuring its filename is different from "mydataset.csv". If you do not have a test file, either create a dummy test CSV for development or modify the script to skip test prediction steps when no test file is present.

Node 1 (evolve)

Property	Value
uct_value	0.6481
ctime	2026-05-01 11:10:37
debug_attempts	2
depth	1
execution_time	0.0
expected_child_count	0
exploitation	-0.3
exploration	0.7804660679599289
failure_penalty	-0.3
failure_visits	6
id	1
is_debug_successful	✗
is_leaf	✗
is_successful	✗
is_terminal	✓
normalized_failure_visit	3
num_children	2
prev_tutorial_prompt	None
stage	evolve
time_step	1
tool_used	machine learning
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_contribution	0.0
validated_reward	0.0
validated_visits	0
validation_score	None

visits	6
parent_id	-1
child_ids	[4, 6]

Error Message:

stderr:

==> WARNING: A newer version of conda exists. <==

current version: 25.11.0

latest version: 26.3.2

Please update conda by running

\$ conda update -n base -c conda-forge conda

warning: Requirements file `~/home/anri21/.conda/envs/mlzero\_env/lib/python3.12/site-packages/autogluon/assistant/tools\_registry/machine learning/requirements.txt` does not contain any dependencies

Using Python 3.11.15 environment at: 28-basic_prompt/node_1/conda_env

Resolved 79 packages in 512ms

Uninstalled 1 package in 1.50s

Installed 78 packages in 26.70s

+ aiohappyeyeballs==2.6.1

+ aiohttp==3.13.5

+ aiosignal==1.4.0

+ annotated-doc==0.0.4

+ annotated-types==0.7.0

+ anyio==4.13.0

+ attrs==26.1.0

+ certifi==2026.4.22

+ chardet==7.4.3

+ charset-normalizer==3.4.7

+ click==8.3.3

+ cuda-bindings==13.2.0

+ cuda-pathfinder==1.5.4

+ cuda-toolkit==13.0.2

+ datasets==4.8.5

+ dill==0.4.1

+ filelock==3.29.0

+ frozenlist==1.8.0

+ fsspec==2026.2.0

+ h11==0.16.0

+ hf-xet==1.5.0.dev3

+ httpcore==1.0.9

+ httpx==0.28.1

+ huggingface-hub==1.13.0

+ idna==3.13

+ jinja2==3.1.6

```
+ markdown-it-py==4.0.0
+ markupsafe==3.0.3
+ mdurl==0.1.2
+ mpmath==1.3.0
+ multidict==6.7.1
+ multiprocessing==0.70.19
+ networkx==3.6.1
+ numpy==2.4.4
+ nvidia-cublas==13.1.0.3
+ nvidia-cuda-cupti==13.0.85
+ nvidia-cuda-nvrtc==13.0.88
+ nvidia-cuda-runtime==13.0.96
+ nvidia-cudnn-cu13==9.19.0.56
+ nvidia-cufft==12.0.0.61
+ nvidia-cufile==1.15.1.6
+ nvidia-curand==10.4.0.35
+ nvidia-cusolver==12.0.4.66
+ nvidia-cusparselt-cu13==0.8.0
+ nvidia-nccl-cu13==2.28.9
+ nvidia-nvjitlink==13.0.88
+ nvidia-nvshmem-cu13==3.4.5
+ nvidia-nvtx==13.0.85
+ opencv-python==4.13.0.92
+ pandas==3.0.2
+ pillow==12.2.0
+ propcache==0.4.1
+ pyarrow==24.0.0
+ pydantic==2.13.3
+ pydantic-core==2.46.3
+ pygments==2.20.0
+ python-calamine==0.6.2
+ python-dateutil==2.9.0.post0
+ pytz==2026.1.post1
+ pyyaml==6.0.3
+ requests==2.33.1
+ rich==15.0.0
- setuptools==... [truncated, 2822 chars total]
```

Error Analysis:

ERROR_SUMMARY: The error occurs because the Python script expects a test CSV file (other than mydataset.csv) to be present in the data directory (/home/anri21/be-fair/mlzero/basic_prompt_data), but no such file exists. As a result, the script raises a FileNotFoundError and halts execution before any model training or prediction can occur.

SUGGESTED_FIX: Add a test CSV file (with the same structure as mydataset.csv, but without labels) to the data directory so the script can find and process it. If you do

not have a test file, create a placeholder test CSV with the required columns (including image_name) and place it in /home/anri21/be-fair/mlzero/basic_prompt_data, ensuring its filename is different from mydataset.csv.

Node 2 (evolve)

Property	Value
uct_value	0.6481
ctime	2026-05-01 11:13:49
debug_attempts	2
depth	1
execution_time	0.0
expected_child_count	0
exploitation	-0.3
exploration	0.53219899601806
failure_penalty	-0.3
failure_visits	6
id	2
is_debug_successful	✗
is_leaf	✗
is_successful	✗
is_terminal	✓
normalized_failure_visit	3
num_children	2
prev_tutorial_prompt	None
stage	evolve
time_step	2
tool_used	autogluon.tabular
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_contribution	0.0
validated_reward	0.0
validated_visits	0
validation_score	None

visits	6
parent_id	-1
child_ids	[11, 7]

Error Message:

stderr:

==> WARNING: A newer version of conda exists. <==

current version: 25.11.0

latest version: 26.3.2

Please update conda by running

\$ conda update -n base -c conda-forge conda

Using Python 3.11.15 environment at: 28-basic_prompt/node_2/conda_env

Resolved 241 packages in 1.16s

Uninstalled 1 package in 1.49s

Installed 239 packages in 49.05s

+ absl-py==2.4.0

+ accelerate==1.13.0

+ adagio==0.2.6

+ aiohappyeyeballs==2.6.1

+ aiohttp==3.13.5

+ aiohttp-cors==0.8.1

+ aiosignal==1.4.0

+ alembic==1.18.4

+ annotated-doc==0.0.4

+ annotated-types==0.7.0

+ antlr4-python3-runtime==4.9.3

+ attrs==26.1.0

+ autogluon==1.5.1b20260430

+ autogluon-common==1.5.1b20260430

+ autogluon-core==1.5.1b20260430

+ autogluon-features==1.5.1b20260430

+ autogluon-multimodal==1.5.1b20260430

+ autogluon-tabular==1.5.1b20260430

+ autogluon-timeseries==1.5.1b20260430

+ beartype==0.22.9

+ beautifulsoup4==4.14.3

+ blis==1.3.3

+ boto3==1.43.1

+ botocore==1.43.1

+ catalogue==2.0.10

+ catboost==1.2.10

+ certifi==2026.4.22

+ cffi==2.0.0

- + chardet==7.4.3
- + charset-normalizer==3.4.7
- + chronos-forecasting==2.2.2
- + click==8.3.3
- + cloudpathlib==0.24.0
- + cloudpickle==3.1.2
- + colorama==0.4.6
- + colorful==0.6.0a1
- + colorlog==6.10.1
- + confection==1.3.3
- + contourpy==1.3.3
- + coreforecast==0.0.16
- + cryptography==47.0.0
- + cycler==0.12.1
- + cymem==2.0.13
- + daal==2025.9.0
- + datasets==4.0.0
- + defusedxml==0.7.1
- + dill==0.3.8
- + distlib==0.4.0
- + einops==0.8.2
- + einx==0.4.3
- + evaluate==0.4.6
- + fastai==2.8.5
- + fastcore==1.8.18
- + fastdownload==0.0.7
- + fastprogress==1.0.5
- + fasttransform==0.0.2
- + filelock==3.29.0
- + fonttools==4.62.1
- + frozendict==2.4.7
- + frozenlist==1.8.0
- + fsspec==2025.3.0
- + fugue==0.9.7
- + future==1.0.0
- + gdown==6.0.0
- + gluonts==0.16.2
- + google-api-core==2.30.3
- + google-auth==2.50.0
- + googleapis-common-protos==1.74.0
- + graphviz==0.21
- + grpcio==1.80.0
- + hf-xet==1.5.0.dev3
- + httpx==1.0.dev3
- + huggingface-hub==0.36.2

+ hyperopt==... [truncated, 6312 chars total]

Error Analysis:

ERROR_SUMMARY: The script failed with a `FileNotFoundError` because it expects a separate test CSV file (other than `mydataset.csv`) in the data directory (`/home/anri21/be-fair/mlzero/basic\_prompt\_data`), but no such file was found. The code is designed to raise this error if it cannot locate a test file for prediction and output generation.

SUGGESTED_FIX:

Add a test CSV file (with the same structure as `mydataset.csv`, but without the label column or with labels hidden) to the data directory `/home/anri21/be-fair/mlzero/basic\_prompt\_data`. Ensure the test file has a `.csv` extension and a different name than `mydataset.csv` so the script can detect and use it for predictions.

Node 3 (debug)

Property	Value
uct_value	0.9261
ctime	2026-05-01 11:16:32
debug_attempts	3
depth	2
execution_time	0.0
expected_child_count	0
exploitation	0.0
exploration	1.2684446626418298
failure_penalty	-0.0
failure_visits	3
id	3
is_debug_successful	✗
is_leaf	✗
is_successful	✗
is_terminal	✓
normalized_failure_visit	0
num_children	2
prev_tutorial_prompt	None
stage	debug
time_step	3
tool_used	autogluon.multimodal
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_contribution	0.0
validated_reward	0.0
validated_visits	0
validation_score	None

visits	3
parent_id	0
child_ids	[8, 12]

Error Message:

```

stderr:
==> WARNING: A newer version of conda exists. <==
current version: 25.11.0
latest version: 26.3.2
Please update conda by running
$ conda update -n base -c conda-forge conda
Using Python 3.11.15 environment at: 28-basic_prompt/node_3/conda_env
Resolved 237 packages in 921ms
Uninstalled 1 package in 1.56s
Installed 235 packages in 50.35s
+ absl-py==2.4.0
+ accelerate==1.13.0
+ adagio==0.2.6
+ aiohappyeyeballs==2.6.1
+ aiohttp==3.13.5
+ aiohttp-cors==0.8.1
+ aiosignal==1.4.0
+ alembic==1.18.4
+ annotated-doc==0.0.4
+ annotated-types==0.7.0
+ antlr4-python3-runtime==4.9.3
+ attrs==26.1.0
+ autogluon==1.5.1b20260430
+ autogluon-common==1.5.1b20260430
+ autogluon-core==1.5.1b20260430
+ autogluon-features==1.5.1b20260430
+ autogluon-multimodal==1.5.1b20260430
+ autogluon-tabular==1.5.1b20260430
+ autogluon-timeseries==1.5.1b20260430
+ beartype==0.22.9
+ beautifulsoup4==4.14.3
+ blis==1.3.3
+ boto3==1.43.1
+ botocore==1.43.1
+ catalogue==2.0.10
+ catboost==1.2.10
+ certifi==2026.4.22
+ cffi==2.0.0

```

- + chardet==7.4.3
- + charset-normalizer==3.4.7
- + chronos-forecasting==2.2.2
- + click==8.3.3
- + cloudpathlib==0.24.0
- + cloudpickle==3.1.2
- + colorama==0.4.6
- + colorful==0.6.0a1
- + colorlog==6.10.1
- + confection==1.3.3
- + contourpy==1.3.3
- + coreforecast==0.0.16
- + cryptography==47.0.0
- + cycler==0.12.1
- + cymem==2.0.13
- + datasets==4.0.0
- + defusedxml==0.7.1
- + dill==0.3.8
- + distlib==0.4.0
- + einops==0.8.2
- + einx==0.4.3
- + evaluate==0.4.6
- + fastai==2.8.5
- + fastcore==1.8.18
- + fastdownload==0.0.7
- + fastprogress==1.0.5
- + fasttransform==0.0.2
- + filelock==3.29.0
- + fonttools==4.62.1
- + frozendict==2.4.7
- + frozenlist==1.8.0
- + fsspec==2025.3.0
- + fugue==0.9.7
- + future==1.0.0
- + gdown==6.0.0
- + gluonts==0.16.2
- + google-api-core==2.30.3
- + google-auth==2.50.0
- + googleapis-common-protos==1.74.0
- + graphviz==0.21
- + grpcio==1.80.0
- + hf-xet==1.5.0.dev3
- + httpx==1.0.dev3
- + huggingface-hub==0.36.2
- + hyperopt==0.2.7

+ idna==3.1... [truncated, 6610 chars total]

Error Analysis:

ERROR_SUMMARY: The script failed with a FileNotFoundError because it expects a test CSV file in the data directory (/home/anri21/be-fair/mlzero/basic_prompt_data) that is different from the training file (mydataset.csv), but no such test file was found. As a result, the script could not proceed to model training, prediction, or validation.

SUGGESTED_FIX:

Add a test CSV file (with the same structure as the training file, but without labels) to the data directory, ensuring its filename is different from "mydataset.csv". If you do not have a separate test set, you can create a copy of "mydataset.csv" (removing or masking the label column if needed) and rename it (e.g., "test.csv") so the script can detect and use it.

Node 4 (debug)

Property	Value
uct_value	0.9261
ctime	2026-05-01 11:20:10
debug_attempts	3
depth	2
execution_time	0.0
expected_child_count	0
exploitation	0.0
exploration	1.2684446626418298
failure_penalty	-0.0
failure_visits	3
id	4
is_debug_successful	✗
is_leaf	✗
is_successful	✗
is_terminal	✓
normalized_failure_visit	0
num_children	2
prev_tutorial_prompt	None
stage	debug
time_step	4
tool_used	machine learning
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_contribution	0.0
validated_reward	0.0
validated_visits	0
validation_score	None

visits	3
parent_id	1
child_ids	[10, 15]

Error Message:

stderr:

==> WARNING: A newer version of conda exists. <==

current version: 25.11.0

latest version: 26.3.2

Please update conda by running

\$ conda update -n base -c conda-forge conda

warning: Requirements file `~/home/anri21/.conda/envs/mlzero\_env/lib/python3.12/site-packages/autogluon/assistant/tools\_registry/machine learning/requirements.txt` does not contain any dependencies

Using Python 3.11.15 environment at: 28-basic_prompt/node_4/conda_env

Resolved 79 packages in 328ms

Uninstalled 1 package in 1.48s

Installed 78 packages in 29.95s

+ aiohappyeyeballs==2.6.1

+ aiohttp==3.13.5

+ aiosignal==1.4.0

+ annotated-doc==0.0.4

+ annotated-types==0.7.0

+ anyio==4.13.0

+ attrs==26.1.0

+ certifi==2026.4.22

+ chardet==7.4.3

+ charset-normalizer==3.4.7

+ click==8.3.3

+ cuda-bindings==13.2.0

+ cuda-pathfinder==1.5.4

+ cuda-toolkit==13.0.2

+ datasets==4.8.5

+ dill==0.4.1

+ filelock==3.29.0

+ frozenlist==1.8.0

+ fsspec==2026.2.0

+ h11==0.16.0

+ hf-xet==1.5.0.dev3

+ httpcore==1.0.9

+ httpx==0.28.1

+ huggingface-hub==1.13.0

+ idna==3.13

+ jinja2==3.1.6

```
+ markdown-it-py==4.0.0
+ markupsafe==3.0.3
+ mdurl==0.1.2
+ mpmath==1.3.0
+ multidict==6.7.1
+ multiprocessing==0.70.19
+ networkx==3.6.1
+ numpy==2.4.4
+ nvidia-cublas==13.1.0.3
+ nvidia-cuda-cupti==13.0.85
+ nvidia-cuda-nvrtc==13.0.88
+ nvidia-cuda-runtime==13.0.96
+ nvidia-cudnn-cu13==9.19.0.56
+ nvidia-cufft==12.0.0.61
+ nvidia-cufile==1.15.1.6
+ nvidia-curand==10.4.0.35
+ nvidia-cusolver==12.0.4.66
+ nvidia-cusparselt-cu13==0.8.0
+ nvidia-nccl-cu13==2.28.9
+ nvidia-nvjitlink==13.0.88
+ nvidia-nvshmem-cu13==3.4.5
+ nvidia-nvtx==13.0.85
+ opencv-python==4.13.0.92
+ pandas==3.0.2
+ pillow==12.2.0
+ propcache==0.4.1
+ pyarrow==24.0.0
+ pydantic==2.13.3
+ pydantic-core==2.46.3
+ pygments==2.20.0
+ python-calamine==0.6.2
+ python-dateutil==2.9.0.post0
+ pytz==2026.1.post1
+ pyyaml==6.0.3
+ requests==2.33.1
+ rich==15.0.0
- setuptools==... [truncated, 2824 chars total]
```

Error Analysis:

ERROR_SUMMARY: The error occurs because the script expects a test CSV file (with a `.csv` extension and a different name than `mydataset.csv`) to be present in the data directory (`/home/anri21/be-fair/mlzero/basic\_prompt\_data`). Since no such file exists, the script raises a `FileNotFoundError` and halts execution before any model training or prediction can occur.

SUGGESTED_FIX:

Add a test CSV file (with a name other than ``mydataset.csv``) to the ``/home/anri21/be-fair/mlzero/basic_prompt_data`` directory. Ensure this file contains the necessary columns (including ``image_name``) so the script can locate and process the test images for prediction.

Node 5 (debug)

Property	Value
uct_value	1.3384
ctime	2026-05-01 11:23:29
debug_attempts	3
depth	2
execution_time	0.0
expected_child_count	0
exploitation	0.0
exploration	1.664857771836881
failure_penalty	-0.0
failure_visits	2
id	5
is_debug_successful	✗
is_leaf	✗
is_successful	✗
is_terminal	✓
normalized_failure_visit	0
num_children	1
prev_tutorial_prompt	None
stage	debug
time_step	5
tool_used	autogluon.multimodal
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_contribution	0.0
validated_reward	0.0
validated_visits	0
validation_score	None

visits	2
parent_id	0
child_ids	[9]

Error Message:

stderr:

==> WARNING: A newer version of conda exists. <==

current version: 25.11.0

latest version: 26.3.2

Please update conda by running

\$ conda update -n base -c conda-forge conda

Using Python 3.11.15 environment at: 28-basic_prompt/node_5/conda_env

Resolved 237 packages in 1.00s

Uninstalled 1 package in 1.46s

Installed 235 packages in 43.55s

+ absl-py==2.4.0

+ accelerate==1.13.0

+ adagio==0.2.6

+ aiohappyeyeballs==2.6.1

+ aiohttp==3.13.5

+ aiohttp-cors==0.8.1

+ aiosignal==1.4.0

+ alembic==1.18.4

+ annotated-doc==0.0.4

+ annotated-types==0.7.0

+ antlr4-python3-runtime==4.9.3

+ attrs==26.1.0

+ autogluon==1.5.1b20260430

+ autogluon-common==1.5.1b20260430

+ autogluon-core==1.5.1b20260430

+ autogluon-features==1.5.1b20260430

+ autogluon-multimodal==1.5.1b20260430

+ autogluon-tabular==1.5.1b20260430

+ autogluon-timeseries==1.5.1b20260430

+ beartype==0.22.9

+ beautifulsoup4==4.14.3

+ blis==1.3.3

+ boto3==1.43.1

+ botocore==1.43.1

+ catalogue==2.0.10

+ catboost==1.2.10

+ certifi==2026.4.22

+ cffi==2.0.0

- + chardet==7.4.3
- + charset-normalizer==3.4.7
- + chronos-forecasting==2.2.2
- + click==8.3.3
- + cloudpathlib==0.24.0
- + cloudpickle==3.1.2
- + colorama==0.4.6
- + colorful==0.6.0a1
- + colorlog==6.10.1
- + confection==1.3.3
- + contourpy==1.3.3
- + coreforecast==0.0.16
- + cryptography==47.0.0
- + cycler==0.12.1
- + cymem==2.0.13
- + datasets==4.0.0
- + defusedxml==0.7.1
- + dill==0.3.8
- + distlib==0.4.0
- + einops==0.8.2
- + einx==0.4.3
- + evaluate==0.4.6
- + fastai==2.8.5
- + fastcore==1.8.18
- + fastdownload==0.0.7
- + fastprogress==1.0.5
- + fasttransform==0.0.2
- + filelock==3.29.0
- + fonttools==4.62.1
- + frozendict==2.4.7
- + frozenlist==1.8.0
- + fsspec==2025.3.0
- + fugue==0.9.7
- + future==1.0.0
- + gdown==6.0.0
- + gluonts==0.16.2
- + google-api-core==2.30.3
- + google-auth==2.50.0
- + googleapis-common-protos==1.74.0
- + graphviz==0.21
- + grpcio==1.80.0
- + hf-xet==1.5.0.dev3
- + httpx==1.0.dev3
- + huggingface-hub==0.36.2
- + hyperopt==0.2.7

+ idna==3.1... [truncated, 6592 chars total]

Error Analysis:

ERROR_SUMMARY: The script raised a FileNotFoundError because it expects a test CSV file (other than "mydataset.csv") to be present in the data directory, but no such file was found. As a result, the script halted before any model training or prediction could occur.

SUGGESTED_FIX: Place a test CSV file (with the same structure as "mydataset.csv" or as required for inference) into the data directory (/home/anri21/be-fair/mlzero/basic_prompt_data), ensuring its filename is different from "mydataset.csv". Then, rerun the script so it can detect and use this file for prediction.

Node 6 (debug)

Property	Value
uct_value	1.3384
ctime	2026-05-01 11:26:56
debug_attempts	3
depth	2
execution_time	0.0
expected_child_count	0
exploitation	0.0
exploration	1.664857771836881
failure_penalty	-0.0
failure_visits	2
id	6
is_debug_successful	✗
is_leaf	✗
is_successful	✗
is_terminal	✓
normalized_failure_visit	0
num_children	1
prev_tutorial_prompt	None
stage	debug
time_step	6
tool_used	machine learning
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_contribution	0.0
validated_reward	0.0
validated_visits	0
validation_score	None

visits	2
parent_id	1
child_ids	[13]

Error Message:

stderr:

==> WARNING: A newer version of conda exists. <==

current version: 25.11.0

latest version: 26.3.2

Please update conda by running

\$ conda update -n base -c conda-forge conda

warning: Requirements file `~/home/anri21/.conda/envs/mlzero\_env/lib/python3.12/site-packages/autogluon/assistant/tools\_registry/machine learning/requirements.txt` does not contain any dependencies

Using Python 3.11.15 environment at: 28-basic_prompt/node_6/conda_env

Resolved 79 packages in 292ms

Uninstalled 1 package in 1.47s

Installed 78 packages in 29.67s

+ aiohappyeyeballs==2.6.1

+ aiohttp==3.13.5

+ aiosignal==1.4.0

+ annotated-doc==0.0.4

+ annotated-types==0.7.0

+ anyio==4.13.0

+ attrs==26.1.0

+ certifi==2026.4.22

+ chardet==7.4.3

+ charset-normalizer==3.4.7

+ click==8.3.3

+ cuda-bindings==13.2.0

+ cuda-pathfinder==1.5.4

+ cuda-toolkit==13.0.2

+ datasets==4.8.5

+ dill==0.4.1

+ filelock==3.29.0

+ frozenlist==1.8.0

+ fsspec==2026.2.0

+ h11==0.16.0

+ hf-xet==1.5.0.dev3

+ httpcore==1.0.9

+ httpx==0.28.1

+ huggingface-hub==1.13.0

+ idna==3.13

+ jinja2==3.1.6

```
+ markdown-it-py==4.0.0
+ markupsafe==3.0.3
+ mdurl==0.1.2
+ mpmath==1.3.0
+ multidict==6.7.1
+ multiprocessing==0.70.19
+ networkx==3.6.1
+ numpy==2.4.4
+ nvidia-cublas==13.1.0.3
+ nvidia-cuda-cupti==13.0.85
+ nvidia-cuda-nvrtc==13.0.88
+ nvidia-cuda-runtime==13.0.96
+ nvidia-cudnn-cu13==9.19.0.56
+ nvidia-cufft==12.0.0.61
+ nvidia-cufile==1.15.1.6
+ nvidia-curand==10.4.0.35
+ nvidia-cusolver==12.0.4.66
+ nvidia-cusparselt-cu13==0.8.0
+ nvidia-nccl-cu13==2.28.9
+ nvidia-nvjitlink==13.0.88
+ nvidia-nvshmem-cu13==3.4.5
+ nvidia-nvtx==13.0.85
+ opencv-python==4.13.0.92
+ pandas==3.0.2
+ pillow==12.2.0
+ propcache==0.4.1
+ pyarrow==24.0.0
+ pydantic==2.13.3
+ pydantic-core==2.46.3
+ pygments==2.20.0
+ python-calamine==0.6.2
+ python-dateutil==2.9.0.post0
+ pytz==2026.1.post1
+ pyyaml==6.0.3
+ requests==2.33.1
+ rich==15.0.0
- setuptools==... [truncated, 2822 chars total]
```

Error Analysis:

ERROR_SUMMARY: The error occurs because the Python script expects a test CSV file (other than mydataset.csv) to be present in the data directory (/home/anri21/be-fair/mlzero/basic_prompt_data), but no such file exists. As a result, the script raises a FileNotFoundError and halts execution before any model training or prediction can occur.

SUGGESTED_FIX:

Add a test CSV file (with the same structure as mydataset.csv, but containing the test image names) to the data directory so the script can locate and use it for prediction. If you do not have a separate test set, you can create a dummy test CSV (e.g., copy mydataset.csv and rename it) to allow the script to proceed, but ensure that in production you provide a proper test set for evaluation.

Node 7 (debug)

Property	Value
uct_value	0.9261
ctime	2026-05-01 11:30:08
debug_attempts	3
depth	2
execution_time	0.0
expected_child_count	0
exploitation	0.0
exploration	1.2684446626418298
failure_penalty	-0.0
failure_visits	3
id	7
is_debug_successful	✗
is_leaf	✗
is_successful	✗
is_terminal	✓
normalized_failure_visit	0
num_children	2
prev_tutorial_prompt	None
stage	debug
time_step	7
tool_used	autogluon.tabular
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_contribution	0.0
validated_reward	0.0
validated_visits	0
validation_score	None

visits	3
parent_id	2
child_ids	[16, 17]

Error Message:

stderr:

==> WARNING: A newer version of conda exists. <==

current version: 25.11.0

latest version: 26.3.2

Please update conda by running

\$ conda update -n base -c conda-forge conda

Using Python 3.11.15 environment at: 28-basic_prompt/node_7/conda_env

Resolved 241 packages in 2.62s

Uninstalled 1 package in 1.56s

Installed 239 packages in 48.13s

+ absl-py==2.4.0

+ accelerate==1.13.0

+ adagio==0.2.6

+ aiohappyeyeballs==2.6.1

+ aiohttp==3.13.5

+ aiohttp-cors==0.8.1

+ aiosignal==1.4.0

+ alembic==1.18.4

+ annotated-doc==0.0.4

+ annotated-types==0.7.0

+ antlr4-python3-runtime==4.9.3

+ attrs==26.1.0

+ autogluon==1.5.1b20260430

+ autogluon-common==1.5.1b20260430

+ autogluon-core==1.5.1b20260430

+ autogluon-features==1.5.1b20260430

+ autogluon-multimodal==1.5.1b20260430

+ autogluon-tabular==1.5.1b20260430

+ autogluon-timeseries==1.5.1b20260430

+ beartype==0.22.9

+ beautifulsoup4==4.14.3

+ blis==1.3.3

+ boto3==1.43.1

+ botocore==1.43.1

+ catalogue==2.0.10

+ catboost==1.2.10

+ certifi==2026.4.22

+ cffi==2.0.0

- + chardet==7.4.3
- + charset-normalizer==3.4.7
- + chronos-forecasting==2.2.2
- + click==8.3.3
- + cloudpathlib==0.24.0
- + cloudpickle==3.1.2
- + colorama==0.4.6
- + colorful==0.6.0a1
- + colorlog==6.10.1
- + confection==1.3.3
- + contourpy==1.3.3
- + coreforecast==0.0.16
- + cryptography==47.0.0
- + cycler==0.12.1
- + cymem==2.0.13
- + daal==2025.9.0
- + datasets==4.0.0
- + defusedxml==0.7.1
- + dill==0.3.8
- + distlib==0.4.0
- + einops==0.8.2
- + einx==0.4.3
- + evaluate==0.4.6
- + fastai==2.8.5
- + fastcore==1.8.18
- + fastdownload==0.0.7
- + fastprogress==1.0.5
- + fasttransform==0.0.2
- + filelock==3.29.0
- + fonttools==4.62.1
- + frozendict==2.4.7
- + frozenlist==1.8.0
- + fsspec==2025.3.0
- + fugue==0.9.7
- + future==1.0.0
- + gdown==6.0.0
- + gluonts==0.16.2
- + google-api-core==2.30.3
- + google-auth==2.50.0
- + googleapis-common-protos==1.74.0
- + graphviz==0.21
- + grpcio==1.80.0
- + hf-xet==1.5.0.dev3
- + httpx==1.0.dev3
- + huggingface-hub==0.36.2

+ hyperopt==... [truncated, 6289 chars total]

Error Analysis:

ERROR_SUMMARY: The script failed with a FileNotFoundError because it expects a test CSV file (other than "mydataset.csv") in the data directory (/home/anri21/be-fair/mlzero/basic_prompt_data), but no such file was found. The code is designed to raise this error if it cannot locate a separate test file for prediction.

SUGGESTED_FIX:

Add a test CSV file (with the same structure as "mydataset.csv", but without the label column or with labels hidden) to the data directory. Ensure the test file has a ".csv" extension and a different name than "mydataset.csv" so the script can detect and use it for prediction.

Node 8 (debug)

Property	Value
uct_value	1.4821
ctime	2026-05-01 11:32:51
debug_attempts	2
depth	3
execution_time	0.0
expected_child_count	0
failure_visits	1
id	8
is_debug_successful	✗
is_leaf	✓
is_successful	✗
is_terminal	✓
num_children	0
prev_tutorial_prompt	None
stage	debug
time_step	8
tool_used	autogluon.multimodal
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_reward	0.0
validated_visits	0
validation_score	None
visits	1
parent_id	3
child_ids	[]

Error Message:

stderr:

==> WARNING: A newer version of conda exists. <==

current version: 25.11.0

latest version: 26.3.2

Please update conda by running

\$ conda update -n base -c conda-forge conda

Using Python 3.11.15 environment at: 28-basic_prompt/node_8/conda_env

Resolved 237 packages in 949ms

Uninstalled 1 package in 1.59s

Installed 235 packages in 50.43s

+ absl-py==2.4.0

+ accelerate==1.13.0

+ adagio==0.2.6

+ aiohappyeyeballs==2.6.1

+ aiohttp==3.13.5

+ aiohttp-cors==0.8.1

+ aiosignal==1.4.0

+ alembic==1.18.4

+ annotated-doc==0.0.4

+ annotated-types==0.7.0

+ antlr4-python3-runtime==4.9.3

+ attrs==26.1.0

+ autogluon==1.5.1b20260430

+ autogluon-common==1.5.1b20260430

+ autogluon-core==1.5.1b20260430

+ autogluon-features==1.5.1b20260430

+ autogluon-multimodal==1.5.1b20260430

+ autogluon-tabular==1.5.1b20260430

+ autogluon-timeseries==1.5.1b20260430

+ beartype==0.22.9

+ beautifulsoup4==4.14.3

+ blis==1.3.3

+ boto3==1.43.1

+ botocore==1.43.1

+ catalogue==2.0.10

+ catboost==1.2.10

+ certifi==2026.4.22

+ cffi==2.0.0

+ chardet==7.4.3

+ charset-normalizer==3.4.7

+ chronos-forecasting==2.2.2

+ click==8.3.3

+ cloudpathlib==0.24.0

+ cloudpickle==3.1.2

+ colorama==0.4.6

+ colorful==0.6.0a1

+ colorlog==6.10.1
+ confection==1.3.3
+ contourpy==1.3.3
+ coreforecast==0.0.16
+ cryptography==47.0.0
+ cycler==0.12.1
+ cymem==2.0.13
+ datasets==4.0.0
+ defusedxml==0.7.1
+ dill==0.3.8
+ distlib==0.4.0
+ einops==0.8.2
+ einx==0.4.3
+ evaluate==0.4.6
+ fastai==2.8.5
+ fastcore==1.8.18
+ fastdownload==0.0.7
+ fastprogress==1.0.5
+ fasttransform==0.0.2
+ filelock==3.29.0
+ fonttools==4.62.1
+ frozendict==2.4.7
+ frozenlist==1.8.0
+ fsspec==2025.3.0
+ fugue==0.9.7
+ future==1.0.0
+ gdown==6.0.0
+ gluonts==0.16.2
+ google-api-core==2.30.3
+ google-auth==2.50.0
+ googleapis-common-protos==1.74.0
+ graphviz==0.21
+ grpcio==1.80.0
+ hf-xet==1.5.0.dev3
+ httpx==1.0.dev3
+ huggingface-hub==0.36.2
+ hyperopt==0.2.7
+ idna==3.1... [truncated, 6517 chars total]

Error Analysis:

ERROR_SUMMARY: The script failed with a FileNotFoundError because it expects a test CSV file (other than mydataset.csv) to be present in the data directory (/home/anri21/be-fair/mlzero/basic_prompt_data), but no such file was found. The code attempts to locate any CSV file besides the training file for test predictions, and raises an error if none is found.

SUGGESTED_FIX: Place a test CSV file (with the same structure as mydataset.csv, but without labels) in the data directory, ensuring its filename is different from

"mydataset.csv". If you do not have a test file, either create a dummy test CSV for development or modify the script to skip test prediction when no test file is present.

Node 9 (debug)

Property	Value
uct_value	1.1772
ctime	2026-05-01 11:36:33
debug_attempts	3
depth	3
execution_time	0.0
expected_child_count	0
failure_visits	1
id	9
is_debug_successful	✗
is_leaf	✓
is_successful	✗
is_terminal	✓
num_children	0
prev_tutorial_prompt	None
stage	debug
time_step	9
tool_used	autogluon.multimodal
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_reward	0.0
validated_visits	0
validation_score	None
visits	1
parent_id	5
child_ids	[]

Error Message:

stderr:

==> WARNING: A newer version of conda exists. <==

current version: 25.11.0

latest version: 26.3.2

Please update conda by running

\$ conda update -n base -c conda-forge conda

Using Python 3.11.15 environment at: 28-basic_prompt/node_9/conda_env

Resolved 237 packages in 958ms

Uninstalled 1 package in 1.56s

Installed 235 packages in 53.25s

+ absl-py==2.4.0

+ accelerate==1.13.0

+ adagio==0.2.6

+ aiohappyeyeballs==2.6.1

+ aiohttp==3.13.5

+ aiohttp-cors==0.8.1

+ aiosignal==1.4.0

+ alembic==1.18.4

+ annotated-doc==0.0.4

+ annotated-types==0.7.0

+ antlr4-python3-runtime==4.9.3

+ attrs==26.1.0

+ autogluon==1.5.1b20260430

+ autogluon-common==1.5.1b20260430

+ autogluon-core==1.5.1b20260430

+ autogluon-features==1.5.1b20260430

+ autogluon-multimodal==1.5.1b20260430

+ autogluon-tabular==1.5.1b20260430

+ autogluon-timeseries==1.5.1b20260430

+ beartype==0.22.9

+ beautifulsoup4==4.14.3

+ blis==1.3.3

+ boto3==1.43.1

+ botocore==1.43.1

+ catalogue==2.0.10

+ catboost==1.2.10

+ certifi==2026.4.22

+ cffi==2.0.0

+ chardet==7.4.3

+ charset-normalizer==3.4.7

+ chronos-forecasting==2.2.2

+ click==8.3.3

+ cloudpathlib==0.24.0

+ cloudpickle==3.1.2

+ colorama==0.4.6

+ colorful==0.6.0a1

+ colorlog==6.10.1
+ confection==1.3.3
+ contourpy==1.3.3
+ coreforecast==0.0.16
+ cryptography==47.0.0
+ cycler==0.12.1
+ cymem==2.0.13
+ datasets==4.0.0
+ defusedxml==0.7.1
+ dill==0.3.8
+ distlib==0.4.0
+ einops==0.8.2
+ einx==0.4.3
+ evaluate==0.4.6
+ fastai==2.8.5
+ fastcore==1.8.18
+ fastdownload==0.0.7
+ fastprogress==1.0.5
+ fasttransform==0.0.2
+ filelock==3.29.0
+ fonttools==4.62.1
+ frozendict==2.4.7
+ frozenlist==1.8.0
+ fsspec==2025.3.0
+ fugue==0.9.7
+ future==1.0.0
+ gdown==6.0.0
+ gluonts==0.16.2
+ google-api-core==2.30.3
+ google-auth==2.50.0
+ googleapis-common-protos==1.74.0
+ graphviz==0.21
+ grpcio==1.80.0
+ hf-xet==1.5.0.dev3
+ httpx==1.0.dev3
+ huggingface-hub==0.36.2
+ hyperopt==0.2.7
+ idna==3.1... [truncated, 6637 chars total]

Error Analysis:

ERROR_SUMMARY: The script failed with a FileNotFoundError because it expects a test CSV file (other than "mydataset.csv") in the data directory (/home/anri21/be-fair/mlzero/basic_prompt_data), but no such file was found. The code halts before any model training or prediction since it cannot proceed without a test set for inference.

SUGGESTED_FIX: Add a test CSV file (with at least an "image_name" column) to the data directory, ensuring its filename is different from "mydataset.csv". If you do

not have a separate test set, you can create a dummy test CSV for development, or modify the script to skip test prediction if no test file is present.

Node 10 (debug)

Property	Value
uct_value	1.4821
ctime	2026-05-01 11:40:21
debug_attempts	2
depth	3
execution_time	0.0
expected_child_count	0
failure_visits	1
id	10
is_debug_successful	✗
is_leaf	✓
is_successful	✗
is_terminal	✓
num_children	0
prev_tutorial_prompt	None
stage	debug
time_step	10
tool_used	machine learning
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_reward	0.0
validated_visits	0
validation_score	None
visits	1
parent_id	4
child_ids	[]

Error Message:

stderr:

==> WARNING: A newer version of conda exists. <==

current version: 25.11.0

latest version: 26.3.2

Please update conda by running

\$ conda update -n base -c conda-forge conda

warning: Requirements file `/home/anri21/.conda/envs/mlzero\_env/lib/python3.12/site-packages/autogluon/assistant/tools\_registry/machine learning/requirements.txt` does not contain any dependencies

Using Python 3.11.15 environment at: 28-basic_prompt/node_10/conda_env

Resolved 79 packages in 898ms

Uninstalled 1 package in 1.54s

Installed 78 packages in 31.76s

+ aiohappyeyeballs==2.6.1

+ aiohttp==3.13.5

+ aiosignal==1.4.0

+ annotated-doc==0.0.4

+ annotated-types==0.7.0

+ anyio==4.13.0

+ attrs==26.1.0

+ certifi==2026.4.22

+ chardet==7.4.3

+ charset-normalizer==3.4.7

+ click==8.3.3

+ cuda-bindings==13.2.0

+ cuda-pathfinder==1.5.4

+ cuda-toolkit==13.0.2

+ datasets==4.8.5

+ dill==0.4.1

+ filelock==3.29.0

+ frozenlist==1.8.0

+ fsspec==2026.2.0

+ h11==0.16.0

+ hf-xet==1.5.0.dev3

+ httpcore==1.0.9

+ httpx==0.28.1

+ huggingface-hub==1.13.0

+ idna==3.13

+ jinja2==3.1.6

+ markdown-it-py==4.0.0

+ markupsafe==3.0.3

+ mdurl==0.1.2

+ mpmath==1.3.0

+ multidict==6.7.1

+ multiprocessing==0.70.19

+ networkx==3.6.1

+ numpy==2.4.4

```
+ nvidia-cublas==13.1.0.3
+ nvidia-cuda-cupti==13.0.85
+ nvidia-cuda-nvrtc==13.0.88
+ nvidia-cuda-runtime==13.0.96
+ nvidia-cudnn-cu13==9.19.0.56
+ nvidia-cufft==12.0.0.61
+ nvidia-cufile==1.15.1.6
+ nvidia-curand==10.4.0.35
+ nvidia-cusolver==12.0.4.66
+ nvidia-cusparselt-cu13==0.8.0
+ nvidia-cusparse==12.6.3.3
+ nvidia-nccl-cu13==2.28.9
+ nvidia-nvjitlink==13.0.88
+ nvidia-nvshmem-cu13==3.4.5
+ nvidia-nvtx==13.0.85
+ opencv-python==4.13.0.92
+ pandas==3.0.2
+ pillow==12.2.0
+ propcache==0.4.1
+ pyarrow==24.0.0
+ pydantic==2.13.3
+ pydantic-core==2.46.3
+ pygments==2.20.0
+ python-calamine==0.6.2
+ python-dateutil==2.9.0.post0
+ pytz==2026.1.post1
+ pyyaml==6.0.3
+ requests==2.33.1
+ rich==15.0.0
- setuptools=... [truncated, 2757 chars total]
```

Error Analysis:

ERROR_SUMMARY: The error occurs because the Python environment does not have the required package `autogluon` installed, resulting in a `ModuleNotFoundError` when attempting to import `autogluon.multimodal`. The requirements file used during environment setup is empty or missing the necessary dependency, so the installation step does not provide `autogluon`.

SUGGESTED_FIX: Update your environment setup to explicitly install `autogluon.multimodal` (e.g., by adding `pip install autogluon.multimodal` after the requirements installation step). Ensure that the requirements file used for installation includes `autogluon.multimodal`, or manually install it in the environment before running your script.

Node 11 (debug)

Property	Value
uct_value	1.3384
ctime	2026-05-01 11:43:06
debug_attempts	3
depth	2
execution_time	0.0
expected_child_count	0
exploitation	0.0
exploration	1.482079962591042
failure_penalty	-0.0
failure_visits	2
id	11
is_debug_successful	✗
is_leaf	✗
is_successful	✗
is_terminal	✓
normalized_failure_visit	0
num_children	1
prev_tutorial_prompt	None
stage	debug
time_step	11
tool_used	autogluon.tabular
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_contribution	0.0
validated_reward	0.0
validated_visits	0
validation_score	None

visits	2
parent_id	2
child_ids	[14]

Error Message:

stderr:

==> WARNING: A newer version of conda exists. <==

current version: 25.11.0

latest version: 26.3.2

Please update conda by running

\$ conda update -n base -c conda-forge conda

Using Python 3.11.15 environment at: 28-basic_prompt/node_11/conda_env

Resolved 241 packages in 1.16s

Prepared 1 package in 6ms

Uninstalled 1 package in 1.64s

Installed 239 packages in 46.33s

+ absl-py==2.4.0

+ accelerate==1.13.0

+ adagio==0.2.6

+ aiohappyeyeballs==2.6.1

+ aiohttp==3.13.5

+ aiohttp-cors==0.8.1

+ aiosignal==1.4.0

+ alembic==1.18.4

+ annotated-doc==0.0.4

+ annotated-types==0.7.0

+ antlr4-python3-runtime==4.9.3

+ attrs==26.1.0

+ autogluon==1.5.1b20260501

+ autogluon-common==1.5.1b20260501

+ autogluon-core==1.5.1b20260501

+ autogluon-features==1.5.1b20260501

+ autogluon-multimodal==1.5.1b20260501

+ autogluon-tabular==1.5.1b20260501

+ autogluon-timeseries==1.5.1b20260501

+ beartype==0.22.9

+ beautifulsoup4==4.14.3

+ blis==1.3.3

+ boto3==1.43.1

+ botocore==1.43.1

+ catalogue==2.0.10

+ catboost==1.2.10

+ certifi==2026.4.22

- + cffi==2.0.0
- + chardet==7.4.3
- + charset-normalizer==3.4.7
- + chronos-forecasting==2.2.2
- + click==8.3.3
- + cloudpathlib==0.24.0
- + cloudpickle==3.1.2
- + colorama==0.4.6
- + colorful==0.6.0a1
- + colorlog==6.10.1
- + confection==1.3.3
- + contourpy==1.3.3
- + coreforecast==0.0.16
- + cryptography==47.0.0
- + cycler==0.12.1
- + cymem==2.0.13
- + daal==2025.9.0
- + datasets==4.0.0
- + defusedxml==0.7.1
- + dill==0.3.8
- + distlib==0.4.0
- + einops==0.8.2
- + einx==0.4.3
- + evaluate==0.4.6
- + fastai==2.8.5
- + fastcore==1.8.18
- + fastdownload==0.0.7
- + fastprogress==1.0.5
- + fasttransform==0.0.2
- + filelock==3.29.0
- + fonttools==4.62.1
- + frozendict==2.4.7
- + frozenlist==1.8.0
- + fsspec==2025.3.0
- + fugue==0.9.7
- + future==1.0.0
- + gdown==6.0.0
- + gluonts==0.16.2
- + google-api-core==2.30.3
- + google-auth==2.50.0
- + googleapis-common-protos==1.74.0
- + graphviz==0.21
- + grpcio==1.80.0
- + hf-xet==1.5.0.dev3
- + httpx==1.0.dev3

+ huggingfac... [truncated, 6317 chars total]

Error Analysis:

ERROR_SUMMARY: The script failed with a FileNotFoundError because it expects a test CSV file in the data directory ("/home/anri21/be-fair/mlzero/basic_prompt_data") that is different from "mydataset.csv", but no such file exists. The code is designed to raise this error if only the training file is present and no separate test file is found for prediction.

SUGGESTED_FIX: Add a test CSV file (with the same structure as "mydataset.csv", but without the label column or with labels hidden) to the data directory so the script can find it for prediction. If you do not have a test file, create a copy of "mydataset.csv" (renamed, e.g., "test.csv") and remove or mask the label column as appropriate for inference.

Node 12 (debug)

Property	Value
uct_value	1.4821
ctime	2026-05-01 11:45:47
debug_attempts	3
depth	3
execution_time	0.0
expected_child_count	0
failure_visits	1
id	12
is_debug_successful	✗
is_leaf	✓
is_successful	✗
is_terminal	✓
num_children	0
prev_tutorial_prompt	None
stage	debug
time_step	12
tool_used	autogluon.multimodal
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_reward	0.0
validated_visits	0
validation_score	None
visits	1
parent_id	3
child_ids	[]

Error Message:

stderr:

==> WARNING: A newer version of conda exists. <==

current version: 25.11.0

latest version: 26.3.2

Please update conda by running

\$ conda update -n base -c conda-forge conda

Using Python 3.11.15 environment at: 28-basic_prompt/node_12/conda_env

Resolved 237 packages in 924ms

Uninstalled 1 package in 1.61s

Installed 235 packages in 51.64s

+ absl-py==2.4.0

+ accelerate==1.13.0

+ adagio==0.2.6

+ aiohappyeyeballs==2.6.1

+ aiohttp==3.13.5

+ aiohttp-cors==0.8.1

+ aiosignal==1.4.0

+ alembic==1.18.4

+ annotated-doc==0.0.4

+ annotated-types==0.7.0

+ antlr4-python3-runtime==4.9.3

+ attrs==26.1.0

+ autogluon==1.5.1b20260501

+ autogluon-common==1.5.1b20260501

+ autogluon-core==1.5.1b20260501

+ autogluon-features==1.5.1b20260501

+ autogluon-multimodal==1.5.1b20260501

+ autogluon-tabular==1.5.1b20260501

+ autogluon-timeseries==1.5.1b20260501

+ beartype==0.22.9

+ beautifulsoup4==4.14.3

+ blis==1.3.3

+ boto3==1.43.1

+ botocore==1.43.1

+ catalogue==2.0.10

+ catboost==1.2.10

+ certifi==2026.4.22

+ cffi==2.0.0

+ chardet==7.4.3

+ charset-normalizer==3.4.7

+ chronos-forecasting==2.2.2

+ click==8.3.3

+ cloudpathlib==0.24.0

+ cloudpickle==3.1.2

+ colorama==0.4.6

+ colorful==0.6.0a1

+ colorlog==6.10.1
+ confection==1.3.3
+ contourpy==1.3.3
+ coreforecast==0.0.16
+ cryptography==47.0.0
+ cycler==0.12.1
+ cymem==2.0.13
+ datasets==4.0.0
+ defusedxml==0.7.1
+ dill==0.3.8
+ distlib==0.4.0
+ einops==0.8.2
+ einx==0.4.3
+ evaluate==0.4.6
+ fastai==2.8.5
+ fastcore==1.8.18
+ fastdownload==0.0.7
+ fastprogress==1.0.5
+ fasttransform==0.0.2
+ filelock==3.29.0
+ fonttools==4.62.1
+ frozendict==2.4.7
+ frozenlist==1.8.0
+ fsspec==2025.3.0
+ fugue==0.9.7
+ future==1.0.0
+ gdown==6.0.0
+ gluonts==0.16.2
+ google-api-core==2.30.3
+ google-auth==2.50.0
+ googleapis-common-protos==1.74.0
+ graphviz==0.21
+ grpcio==1.80.0
+ hf-xet==1.5.0.dev3
+ httpx==1.0.dev3
+ huggingface-hub==0.36.2
+ hyperopt==0.2.7
+ idna==3.... [truncated, 6522 chars total]

Error Analysis:

ERROR_SUMMARY: The script failed with a `FileNotFoundError` because it expects a test CSV file (other than "mydataset.csv") to be present in the data directory (/home/anri21/be-fair/mlzero/basic_prompt_data`), but no such file was found. The code attempts to locate any CSV file in the directory that is not named "mydataset.csv" and raises an error if none is found.

SUGGESTED_FIX:

Add a test CSV file (with the same structure as the training CSV, including an `image\_name` column) to the data directory, ensuring its filename is different from "mydataset.csv". If you do not have a test file, create a dummy one for development or adjust the script to handle the absence of a test set gracefully.

Node 13 (debug)

Property	Value
uct_value	1.1772
ctime	2026-05-01 11:49:36
debug_attempts	3
depth	3
execution_time	0.0
expected_child_count	0
failure_visits	1
id	13
is_debug_successful	✗
is_leaf	✓
is_successful	✗
is_terminal	✓
num_children	0
prev_tutorial_prompt	None
stage	debug
time_step	13
tool_used	machine learning
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_reward	0.0
validated_visits	0
validation_score	None
visits	1
parent_id	6
child_ids	[]

Error Message:


```
stderr:
==> WARNING: A newer version of conda exists. <==
current version: 25.11.0
latest version: 26.3.2
Please update conda by running
$ conda update -n base -c conda-forge conda
warning: Requirements file `~/home/anri21/.conda/envs/mlzero_env/lib/python3.12/site-packages/autogluon/assistant/tools_registry/machine learning/requirements.txt`
does not contain any dependencies
Using Python 3.11.15 environment at: 28-basic_prompt/node_13/conda_env
Resolved 79 packages in 294ms
Uninstalled 1 package in 1.62s
Installed 78 packages in 32.04s
+ aiohappyeyeballs==2.6.1
+ aiohttp==3.13.5
+ aiosignal==1.4.0
+ annotated-doc==0.0.4
+ annotated-types==0.7.0
+ anyio==4.13.0
+ attrs==26.1.0
+ certifi==2026.4.22
+ chardet==7.4.3
+ charset-normalizer==3.4.7
+ click==8.3.3
+ cuda-bindings==13.2.0
+ cuda-pathfinder==1.5.4
+ cuda-toolkit==13.0.2
+ datasets==4.8.5
+ dill==0.4.1
+ filelock==3.29.0
+ frozenlist==1.8.0
+ fsspec==2026.2.0
+ h11==0.16.0
+ hf-xet==1.5.0.dev3
+ httpcore==1.0.9
+ httpx==0.28.1
+ huggingface-hub==1.13.0
+ idna==3.13
+ jinja2==3.1.6
+ markdown-it-py==4.0.0
+ markupsafe==3.0.3
+ mdurl==0.1.2
+ mpmath==1.3.0
+ multidict==6.7.1
+ multiprocessing==0.70.19
+ networkx==3.6.1
+ numpy==2.4.4
```

```
+ nvidia-cublas==13.1.0.3
+ nvidia-cuda-cupti==13.0.85
+ nvidia-cuda-nvrtc==13.0.88
+ nvidia-cuda-runtime==13.0.96
+ nvidia-cudnn-cu13==9.19.0.56
+ nvidia-cufft==12.0.0.61
+ nvidia-cufile==1.15.1.6
+ nvidia-curand==10.4.0.35
+ nvidia-cusolver==12.0.4.66
+ nvidia-cusparselt-cu13==0.8.0
+ nvidia-cusparse==12.6.3.3
+ nvidia-nccl-cu13==2.28.9
+ nvidia-nvjitlink==13.0.88
+ nvidia-nvshmem-cu13==3.4.5
+ nvidia-nvtx==13.0.85
+ opencv-python==4.13.0.92
+ pandas==3.0.2
+ pillow==12.2.0
+ propcache==0.4.1
+ pyarrow==24.0.0
+ pydantic==2.13.3
+ pydantic-core==2.46.3
+ pygments==2.20.0
+ python-calamine==0.6.2
+ python-dateutil==2.9.0.post0
+ pytz==2026.1.post1
+ pyyaml==6.0.3
+ requests==2.33.1
+ rich==15.0.0
- setuptools=... [truncated, 2738 chars total]
```

Error Analysis:

ERROR_SUMMARY: The error occurred because the Python environment does not have the `autogluon` package installed, resulting in a `ModuleNotFoundError` when attempting to import `autogluon.multimodal`. The requirements file used for installation did not specify any dependencies, so `autogluon` was never installed.

SUGGESTED_FIX: Ensure that the `autogluon.multimodal` package is explicitly installed in your environment before running the script. Update your installation step to include `pip install autogluon.multimodal` (or `autogluon` if needed), and verify that the requirements file used for installation lists all necessary dependencies.

Node 14 (debug)

Property	Value
uct_value	1.1772
ctime	2026-05-01 11:52:23
debug_attempts	3
depth	3
execution_time	0.0
expected_child_count	0
failure_visits	1
id	14
is_debug_successful	✗
is_leaf	✓
is_successful	✗
is_terminal	✓
num_children	0
prev_tutorial_prompt	None
stage	debug
time_step	14
tool_used	autogluon.tabular
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_reward	0.0
validated_visits	0
validation_score	None
visits	1
parent_id	11
child_ids	[]

Error Message:

stderr:

==> WARNING: A newer version of conda exists. <==

current version: 25.11.0

latest version: 26.3.2

Please update conda by running

\$ conda update -n base -c conda-forge conda

Using Python 3.11.15 environment at: 28-basic_prompt/node_14/conda_env

Resolved 241 packages in 1.01s

Uninstalled 1 package in 1.52s

Installed 239 packages in 46.84s

+ absl-py==2.4.0

+ accelerate==1.13.0

+ adagio==0.2.6

+ aiohappyeyeballs==2.6.1

+ aiohttp==3.13.5

+ aiohttp-cors==0.8.1

+ aiosignal==1.4.0

+ alembic==1.18.4

+ annotated-doc==0.0.4

+ annotated-types==0.7.0

+ antlr4-python3-runtime==4.9.3

+ attrs==26.1.0

+ autogluon==1.5.1b20260501

+ autogluon-common==1.5.1b20260501

+ autogluon-core==1.5.1b20260501

+ autogluon-features==1.5.1b20260501

+ autogluon-multimodal==1.5.1b20260501

+ autogluon-tabular==1.5.1b20260501

+ autogluon-timeseries==1.5.1b20260501

+ beartype==0.22.9

+ beautifulsoup4==4.14.3

+ blis==1.3.3

+ boto3==1.43.1

+ botocore==1.43.1

+ catalogue==2.0.10

+ catboost==1.2.10

+ certifi==2026.4.22

+ cffi==2.0.0

+ chardet==7.4.3

+ charset-normalizer==3.4.7

+ chronos-forecasting==2.2.2

+ click==8.3.3

+ cloudpathlib==0.24.0

+ cloudpickle==3.1.2

+ colorama==0.4.6

+ colorful==0.6.0a1

+ colorlog==6.10.1
+ confection==1.3.3
+ contourpy==1.3.3
+ coreforecast==0.0.16
+ cryptography==47.0.0
+ cycler==0.12.1
+ cymem==2.0.13
+ daal==2025.9.0
+ datasets==4.0.0
+ defusedxml==0.7.1
+ dill==0.3.8
+ distlib==0.4.0
+ einops==0.8.2
+ einx==0.4.3
+ evaluate==0.4.6
+ fastai==2.8.5
+ fastcore==1.8.18
+ fastdownload==0.0.7
+ fastprogress==1.0.5
+ fasttransform==0.0.2
+ filelock==3.29.0
+ fonttools==4.62.1
+ frozendict==2.4.7
+ frozenlist==1.8.0
+ fsspec==2025.3.0
+ fugue==0.9.7
+ future==1.0.0
+ gdown==6.0.0
+ gluonts==0.16.2
+ google-api-core==2.30.3
+ google-auth==2.50.0
+ googleapis-common-protos==1.74.0
+ graphviz==0.21
+ grpcio==1.80.0
+ hf-xet==1.5.0.dev3
+ httpx==1.0.dev3
+ huggingface-hub==0.36.2
+ hyperopt=... [truncated, 6263 chars total]

Error Analysis:

ERROR_SUMMARY: The Python script failed with a FileNotFoundError because it could not locate a test CSV file in the data directory (/home/anri21/be-fair/mlzero/basic_prompt_data) other than the training file (mydataset.csv). The code expects a separate test CSV for making predictions, but only the training file is present.

SUGGESTED_FIX: Add a test CSV file (with the same structure as mydataset.csv, but without the label column or with labels hidden) to the data directory so the script

can find it and proceed with prediction. If you do not have a test file, create a dummy one or adjust the script to handle the absence of a test set as needed.

Node 15 (debug)

Property	Value
uct_value	1.4821
ctime	2026-05-01 11:55:06
debug_attempts	3
depth	3
execution_time	0.0
expected_child_count	0
failure_visits	1
id	15
is_debug_successful	✗
is_leaf	✓
is_successful	✗
is_terminal	✓
num_children	0
prev_tutorial_prompt	None
stage	debug
time_step	15
tool_used	machine learning
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_reward	0.0
validated_visits	0
validation_score	None
visits	1
parent_id	4
child_ids	[]

Error Message:

```
stderr:
==> WARNING: A newer version of conda exists. <==
current version: 25.11.0
latest version: 26.3.2
Please update conda by running
$ conda update -n base -c conda-forge conda
warning: Requirements file `~/home/anri21/.conda/envs/mlzero_env/lib/python3.12/site-packages/autogluon/assistant/tools_registry/machine learning/requirements.txt`
does not contain any dependencies
Using Python 3.11.15 environment at: 28-basic_prompt/node_15/conda_env
Resolved 79 packages in 287ms
Uninstalled 1 package in 1.47s
Installed 78 packages in 32.29s
+ aiohappyeyeballs==2.6.1
+ aiohttp==3.13.5
+ aiosignal==1.4.0
+ annotated-doc==0.0.4
+ annotated-types==0.7.0
+ anyio==4.13.0
+ attrs==26.1.0
+ certifi==2026.4.22
+ chardet==7.4.3
+ charset-normalizer==3.4.7
+ click==8.3.3
+ cuda-bindings==13.2.0
+ cuda-pathfinder==1.5.4
+ cuda-toolkit==13.0.2
+ datasets==4.8.5
+ dill==0.4.1
+ filelock==3.29.0
+ frozenlist==1.8.0
+ fsspec==2026.2.0
+ h11==0.16.0
+ hf-xet==1.5.0.dev3
+ httpcore==1.0.9
+ httpx==0.28.1
+ huggingface-hub==1.13.0
+ idna==3.13
+ jinja2==3.1.6
+ markdown-it-py==4.0.0
+ markupsafe==3.0.3
+ mdurl==0.1.2
+ mpmath==1.3.0
+ multidict==6.7.1
+ multiprocessing==0.70.19
+ networkx==3.6.1
+ numpy==2.4.4
```



```
+ nvidia-cublas==13.1.0.3
+ nvidia-cuda-cupti==13.0.85
+ nvidia-cuda-nvrtc==13.0.88
+ nvidia-cuda-runtime==13.0.96
+ nvidia-cudnn-cu13==9.19.0.56
+ nvidia-cufft==12.0.0.61
+ nvidia-cufile==1.15.1.6
+ nvidia-curand==10.4.0.35
+ nvidia-cusolver==12.0.4.66
+ nvidia-cusparselt-cu13==0.8.0
+ nvidia-nccl-cu13==2.28.9
+ nvidia-nvjitlink==13.0.88
+ nvidia-nvshmem-cu13==3.4.5
+ nvidia-nvtx==13.0.85
+ opencv-python==4.13.0.92
+ pandas==3.0.2
+ pillow==12.2.0
+ propcache==0.4.1
+ pyarrow==24.0.0
+ pydantic==2.13.3
+ pydantic-core==2.46.3
+ pygments==2.20.0
+ python-calamine==0.6.2
+ python-dateutil==2.9.0.post0
+ pytz==2026.1.post1
+ pyyaml==6.0.3
+ requests==2.33.1
+ rich==15.0.0
- setuptools=... [truncated, 2809 chars total]
```

Error Analysis:

ERROR_SUMMARY: The script failed with a `FileNotFoundError` because it could not locate a required test CSV file in the data directory. The code expects a test CSV file (other than "mydataset.csv") to be present for making predictions, but none was found, causing execution to halt before model training or evaluation.

SUGGESTED_FIX: Ensure that a test CSV file (with a ".csv" extension and a structure similar to "mydataset.csv" but intended for prediction) is present in the data directory (/home/anri21/be-fair/mlzero/basic_prompt_data). If you do not have a test file, create a placeholder test CSV with the necessary columns (including "image_name") and place it in the data directory so the script can proceed.

Node 16 (debug)

Property	Value
uct_value	1.4821
ctime	2026-05-01 11:58:31
debug_attempts	2
depth	3
execution_time	0.0
expected_child_count	0
failure_visits	1
id	16
is_debug_successful	✗
is_leaf	✓
is_successful	✗
is_terminal	✓
num_children	0
prev_tutorial_prompt	None
stage	debug
time_step	16
tool_used	autogluon.tabular
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_reward	0.0
validated_visits	0
validation_score	None
visits	1
parent_id	7
child_ids	[]

Error Message:

stderr:

==> WARNING: A newer version of conda exists. <==

current version: 25.11.0

latest version: 26.3.2

Please update conda by running

\$ conda update -n base -c conda-forge conda

Using Python 3.11.15 environment at: 28-basic_prompt/node_16/conda_env

Resolved 241 packages in 981ms

Uninstalled 1 package in 1.58s

Installed 239 packages in 1m 16s

+ absl-py==2.4.0

+ accelerate==1.13.0

+ adagio==0.2.6

+ aiohappyeyeballs==2.6.1

+ aiohttp==3.13.5

+ aiohttp-cors==0.8.1

+ aiosignal==1.4.0

+ alembic==1.18.4

+ annotated-doc==0.0.4

+ annotated-types==0.7.0

+ antlr4-python3-runtime==4.9.3

+ attrs==26.1.0

+ autogluon==1.5.1b20260501

+ autogluon-common==1.5.1b20260501

+ autogluon-core==1.5.1b20260501

+ autogluon-features==1.5.1b20260501

+ autogluon-multimodal==1.5.1b20260501

+ autogluon-tabular==1.5.1b20260501

+ autogluon-timeseries==1.5.1b20260501

+ beartype==0.22.9

+ beautifulsoup4==4.14.3

+ blis==1.3.3

+ boto3==1.43.1

+ botocore==1.43.1

+ catalogue==2.0.10

+ catboost==1.2.10

+ certifi==2026.4.22

+ cffi==2.0.0

+ chardet==7.4.3

+ charset-normalizer==3.4.7

+ chronos-forecasting==2.2.2

+ click==8.3.3

+ cloudpathlib==0.24.0

+ cloudpickle==3.1.2

+ colorama==0.4.6

+ colorful==0.6.0a1

+ colorlog==6.10.1
+ confection==1.3.3
+ contourpy==1.3.3
+ coreforecast==0.0.16
+ cryptography==47.0.0
+ cycler==0.12.1
+ cymem==2.0.13
+ daal==2025.9.0
+ datasets==4.0.0
+ defusedxml==0.7.1
+ dill==0.3.8
+ distlib==0.4.0
+ einops==0.8.2
+ einx==0.4.3
+ evaluate==0.4.6
+ fastai==2.8.5
+ fastcore==1.8.18
+ fastdownload==0.0.7
+ fastprogress==1.0.5
+ fasttransform==0.0.2
+ filelock==3.29.0
+ fonttools==4.62.1
+ frozendict==2.4.7
+ frozenlist==1.8.0
+ fsspec==2025.3.0
+ fugue==0.9.7
+ future==1.0.0
+ gdown==6.0.0
+ gluonts==0.16.2
+ google-api-core==2.30.3
+ google-auth==2.50.0
+ googleapis-common-protos==1.74.0
+ graphviz==0.21
+ grpcio==1.80.0
+ hf-xet==1.5.0.dev3
+ httpx==1.0.dev3
+ huggingface-hub==0.36.2
+ hyperopt=... [truncated, 6274 chars total]

Error Analysis:

ERROR_SUMMARY: The script failed with a FileNotFoundError because it expects a test CSV file in the data directory (/home/anri21/be-fair/mlzero/basic_prompt_data) that is different from "mydataset.csv", but no such file was found. The code is designed to raise this error if only the training file ("mydataset.csv") is present and no separate test file exists for prediction.

SUGGESTED_FIX: Place a test CSV file (with the same structure as "mydataset.csv", but without the label column filled in) into the data directory, ensuring its filename

is different from "mydataset.csv". Rerun the script after confirming that the test file is present in /home/anri21/be-fair/mlzero/basic_prompt_data.

Node 17 (debug)

Property	Value
uct_value	1.4821
ctime	2026-05-01 12:01:45
debug_attempts	3
depth	3
execution_time	0.0
expected_child_count	0
failure_visits	1
id	17
is_debug_successful	✗
is_leaf	✓
is_successful	✗
is_terminal	✓
num_children	0
prev_tutorial_prompt	None
stage	debug
time_step	17
tool_used	autogluon.tabular
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_reward	0.0
validated_visits	0
validation_score	None
visits	1
parent_id	7
child_ids	[]

Error Message:

stderr:

==> WARNING: A newer version of conda exists. <==

current version: 25.11.0

latest version: 26.3.2

Please update conda by running

\$ conda update -n base -c conda-forge conda

Using Python 3.11.15 environment at: 28-basic_prompt/node_17/conda_env

Resolved 241 packages in 1.58s

Uninstalled 1 package in 1.52s

Installed 239 packages in 57.38s

+ absl-py==2.4.0

+ accelerate==1.13.0

+ adagio==0.2.6

+ aiohappyeyeballs==2.6.1

+ aiohttp==3.13.5

+ aiohttp-cors==0.8.1

+ aiosignal==1.4.0

+ alembic==1.18.4

+ annotated-doc==0.0.4

+ annotated-types==0.7.0

+ antlr4-python3-runtime==4.9.3

+ attrs==26.1.0

+ autogluon==1.5.1b20260501

+ autogluon-common==1.5.1b20260501

+ autogluon-core==1.5.1b20260501

+ autogluon-features==1.5.1b20260501

+ autogluon-multimodal==1.5.1b20260501

+ autogluon-tabular==1.5.1b20260501

+ autogluon-timeseries==1.5.1b20260501

+ beartype==0.22.9

+ beautifulsoup4==4.14.3

+ blis==1.3.3

+ boto3==1.43.1

+ botocore==1.43.1

+ catalogue==2.0.10

+ catboost==1.2.10

+ certifi==2026.4.22

+ cffi==2.0.0

+ chardet==7.4.3

+ charset-normalizer==3.4.7

+ chronos-forecasting==2.2.2

+ click==8.3.3

+ cloudpathlib==0.24.0

+ cloudpickle==3.1.2

+ colorama==0.4.6

+ colorful==0.6.0a1

```
+ colorlog==6.10.1
+ confection==1.3.3
+ contourpy==1.3.3
+ coreforecast==0.0.16
+ cryptography==47.0.0
+ cycler==0.12.1
+ cymem==2.0.13
+ daal==2025.9.0
+ datasets==4.0.0
+ defusedxml==0.7.1
+ dill==0.3.8
+ distlib==0.4.0
+ einops==0.8.2
+ einx==0.4.3
+ evaluate==0.4.6
+ fastai==2.8.5
+ fastcore==1.8.18
+ fastdownload==0.0.7
+ fastprogress==1.0.5
+ fasttransform==0.0.2
+ filelock==3.29.0
+ fonttools==4.62.1
+ frozendict==2.4.7
+ frozenlist==1.8.0
+ fsspec==2025.3.0
+ fugue==0.9.7
+ future==1.0.0
+ gdown==6.0.0
+ gluonts==0.16.2
+ google-api-core==2.30.3
+ google-auth==2.50.0
+ googleapis-common-protos==1.74.0
+ graphviz==0.21
+ grpcio==1.80.0
+ hf-xet==1.5.0.dev3
+ httpx==1.0.dev3
+ huggingface-hub==0.36.2
+ hyperopt=... [truncated, 6291 chars total]
```

Error Analysis:

ERROR_SUMMARY: The script failed with a FileNotFoundError because it expects a separate test CSV file in the data directory (other than "mydataset.csv"), but no such file exists. As a result, the code cannot proceed to prediction since it cannot find the required test data.

SUGGESTED_FIX: Place a test CSV file (with the same structure as "mydataset.csv", but without the target labels if not available) into the data directory (/home/anri21/be-fair/mlzero/basic_prompt_data) and rerun the script. Ensure the test file has a unique name (not "mydataset.csv") and includes all necessary columns

for prediction.