

# Node Structure Visualization


Click on any node in the tree to jump to its detailed information.

Total Nodes: 19 | No validation scores available

## Node Tree:

## Table of Contents:

| Node ID                                              | Stage | Status | Tool                 |
|------------------------------------------------------|-------|--------|----------------------|
| <a color="blue" href="#node_1">&gt;-1&lt;/a&gt;</a>  |       |        |                      |
| <a color="blue" href="#node_0">&gt;0&lt;/a&gt;</a>   |       |        | autogluon.multimodal |
| <a color="blue" href="#node_1">&gt;1&lt;/a&gt;</a>   |       |        | machine learning     |
| <a color="blue" href="#node_2">&gt;2&lt;/a&gt;</a>   |       |        | autogluon.tabular    |
| <a color="blue" href="#node_3">&gt;3&lt;/a&gt;</a>   |       |        | autogluon.multimodal |
| <a color="blue" href="#node_4">&gt;4&lt;/a&gt;</a>   |       |        | machine learning     |
| <a color="blue" href="#node_5">&gt;5&lt;/a&gt;</a>   |       |        | autogluon.multimodal |
| <a color="blue" href="#node_6">&gt;6&lt;/a&gt;</a>   |       |        | machine learning     |
| <a color="blue" href="#node_7">&gt;7&lt;/a&gt;</a>   |       |        | autogluon.tabular    |
| <a color="blue" href="#node_8">&gt;8&lt;/a&gt;</a>   |       |        | autogluon.multimodal |
| <a color="blue" href="#node_9">&gt;9&lt;/a&gt;</a>   |       |        | autogluon.multimodal |
| <a color="blue" href="#node_10">&gt;10&lt;/a&gt;</a> |       |        | machine learning     |
| <a color="blue" href="#node_11">&gt;11&lt;/a&gt;</a> |       |        | autogluon.tabular    |
| <a color="blue" href="#node_12">&gt;12&lt;/a&gt;</a> |       |        | autogluon.multimodal |
| <a color="blue" href="#node_13">&gt;13&lt;/a&gt;</a> |       |        | machine learning     |
| <a color="blue" href="#node_14">&gt;14&lt;/a&gt;</a> |       |        | autogluon.tabular    |
| <a color="blue" href="#node_15">&gt;15&lt;/a&gt;</a> |       |        | machine learning     |
| <a color="blue" href="#node_16">&gt;16&lt;/a&gt;</a> |       |        | autogluon.tabular    |
| <a color="blue" href="#node_17">&gt;17&lt;/a&gt;</a> |       |        | autogluon.tabular    |



| Status  | Color |
|---------|-------|
| Success | Green |
| Failure | Red   |
| Neutral | Blue  |

Node Details:

Node -1 (root)

| Property             | Value               |
|----------------------|---------------------|
| uct_value            | -0.4444             |
| ctime                | 2026-05-01 12:04:59 |
| debug_attempts       | 0                   |
| depth                | 0                   |
| execution_time       | 0.0                 |
| expected_child_count | 0                   |
| failure_visits       | 18                  |
| id                   | -1                  |
| is_debug_successful  | ✗                   |
| is_leaf              | ✗                   |
| is_successful        | ✗                   |
| is_terminal          | ✓                   |
| num_children         | 3                   |
| prev_tutorial_prompt | None                |
| stage                | root                |
| time_step            | -1                  |
| tool_used            |                     |
| tools_available      | []                  |
| unvalidated_visits   | 0                   |
| validated_reward     | 0.0                 |
| validated_visits     | 0                   |
| validation_score     | None                |
| visits               | 18                  |
| parent_id            | None                |
| child_ids            | [0, 1, 2]           |



## Node 0 (evolve)

| Property                 | Value                                                             |
|--------------------------|-------------------------------------------------------------------|
| uct_value                | 0.6481                                                            |
| ctime                    | 2026-05-01 12:05:38                                               |
| debug_attempts           | 2                                                                 |
| depth                    | 1                                                                 |
| execution_time           | 0.0                                                               |
| expected_child_count     | 0                                                                 |
| exploitation             | -0.3                                                              |
| exploration              | 0.9968262051089475                                                |
| failure_penalty          | -0.3                                                              |
| failure_visits           | 6                                                                 |
| id                       | 0                                                                 |
| is_debug_successful      | ✗                                                                 |
| is_leaf                  | ✗                                                                 |
| is_successful            | ✗                                                                 |
| is_terminal              | ✓                                                                 |
| normalized_failure_visit | 3                                                                 |
| num_children             | 2                                                                 |
| prev_tutorial_prompt     | None                                                              |
| stage                    | evolve                                                            |
| time_step                | 0                                                                 |
| tool_used                | autogluon.multimodal                                              |
| tools_available          | ['autogluon.multimodal', 'machine learning', 'autogluon.tabular'] |
| unvalidated_visits       | 0                                                                 |
| validated_contribution   | 0.0                                                               |
| validated_reward         | 0.0                                                               |
| validated_visits         | 0                                                                 |
| validation_score         | None                                                              |

|           |        |
|-----------|--------|
| visits    | 6      |
| parent_id | -1     |
| child_ids | [3, 5] |

### **Error Message:**

stderr:

==> WARNING: A newer version of conda exists. <==

current version: 25.11.0

latest version: 26.3.2

Please update conda by running

\$ conda update -n base -c conda-forge conda

Using Python 3.11.15 environment at: 32-basic\_prompt/node\_0/conda\_env

Resolved 237 packages in 3.06s

Uninstalled 1 package in 1.57s

Installed 235 packages in 48.88s

+ absl-py==2.4.0

+ accelerate==1.13.0

+ adagio==0.2.6

+ aiohappyeyeballs==2.6.1

+ aiohttp==3.13.5

+ aiohttp-cors==0.8.1

+ aiosignal==1.4.0

+ alembic==1.18.4

+ annotated-doc==0.0.4

+ annotated-types==0.7.0

+ antlr4-python3-runtime==4.9.3

+ attrs==26.1.0

+ autogluon==1.5.1b20260501

+ autogluon-common==1.5.1b20260501

+ autogluon-core==1.5.1b20260501

+ autogluon-features==1.5.1b20260501

+ autogluon-multimodal==1.5.1b20260501

+ autogluon-tabular==1.5.1b20260501

+ autogluon-timeseries==1.5.1b20260501

+ beartype==0.22.9

+ beautifulsoup4==4.14.3

+ blis==1.3.3

+ boto3==1.43.1

+ botocore==1.43.1

+ catalogue==2.0.10

+ catboost==1.2.10

+ certifi==2026.4.22

+ cffi==2.0.0

- + chardet==7.4.3
- + charset-normalizer==3.4.7
- + chronos-forecasting==2.2.2
- + click==8.3.3
- + cloudpathlib==0.24.0
- + cloudpickle==3.1.2
- + colorama==0.4.6
- + colorful==0.6.0a1
- + colorlog==6.10.1
- + confection==1.3.3
- + contourpy==1.3.3
- + coreforecast==0.0.16
- + cryptography==47.0.0
- + cycler==0.12.1
- + cymem==2.0.13
- + datasets==4.0.0
- + defusedxml==0.7.1
- + dill==0.3.8
- + distlib==0.4.0
- + einops==0.8.2
- + einx==0.4.3
- + evaluate==0.4.6
- + fastai==2.8.5
- + fastcore==1.8.18
- + fastdownload==0.0.7
- + fastprogress==1.0.5
- + fasttransform==0.0.2
- + filelock==3.29.0
- + fonttools==4.62.1
- + frozendict==2.4.7
- + frozenlist==1.8.0
- + fsspec==2025.3.0
- + fugue==0.9.7
- + future==1.0.0
- + gdown==6.0.0
- + gluonts==0.16.2
- + google-api-core==2.30.3
- + google-auth==2.50.0
- + googleapis-common-protos==1.74.0
- + graphviz==0.21
- + grpcio==1.80.0
- + hf-xet==1.5.0.dev3
- + httpx==1.0.dev3
- + huggingface-hub==0.36.2
- + hyperopt==0.2.7

+ idna==3.1... [truncated, 9084 chars total]

### ***Error Analysis:***

ERROR\_SUMMARY: The error "ValueError: No model is available for this dataset." occurs during the call to `predictor.fit()` in AutoGluon MultiModal because, after preprocessing, the training dataset contains only 3 rows, which is too small for AutoGluon to select or train any model. AutoGluon requires a minimum number of samples per class to proceed with model selection and training.

SUGGESTED\_FIX: Increase the size of your training dataset by adding more labeled image samples, ensuring that both classes (malignant and non-malignant) are sufficiently represented. If you cannot obtain more data, consider using a different modeling approach that can handle extremely small datasets, or switch to a simpler model outside of AutoGluon MultiModal.



## Node 1 (evolve)

| Property                 | Value                                                             |
|--------------------------|-------------------------------------------------------------------|
| uct_value                | 0.6481                                                            |
| ctime                    | 2026-05-01 12:09:19                                               |
| debug_attempts           | 2                                                                 |
| depth                    | 1                                                                 |
| execution_time           | 0.0                                                               |
| expected_child_count     | 0                                                                 |
| exploitation             | -0.3                                                              |
| exploration              | 0.7804660679599289                                                |
| failure_penalty          | -0.3                                                              |
| failure_visits           | 6                                                                 |
| id                       | 1                                                                 |
| is_debug_successful      | ✗                                                                 |
| is_leaf                  | ✗                                                                 |
| is_successful            | ✗                                                                 |
| is_terminal              | ✓                                                                 |
| normalized_failure_visit | 3                                                                 |
| num_children             | 2                                                                 |
| prev_tutorial_prompt     | None                                                              |
| stage                    | evolve                                                            |
| time_step                | 1                                                                 |
| tool_used                | machine learning                                                  |
| tools_available          | ['autogluon.multimodal', 'machine learning', 'autogluon.tabular'] |
| unvalidated_visits       | 0                                                                 |
| validated_contribution   | 0.0                                                               |
| validated_reward         | 0.0                                                               |
| validated_visits         | 0                                                                 |
| validation_score         | None                                                              |

|           |        |
|-----------|--------|
| visits    | 6      |
| parent_id | -1     |
| child_ids | [4, 6] |

### **Error Message:**

stderr:

==> WARNING: A newer version of conda exists. <==

current version: 25.11.0

latest version: 26.3.2

Please update conda by running

\$ conda update -n base -c conda-forge conda

warning: Requirements file `~/home/anri21/.conda/envs/mlzero\_env/lib/python3.12/site-packages/autogluon/assistant/tools\_registry/machine learning/requirements.txt` does not contain any dependencies

Using Python 3.11.15 environment at: 32-basic\_prompt/node\_1/conda\_env

Resolved 79 packages in 519ms

Uninstalled 1 package in 1.53s

Installed 78 packages in 34.60s

+ aiohappyeyeballs==2.6.1

+ aiohttp==3.13.5

+ aiosignal==1.4.0

+ annotated-doc==0.0.4

+ annotated-types==0.7.0

+ anyio==4.13.0

+ attrs==26.1.0

+ certifi==2026.4.22

+ chardet==7.4.3

+ charset-normalizer==3.4.7

+ click==8.3.3

+ cuda-bindings==13.2.0

+ cuda-pathfinder==1.5.4

+ cuda-toolkit==13.0.2

+ datasets==4.8.5

+ dill==0.4.1

+ filelock==3.29.0

+ frozenlist==1.8.0

+ fsspec==2026.2.0

+ h11==0.16.0

+ hf-xet==1.5.0.dev3

+ httpcore==1.0.9

+ httpx==0.28.1

+ huggingface-hub==1.13.0

+ idna==3.13

+ jinja2==3.1.6

```
+ markdown-it-py==4.0.0
+ markupsafe==3.0.3
+ mdurl==0.1.2
+ mpmath==1.3.0
+ multidict==6.7.1
+ multiprocessing==0.70.19
+ networkx==3.6.1
+ numpy==2.4.4
+ nvidia-cublas==13.1.0.3
+ nvidia-cuda-cupti==13.0.85
+ nvidia-cuda-nvrtc==13.0.88
+ nvidia-cuda-runtime==13.0.96
+ nvidia-cudnn-cu13==9.19.0.56
+ nvidia-cufft==12.0.0.61
+ nvidia-cufile==1.15.1.6
+ nvidia-curand==10.4.0.35
+ nvidia-cusolver==12.0.4.66
+ nvidia-cusparselt-cu13==0.8.0
+ nvidia-nccl-cu13==2.28.9
+ nvidia-nvjitlink==13.0.88
+ nvidia-nvshmem-cu13==3.4.5
+ nvidia-nvtx==13.0.85
+ opencv-python==4.13.0.92
+ pandas==3.0.2
+ pillow==12.2.0
+ propcache==0.4.1
+ pyarrow==24.0.0
+ pydantic==2.13.3
+ pydantic-core==2.46.3
+ pygments==2.20.0
+ python-calamine==0.6.2
+ python-dateutil==2.9.0.post0
+ pytz==2026.1.post1
+ pyyaml==6.0.3
+ requests==2.33.1
+ rich==15.0.0
- setuptools==... [truncated, 5022 chars total]
```

### ***Error Analysis:***

ERROR\_SUMMARY: The error occurs because the input feature matrix `X_train` contains NaN values, which LogisticRegression from scikit-learn does not support. This is likely due to missing or unreadable images during feature extraction, resulting in rows of all-NaN features that are not fully removed by the current `fillna(X_train.mean())` step.

SUGGESTED\_FIX: Before fitting the model, explicitly drop any rows in `X_train` (and corresponding `y_train`) that still contain NaN values after imputation. Alternatively,

use a more robust imputation strategy (e.g., sklearn's SimpleImputer) to ensure no NaNs remain, or switch to a classifier that natively handles missing values.

## Node 2 (evolve)

| Property                 | Value                                                             |
|--------------------------|-------------------------------------------------------------------|
| uct_value                | 0.6481                                                            |
| ctime                    | 2026-05-01 12:12:13                                               |
| debug_attempts           | 2                                                                 |
| depth                    | 1                                                                 |
| execution_time           | 0.0                                                               |
| expected_child_count     | 0                                                                 |
| exploitation             | -0.3                                                              |
| exploration              | 0.53219899601806                                                  |
| failure_penalty          | -0.3                                                              |
| failure_visits           | 6                                                                 |
| id                       | 2                                                                 |
| is_debug_successful      | ✗                                                                 |
| is_leaf                  | ✗                                                                 |
| is_successful            | ✗                                                                 |
| is_terminal              | ✓                                                                 |
| normalized_failure_visit | 3                                                                 |
| num_children             | 2                                                                 |
| prev_tutorial_prompt     | None                                                              |
| stage                    | evolve                                                            |
| time_step                | 2                                                                 |
| tool_used                | autogluon.tabular                                                 |
| tools_available          | ['autogluon.multimodal', 'machine learning', 'autogluon.tabular'] |
| unvalidated_visits       | 0                                                                 |
| validated_contribution   | 0.0                                                               |
| validated_reward         | 0.0                                                               |
| validated_visits         | 0                                                                 |
| validation_score         | None                                                              |

|           |         |
|-----------|---------|
| visits    | 6       |
| parent_id | -1      |
| child_ids | [11, 7] |

### **Error Message:**

stderr:

==> WARNING: A newer version of conda exists. <==

current version: 25.11.0

latest version: 26.3.2

Please update conda by running

\$ conda update -n base -c conda-forge conda

Using Python 3.11.15 environment at: 32-basic\_prompt/node\_2/conda\_env

Resolved 241 packages in 1.55s

Uninstalled 1 package in 1.50s

Installed 239 packages in 50.47s

+ absl-py==2.4.0

+ accelerate==1.13.0

+ adagio==0.2.6

+ aiohappyeyeballs==2.6.1

+ aiohttp==3.13.5

+ aiohttp-cors==0.8.1

+ aiosignal==1.4.0

+ alembic==1.18.4

+ annotated-doc==0.0.4

+ annotated-types==0.7.0

+ antlr4-python3-runtime==4.9.3

+ attrs==26.1.0

+ autogluon==1.5.1b20260501

+ autogluon-common==1.5.1b20260501

+ autogluon-core==1.5.1b20260501

+ autogluon-features==1.5.1b20260501

+ autogluon-multimodal==1.5.1b20260501

+ autogluon-tabular==1.5.1b20260501

+ autogluon-timeseries==1.5.1b20260501

+ beartype==0.22.9

+ beautifulsoup4==4.14.3

+ blis==1.3.3

+ boto3==1.43.1

+ botocore==1.43.1

+ catalogue==2.0.10

+ catboost==1.2.10

+ certifi==2026.4.22

+ cffi==2.0.0

- + chardet==7.4.3
- + charset-normalizer==3.4.7
- + chronos-forecasting==2.2.2
- + click==8.3.3
- + cloudpathlib==0.24.0
- + cloudpickle==3.1.2
- + colorama==0.4.6
- + colorful==0.6.0a1
- + colorlog==6.10.1
- + confection==1.3.3
- + contourpy==1.3.3
- + coreforecast==0.0.16
- + cryptography==47.0.0
- + cycler==0.12.1
- + cymem==2.0.13
- + daal==2025.9.0
- + datasets==4.0.0
- + defusedxml==0.7.1
- + dill==0.3.8
- + distlib==0.4.0
- + einops==0.8.2
- + einx==0.4.3
- + evaluate==0.4.6
- + fastai==2.8.5
- + fastcore==1.8.18
- + fastdownload==0.0.7
- + fastprogress==1.0.5
- + fasttransform==0.0.2
- + filelock==3.29.0
- + fonttools==4.62.1
- + frozendict==2.4.7
- + frozenlist==1.8.0
- + fsspec==2025.3.0
- + fugue==0.9.7
- + future==1.0.0
- + gdown==6.0.0
- + gluonts==0.16.2
- + google-api-core==2.30.3
- + google-auth==2.50.0
- + googleapis-common-protos==1.74.0
- + graphviz==0.21
- + grpcio==1.80.0
- + hf-xet==1.5.0.dev3
- + httpx==1.0.dev3
- + huggingface-hub==0.36.2

+ hyperopt==... [truncated, 7404 chars total]

### ***Error Analysis:***

ERROR\_SUMMARY: The script fails with a FileNotFoundError because it attempts to load the test data from '/home/anri21/be-fair/mlzero/32-basic\_prompt/node\_2/input/test.csv', but this file does not exist at the specified location. As a result, pandas cannot read the test data, and the script terminates during the test data loading step.

### **SUGGESTED\_FIX:**

Verify that the test data file ('test.csv') is present at '/home/anri21/be-fair/mlzero/32-basic\_prompt/node\_2/input/'. If it is missing, ensure the file is generated or copied to this directory before running the script. Double-check the path and filename for typos or misplacement, and update the script or data location as needed to match.



### Node 3 (debug)

| Property                 | Value                                                             |
|--------------------------|-------------------------------------------------------------------|
| uct_value                | 0.9261                                                            |
| ctime                    | 2026-05-01 12:14:49                                               |
| debug_attempts           | 3                                                                 |
| depth                    | 2                                                                 |
| execution_time           | 0.0                                                               |
| expected_child_count     | 0                                                                 |
| exploitation             | 0.0                                                               |
| exploration              | 1.2684446626418298                                                |
| failure_penalty          | -0.0                                                              |
| failure_visits           | 3                                                                 |
| id                       | 3                                                                 |
| is_debug_successful      | ✗                                                                 |
| is_leaf                  | ✗                                                                 |
| is_successful            | ✗                                                                 |
| is_terminal              | ✓                                                                 |
| normalized_failure_visit | 0                                                                 |
| num_children             | 2                                                                 |
| prev_tutorial_prompt     | None                                                              |
| stage                    | debug                                                             |
| time_step                | 3                                                                 |
| tool_used                | autogluon.multimodal                                              |
| tools_available          | ['autogluon.multimodal', 'machine learning', 'autogluon.tabular'] |
| unvalidated_visits       | 0                                                                 |
| validated_contribution   | 0.0                                                               |
| validated_reward         | 0.0                                                               |
| validated_visits         | 0                                                                 |
| validation_score         | None                                                              |

|           |         |
|-----------|---------|
| visits    | 3       |
| parent_id | 0       |
| child_ids | [8, 12] |

### **Error Message:**

stderr:

==> WARNING: A newer version of conda exists. <==

current version: 25.11.0

latest version: 26.3.2

Please update conda by running

\$ conda update -n base -c conda-forge conda

Using Python 3.11.15 environment at: 32-basic\_prompt/node\_3/conda\_env

Resolved 237 packages in 953ms

Uninstalled 1 package in 1.58s

Installed 235 packages in 50.56s

+ absl-py==2.4.0

+ accelerate==1.13.0

+ adagio==0.2.6

+ aiohappyeyeballs==2.6.1

+ aiohttp==3.13.5

+ aiohttp-cors==0.8.1

+ aiosignal==1.4.0

+ alembic==1.18.4

+ annotated-doc==0.0.4

+ annotated-types==0.7.0

+ antlr4-python3-runtime==4.9.3

+ attrs==26.1.0

+ autogluon==1.5.1b20260501

+ autogluon-common==1.5.1b20260501

+ autogluon-core==1.5.1b20260501

+ autogluon-features==1.5.1b20260501

+ autogluon-multimodal==1.5.1b20260501

+ autogluon-tabular==1.5.1b20260501

+ autogluon-timeseries==1.5.1b20260501

+ beartype==0.22.9

+ beautifulsoup4==4.14.3

+ blis==1.3.3

+ boto3==1.43.1

+ botocore==1.43.1

+ catalogue==2.0.10

+ catboost==1.2.10

+ certifi==2026.4.22

+ cffi==2.0.0

- + chardet==7.4.3
- + charset-normalizer==3.4.7
- + chronos-forecasting==2.2.2
- + click==8.3.3
- + cloudpathlib==0.24.0
- + cloudpickle==3.1.2
- + colorama==0.4.6
- + colorful==0.6.0a1
- + colorlog==6.10.1
- + confection==1.3.3
- + contourpy==1.3.3
- + coreforecast==0.0.16
- + cryptography==47.0.0
- + cycler==0.12.1
- + cymem==2.0.13
- + datasets==4.0.0
- + defusedxml==0.7.1
- + dill==0.3.8
- + distlib==0.4.0
- + einops==0.8.2
- + einx==0.4.3
- + evaluate==0.4.6
- + fastai==2.8.5
- + fastcore==1.8.18
- + fastdownload==0.0.7
- + fastprogress==1.0.5
- + fasttransform==0.0.2
- + filelock==3.29.0
- + fonttools==4.62.1
- + frozendict==2.4.7
- + frozenlist==1.8.0
- + fsspec==2025.3.0
- + fugue==0.9.7
- + future==1.0.0
- + gdown==6.0.0
- + gluonts==0.16.2
- + google-api-core==2.30.3
- + google-auth==2.50.0
- + googleapis-common-protos==1.74.0
- + graphviz==0.21
- + grpcio==1.80.0
- + hf-xet==1.5.0.dev3
- + httpx==1.0.dev3
- + huggingface-hub==0.36.2
- + hyperopt==0.2.7

+ idna==3.1... [truncated, 9084 chars total]

### ***Error Analysis:***

ERROR\_SUMMARY: The error "ValueError: No model is available for this dataset." occurs because AutoGluon MultiModal cannot select or train a model when the training dataset is too small or lacks sufficient class diversity. In your case, the dataset has only 3 samples, with just one labeled as 'malignant', which is insufficient for binary image classification.

### **SUGGESTED\_FIX:**

Increase the size of your training dataset to include more samples and ensure that both classes ('malignant' and 'non-malignant') are adequately represented. AutoGluon MultiModal typically requires at least several samples per class (ideally 10+ per class) to train a model; collect or label more data before rerunning the script.

## Node 4 (debug)

| Property                 | Value                                                             |
|--------------------------|-------------------------------------------------------------------|
| uct_value                | 0.9261                                                            |
| ctime                    | 2026-05-01 12:18:31                                               |
| debug_attempts           | 3                                                                 |
| depth                    | 2                                                                 |
| execution_time           | 0.0                                                               |
| expected_child_count     | 0                                                                 |
| exploitation             | 0.0                                                               |
| exploration              | 1.2684446626418298                                                |
| failure_penalty          | -0.0                                                              |
| failure_visits           | 3                                                                 |
| id                       | 4                                                                 |
| is_debug_successful      | ✗                                                                 |
| is_leaf                  | ✗                                                                 |
| is_successful            | ✗                                                                 |
| is_terminal              | ✓                                                                 |
| normalized_failure_visit | 0                                                                 |
| num_children             | 2                                                                 |
| prev_tutorial_prompt     | None                                                              |
| stage                    | debug                                                             |
| time_step                | 4                                                                 |
| tool_used                | machine learning                                                  |
| tools_available          | ['autogluon.multimodal', 'machine learning', 'autogluon.tabular'] |
| unvalidated_visits       | 0                                                                 |
| validated_contribution   | 0.0                                                               |
| validated_reward         | 0.0                                                               |
| validated_visits         | 0                                                                 |
| validation_score         | None                                                              |

|           |          |
|-----------|----------|
| visits    | 3        |
| parent_id | 1        |
| child_ids | [10, 15] |

### **Error Message:**

stderr:

==> WARNING: A newer version of conda exists. <==

current version: 25.11.0

latest version: 26.3.2

Please update conda by running

\$ conda update -n base -c conda-forge conda

warning: Requirements file `~/home/anri21/.conda/envs/mlzero\_env/lib/python3.12/site-packages/autogluon/assistant/tools\_registry/machine learning/requirements.txt` does not contain any dependencies

Using Python 3.11.15 environment at: 32-basic\_prompt/node\_4/conda\_env

Resolved 79 packages in 303ms

Uninstalled 1 package in 1.50s

Installed 78 packages in 34.18s

+ aiohappyeyeballs==2.6.1

+ aiohttp==3.13.5

+ aiosignal==1.4.0

+ annotated-doc==0.0.4

+ annotated-types==0.7.0

+ anyio==4.13.0

+ attrs==26.1.0

+ certifi==2026.4.22

+ chardet==7.4.3

+ charset-normalizer==3.4.7

+ click==8.3.3

+ cuda-bindings==13.2.0

+ cuda-pathfinder==1.5.4

+ cuda-toolkit==13.0.2

+ datasets==4.8.5

+ dill==0.4.1

+ filelock==3.29.0

+ frozenlist==1.8.0

+ fsspec==2026.2.0

+ h11==0.16.0

+ hf-xet==1.5.0.dev3

+ httpcore==1.0.9

+ httpx==0.28.1

+ huggingface-hub==1.13.0

+ idna==3.13

+ jinja2==3.1.6

```
+ markdown-it-py==4.0.0
+ markupsafe==3.0.3
+ mdurl==0.1.2
+ mpmath==1.3.0
+ multidict==6.7.1
+ multiprocessing==0.70.19
+ networkx==3.6.1
+ numpy==2.4.4
+ nvidia-cublas==13.1.0.3
+ nvidia-cuda-cupti==13.0.85
+ nvidia-cuda-nvrtc==13.0.88
+ nvidia-cuda-runtime==13.0.96
+ nvidia-cudnn-cu13==9.19.0.56
+ nvidia-cufft==12.0.0.61
+ nvidia-cufile==1.15.1.6
+ nvidia-curand==10.4.0.35
+ nvidia-cusolver==12.0.4.66
+ nvidia-cusparselt-cu13==0.8.0
+ nvidia-nccl-cu13==2.28.9
+ nvidia-nvjitlink==13.0.88
+ nvidia-nvshmem-cu13==3.4.5
+ nvidia-nvtx==13.0.85
+ opencv-python==4.13.0.92
+ pandas==3.0.2
+ pillow==12.2.0
+ propcache==0.4.1
+ pyarrow==24.0.0
+ pydantic==2.13.3
+ pydantic-core==2.46.3
+ pygments==2.20.0
+ python-calamine==0.6.2
+ python-dateutil==2.9.0.post0
+ pytz==2026.1.post1
+ pyyaml==6.0.3
+ requests==2.33.1
+ rich==15.0.0
- setuptools==... [truncated, 3969 chars total]
```

### ***Error Analysis:***

ERROR\_SUMMARY: The error occurs because, after preprocessing and feature extraction, the training set (`X\_train`) is empty (shape=(0, 12)), which means there are no valid samples left to train the LogisticRegression model. This is likely due to all training images being missing, unreadable, or all rows being dropped due to NaN values in the extracted features.

SUGGESTED\_FIX: Check that all image files referenced in the training CSV actually exist and are readable in the specified directory. Add logging or print statements to

identify which images fail to load, and ensure that the feature extraction step does not result in all-NaN rows; if necessary, adjust the data cleaning logic to avoid dropping all samples, or provide fallback features for missing images.



## Node 5 (debug)

| Property                 | Value                                                             |
|--------------------------|-------------------------------------------------------------------|
| uct_value                | 1.3384                                                            |
| ctime                    | 2026-05-01 12:21:30                                               |
| debug_attempts           | 3                                                                 |
| depth                    | 2                                                                 |
| execution_time           | 0.0                                                               |
| expected_child_count     | 0                                                                 |
| exploitation             | 0.0                                                               |
| exploration              | 1.664857771836881                                                 |
| failure_penalty          | -0.0                                                              |
| failure_visits           | 2                                                                 |
| id                       | 5                                                                 |
| is_debug_successful      | ✗                                                                 |
| is_leaf                  | ✗                                                                 |
| is_successful            | ✗                                                                 |
| is_terminal              | ✓                                                                 |
| normalized_failure_visit | 0                                                                 |
| num_children             | 1                                                                 |
| prev_tutorial_prompt     | None                                                              |
| stage                    | debug                                                             |
| time_step                | 5                                                                 |
| tool_used                | autogluon.multimodal                                              |
| tools_available          | ['autogluon.multimodal', 'machine learning', 'autogluon.tabular'] |
| unvalidated_visits       | 0                                                                 |
| validated_contribution   | 0.0                                                               |
| validated_reward         | 0.0                                                               |
| validated_visits         | 0                                                                 |
| validation_score         | None                                                              |

|           |     |
|-----------|-----|
| visits    | 2   |
| parent_id | 0   |
| child_ids | [9] |

### **Error Message:**

stderr:

==> WARNING: A newer version of conda exists. <==

current version: 25.11.0

latest version: 26.3.2

Please update conda by running

\$ conda update -n base -c conda-forge conda

Using Python 3.11.15 environment at: 32-basic\_prompt/node\_5/conda\_env

Resolved 237 packages in 1.02s

Uninstalled 1 package in 1.57s

Installed 235 packages in 58.57s

+ absl-py==2.4.0

+ accelerate==1.13.0

+ adagio==0.2.6

+ aiohappyeyeballs==2.6.1

+ aiohttp==3.13.5

+ aiohttp-cors==0.8.1

+ aiosignal==1.4.0

+ alembic==1.18.4

+ annotated-doc==0.0.4

+ annotated-types==0.7.0

+ antlr4-python3-runtime==4.9.3

+ attrs==26.1.0

+ autogluon==1.5.1b20260501

+ autogluon-common==1.5.1b20260501

+ autogluon-core==1.5.1b20260501

+ autogluon-features==1.5.1b20260501

+ autogluon-multimodal==1.5.1b20260501

+ autogluon-tabular==1.5.1b20260501

+ autogluon-timeseries==1.5.1b20260501

+ beartype==0.22.9

+ beautifulsoup4==4.14.3

+ blis==1.3.3

+ boto3==1.43.1

+ botocore==1.43.1

+ catalogue==2.0.10

+ catboost==1.2.10

+ certifi==2026.4.22

+ cffi==2.0.0

- + chardet==7.4.3
- + charset-normalizer==3.4.7
- + chronos-forecasting==2.2.2
- + click==8.3.3
- + cloudpathlib==0.24.0
- + cloudpickle==3.1.2
- + colorama==0.4.6
- + colorful==0.6.0a1
- + colorlog==6.10.1
- + confection==1.3.3
- + contourpy==1.3.3
- + coreforecast==0.0.16
- + cryptography==47.0.0
- + cycler==0.12.1
- + cymem==2.0.13
- + datasets==4.0.0
- + defusedxml==0.7.1
- + dill==0.3.8
- + distlib==0.4.0
- + einops==0.8.2
- + einx==0.4.3
- + evaluate==0.4.6
- + fastai==2.8.5
- + fastcore==1.8.18
- + fastdownload==0.0.7
- + fastprogress==1.0.5
- + fasttransform==0.0.2
- + filelock==3.29.0
- + fonttools==4.62.1
- + frozendict==2.4.7
- + frozenlist==1.8.0
- + fsspec==2025.3.0
- + fugue==0.9.7
- + future==1.0.0
- + gdown==6.0.0
- + gluonts==0.16.2
- + google-api-core==2.30.3
- + google-auth==2.50.0
- + googleapis-common-protos==1.74.0
- + graphviz==0.21
- + grpcio==1.80.0
- + hf-xet==1.5.0.dev3
- + httpx==1.0.dev3
- + huggingface-hub==0.36.2
- + hyperopt==0.2.7

+ idna==3.1... [truncated, 9127 chars total]

### ***Error Analysis:***

ERROR\_SUMMARY: The error "ValueError: No model is available for this dataset." occurs because AutoGluon MultiModal requires a minimum number of samples and at least two classes in the training data, but your dataset only contains 3 samples (with only one labeled as 'malignant'), which is insufficient for model selection and training. This leads AutoGluon to abort the training process as it cannot select or fit a model with such limited data.

### **SUGGESTED\_FIX:**

Increase the size and class diversity of your training dataset—ensure you have at least several samples for each class (malignant and non-malignant). If you cannot obtain more data, consider using a simpler model or a different library that can handle very small datasets, or augment your dataset with additional labeled images before retrying AutoGluon MultiModal.

## Node 6 (debug)

| Property                 | Value                                                             |
|--------------------------|-------------------------------------------------------------------|
| uct_value                | 1.3384                                                            |
| ctime                    | 2026-05-01 12:25:16                                               |
| debug_attempts           | 3                                                                 |
| depth                    | 2                                                                 |
| execution_time           | 0.0                                                               |
| expected_child_count     | 0                                                                 |
| exploitation             | 0.0                                                               |
| exploration              | 1.664857771836881                                                 |
| failure_penalty          | -0.0                                                              |
| failure_visits           | 2                                                                 |
| id                       | 6                                                                 |
| is_debug_successful      | ✗                                                                 |
| is_leaf                  | ✗                                                                 |
| is_successful            | ✗                                                                 |
| is_terminal              | ✓                                                                 |
| normalized_failure_visit | 0                                                                 |
| num_children             | 1                                                                 |
| prev_tutorial_prompt     | None                                                              |
| stage                    | debug                                                             |
| time_step                | 6                                                                 |
| tool_used                | machine learning                                                  |
| tools_available          | ['autogluon.multimodal', 'machine learning', 'autogluon.tabular'] |
| unvalidated_visits       | 0                                                                 |
| validated_contribution   | 0.0                                                               |
| validated_reward         | 0.0                                                               |
| validated_visits         | 0                                                                 |
| validation_score         | None                                                              |

|           |      |
|-----------|------|
| visits    | 2    |
| parent_id | 1    |
| child_ids | [13] |

### **Error Message:**

stderr:

==> WARNING: A newer version of conda exists. <==

current version: 25.11.0

latest version: 26.3.2

Please update conda by running

\$ conda update -n base -c conda-forge conda

warning: Requirements file `~/home/anri21/.conda/envs/mlzero\_env/lib/python3.12/site-packages/autogluon/assistant/tools\_registry/machine learning/requirements.txt` does not contain any dependencies

Using Python 3.11.15 environment at: 32-basic\_prompt/node\_6/conda\_env

Resolved 79 packages in 335ms

Uninstalled 1 package in 1.48s

Installed 78 packages in 34.35s

+ aiohappyeyeballs==2.6.1

+ aiohttp==3.13.5

+ aiosignal==1.4.0

+ annotated-doc==0.0.4

+ annotated-types==0.7.0

+ anyio==4.13.0

+ attrs==26.1.0

+ certifi==2026.4.22

+ chardet==7.4.3

+ charset-normalizer==3.4.7

+ click==8.3.3

+ cuda-bindings==13.2.0

+ cuda-pathfinder==1.5.4

+ cuda-toolkit==13.0.2

+ datasets==4.8.5

+ dill==0.4.1

+ filelock==3.29.0

+ frozenlist==1.8.0

+ fsspec==2026.2.0

+ h11==0.16.0

+ hf-xet==1.5.0.dev3

+ httpcore==1.0.9

+ httpx==0.28.1

+ huggingface-hub==1.13.0

+ idna==3.13

+ jinja2==3.1.6

```
+ markdown-it-py==4.0.0
+ markupsafe==3.0.3
+ mdurl==0.1.2
+ mpmath==1.3.0
+ multidict==6.7.1
+ multiprocessing==0.70.19
+ networkx==3.6.1
+ numpy==2.4.4
+ nvidia-cublas==13.1.0.3
+ nvidia-cuda-cupti==13.0.85
+ nvidia-cuda-nvrtc==13.0.88
+ nvidia-cuda-runtime==13.0.96
+ nvidia-cudnn-cu13==9.19.0.56
+ nvidia-cufft==12.0.0.61
+ nvidia-cufile==1.15.1.6
+ nvidia-curand==10.4.0.35
+ nvidia-cusolver==12.0.4.66
+ nvidia-cusparselt-cu13==0.8.0
+ nvidia-nccl-cu13==2.28.9
+ nvidia-nvjitlink==13.0.88
+ nvidia-nvshmem-cu13==3.4.5
+ nvidia-nvtx==13.0.85
+ opencv-python==4.13.0.92
+ pandas==3.0.2
+ pillow==12.2.0
+ propcache==0.4.1
+ pyarrow==24.0.0
+ pydantic==2.13.3
+ pydantic-core==2.46.3
+ pygments==2.20.0
+ python-calamine==0.6.2
+ python-dateutil==2.9.0.post0
+ pytz==2026.1.post1
+ pyyaml==6.0.3
+ requests==2.33.1
+ rich==15.0.0
- setuptools==... [truncated, 3981 chars total]
```

### ***Error Analysis:***

ERROR\_SUMMARY: The error occurs because the training feature matrix `X_train` is empty (shape=(0, 12)), meaning there are zero valid training samples after preprocessing. This is likely due to all training images being missing, unreadable, or all rows being dropped due to NaN values in the extracted features, resulting in no data for model fitting.

SUGGESTED\_FIX: Check that all image files referenced in the training CSV exist and are readable in the specified directory. Add logging or print statements after

feature extraction to verify how many valid (non-NaN) samples remain, and ensure that the feature extraction function is not returning all-NaN rows; if images are missing, update the dataset or image paths accordingly.



## Node 7 (debug)

| Property                 | Value                                                             |
|--------------------------|-------------------------------------------------------------------|
| uct_value                | 0.9261                                                            |
| ctime                    | 2026-05-01 12:27:59                                               |
| debug_attempts           | 3                                                                 |
| depth                    | 2                                                                 |
| execution_time           | 0.0                                                               |
| expected_child_count     | 0                                                                 |
| exploitation             | 0.0                                                               |
| exploration              | 1.2684446626418298                                                |
| failure_penalty          | -0.0                                                              |
| failure_visits           | 3                                                                 |
| id                       | 7                                                                 |
| is_debug_successful      | ✗                                                                 |
| is_leaf                  | ✗                                                                 |
| is_successful            | ✗                                                                 |
| is_terminal              | ✓                                                                 |
| normalized_failure_visit | 0                                                                 |
| num_children             | 2                                                                 |
| prev_tutorial_prompt     | None                                                              |
| stage                    | debug                                                             |
| time_step                | 7                                                                 |
| tool_used                | autogluon.tabular                                                 |
| tools_available          | ['autogluon.multimodal', 'machine learning', 'autogluon.tabular'] |
| unvalidated_visits       | 0                                                                 |
| validated_contribution   | 0.0                                                               |
| validated_reward         | 0.0                                                               |
| validated_visits         | 0                                                                 |
| validation_score         | None                                                              |

|           |          |
|-----------|----------|
| visits    | 3        |
| parent_id | 2        |
| child_ids | [16, 17] |

### **Error Message:**

stderr:

==> WARNING: A newer version of conda exists. <==

current version: 25.11.0

latest version: 26.3.2

Please update conda by running

\$ conda update -n base -c conda-forge conda

Using Python 3.11.15 environment at: 32-basic\_prompt/node\_7/conda\_env

Resolved 241 packages in 1.05s

Uninstalled 1 package in 1.57s

Installed 239 packages in 56.45s

+ absl-py==2.4.0

+ accelerate==1.13.0

+ adagio==0.2.6

+ aiohappyeyeballs==2.6.1

+ aiohttp==3.13.5

+ aiohttp-cors==0.8.1

+ aiosignal==1.4.0

+ alembic==1.18.4

+ annotated-doc==0.0.4

+ annotated-types==0.7.0

+ antlr4-python3-runtime==4.9.3

+ attrs==26.1.0

+ autogluon==1.5.1b20260501

+ autogluon-common==1.5.1b20260501

+ autogluon-core==1.5.1b20260501

+ autogluon-features==1.5.1b20260501

+ autogluon-multimodal==1.5.1b20260501

+ autogluon-tabular==1.5.1b20260501

+ autogluon-timeseries==1.5.1b20260501

+ beartype==0.22.9

+ beautifulsoup4==4.14.3

+ blis==1.3.3

+ boto3==1.43.1

+ botocore==1.43.1

+ catalogue==2.0.10

+ catboost==1.2.10

+ certifi==2026.4.22

+ cffi==2.0.0

- + chardet==7.4.3
- + charset-normalizer==3.4.7
- + chronos-forecasting==2.2.2
- + click==8.3.3
- + cloudpathlib==0.24.0
- + cloudpickle==3.1.2
- + colorama==0.4.6
- + colorful==0.6.0a1
- + colorlog==6.10.1
- + confection==1.3.3
- + contourpy==1.3.3
- + coreforecast==0.0.16
- + cryptography==47.0.0
- + cycler==0.12.1
- + cymem==2.0.13
- + daal==2025.9.0
- + datasets==4.0.0
- + defusedxml==0.7.1
- + dill==0.3.8
- + distlib==0.4.0
- + einops==0.8.2
- + einx==0.4.3
- + evaluate==0.4.6
- + fastai==2.8.5
- + fastcore==1.8.18
- + fastdownload==0.0.7
- + fastprogress==1.0.5
- + fasttransform==0.0.2
- + filelock==3.29.0
- + fonttools==4.62.1
- + frozendict==2.4.7
- + frozenlist==1.8.0
- + fsspec==2025.3.0
- + fugue==0.9.7
- + future==1.0.0
- + gdown==6.0.0
- + gluonts==0.16.2
- + google-api-core==2.30.3
- + google-auth==2.50.0
- + googleapis-common-protos==1.74.0
- + graphviz==0.21
- + grpcio==1.80.0
- + hf-xet==1.5.0.dev3
- + httpx==1.0.dev3
- + huggingface-hub==0.36.2

+ hyperopt==... [truncated, 7404 chars total]

### ***Error Analysis:***

ERROR\_SUMMARY: The script fails with a FileNotFoundError because it attempts to load the test data from '/home/anri21/be-fair/mlzero/32-basic\_prompt/node\_7/input/test.csv', but this file does not exist at the specified path, causing the pandas read\_csv function to raise an error.

SUGGESTED\_FIX: Verify that the test.csv file is present at '/home/anri21/be-fair/mlzero/32-basic\_prompt/node\_7/input/'. If it is missing, ensure the test data is generated or copied to this location before running the script; alternatively, update the TEST\_CSV path in the script to point to the correct location of your test data file.

## Node 8 (debug)

| Property             | Value                                                             |
|----------------------|-------------------------------------------------------------------|
| uct_value            | 1.4821                                                            |
| ctime                | 2026-05-01 12:30:45                                               |
| debug_attempts       | 2                                                                 |
| depth                | 3                                                                 |
| execution_time       | 0.0                                                               |
| expected_child_count | 0                                                                 |
| failure_visits       | 1                                                                 |
| id                   | 8                                                                 |
| is_debug_successful  | ✗                                                                 |
| is_leaf              | ✓                                                                 |
| is_successful        | ✗                                                                 |
| is_terminal          | ✓                                                                 |
| num_children         | 0                                                                 |
| prev_tutorial_prompt | None                                                              |
| stage                | debug                                                             |
| time_step            | 8                                                                 |
| tool_used            | autogluon.multimodal                                              |
| tools_available      | ['autogluon.multimodal', 'machine learning', 'autogluon.tabular'] |
| unvalidated_visits   | 0                                                                 |
| validated_reward     | 0.0                                                               |
| validated_visits     | 0                                                                 |
| validation_score     | None                                                              |
| visits               | 1                                                                 |
| parent_id            | 3                                                                 |
| child_ids            | []                                                                |

**Error Message:**

stderr:

==> WARNING: A newer version of conda exists. <==

current version: 25.11.0

latest version: 26.3.2

Please update conda by running

\$ conda update -n base -c conda-forge conda

Using Python 3.11.15 environment at: 32-basic\_prompt/node\_8/conda\_env

Resolved 237 packages in 918ms

Uninstalled 1 package in 1.55s

Installed 235 packages in 1m 35s

+ absl-py==2.4.0

+ accelerate==1.13.0

+ adagio==0.2.6

+ aiohappyeyeballs==2.6.1

+ aiohttp==3.13.5

+ aiohttp-cors==0.8.1

+ aiosignal==1.4.0

+ alembic==1.18.4

+ annotated-doc==0.0.4

+ annotated-types==0.7.0

+ antlr4-python3-runtime==4.9.3

+ attrs==26.1.0

+ autogluon==1.5.1b20260501

+ autogluon-common==1.5.1b20260501

+ autogluon-core==1.5.1b20260501

+ autogluon-features==1.5.1b20260501

+ autogluon-multimodal==1.5.1b20260501

+ autogluon-tabular==1.5.1b20260501

+ autogluon-timeseries==1.5.1b20260501

+ beartype==0.22.9

+ beautifulsoup4==4.14.3

+ blis==1.3.3

+ boto3==1.43.1

+ botocore==1.43.1

+ catalogue==2.0.10

+ catboost==1.2.10

+ certifi==2026.4.22

+ cffi==2.0.0

+ chardet==7.4.3

+ charset-normalizer==3.4.7

+ chronos-forecasting==2.2.2

+ click==8.3.3

+ cloudpathlib==0.24.0

+ cloudpickle==3.1.2

+ colorama==0.4.6

+ colorful==0.6.0a1

```
+ colorlog==6.10.1
+ confection==1.3.3
+ contourpy==1.3.3
+ coreforecast==0.0.16
+ cryptography==47.0.0
+ cycler==0.12.1
+ cymem==2.0.13
+ datasets==4.0.0
+ defusedxml==0.7.1
+ dill==0.3.8
+ distlib==0.4.0
+ einops==0.8.2
+ einx==0.4.3
+ evaluate==0.4.6
+ fastai==2.8.5
+ fastcore==1.8.18
+ fastdownload==0.0.7
+ fastprogress==1.0.5
+ fasttransform==0.0.2
+ filelock==3.29.0
+ fonttools==4.62.1
+ frozendict==2.4.7
+ frozenlist==1.8.0
+ fsspec==2025.3.0
+ fugue==0.9.7
+ future==1.0.0
+ gdown==6.0.0
+ gluonts==0.16.2
+ google-api-core==2.30.3
+ google-auth==2.50.0
+ googleapis-common-protos==1.74.0
+ graphviz==0.21
+ grpcio==1.80.0
+ hf-xet==1.5.0.dev3
+ httpx==1.0.dev3
+ huggingface-hub==0.36.2
+ hyperopt==0.2.7
+ idna==3.1... [truncated, 9027 chars total]
```

### ***Error Analysis:***

ERROR\_SUMMARY: The error "ValueError: No model is available for this dataset." occurs because the training dataset is too small and lacks sufficient class diversity—specifically, there are only 3 samples and only one positive class ("malignant"). AutoGluon MultiModal requires at least two classes with multiple samples to select and train a model.

SUGGESTED\_FIX:

Increase the size and diversity of your training dataset so that it contains at least two classes (e.g., both "malignant" and "benign"/"non-neoplastic") with multiple samples per class. Ensure that after preprocessing, your training data includes enough examples from each class for the model to learn and validate; otherwise, AutoGluon will not proceed with model selection or training.



## Node 9 (debug)

| Property             | Value                                                             |
|----------------------|-------------------------------------------------------------------|
| uct_value            | 1.1772                                                            |
| ctime                | 2026-05-01 12:35:19                                               |
| debug_attempts       | 3                                                                 |
| depth                | 3                                                                 |
| execution_time       | 0.0                                                               |
| expected_child_count | 0                                                                 |
| failure_visits       | 1                                                                 |
| id                   | 9                                                                 |
| is_debug_successful  | ✗                                                                 |
| is_leaf              | ✓                                                                 |
| is_successful        | ✗                                                                 |
| is_terminal          | ✓                                                                 |
| num_children         | 0                                                                 |
| prev_tutorial_prompt | None                                                              |
| stage                | debug                                                             |
| time_step            | 9                                                                 |
| tool_used            | autogluon.multimodal                                              |
| tools_available      | ['autogluon.multimodal', 'machine learning', 'autogluon.tabular'] |
| unvalidated_visits   | 0                                                                 |
| validated_reward     | 0.0                                                               |
| validated_visits     | 0                                                                 |
| validation_score     | None                                                              |
| visits               | 1                                                                 |
| parent_id            | 5                                                                 |
| child_ids            | []                                                                |

**Error Message:**

stderr:

==> WARNING: A newer version of conda exists. <==

current version: 25.11.0

latest version: 26.3.2

Please update conda by running

\$ conda update -n base -c conda-forge conda

Using Python 3.11.15 environment at: 32-basic\_prompt/node\_9/conda\_env

Resolved 237 packages in 927ms

Uninstalled 1 package in 1.58s

Installed 235 packages in 1m 06s

+ absl-py==2.4.0

+ accelerate==1.13.0

+ adagio==0.2.6

+ aiohappyeyeballs==2.6.1

+ aiohttp==3.13.5

+ aiohttp-cors==0.8.1

+ aiosignal==1.4.0

+ alembic==1.18.4

+ annotated-doc==0.0.4

+ annotated-types==0.7.0

+ antlr4-python3-runtime==4.9.3

+ attrs==26.1.0

+ autogluon==1.5.1b20260501

+ autogluon-common==1.5.1b20260501

+ autogluon-core==1.5.1b20260501

+ autogluon-features==1.5.1b20260501

+ autogluon-multimodal==1.5.1b20260501

+ autogluon-tabular==1.5.1b20260501

+ autogluon-timeseries==1.5.1b20260501

+ beartype==0.22.9

+ beautifulsoup4==4.14.3

+ blis==1.3.3

+ boto3==1.43.1

+ botocore==1.43.1

+ catalogue==2.0.10

+ catboost==1.2.10

+ certifi==2026.4.22

+ cffi==2.0.0

+ chardet==7.4.3

+ charset-normalizer==3.4.7

+ chronos-forecasting==2.2.2

+ click==8.3.3

+ cloudpathlib==0.24.0

+ cloudpickle==3.1.2

+ colorama==0.4.6

+ colorful==0.6.0a1

+ colorlog==6.10.1  
+ confection==1.3.3  
+ contourpy==1.3.3  
+ coreforecast==0.0.16  
+ cryptography==47.0.0  
+ cycler==0.12.1  
+ cymem==2.0.13  
+ datasets==4.0.0  
+ defusedxml==0.7.1  
+ dill==0.3.8  
+ distlib==0.4.0  
+ einops==0.8.2  
+ einx==0.4.3  
+ evaluate==0.4.6  
+ fastai==2.8.5  
+ fastcore==1.8.18  
+ fastdownload==0.0.7  
+ fastprogress==1.0.5  
+ fasttransform==0.0.2  
+ filelock==3.29.0  
+ fonttools==4.62.1  
+ frozendict==2.4.7  
+ frozenlist==1.8.0  
+ fsspec==2025.3.0  
+ fugue==0.9.7  
+ future==1.0.0  
+ gdown==6.0.0  
+ gluonts==0.16.2  
+ google-api-core==2.30.3  
+ google-auth==2.50.0  
+ googleapis-common-protos==1.74.0  
+ graphviz==0.21  
+ grpcio==1.80.0  
+ hf-xet==1.5.0.dev3  
+ httpx==1.0.dev3  
+ huggingface-hub==0.36.2  
+ hyperopt==0.2.7  
+ idna==3.1... [truncated, 9158 chars total]

### ***Error Analysis:***

ERROR\_SUMMARY: AutoGluon MultiModal failed to train because the training dataset is too small and lacks sufficient class diversity. Specifically, there are only 3 samples in the training data, with just one labeled as "malignant" and the others as "non-neoplastic" (mapped to 0), resulting in an imbalanced dataset with only one positive class. AutoGluon requires at least two classes with multiple samples per class to select and train a model.

SUGGESTED\_FIX:

Increase the size and diversity of your training dataset by adding more labeled samples, ensuring that both classes ("malignant" and "benign"/"non-neoplastic") are represented with at least a few samples each. Once you have at least two classes with multiple examples per class, rerun the training script to allow AutoGluon to select an appropriate model.

## Node 10 (debug)

| Property             | Value                                                             |
|----------------------|-------------------------------------------------------------------|
| uct_value            | 1.4821                                                            |
| ctime                | 2026-05-01 12:39:29                                               |
| debug_attempts       | 2                                                                 |
| depth                | 3                                                                 |
| execution_time       | 0.0                                                               |
| expected_child_count | 0                                                                 |
| failure_visits       | 1                                                                 |
| id                   | 10                                                                |
| is_debug_successful  | ✗                                                                 |
| is_leaf              | ✓                                                                 |
| is_successful        | ✗                                                                 |
| is_terminal          | ✓                                                                 |
| num_children         | 0                                                                 |
| prev_tutorial_prompt | None                                                              |
| stage                | debug                                                             |
| time_step            | 10                                                                |
| tool_used            | machine learning                                                  |
| tools_available      | ['autogluon.multimodal', 'machine learning', 'autogluon.tabular'] |
| unvalidated_visits   | 0                                                                 |
| validated_reward     | 0.0                                                               |
| validated_visits     | 0                                                                 |
| validation_score     | None                                                              |
| visits               | 1                                                                 |
| parent_id            | 4                                                                 |
| child_ids            | []                                                                |

**Error Message:**

stderr:

==> WARNING: A newer version of conda exists. <==

current version: 25.11.0

latest version: 26.3.2

Please update conda by running

\$ conda update -n base -c conda-forge conda

warning: Requirements file `/home/anri21/.conda/envs/mlzero\_env/lib/python3.12/site-packages/autogluon/assistant/tools\_registry/machine learning/requirements.txt` does not contain any dependencies

Using Python 3.11.15 environment at: 32-basic\_prompt/node\_10/conda\_env

Resolved 79 packages in 292ms

Uninstalled 1 package in 1.48s

Installed 78 packages in 34.27s

+ aiohappyeyeballs==2.6.1

+ aiohttp==3.13.5

+ aiosignal==1.4.0

+ annotated-doc==0.0.4

+ annotated-types==0.7.0

+ anyio==4.13.0

+ attrs==26.1.0

+ certifi==2026.4.22

+ chardet==7.4.3

+ charset-normalizer==3.4.7

+ click==8.3.3

+ cuda-bindings==13.2.0

+ cuda-pathfinder==1.5.4

+ cuda-toolkit==13.0.2

+ datasets==4.8.5

+ dill==0.4.1

+ filelock==3.29.0

+ frozenlist==1.8.0

+ fsspec==2026.2.0

+ h11==0.16.0

+ hf-xet==1.5.0.dev3

+ httpcore==1.0.9

+ httpx==0.28.1

+ huggingface-hub==1.13.0

+ idna==3.13

+ jinja2==3.1.6

+ markdown-it-py==4.0.0

+ markupsafe==3.0.3

+ mdurl==0.1.2

+ mpmath==1.3.0

+ multidict==6.7.1

+ multiprocessing==0.70.19

+ networkx==3.6.1

+ numpy==2.4.4

```
+ nvidia-cublas==13.1.0.3
+ nvidia-cuda-cupti==13.0.85
+ nvidia-cuda-nvrtc==13.0.88
+ nvidia-cuda-runtime==13.0.96
+ nvidia-cudnn-cu13==9.19.0.56
+ nvidia-cufft==12.0.0.61
+ nvidia-cufile==1.15.1.6
+ nvidia-curand==10.4.0.35
+ nvidia-cusolver==12.0.4.66
+ nvidia-cusparselt-cu13==0.8.0
+ nvidia-cusparse==12.6.3.3
+ nvidia-nccl-cu13==2.28.9
+ nvidia-nvjitlink==13.0.88
+ nvidia-nvshmem-cu13==3.4.5
+ nvidia-nvtx==13.0.85
+ opencv-python==4.13.0.92
+ pandas==3.0.2
+ pillow==12.2.0
+ propcache==0.4.1
+ pyarrow==24.0.0
+ pydantic==2.13.3
+ pydantic-core==2.46.3
+ pygments==2.20.0
+ python-calamine==0.6.2
+ python-dateutil==2.9.0.post0
+ pytz==2026.1.post1
+ pyyaml==6.0.3
+ requests==2.33.1
+ rich==15.0.0
- setuptools=... [truncated, 2757 chars total]
```

### ***Error Analysis:***

ERROR\_SUMMARY: The error occurred because the Python environment where the script was executed does not have the 'autogluon' package installed. Specifically, the import statement from autogluon.multimodal failed, resulting in a ModuleNotFoundError, likely because the requirements file used for installation was empty and did not specify autogluon as a dependency.

SUGGESTED\_FIX: Manually install the required package by running `pip install autogluon.multimodal` inside the conda environment before executing the script. Ensure that your requirements files include autogluon.multimodal, or add an explicit `pip install autogluon.multimodal` step in your setup process to guarantee the package is available.

## Node 11 (debug)

| Property                 | Value                                                             |
|--------------------------|-------------------------------------------------------------------|
| uct_value                | 1.3384                                                            |
| ctime                    | 2026-05-01 12:42:13                                               |
| debug_attempts           | 3                                                                 |
| depth                    | 2                                                                 |
| execution_time           | 0.0                                                               |
| expected_child_count     | 0                                                                 |
| exploitation             | 0.0                                                               |
| exploration              | 1.482079962591042                                                 |
| failure_penalty          | -0.0                                                              |
| failure_visits           | 2                                                                 |
| id                       | 11                                                                |
| is_debug_successful      | ✗                                                                 |
| is_leaf                  | ✗                                                                 |
| is_successful            | ✗                                                                 |
| is_terminal              | ✓                                                                 |
| normalized_failure_visit | 0                                                                 |
| num_children             | 1                                                                 |
| prev_tutorial_prompt     | None                                                              |
| stage                    | debug                                                             |
| time_step                | 11                                                                |
| tool_used                | autogluon.tabular                                                 |
| tools_available          | ['autogluon.multimodal', 'machine learning', 'autogluon.tabular'] |
| unvalidated_visits       | 0                                                                 |
| validated_contribution   | 0.0                                                               |
| validated_reward         | 0.0                                                               |
| validated_visits         | 0                                                                 |
| validation_score         | None                                                              |



|           |      |
|-----------|------|
| visits    | 2    |
| parent_id | 2    |
| child_ids | [14] |

### **Error Message:**

stderr:

==> WARNING: A newer version of conda exists. <==

current version: 25.11.0

latest version: 26.3.2

Please update conda by running

\$ conda update -n base -c conda-forge conda

Using Python 3.11.15 environment at: 32-basic\_prompt/node\_11/conda\_env

Resolved 241 packages in 1.02s

Uninstalled 1 package in 1.52s

Installed 239 packages in 57.41s

+ absl-py==2.4.0

+ accelerate==1.13.0

+ adagio==0.2.6

+ aiohappyeyeballs==2.6.1

+ aiohttp==3.13.5

+ aiohttp-cors==0.8.1

+ aiosignal==1.4.0

+ alembic==1.18.4

+ annotated-doc==0.0.4

+ annotated-types==0.7.0

+ antlr4-python3-runtime==4.9.3

+ attrs==26.1.0

+ autogluon==1.5.1b20260501

+ autogluon-common==1.5.1b20260501

+ autogluon-core==1.5.1b20260501

+ autogluon-features==1.5.1b20260501

+ autogluon-multimodal==1.5.1b20260501

+ autogluon-tabular==1.5.1b20260501

+ autogluon-timeseries==1.5.1b20260501

+ beartype==0.22.9

+ beautifulsoup4==4.14.3

+ blis==1.3.3

+ boto3==1.43.1

+ botocore==1.43.1

+ catalogue==2.0.10

+ catboost==1.2.10

+ certifi==2026.4.22

+ cffi==2.0.0

- + chardet==7.4.3
- + charset-normalizer==3.4.7
- + chronos-forecasting==2.2.2
- + click==8.3.3
- + cloudpathlib==0.24.0
- + cloudpickle==3.1.2
- + colorama==0.4.6
- + colorful==0.6.0a1
- + colorlog==6.10.1
- + confection==1.3.3
- + contourpy==1.3.3
- + coreforecast==0.0.16
- + cryptography==47.0.0
- + cycler==0.12.1
- + cymem==2.0.13
- + daal==2025.9.0
- + datasets==4.0.0
- + defusedxml==0.7.1
- + dill==0.3.8
- + distlib==0.4.0
- + einops==0.8.2
- + einx==0.4.3
- + evaluate==0.4.6
- + fastai==2.8.5
- + fastcore==1.8.18
- + fastdownload==0.0.7
- + fastprogress==1.0.5
- + fasttransform==0.0.2
- + filelock==3.29.0
- + fonttools==4.62.1
- + frozendict==2.4.7
- + frozenlist==1.8.0
- + fsspec==2025.3.0
- + fugue==0.9.7
- + future==1.0.0
- + gdown==6.0.0
- + gluonts==0.16.2
- + google-api-core==2.30.3
- + google-auth==2.50.0
- + googleapis-common-protos==1.74.0
- + graphviz==0.21
- + grpcio==1.80.0
- + hf-xet==1.5.0.dev3
- + httpx==1.0.dev3
- + huggingface-hub==0.36.2

+ hyperopt=... [truncated, 7413 chars total]

### ***Error Analysis:***

ERROR\_SUMMARY: The script fails with a `FileNotFoundError` because it attempts to load the test data from `/home/anri21/be-fair/mlzero/32-basic\_prompt/node\_11/input/test.csv`, but this file does not exist at the specified path. As a result, the script cannot proceed with predictions or output generation.

### **SUGGESTED\_FIX:**

Verify that the test data file (`test.csv`) is present at `/home/anri21/be-fair/mlzero/32-basic\_prompt/node\_11/input/`. If it is missing, ensure the test data is generated or copied to this location before running the script. Double-check the file path and permissions to confirm the script can access the file.

## Node 12 (debug)

| Property             | Value                                                             |
|----------------------|-------------------------------------------------------------------|
| uct_value            | 1.4821                                                            |
| ctime                | 2026-05-01 12:44:58                                               |
| debug_attempts       | 3                                                                 |
| depth                | 3                                                                 |
| execution_time       | 0.0                                                               |
| expected_child_count | 0                                                                 |
| failure_visits       | 1                                                                 |
| id                   | 12                                                                |
| is_debug_successful  | ✗                                                                 |
| is_leaf              | ✓                                                                 |
| is_successful        | ✗                                                                 |
| is_terminal          | ✓                                                                 |
| num_children         | 0                                                                 |
| prev_tutorial_prompt | None                                                              |
| stage                | debug                                                             |
| time_step            | 12                                                                |
| tool_used            | autogluon.multimodal                                              |
| tools_available      | ['autogluon.multimodal', 'machine learning', 'autogluon.tabular'] |
| unvalidated_visits   | 0                                                                 |
| validated_reward     | 0.0                                                               |
| validated_visits     | 0                                                                 |
| validation_score     | None                                                              |
| visits               | 1                                                                 |
| parent_id            | 3                                                                 |
| child_ids            | []                                                                |

**Error Message:**

stderr:

==> WARNING: A newer version of conda exists. <==

current version: 25.11.0

latest version: 26.3.2

Please update conda by running

\$ conda update -n base -c conda-forge conda

Using Python 3.11.15 environment at: 32-basic\_prompt/node\_12/conda\_env

Resolved 237 packages in 1.05s

Uninstalled 1 package in 1.57s

Installed 235 packages in 51.11s

+ absl-py==2.4.0

+ accelerate==1.13.0

+ adagio==0.2.6

+ aiohappyeyeballs==2.6.1

+ aiohttp==3.13.5

+ aiohttp-cors==0.8.1

+ aiosignal==1.4.0

+ alembic==1.18.4

+ annotated-doc==0.0.4

+ annotated-types==0.7.0

+ antlr4-python3-runtime==4.9.3

+ attrs==26.1.0

+ autogluon==1.5.1b20260501

+ autogluon-common==1.5.1b20260501

+ autogluon-core==1.5.1b20260501

+ autogluon-features==1.5.1b20260501

+ autogluon-multimodal==1.5.1b20260501

+ autogluon-tabular==1.5.1b20260501

+ autogluon-timeseries==1.5.1b20260501

+ beartype==0.22.9

+ beautifulsoup4==4.14.3

+ blis==1.3.3

+ boto3==1.43.1

+ botocore==1.43.1

+ catalogue==2.0.10

+ catboost==1.2.10

+ certifi==2026.4.22

+ cffi==2.0.0

+ chardet==7.4.3

+ charset-normalizer==3.4.7

+ chronos-forecasting==2.2.2

+ click==8.3.3

+ cloudpathlib==0.24.0

+ cloudpickle==3.1.2

+ colorama==0.4.6

+ colorful==0.6.0a1

+ colorlog==6.10.1  
+ confection==1.3.3  
+ contourpy==1.3.3  
+ coreforecast==0.0.16  
+ cryptography==47.0.0  
+ cycler==0.12.1  
+ cymem==2.0.13  
+ datasets==4.0.0  
+ defusedxml==0.7.1  
+ dill==0.3.8  
+ distlib==0.4.0  
+ einops==0.8.2  
+ einx==0.4.3  
+ evaluate==0.4.6  
+ fastai==2.8.5  
+ fastcore==1.8.18  
+ fastdownload==0.0.7  
+ fastprogress==1.0.5  
+ fasttransform==0.0.2  
+ filelock==3.29.0  
+ fonttools==4.62.1  
+ frozendict==2.4.7  
+ frozenlist==1.8.0  
+ fsspec==2025.3.0  
+ fugue==0.9.7  
+ future==1.0.0  
+ gdown==6.0.0  
+ gluonts==0.16.2  
+ google-api-core==2.30.3  
+ google-auth==2.50.0  
+ googleapis-common-protos==1.74.0  
+ graphviz==0.21  
+ grpcio==1.80.0  
+ hf-xet==1.5.0.dev3  
+ httpx==1.0.dev3  
+ huggingface-hub==0.36.2  
+ hyperopt==0.2.7  
+ idna==3.... [truncated, 9037 chars total]

### ***Error Analysis:***

ERROR\_SUMMARY: The error "ValueError: No model is available for this dataset." occurs because the training dataset is too small (only 3 samples, with only one positive class), which prevents AutoGluon MultiModal from selecting or training a model. AutoGluon requires a minimum number of samples and at least two classes to proceed with model selection and training.

SUGGESTED\_FIX:

Increase the size and diversity of your training dataset to include more samples and ensure that both classes (malignant and non-malignant) are represented. If you cannot obtain more data, consider using a different modeling approach that can handle extremely small datasets, or implement manual checks to prevent training when the dataset is insufficient.

## Node 13 (debug)

| Property             | Value                                                             |
|----------------------|-------------------------------------------------------------------|
| uct_value            | 1.1772                                                            |
| ctime                | 2026-05-01 12:48:42                                               |
| debug_attempts       | 3                                                                 |
| depth                | 3                                                                 |
| execution_time       | 0.0                                                               |
| expected_child_count | 0                                                                 |
| failure_visits       | 1                                                                 |
| id                   | 13                                                                |
| is_debug_successful  | ✗                                                                 |
| is_leaf              | ✓                                                                 |
| is_successful        | ✗                                                                 |
| is_terminal          | ✓                                                                 |
| num_children         | 0                                                                 |
| prev_tutorial_prompt | None                                                              |
| stage                | debug                                                             |
| time_step            | 13                                                                |
| tool_used            | machine learning                                                  |
| tools_available      | ['autogluon.multimodal', 'machine learning', 'autogluon.tabular'] |
| unvalidated_visits   | 0                                                                 |
| validated_reward     | 0.0                                                               |
| validated_visits     | 0                                                                 |
| validation_score     | None                                                              |
| visits               | 1                                                                 |
| parent_id            | 6                                                                 |
| child_ids            | []                                                                |

**Error Message:**



stderr:

==> WARNING: A newer version of conda exists. <==

current version: 25.11.0

latest version: 26.3.2

Please update conda by running

\$ conda update -n base -c conda-forge conda

warning: Requirements file `~/home/anri21/.conda/envs/mlzero\_env/lib/python3.12/site-packages/autogluon/assistant/tools\_registry/machine learning/requirements.txt` does not contain any dependencies

Using Python 3.11.15 environment at: 32-basic\_prompt/node\_13/conda\_env

Resolved 79 packages in 299ms

Uninstalled 1 package in 1.58s

Installed 78 packages in 35.67s

+ aiohappyeyeballs==2.6.1

+ aiohttp==3.13.5

+ aiosignal==1.4.0

+ annotated-doc==0.0.4

+ annotated-types==0.7.0

+ anyio==4.13.0

+ attrs==26.1.0

+ certifi==2026.4.22

+ chardet==7.4.3

+ charset-normalizer==3.4.7

+ click==8.3.3

+ cuda-bindings==13.2.0

+ cuda-pathfinder==1.5.4

+ cuda-toolkit==13.0.2

+ datasets==4.8.5

+ dill==0.4.1

+ filelock==3.29.0

+ frozenlist==1.8.0

+ fsspec==2026.2.0

+ h11==0.16.0

+ hf-xet==1.5.0.dev3

+ httpcore==1.0.9

+ httpx==0.28.1

+ huggingface-hub==1.13.0

+ idna==3.13

+ jinja2==3.1.6

+ markdown-it-py==4.0.0

+ markupsafe==3.0.3

+ mdurl==0.1.2

+ mpmath==1.3.0

+ multidict==6.7.1

+ multiprocessing==0.70.19

+ networkx==3.6.1

+ numpy==2.4.4

```
+ nvidia-cublas==13.1.0.3
+ nvidia-cuda-cupti==13.0.85
+ nvidia-cuda-nvrtc==13.0.88
+ nvidia-cuda-runtime==13.0.96
+ nvidia-cudnn-cu13==9.19.0.56
+ nvidia-cufft==12.0.0.61
+ nvidia-cufile==1.15.1.6
+ nvidia-curand==10.4.0.35
+ nvidia-cusolver==12.0.4.66
+ nvidia-cusparselt-cu13==0.8.0
+ nvidia-cusparse==12.6.3.3
+ nvidia-nccl-cu13==2.28.9
+ nvidia-nvjitlink==13.0.88
+ nvidia-nvshmem-cu13==3.4.5
+ nvidia-nvtx==13.0.85
+ opencv-python==4.13.0.92
+ pandas==3.0.2
+ pillow==12.2.0
+ propcache==0.4.1
+ pyarrow==24.0.0
+ pydantic==2.13.3
+ pydantic-core==2.46.3
+ pygments==2.20.0
+ python-calamine==0.6.2
+ python-dateutil==2.9.0.post0
+ pytz==2026.1.post1
+ pyyaml==6.0.3
+ requests==2.33.1
+ rich==15.0.0
- setuptools=... [truncated, 5978 chars total]
```

### ***Error Analysis:***

ERROR\_SUMMARY: The error "ValueError: No model is available for this dataset." occurs because AutoGluon MultiModal requires a minimum number of samples and at least two classes in the training data, but your dataset contains only 3 samples with only one positive class ("malignant"). This is insufficient for model selection and training, causing the fit process to fail.

### ***SUGGESTED\_FIX:***

Increase the size and diversity of your training dataset so that it contains at least several samples for each class (both "malignant" and "non-malignant"). Ensure that after preprocessing, the training data has at least two unique classes and enough samples (ideally >10 per class) before calling predictor.fit().

## Node 14 (debug)

| Property             | Value                                                             |
|----------------------|-------------------------------------------------------------------|
| uct_value            | 1.1772                                                            |
| ctime                | 2026-05-01 13:01:36                                               |
| debug_attempts       | 3                                                                 |
| depth                | 3                                                                 |
| execution_time       | 0.0                                                               |
| expected_child_count | 0                                                                 |
| failure_visits       | 1                                                                 |
| id                   | 14                                                                |
| is_debug_successful  | ✗                                                                 |
| is_leaf              | ✓                                                                 |
| is_successful        | ✗                                                                 |
| is_terminal          | ✓                                                                 |
| num_children         | 0                                                                 |
| prev_tutorial_prompt | None                                                              |
| stage                | debug                                                             |
| time_step            | 14                                                                |
| tool_used            | autogluon.tabular                                                 |
| tools_available      | ['autogluon.multimodal', 'machine learning', 'autogluon.tabular'] |
| unvalidated_visits   | 0                                                                 |
| validated_reward     | 0.0                                                               |
| validated_visits     | 0                                                                 |
| validation_score     | None                                                              |
| visits               | 1                                                                 |
| parent_id            | 11                                                                |
| child_ids            | []                                                                |

**Error Message:**

stderr:

==> WARNING: A newer version of conda exists. <==

current version: 25.11.0

latest version: 26.3.2

Please update conda by running

\$ conda update -n base -c conda-forge conda

Using Python 3.11.15 environment at: 32-basic\_prompt/node\_14/conda\_env

Resolved 241 packages in 1.05s

Uninstalled 1 package in 1.66s

Installed 239 packages in 1m 08s

+ absl-py==2.4.0

+ accelerate==1.13.0

+ adagio==0.2.6

+ aiohappyeyeballs==2.6.1

+ aiohttp==3.13.5

+ aiohttp-cors==0.8.1

+ aiosignal==1.4.0

+ alembic==1.18.4

+ annotated-doc==0.0.4

+ annotated-types==0.7.0

+ antlr4-python3-runtime==4.9.3

+ attrs==26.1.0

+ autogluon==1.5.1b20260501

+ autogluon-common==1.5.1b20260501

+ autogluon-core==1.5.1b20260501

+ autogluon-features==1.5.1b20260501

+ autogluon-multimodal==1.5.1b20260501

+ autogluon-tabular==1.5.1b20260501

+ autogluon-timeseries==1.5.1b20260501

+ beartype==0.22.9

+ beautifulsoup4==4.14.3

+ blis==1.3.3

+ boto3==1.43.1

+ botocore==1.43.1

+ catalogue==2.0.10

+ catboost==1.2.10

+ certifi==2026.4.22

+ cffi==2.0.0

+ chardet==7.4.3

+ charset-normalizer==3.4.7

+ chronos-forecasting==2.2.2

+ click==8.3.3

+ cloudpathlib==0.24.0

+ cloudpickle==3.1.2

+ colorama==0.4.6

+ colorful==0.6.0a1

+ colorlog==6.10.1  
+ confection==1.3.3  
+ contourpy==1.3.3  
+ coreforecast==0.0.16  
+ cryptography==47.0.0  
+ cycler==0.12.1  
+ cymem==2.0.13  
+ daal==2025.9.0  
+ datasets==4.0.0  
+ defusedxml==0.7.1  
+ dill==0.3.8  
+ distlib==0.4.0  
+ einops==0.8.2  
+ einx==0.4.3  
+ evaluate==0.4.6  
+ fastai==2.8.5  
+ fastcore==1.8.18  
+ fastdownload==0.0.7  
+ fastprogress==1.0.5  
+ fasttransform==0.0.2  
+ filelock==3.29.0  
+ fonttools==4.62.1  
+ frozendict==2.4.7  
+ frozenlist==1.8.0  
+ fsspec==2025.3.0  
+ fugue==0.9.7  
+ future==1.0.0  
+ gdown==6.0.0  
+ gluonts==0.16.2  
+ google-api-core==2.30.3  
+ google-auth==2.50.0  
+ googleapis-common-protos==1.74.0  
+ graphviz==0.21  
+ grpcio==1.80.0  
+ hf-xet==1.5.0.dev3  
+ httpx==1.0.dev3  
+ huggingface-hub==0.36.2  
+ hyperopt=... [truncated, 7413 chars total]

### ***Error Analysis:***

ERROR\_SUMMARY: The script fails with a FileNotFoundError because it attempts to load the test data from '/home/anri21/be-fair/mlzero/32-basic\_prompt/node\_14/input/test.csv', but this file does not exist at the specified location.

SUGGESTED\_FIX: Verify that the test.csv file is present in the '/home/anri21/be-fair/mlzero/32-basic\_prompt/node\_14/input/' directory. If it is missing, ensure the test data is generated or copied to this path before running the script, or update the TEST\_CSV variable in the code to point to the correct location of your test data file.



## Node 15 (debug)

| Property             | Value                                                             |
|----------------------|-------------------------------------------------------------------|
| uct_value            | 1.4821                                                            |
| ctime                | 2026-05-01 13:04:45                                               |
| debug_attempts       | 3                                                                 |
| depth                | 3                                                                 |
| execution_time       | 0.0                                                               |
| expected_child_count | 0                                                                 |
| failure_visits       | 1                                                                 |
| id                   | 15                                                                |
| is_debug_successful  | ✗                                                                 |
| is_leaf              | ✓                                                                 |
| is_successful        | ✗                                                                 |
| is_terminal          | ✓                                                                 |
| num_children         | 0                                                                 |
| prev_tutorial_prompt | None                                                              |
| stage                | debug                                                             |
| time_step            | 15                                                                |
| tool_used            | machine learning                                                  |
| tools_available      | ['autogluon.multimodal', 'machine learning', 'autogluon.tabular'] |
| unvalidated_visits   | 0                                                                 |
| validated_reward     | 0.0                                                               |
| validated_visits     | 0                                                                 |
| validation_score     | None                                                              |
| visits               | 1                                                                 |
| parent_id            | 4                                                                 |
| child_ids            | []                                                                |

**Error Message:**

stderr:

==> WARNING: A newer version of conda exists. <==

current version: 25.11.0

latest version: 26.3.2

Please update conda by running

\$ conda update -n base -c conda-forge conda

warning: Requirements file `~/home/anri21/.conda/envs/mlzero\_env/lib/python3.12/site-packages/autogluon/assistant/tools\_registry/machine learning/requirements.txt` does not contain any dependencies

Using Python 3.11.15 environment at: 32-basic\_prompt/node\_15/conda\_env

Resolved 79 packages in 291ms

Uninstalled 1 package in 1.50s

Installed 78 packages in 36.06s

+ aiohappyeyeballs==2.6.1

+ aiohttp==3.13.5

+ aiosignal==1.4.0

+ annotated-doc==0.0.4

+ annotated-types==0.7.0

+ anyio==4.13.0

+ attrs==26.1.0

+ certifi==2026.4.22

+ chardet==7.4.3

+ charset-normalizer==3.4.7

+ click==8.3.3

+ cuda-bindings==13.2.0

+ cuda-pathfinder==1.5.4

+ cuda-toolkit==13.0.2

+ datasets==4.8.5

+ dill==0.4.1

+ filelock==3.29.0

+ frozenlist==1.8.0

+ fsspec==2026.2.0

+ h11==0.16.0

+ hf-xet==1.5.0.dev3

+ httpcore==1.0.9

+ httpx==0.28.1

+ huggingface-hub==1.13.0

+ idna==3.13

+ jinja2==3.1.6

+ markdown-it-py==4.0.0

+ markupsafe==3.0.3

+ mdurl==0.1.2

+ mpmath==1.3.0

+ multidict==6.7.1

+ multiprocessing==0.70.19

+ networkx==3.6.1

+ numpy==2.4.4



```
+ nvidia-cublas==13.1.0.3
+ nvidia-cuda-cupti==13.0.85
+ nvidia-cuda-nvrtc==13.0.88
+ nvidia-cuda-runtime==13.0.96
+ nvidia-cudnn-cu13==9.19.0.56
+ nvidia-cufft==12.0.0.61
+ nvidia-cufile==1.15.1.6
+ nvidia-curand==10.4.0.35
+ nvidia-cusolver==12.0.4.66
+ nvidia-cusparselt-cu13==0.8.0
+ nvidia-cusparse==12.6.3.3
+ nvidia-nccl-cu13==2.28.9
+ nvidia-nvjitlink==13.0.88
+ nvidia-nvshmem-cu13==3.4.5
+ nvidia-nvtx==13.0.85
+ opencv-python==4.13.0.92
+ pandas==3.0.2
+ pillow==12.2.0
+ propcache==0.4.1
+ pyarrow==24.0.0
+ pydantic==2.13.3
+ pydantic-core==2.46.3
+ pygments==2.20.0
+ python-calamine==0.6.2
+ python-dateutil==2.9.0.post0
+ pytz==2026.1.post1
+ pyyaml==6.0.3
+ requests==2.33.1
+ rich==15.0.0
- setuptools=... [truncated, 4257 chars total]
```

### ***Error Analysis:***

ERROR\_SUMMARY: The script fails with a FileNotFoundError because it attempts to load the test data from '/home/anri21/be-fair/mlzero/32-basic\_prompt/node\_14/input/test.csv', but this file does not exist at the specified location. As a result, pandas cannot read the test data, and the script cannot proceed with prediction or output generation.

SUGGESTED\_FIX: Verify that the test.csv file exists at '/home/anri21/be-fair/mlzero/32-basic\_prompt/node\_14/input/'. If it is missing, ensure the test data is generated or copied to this path before running the script; alternatively, update the TEST\_CSV variable in the script to point to the correct location of your test data file.

## Node 16 (debug)

| Property             | Value                                                             |
|----------------------|-------------------------------------------------------------------|
| uct_value            | 1.4821                                                            |
| ctime                | 2026-05-01 13:09:06                                               |
| debug_attempts       | 2                                                                 |
| depth                | 3                                                                 |
| execution_time       | 0.0                                                               |
| expected_child_count | 0                                                                 |
| failure_visits       | 1                                                                 |
| id                   | 16                                                                |
| is_debug_successful  | ✗                                                                 |
| is_leaf              | ✓                                                                 |
| is_successful        | ✗                                                                 |
| is_terminal          | ✓                                                                 |
| num_children         | 0                                                                 |
| prev_tutorial_prompt | None                                                              |
| stage                | debug                                                             |
| time_step            | 16                                                                |
| tool_used            | autogluon.tabular                                                 |
| tools_available      | ['autogluon.multimodal', 'machine learning', 'autogluon.tabular'] |
| unvalidated_visits   | 0                                                                 |
| validated_reward     | 0.0                                                               |
| validated_visits     | 0                                                                 |
| validation_score     | None                                                              |
| visits               | 1                                                                 |
| parent_id            | 7                                                                 |
| child_ids            | []                                                                |

**Error Message:**

stderr:

==> WARNING: A newer version of conda exists. <==

current version: 25.11.0

latest version: 26.3.2

Please update conda by running

\$ conda update -n base -c conda-forge conda

Using Python 3.11.15 environment at: 32-basic\_prompt/node\_16/conda\_env

Resolved 241 packages in 2.56s

Uninstalled 1 package in 1.63s

Installed 239 packages in 1m 06s

+ absl-py==2.4.0

+ accelerate==1.13.0

+ adagio==0.2.6

+ aiohappyeyeballs==2.6.1

+ aiohttp==3.13.5

+ aiohttp-cors==0.8.1

+ aiosignal==1.4.0

+ alembic==1.18.4

+ annotated-doc==0.0.4

+ annotated-types==0.7.0

+ antlr4-python3-runtime==4.9.3

+ attrs==26.1.0

+ autogluon==1.5.1b20260501

+ autogluon-common==1.5.1b20260501

+ autogluon-core==1.5.1b20260501

+ autogluon-features==1.5.1b20260501

+ autogluon-multimodal==1.5.1b20260501

+ autogluon-tabular==1.5.1b20260501

+ autogluon-timeseries==1.5.1b20260501

+ beartype==0.22.9

+ beautifulsoup4==4.14.3

+ blis==1.3.3

+ boto3==1.43.1

+ botocore==1.43.1

+ catalogue==2.0.10

+ catboost==1.2.10

+ certifi==2026.4.22

+ cffi==2.0.0

+ chardet==7.4.3

+ charset-normalizer==3.4.7

+ chronos-forecasting==2.2.2

+ click==8.3.3

+ cloudpathlib==0.24.0

+ cloudpickle==3.1.2

+ colorama==0.4.6

+ colorful==0.6.0a1

+ colorlog==6.10.1  
+ confection==1.3.3  
+ contourpy==1.3.3  
+ coreforecast==0.0.16  
+ cryptography==47.0.0  
+ cycler==0.12.1  
+ cymem==2.0.13  
+ daal==2025.9.0  
+ datasets==4.0.0  
+ defusedxml==0.7.1  
+ dill==0.3.8  
+ distlib==0.4.0  
+ einops==0.8.2  
+ einx==0.4.3  
+ evaluate==0.4.6  
+ fastai==2.8.5  
+ fastcore==1.8.18  
+ fastdownload==0.0.7  
+ fastprogress==1.0.5  
+ fasttransform==0.0.2  
+ filelock==3.29.0  
+ fonttools==4.62.1  
+ frozendict==2.4.7  
+ frozenlist==1.8.0  
+ fsspec==2025.3.0  
+ fugue==0.9.7  
+ future==1.0.0  
+ gdown==6.0.0  
+ gluonts==0.16.2  
+ google-api-core==2.30.3  
+ google-auth==2.50.0  
+ googleapis-common-protos==1.74.0  
+ graphviz==0.21  
+ grpcio==1.80.0  
+ hf-xet==1.5.0.dev3  
+ httpx==1.0.dev3  
+ huggingface-hub==0.36.2  
+ hyperopt=... [truncated, 7413 chars total]

### ***Error Analysis:***

ERROR\_SUMMARY: The script fails with a FileNotFoundError because it attempts to load the test data from '/home/anri21/be-fair/mlzero/32-basic\_prompt/node\_16/input/test.csv', but this file does not exist at the specified location. As a result, pandas cannot read the test set, and the script terminates during the test data loading step.

SUGGESTED\_FIX: Verify that the test.csv file is present at '/home/anri21/be-fair/mlzero/32-basic\_prompt/node\_16/input/'. If it is missing, ensure the test data is

generated, copied, or linked to this path before running the script. Double-check any data preparation or download steps to confirm the test file is available at runtime.

## Node 17 (debug)

| Property             | Value                                                             |
|----------------------|-------------------------------------------------------------------|
| uct_value            | 1.4821                                                            |
| ctime                | 2026-05-01 13:12:16                                               |
| debug_attempts       | 3                                                                 |
| depth                | 3                                                                 |
| execution_time       | 0.0                                                               |
| expected_child_count | 0                                                                 |
| failure_visits       | 1                                                                 |
| id                   | 17                                                                |
| is_debug_successful  | ✗                                                                 |
| is_leaf              | ✓                                                                 |
| is_successful        | ✗                                                                 |
| is_terminal          | ✓                                                                 |
| num_children         | 0                                                                 |
| prev_tutorial_prompt | None                                                              |
| stage                | debug                                                             |
| time_step            | 17                                                                |
| tool_used            | autogluon.tabular                                                 |
| tools_available      | ['autogluon.multimodal', 'machine learning', 'autogluon.tabular'] |
| unvalidated_visits   | 0                                                                 |
| validated_reward     | 0.0                                                               |
| validated_visits     | 0                                                                 |
| validation_score     | None                                                              |
| visits               | 1                                                                 |
| parent_id            | 7                                                                 |
| child_ids            | []                                                                |

**Error Message:**

stderr:

==> WARNING: A newer version of conda exists. <==

current version: 25.11.0

latest version: 26.3.2

Please update conda by running

\$ conda update -n base -c conda-forge conda

Using Python 3.11.15 environment at: 32-basic\_prompt/node\_17/conda\_env

Resolved 241 packages in 957ms

Uninstalled 1 package in 1.49s

Installed 239 packages in 1m 13s

+ absl-py==2.4.0

+ accelerate==1.13.0

+ adagio==0.2.6

+ aiohappyeyeballs==2.6.1

+ aiohttp==3.13.5

+ aiohttp-cors==0.8.1

+ aiosignal==1.4.0

+ alembic==1.18.4

+ annotated-doc==0.0.4

+ annotated-types==0.7.0

+ antlr4-python3-runtime==4.9.3

+ attrs==26.1.0

+ autogluon==1.5.1b20260501

+ autogluon-common==1.5.1b20260501

+ autogluon-core==1.5.1b20260501

+ autogluon-features==1.5.1b20260501

+ autogluon-multimodal==1.5.1b20260501

+ autogluon-tabular==1.5.1b20260501

+ autogluon-timeseries==1.5.1b20260501

+ beartype==0.22.9

+ beautifulsoup4==4.14.3

+ blis==1.3.3

+ boto3==1.43.1

+ botocore==1.43.1

+ catalogue==2.0.10

+ catboost==1.2.10

+ certifi==2026.4.22

+ cffi==2.0.0

+ chardet==7.4.3

+ charset-normalizer==3.4.7

+ chronos-forecasting==2.2.2

+ click==8.3.3

+ cloudpathlib==0.24.0

+ cloudpickle==3.1.2

+ colorama==0.4.6

+ colorful==0.6.0a1

+ colorlog==6.10.1  
+ confection==1.3.3  
+ contourpy==1.3.3  
+ coreforecast==0.0.16  
+ cryptography==47.0.0  
+ cycler==0.12.1  
+ cymem==2.0.13  
+ daal==2025.9.0  
+ datasets==4.0.0  
+ defusedxml==0.7.1  
+ dill==0.3.8  
+ distlib==0.4.0  
+ einops==0.8.2  
+ einx==0.4.3  
+ evaluate==0.4.6  
+ fastai==2.8.5  
+ fastcore==1.8.18  
+ fastdownload==0.0.7  
+ fastprogress==1.0.5  
+ fasttransform==0.0.2  
+ filelock==3.29.0  
+ fonttools==4.62.1  
+ frozendict==2.4.7  
+ frozenlist==1.8.0  
+ fsspec==2025.3.0  
+ fugue==0.9.7  
+ future==1.0.0  
+ gdown==6.0.0  
+ gluonts==0.16.2  
+ google-api-core==2.30.3  
+ google-auth==2.50.0  
+ googleapis-common-protos==1.74.0  
+ graphviz==0.21  
+ grpcio==1.80.0  
+ hf-xet==1.5.0.dev3  
+ httpx==1.0.dev3  
+ huggingface-hub==0.36.2  
+ hyperopt=... [truncated, 7408 chars total]

### ***Error Analysis:***

ERROR\_SUMMARY: The script fails with a FileNotFoundError because it attempts to load the test data from '/home/anri21/be-fair/mlzero/32-basic\_prompt/node\_16/input/test.csv', but this file does not exist at the specified location.

SUGGESTED\_FIX: Verify that the test.csv file is present at '/home/anri21/be-fair/mlzero/32-basic\_prompt/node\_16/input/'. If it is missing, ensure the test data is generated or copied to this path before running the script, or update the TEST\_CSV variable in your code to point to the correct location of the test file.



