

Node Structure Visualization


Click on any node in the tree to jump to its detailed information.

Total Nodes: 6 | No validation scores available

Node Tree:

Table of Contents:

Node ID	Stage	Status	Tool
-1			
0			autogluon.multimodal
1			machine learning
2			autogluon.tabular
3			autogluon.multimodal
4			machine learning



Status	Color
Success	Green
Failure	Red
Neutral	Blue

Node Details:

Node -1 (root)

Property	Value
uct_value	-0.3000
ctime	2026-05-01 08:21:21
debug_attempts	0
depth	0
execution_time	0.0
expected_child_count	0
failure_visits	5
id	-1
is_debug_successful	✗
is_leaf	✗
is_successful	✗
is_terminal	✗
num_children	3
prev_tutorial_prompt	None
stage	root
time_step	-1
tool_used	
tools_available	[]
unvalidated_visits	0
validated_reward	0.0
validated_visits	0
validation_score	None
visits	5
parent_id	None
child_ids	[0, 1, 2]

Node 0 (evolve)

Property	Value
uct_value	1.2684
ctime	2026-05-01 08:22:01
debug_attempts	1
depth	1
execution_time	0.0
expected_child_count	0
exploitation	0.0
exploration	1.1772322201769845
failure_penalty	-0.0
failure_visits	2
id	0
is_debug_successful	✗
is_leaf	✗
is_successful	✗
is_terminal	✗
normalized_failure_visit	0
num_children	1
prev_tutorial_prompt	None
stage	evolve
time_step	0
tool_used	autogluon.multimodal
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_contribution	0.0
validated_reward	0.0
validated_visits	0
validation_score	None

visits	2
parent_id	-1
child_ids	[3]

Error Message:

stderr:

==> WARNING: A newer version of conda exists. <==

current version: 25.11.0

latest version: 26.3.2

Please update conda by running

\$ conda update -n base -c conda-forge conda

Using Python 3.11.15 environment at: 28-basic_prompt/node_0/conda_env

Resolved 237 packages in 978ms

Uninstalled 1 package in 1.59s

Installed 235 packages in 41.47s

+ absl-py==2.4.0

+ accelerate==1.13.0

+ adagio==0.2.6

+ aiohappyeyeballs==2.6.1

+ aiohttp==3.13.5

+ aiohttp-cors==0.8.1

+ aiosignal==1.4.0

+ alembic==1.18.4

+ annotated-doc==0.0.4

+ annotated-types==0.7.0

+ antlr4-python3-runtime==4.9.3

+ attrs==26.1.0

+ autogluon==1.5.1b20260430

+ autogluon-common==1.5.1b20260430

+ autogluon-core==1.5.1b20260430

+ autogluon-features==1.5.1b20260430

+ autogluon-multimodal==1.5.1b20260430

+ autogluon-tabular==1.5.1b20260430

+ autogluon-timeseries==1.5.1b20260430

+ beartype==0.22.9

+ beautifulsoup4==4.14.3

+ blis==1.3.3

+ boto3==1.43.1

+ botocore==1.43.1

+ catalogue==2.0.10

+ catboost==1.2.10

+ certifi==2026.4.22

+ cffi==2.0.0

- + chardet==7.4.3
- + charset-normalizer==3.4.7
- + chronos-forecasting==2.2.2
- + click==8.3.3
- + cloudpathlib==0.24.0
- + cloudpickle==3.1.2
- + colorama==0.4.6
- + colorful==0.6.0a1
- + colorlog==6.10.1
- + confection==1.3.3
- + contourpy==1.3.3
- + coreforecast==0.0.16
- + cryptography==47.0.0
- + cycler==0.12.1
- + cymem==2.0.13
- + datasets==4.0.0
- + defusedxml==0.7.1
- + dill==0.3.8
- + distlib==0.4.0
- + einops==0.8.2
- + einx==0.4.3
- + evaluate==0.4.6
- + fastai==2.8.5
- + fastcore==1.8.18
- + fastdownload==0.0.7
- + fastprogress==1.0.5
- + fasttransform==0.0.2
- + filelock==3.29.0
- + fonttools==4.62.1
- + frozendict==2.4.7
- + frozenlist==1.8.0
- + fsspec==2025.3.0
- + fugue==0.9.7
- + future==1.0.0
- + gdown==6.0.0
- + gluonts==0.16.2
- + google-api-core==2.30.3
- + google-auth==2.50.0
- + googleapis-common-protos==1.74.0
- + graphviz==0.21
- + grpcio==1.80.0
- + hf-xet==1.5.0.dev3
- + httpx==1.0.dev3
- + huggingface-hub==0.36.2
- + hyperopt==0.2.7

+ idna==3.1... [truncated, 6788 chars total]

Error Analysis:

ERROR_SUMMARY: The UnboundLocalError occurs because the variable `TEST\_CSV` is assigned within a conditional block inside the `main()` function, making it a local variable. However, it is referenced before any assignment in the line `if not os.path.exists(TEST\_CSV):`, leading to the error since Python treats any variable assigned within a function as local unless declared global.

SUGGESTED_FIX:

Move the assignment of `TEST\_CSV` (and any other path variables) outside the `main()` function so they are defined at the module/global scope, or explicitly declare `TEST\_CSV` as `global` inside `main()` if you intend to modify it. This ensures `TEST\_CSV` is always initialized before being accessed, preventing the UnboundLocalError.

Node 1 (evolve)

Property	Value
uct_value	1.2684
ctime	2026-05-01 08:25:34
debug_attempts	1
depth	1
execution_time	0.0
expected_child_count	0
exploitation	0.0
exploration	1.2486433288776608
failure_penalty	-0.0
failure_visits	2
id	1
is_debug_successful	✗
is_leaf	✗
is_successful	✗
is_terminal	✗
normalized_failure_visit	0
num_children	1
prev_tutorial_prompt	None
stage	evolve
time_step	1
tool_used	machine learning
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_contribution	0.0
validated_reward	0.0
validated_visits	0
validation_score	None

visits	2
parent_id	-1
child_ids	[4]

Error Message:

stderr:

==> WARNING: A newer version of conda exists. <==

current version: 25.11.0

latest version: 26.3.2

Please update conda by running

\$ conda update -n base -c conda-forge conda

warning: Requirements file `~/home/anri21/.conda/envs/mlzero\_env/lib/python3.12/site-packages/autogluon/assistant/tools\_registry/machine learning/requirements.txt` does not contain any dependencies

Using Python 3.11.15 environment at: 28-basic_prompt/node_1/conda_env

Resolved 79 packages in 1.16s

Downloading nvidia-cudnn-cu13 (349.1MiB)

Downloading nvidia-cublas (403.5MiB)

Downloading torch (506.0MiB)

Downloading nvidia-nccl-cu13 (187.4MiB)

Downloading nvidia-cufft (204.2MiB)

Downloading nvidia-cusolver (191.6MiB)

Downloading triton (179.5MiB)

Downloading cuda-bindings (6.0MiB)

Downloading numpy (16.1MiB)

Downloading nvidia-cuspars (139.2MiB)

Downloading nvidia-cusparselt-cu13 (162.0MiB)

Downloading nvidia-cuda-nvrtc (86.0MiB)

Downloading pillow (6.8MiB)

Downloading torchvision (7.2MiB)

Downloading nvidia-curand (56.8MiB)

Downloading nvidia-nvshmem-cu13 (57.6MiB)

Downloading nvidia-cuda-runtime (2.1MiB)

Downloading nvidia-cuda-cupti (10.2MiB)

Downloading pandas (10.7MiB)

Downloading pyarrow (46.6MiB)

Downloading nvidia-nvjitlink (38.8MiB)

Downloading nvidia-cufile (1.2MiB)

Downloaded nvidia-cufile

Downloaded nvidia-cuda-runtime

Downloaded pillow

Downloaded cuda-bindings

Downloaded torchvision

Downloaded nvidia-cuda-cupti

Downloaded numpy
Downloaded nvidia-nvjitlink
Downloaded pandas
Downloaded nvidia-curand
Downloaded nvidia-nvshmem-cu13
Downloaded nvidia-cuda-nvrtc
Downloaded pyarrow
Downloaded nvidia-cusparse
Downloaded nvidia-cusparselt-cu13
Downloaded nvidia-nccl-cu13
Downloaded nvidia-cusolver
Downloaded nvidia-cufft
Downloaded triton
Downloaded nvidia-cudnn-cu13
Downloaded nvidia-cublas
Downloaded torch
Prepared 32 packages in 1m 38s
Uninstalled 1 package in 1.60s
Installed 78 packages in 25.87s
+ aiohappyeyeballs==2.6.1
+ aiohttp==3.13.5
+ aios... [truncated, 4354 chars total]

Error Analysis:

ERROR_SUMMARY: The script failed with a FileNotFoundError because it expects a test CSV file (e.g., test.csv) in the data directory (/home/anri21/be-fair/mlzero/basic_prompt_data), but no such file was found. As a result, the script could not proceed to training or evaluation.

SUGGESTED_FIX: Check the /home/anri21/be-fair/mlzero/basic_prompt_data directory and ensure that a test CSV file (such as test.csv) exists and is named correctly. If you do not have a test set, create a test CSV file with the appropriate structure (including an image_name column referencing available images) and place it in the data directory before rerunning the script.

Node 2 (evolve)

Property	Value
uct_value	1.7939
ctime	2026-05-01 08:30:24
debug_attempts	0
depth	1
execution_time	0.0
expected_child_count	0
exploitation	0.0
exploration	0.8324288859184406
failure_penalty	-0.0
failure_visits	1
id	2
is_debug_successful	✗
is_leaf	✓
is_successful	✗
is_terminal	✗
normalized_failure_visit	0
num_children	0
prev_tutorial_prompt	None
stage	evolve
time_step	2
tool_used	autogluon.tabular
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_contribution	0.0
validated_reward	0.0
validated_visits	0
validation_score	None

visits	1
parent_id	-1
child_ids	[]

Error Message:

stderr:

==> WARNING: A newer version of conda exists. <==

current version: 25.11.0

latest version: 26.3.2

Please update conda by running

\$ conda update -n base -c conda-forge conda

Using Python 3.11.15 environment at: 28-basic_prompt/node_2/conda_env

Resolved 241 packages in 2.68s

Downloading scikit-learn-intelex (4.6MiB)

Downloading daal (106.2MiB)

Downloaded scikit-learn-intelex

Downloaded daal

Prepared 2 packages in 19.36s

Uninstalled 1 package in 1.59s

Installed 239 packages in 28.41s

+ absl-py==2.4.0

+ accelerate==1.13.0

+ adagio==0.2.6

+ aiohappyeyeballs==2.6.1

+ aiohttp==3.13.5

+ aiohttp-cors==0.8.1

+ aiosignal==1.4.0

+ alembic==1.18.4

+ annotated-doc==0.0.4

+ annotated-types==0.7.0

+ antlr4-python3-runtime==4.9.3

+ attrs==26.1.0

+ autogluon==1.5.1b20260430

+ autogluon-common==1.5.1b20260430

+ autogluon-core==1.5.1b20260430

+ autogluon-features==1.5.1b20260430

+ autogluon-multimodal==1.5.1b20260430

+ autogluon-tabular==1.5.1b20260430

+ autogluon-timeseries==1.5.1b20260430

+ beartype==0.22.9

+ beautifulsoup4==4.14.3

+ blis==1.3.3

+ boto3==1.43.1

+ boto3==1.43.1
+ catalogue==2.0.10
+ catboost==1.2.10
+ certifi==2026.4.22
+ cffi==2.0.0
+ chardet==7.4.3
+ charset-normalizer==3.4.7
+ chronos-forecasting==2.2.2
+ click==8.3.3
+ cloudpathlib==0.24.0
+ cloudpickle==3.1.2
+ colorama==0.4.6
+ colorful==0.6.0a1
+ colorlog==6.10.1
+ confection==1.3.3
+ contourpy==1.3.3
+ coreforecast==0.0.16
+ cryptography==47.0.0
+ cycler==0.12.1
+ cymem==2.0.13
+ daal==2025.9.0
+ datasets==4.0.0
+ defusedxml==0.7.1
+ dill==0.3.8
+ distlib==0.4.0
+ einops==0.8.2
+ einx==0.4.3
+ evaluate==0.4.6
+ fastai==2.8.5
+ fastcore==1.8.18
+ fastdownload==0.0.7
+ fastprogress==1.0.5
+ fasttransform==0.0.2
+ filelock==3.29.0
+ fonttools==4.62.1
+ frozendict==2.4.7
+ frozenlist==1.8.0
+ fsspec==2025.3.0
+ fugue==0.9.7
+ future==1.0.0
+ gdown==6.0.0
+ gluonts==0.16.2
+ google-api-core==2.30.3
+ google-auth==2.50.0
+ ... [truncated, 6516 chars total]

Error Analysis:

ERROR_SUMMARY: The error occurs because the code expects a test CSV file (e.g., test.csv) in the data directory (/home/anri21/be-fair/mlzero/basic_prompt_data), but no such file is present. As a result, a FileNotFoundError is raised before any model training or prediction can proceed.

SUGGESTED_FIX:

Check the /home/anri21/be-fair/mlzero/basic_prompt_data directory and ensure that a test CSV file (such as test.csv) exists and is named correctly. If you do not have a test file, create one with the same columns as the training data (excluding the label column if labels are not available), or adjust the script to skip test prediction if no test file is required.

Node 3 (debug)

Property	Value
uct_value	1.1772
ctime	2026-05-01 08:33:00
debug_attempts	1
depth	2
execution_time	0.0
expected_child_count	0
failure_visits	1
id	3
is_debug_successful	✗
is_leaf	✓
is_successful	✗
is_terminal	✗
num_children	0
prev_tutorial_prompt	None
stage	debug
time_step	3
tool_used	autogluon.multimodal
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_reward	0.0
validated_visits	0
validation_score	None
visits	1
parent_id	0
child_ids	[]

Error Message:

stderr:

==> WARNING: A newer version of conda exists. <==

current version: 25.11.0

latest version: 26.3.2

Please update conda by running

\$ conda update -n base -c conda-forge conda

Using Python 3.11.15 environment at: 28-basic_prompt/node_3/conda_env

Resolved 237 packages in 937ms

Uninstalled 1 package in 1.57s

Installed 235 packages in 33.05s

+ absl-py==2.4.0

+ accelerate==1.13.0

+ adagio==0.2.6

+ aiohappyeyeballs==2.6.1

+ aiohttp==3.13.5

+ aiohttp-cors==0.8.1

+ aiosignal==1.4.0

+ alembic==1.18.4

+ annotated-doc==0.0.4

+ annotated-types==0.7.0

+ antlr4-python3-runtime==4.9.3

+ attrs==26.1.0

+ autogluon==1.5.1b20260430

+ autogluon-common==1.5.1b20260430

+ autogluon-core==1.5.1b20260430

+ autogluon-features==1.5.1b20260430

+ autogluon-multimodal==1.5.1b20260430

+ autogluon-tabular==1.5.1b20260430

+ autogluon-timeseries==1.5.1b20260430

+ beartype==0.22.9

+ beautifulsoup4==4.14.3

+ blis==1.3.3

+ boto3==1.43.1

+ botocore==1.43.1

+ catalogue==2.0.10

+ catboost==1.2.10

+ certifi==2026.4.22

+ cffi==2.0.0

+ chardet==7.4.3

+ charset-normalizer==3.4.7

+ chronos-forecasting==2.2.2

+ click==8.3.3

+ cloudpathlib==0.24.0

+ cloudpickle==3.1.2

+ colorama==0.4.6

+ colorful==0.6.0a1

+ colorlog==6.10.1
+ confection==1.3.3
+ contourpy==1.3.3
+ coreforecast==0.0.16
+ cryptography==47.0.0
+ cycler==0.12.1
+ cymem==2.0.13
+ datasets==4.0.0
+ defusedxml==0.7.1
+ dill==0.3.8
+ distlib==0.4.0
+ einops==0.8.2
+ einx==0.4.3
+ evaluate==0.4.6
+ fastai==2.8.5
+ fastcore==1.8.18
+ fastdownload==0.0.7
+ fastprogress==1.0.5
+ fasttransform==0.0.2
+ filelock==3.29.0
+ fonttools==4.62.1
+ frozendict==2.4.7
+ frozenlist==1.8.0
+ fsspec==2025.3.0
+ fugue==0.9.7
+ future==1.0.0
+ gdown==6.0.0
+ gluonts==0.16.2
+ google-api-core==2.30.3
+ google-auth==2.50.0
+ googleapis-common-protos==1.74.0
+ graphviz==0.21
+ grpcio==1.80.0
+ hf-xet==1.5.0.dev3
+ httpx==1.0.dev3
+ huggingface-hub==0.36.2
+ hyperopt==0.2.7
+ idna==3.1... [truncated, 6577 chars total]

Error Analysis:

ERROR_SUMMARY: The script raises a `FileNotFoundError` because it expects a test CSV file (such as `test.csv`) in the `/home/anri21/be-fair/mlzero/basic\_prompt\_data` directory, but no such file is present. As a result, the script halts before model training or prediction can proceed.

SUGGESTED_FIX:

Check the `/home/anri21/be-fair/mlzero/basic\_prompt\_data` directory and ensure that a test CSV file (e.g., `test.csv`) exists and is named appropriately. If you do not

have a test file, create one with the required structure (at minimum, an `image\_name` column referencing the images to predict on) and place it in the data directory before rerunning the script.

Node 4 (debug)

Property	Value
uct_value	1.1772
ctime	2026-05-01 08:36:20
debug_attempts	1
depth	2
execution_time	0.0
expected_child_count	0
failure_visits	1
id	4
is_debug_successful	✗
is_leaf	✓
is_successful	✗
is_terminal	✗
num_children	0
prev_tutorial_prompt	None
stage	debug
time_step	4
tool_used	machine learning
tools_available	['autogluon.multimodal', 'machine learning', 'autogluon.tabular']
unvalidated_visits	0
validated_reward	0.0
validated_visits	0
validation_score	None
visits	1
parent_id	1
child_ids	[]

Error Message:

stderr:

==> WARNING: A newer version of conda exists. <==

current version: 25.11.0

latest version: 26.3.2

Please update conda by running

\$ conda update -n base -c conda-forge conda

warning: Requirements file `~/home/anri21/.conda/envs/mlzero\_env/lib/python3.12/site-packages/autogluon/assistant/tools\_registry/machine learning/requirements.txt` does not contain any dependencies

Using Python 3.11.15 environment at: 28-basic_prompt/node_4/conda_env

Resolved 79 packages in 1.01s

Uninstalled 1 package in 1.57s

Installed 78 packages in 25.10s

+ aiohappyeyeballs==2.6.1

+ aiohttp==3.13.5

+ aiosignal==1.4.0

+ annotated-doc==0.0.4

+ annotated-types==0.7.0

+ anyio==4.13.0

+ attrs==26.1.0

+ certifi==2026.4.22

+ chardet==7.4.3

+ charset-normalizer==3.4.7

+ click==8.3.3

+ cuda-bindings==13.2.0

+ cuda-pathfinder==1.5.4

+ cuda-toolkit==13.0.2

+ datasets==4.8.5

+ dill==0.4.1

+ filelock==3.29.0

+ frozenlist==1.8.0

+ fsspec==2026.2.0

+ h11==0.16.0

+ hf-xet==1.5.0.dev3

+ httpcore==1.0.9

+ httpx==0.28.1

+ huggingface-hub==1.13.0

+ idna==3.13

+ jinja2==3.1.6

+ markdown-it-py==4.0.0

+ markupsafe==3.0.3

+ mdurl==0.1.2

+ mpmath==1.3.0

+ multidict==6.7.1

+ multiprocessing==0.70.19

+ networkx==3.6.1

+ numpy==2.4.4

```
+ nvidia-cublas==13.1.0.3
+ nvidia-cuda-cupti==13.0.85
+ nvidia-cuda-nvrtc==13.0.88
+ nvidia-cuda-runtime==13.0.96
+ nvidia-cudnn-cu13==9.19.0.56
+ nvidia-cufft==12.0.0.61
+ nvidia-cufile==1.15.1.6
+ nvidia-curand==10.4.0.35
+ nvidia-cusolver==12.0.4.66
+ nvidia-cusparselt-cu13==0.8.0
+ nvidia-nccl-cu13==2.28.9
+ nvidia-nvjitlink==13.0.88
+ nvidia-nvshmem-cu13==3.4.5
+ nvidia-nvtx==13.0.85
+ opencv-python==4.13.0.92
+ pandas==3.0.2
+ pillow==12.2.0
+ propcache==0.4.1
+ pyarrow==24.0.0
+ pydantic==2.13.3
+ pydantic-core==2.46.3
+ pygments==2.20.0
+ python-calamine==0.6.2
+ python-dateutil==2.9.0.post0
+ pytz==2026.1.post1
+ pyyaml==6.0.3
+ requests==2.33.1
+ rich==15.0.0
- setuptools==... [truncated, 2828 chars total]
```

Error Analysis:

ERROR_SUMMARY: The error occurs because the script expects a test CSV file (e.g., test.csv) to be present in the data directory (/home/anri21/be-fair/mlzero/basic_prompt_data), but no such file is found. As a result, a FileNotFoundError is raised and the script terminates before training or evaluation can proceed.

SUGGESTED_FIX: Check the data directory to ensure that a test CSV file (such as test.csv) exists and is named correctly. If the test file is missing, create or copy the appropriate test CSV file into the data directory, making sure its filename matches the expected pattern (e.g., test.csv), then rerun the script.