

Node Structure Visualization


Click on any node in the tree to jump to its detailed information.

Total Nodes: 21 | Best Validation Score: 0.9673 (Node 19)

Node Tree:

Table of Contents:

Node ID	Stage	Status	Tool
<-1			
>0			autogluon.multimodal
>1			machine learning
>2			FlagEmbedding
>3			autogluon.multimodal
>4			machine learning
>5			autogluon.multimodal
>6			machine learning
>7			machine learning
>8			machine learning
>9			machine learning
>10			FlagEmbedding
>11			autogluon.multimodal
>12			autogluon.multimodal
>13			autogluon.multimodal
>14			autogluon.multimodal
>15			autogluon.multimodal
>16			autogluon.multimodal
>17			autogluon.multimodal
>18			autogluon.multimodal
>19			autogluon.multimodal



Status	Color
Success	Green
Failure	Red
Neutral	Blue

Node Details:

Node -1 (root)

Property	Value
uct_value	0.2687
ctime	2026-05-22 16:55:45
debug_attempts	0
depth	0
execution_time	0.0
expected_child_count	0
failure_visits	9
id	-1
is_debug_successful	✗
is_leaf	✗
is_successful	✗
is_terminal	✗
num_children	5
prev_tutorial_prompt	None
stage	root
time_step	-1
tool_used	
tools_available	[]
unvalidated_visits	0
validated_reward	9.9725
validated_visits	11
validation_score	None
visits	20
parent_id	None
child_ids	[0, 1, 2, 6, 11]

Node 0 (evolve)

Property	Value
uct_value	1.2463
ctime	2026-05-22 16:56:38
debug_attempts	2
depth	1
execution_time	0.0
expected_child_count	0
exploitation	-0.16666666666666666
exploration	1.2641653658774197
failure_penalty	-0.16666666666666666
failure_visits	3
id	0
is_debug_successful	✗
is_leaf	✗
is_successful	✗
is_terminal	✓
normalized_failure_visit	1
num_children	2
prev_tutorial_prompt	None
stage	evolve
time_step	0
tool_used	autogluon.multimodal
tools_available	['autogluon.multimodal', 'machine learning', 'FlagEmbedding']
unvalidated_visits	0
validated_contribution	0.0
validated_reward	0.0
validated_visits	0
validation_score	None

visits	3
parent_id	-1
child_ids	[3, 5]

Error Message:

stderr:

==> WARNING: A newer version of conda exists. <==

current version: 25.11.0

latest version: 26.5.0

Please update conda by running

\$ conda update -n base -c conda-forge conda

Using Python 3.11.15 environment at: 53-addition_3/node_0/conda_env

Resolved 235 packages in 1.12s

Uninstalled 1 package in 1.87s

Installed 233 packages in 1m 36s

+ absl-py==2.4.0

+ accelerate==1.13.0

+ adagio==0.2.6

+ aiohappyeyeballs==2.6.2

+ aiohttp==3.13.5

+ aiohttp-cors==0.8.1

+ aiosignal==1.4.0

+ alembic==1.18.4

+ annotated-doc==0.0.4

+ annotated-types==0.7.0

+ antlr4-python3-runtime==4.9.3

+ attrs==26.1.0

+ autogluon==1.5.1b20260522

+ autogluon-common==1.5.1b20260522

+ autogluon-core==1.5.1b20260522

+ autogluon-features==1.5.1b20260522

+ autogluon-multimodal==1.5.1b20260522

+ autogluon-tabular==1.5.1b20260522

+ autogluon-timeseries==1.5.1b20260522

+ beartype==0.22.9

+ beautifulsoup4==4.14.3

+ blis==1.3.3

+ boto3==1.43.13

+ botocore==1.43.13

+ catalogue==2.0.10

+ catboost==1.2.10

+ certifi==2026.5.20

+ cffi==2.0.0

- + chardet==7.4.3
- + charset-normalizer==3.4.7
- + chronos-forecasting==2.2.2
- + click==8.4.1
- + cloudpathlib==0.24.0
- + cloudpickle==3.1.2
- + colorama==0.4.6
- + colorful==0.6.0a1
- + colorlog==6.10.1
- + confection==1.3.3
- + contourpy==1.3.3
- + coreforecast==0.0.16
- + cryptography==48.0.0
- + cycler==0.12.1
- + cymem==2.0.13
- + datasets==4.0.0
- + defusedxml==0.7.1
- + dill==0.3.8
- + distlib==0.4.0
- + einops==0.8.2
- + einx==0.4.3
- + evaluate==0.4.6
- + fastai==2.8.5
- + fastcore==1.8.18
- + fastdownload==0.0.7
- + fastprogress==1.0.5
- + fasttransform==0.0.2
- + filelock==3.29.0
- + fonttools==4.63.0
- + frozendict==2.4.7
- + frozenlist==1.8.0
- + fsspec==2025.3.0
- + fugue==0.9.7
- + future==1.0.0
- + gdown==6.0.0
- + gluonts==0.16.2
- + google-api-core==2.30.3
- + google-auth==2.53.0
- + googleapis-common-protos==1.75.0
- + graphviz==0.21
- + grpcio==1.81.0rc1
- + hf-xet==1.5.0
- + httpx==1.0.dev3
- + huggingface-hub==0.36.2
- + hyperopt==0.2.7

+ idna==3.16
... [truncated, 9572 chars total]

Error Analysis:

ERROR_SUMMARY: The error occurs because the hyperparameter override `"data.sample_weight": "group_weight"` is not recognized by AutoGluon MultiModal's configuration. The code attempts to pass a custom sample weighting column (`group_weight`) via the `data.sample_weight` key, but this key does not exist in the expected configuration, resulting in a `KeyError` and halting model training.

SUGGESTED_FIX:

Remove the `"data.sample_weight": "group_weight"` entry from the `hyperparameters` dictionary passed to `predictor.fit()`. If you wish to implement group reweighting for fairness, you will need to use supported mechanisms such as upsampling underrepresented groups in your training data or adjusting class weights via focal loss (`optim.focal_loss.alpha`). Review the AutoGluon documentation for officially supported fairness and weighting strategies.

Node 1 (evolve)

Property	Value
uct_value	1.7306
ctime	2026-05-22 17:05:49
debug_attempts	1
depth	1
execution_time	0.0
expected_child_count	0
exploitation	0.0
exploration	1.0037730452153744
failure_penalty	-0.0
failure_visits	2
id	1
is_debug_successful	✗
is_leaf	✗
is_successful	✗
is_terminal	✓
normalized_failure_visit	0
num_children	1
prev_tutorial_prompt	None
stage	evolve
time_step	1
tool_used	machine learning
tools_available	['autogluon.multimodal', 'machine learning', 'FlagEmbedding']
unvalidated_visits	0
validated_contribution	0.0
validated_reward	0.0
validated_visits	0
validation_score	None

visits	2
parent_id	-1
child_ids	[4]

Error Message:

stderr:

==> WARNING: A newer version of conda exists. <==

current version: 25.11.0

latest version: 26.5.0

Please update conda by running

\$ conda update -n base -c conda-forge conda

warning: Requirements file `~/home/anri21/.conda/envs/mlzero\_env/lib/python3.11/site-packages/autogluon/assistant/tools\_registry/machine learning/requirements.txt` does not contain any dependencies

Using Python 3.11.15 environment at: 53-addition_3/node_1/conda_env

Resolved 79 packages in 332ms

Uninstalled 1 package in 1.67s

Installed 78 packages in 36.82s

+ aiohappyeyeballs==2.6.2

+ aiohttp==3.13.5

+ aiosignal==1.4.0

+ annotated-doc==0.0.4

+ annotated-types==0.7.0

+ anyio==4.13.0

+ attrs==26.1.0

+ certifi==2026.5.20

+ chardet==7.4.3

+ charset-normalizer==3.4.7

+ click==8.4.1

+ cuda-bindings==13.2.0

+ cuda-pathfinder==1.5.4

+ cuda-toolkit==13.0.2

+ datasets==4.8.5

+ dill==0.4.1

+ filelock==3.29.0

+ frozenlist==1.8.0

+ fsspec==2026.2.0

+ h11==0.16.0

+ hf-xet==1.5.0

+ httpcore==1.0.9

+ httpx==0.28.1

+ huggingface-hub==1.16.1

+ idna==3.16

+ jinja2==3.1.6

```
+ markdown-it-py==4.2.0
+ markupsafe==3.0.3
+ mdurl==0.1.2
+ mpmath==1.3.0
+ multidict==6.7.1
+ multiprocessing==0.70.19
+ networkx==3.6.1
+ numpy==2.4.6
+ nvidia-cublas==13.1.1.3
+ nvidia-cuda-cupti==13.0.85
+ nvidia-cuda-nvrtc==13.0.88
+ nvidia-cuda-runtime==13.0.96
+ nvidia-cudnn-cu13==9.20.0.48
+ nvidia-cufft==12.0.0.61
+ nvidia-cufile==1.15.1.6
+ nvidia-curand==10.4.0.35
+ nvidia-cusolver==12.0.4.66
+ nvidia-cusparselt-cu13==0.8.1
+ nvidia-nccl-cu13==2.29.7
+ nvidia-nvjitlink==13.0.88
+ nvidia-nvshmem-cu13==3.4.5
+ nvidia-nvtx==13.0.85
+ opencv-python==4.13.0.92
+ pandas==3.0.3
+ pillow==12.2.0
+ propcache==0.5.2
+ pyarrow==24.0.0
+ pydantic==2.14.0a1
+ pydantic-core==2.47.0
+ pygments==2.20.0
+ python-calamine==0.6.2
+ python-dateutil==2.9.0.post0
+ pytz==2026.2
+ pyyaml==6.0.3
+ requests==2.34.2
+ rich==15.0.0
- setuptools==82.0.1
+ s... [truncated, 81696 chars total]
```

Error Analysis:

ERROR_SUMMARY: The error occurs because the code attempts to select the columns 'skin_tone' and 'alternative_skin_tone' from `test\_df`, but these columns do not exist in the test set (test.csv only contains 'Unnamed: 0' and 'image_name'). As a result, when the code tries to extract features using `test\_df[feature\_cols]`, it raises a `KeyError`.

SUGGESTED_FIX:

Before selecting features for the test set, check if 'skin_tone' and 'alternative_skin_tone' exist in `test\_df`. If they do not, remove these columns from `feature\_cols` when constructing `X\_test`. This ensures that only available columns are used for test feature extraction and prevents the KeyError.

Node 2 (evolve)

Property	Value
uct_value	1.7306
ctime	2026-05-22 17:12:52
debug_attempts	1
depth	1
execution_time	0.0
expected_child_count	0
exploitation	0.0
exploration	0.8578388191546724
failure_penalty	-0.0
failure_visits	2
id	2
is_debug_successful	✗
is_leaf	✗
is_successful	✗
is_terminal	✗
normalized_failure_visit	0
num_children	1
prev_tutorial_prompt	None
stage	evolve
time_step	2
tool_used	FlagEmbedding
tools_available	['autogluon.multimodal', 'machine learning', 'FlagEmbedding']
unvalidated_visits	0
validated_contribution	0.0
validated_reward	0.0
validated_visits	0
validation_score	None

visits	2
parent_id	-1
child_ids	[10]

Error Message:

stderr:

==> WARNING: A newer version of conda exists. <==

current version: 25.11.0

latest version: 26.5.0

Please update conda by running

\$ conda update -n base -c conda-forge conda

Using Python 3.11.15 environment at: 53-addition_3/node_2/conda_env

Resolved 109 packages in 6.93s

Building cbor==1.0.0

Building warc3-wet-clueweb09==0.2.5

Downloading transformers (10.3MiB)

Downloading lz4 (1.3MiB)

Downloading faiss-cpu (22.7MiB)

Downloading lxml (5.0MiB)

Downloading scikit-learn (8.8MiB)

Downloaded lz4

Built warc3-wet-clueweb09==0.2.5

Built cbor==1.0.0

Downloaded faiss-cpu

Downloaded lxml

Downloaded scikit-learn

Downloaded transformers

Prepared 19 packages in 19.88s

Uninstalled 1 package in 1.87s

Installed 108 packages in 50.88s

+ accelerate==1.13.0

+ aiohappyeyeballs==2.6.2

+ aiohttp==3.13.5

+ aiosignal==1.4.0

+ annotated-doc==0.0.4

+ annotated-types==0.7.0

+ anyio==4.13.0

+ attrs==26.1.0

+ beautifulsoup4==4.14.3

+ cbor==1.0.0

+ certifi==2026.5.20

+ chardet==7.4.3

+ charset-normalizer==3.4.7

+ click==8.4.1
+ cuda-bindings==13.2.0
+ cuda-pathfinder==1.5.4
+ cuda-toolkit==13.0.2
+ datasets==4.8.5
+ dill==0.4.1
+ faiss-cpu==1.13.2
+ filelock==3.29.0
+ flagembedding==1.4.0
+ frozenlist==1.8.0
+ fsspec==2026.2.0
+ h11==0.16.0
+ hf-xet==1.5.0
+ httpcore==1.0.9
+ httpx==0.28.1
+ huggingface-hub==1.16.1
+ idna==3.16
+ ijson==3.5.0
+ inscriptis==2.7.1
+ ir-datasets==0.5.11
+ jinja2==3.1.6
+ joblib==1.5.3
+ lxml==6.0.4
+ lz4==4.4.5
+ markdown-it-py==4.2.0
+ markupsafe==3.0.3
+ mdurl==0.1.2
+ mpmath==1.3.0
+ multidict==6.7.1
+ multiprocessing==0.70.19
+ narwhals==2.21.2
+ networkx==3.6.1
+ numpy==2.4.6
+ nvidia-cublas==13.1.1.3
+ nvidia-cuda-cupti==13.0.85
+ nvidia-cuda-nvrtc==13.0.88
+ nvidia-cuda-runtime==13.0.96
+ nvidia-cudnn-cu13==9.20.0.48
+ nvidia-cufft==12.0.0.61
+ nvidia-cufile==1.15.1.6
+ nvidia-curand==10.4.0.35
+ nvidia-cusolver==12.0.4.66
+ nvidia-cusparses==12.6.3.3
+ nvidia-cus... [truncated, 3863 chars total]

Error Analysis:

ERROR_SUMMARY: The error occurs because the code attempts to import ``ImageEmbedding`` from the ``FlagEmbedding`` package, but the installed version of `FlagEmbedding` does not contain the ``ImageEmbedding`` class or function. This results in an ``ImportError`` at runtime, preventing further execution.

SUGGESTED_FIX:

Check the installed version of `FlagEmbedding` and consult its documentation or source code to verify if ``ImageEmbedding`` exists in that version. If not, either update `FlagEmbedding` to a version that provides ``ImageEmbedding``, or refactor the code to use the correct class/function for image embeddings as per the available API (e.g., ``FlagModel`` or another relevant class).

Node 3 (debug)

Property	Value
uct_value	1.4821
ctime	2026-05-22 17:18:46
debug_attempts	1
depth	2
execution_time	0.0
expected_child_count	0
exploitation	0.0
exploration	1.482079962591042
failure_penalty	-0.0
failure_visits	1
id	3
is_debug_successful	✗
is_leaf	✓
is_successful	✗
is_terminal	✓
normalized_failure_visit	0
num_children	0
prev_tutorial_prompt	### Condensed: ```python # Condensed: ```python Summary: This tutorial demonstrates image classification using AutoGluon MultiModal, covering implementation
stage	debug
time_step	3
tool_used	autogluon.multimodal
tools_available	['autogluon.multimodal', 'machine learning', 'FlagEmbedding']
unvalidated_visits	0
validated_contribution	0.0
validated_reward	0.0

validated_visits	0
validation_score	None
visits	1
parent_id	0
child_ids	[]

Error Message:

stderr:

==> WARNING: A newer version of conda exists. <==

current version: 25.11.0

latest version: 26.5.0

Please update conda by running

\$ conda update -n base -c conda-forge conda

Using Python 3.11.15 environment at: 53-addition_3/node_3/conda_env

Resolved 235 packages in 1.37s

Uninstalled 1 package in 1.71s

Installed 233 packages in 1m 41s

+ absl-py==2.4.0

+ accelerate==1.13.0

+ adagio==0.2.6

+ aiohappyeyeballs==2.6.2

+ aiohttp==3.13.5

+ aiohttp-cors==0.8.1

+ aiosignal==1.4.0

+ alembic==1.18.4

+ annotated-doc==0.0.4

+ annotated-types==0.7.0

+ antlr4-python3-runtime==4.9.3

+ attrs==26.1.0

+ autogluon==1.5.1b20260522

+ autogluon-common==1.5.1b20260522

+ autogluon-core==1.5.1b20260522

+ autogluon-features==1.5.1b20260522

+ autogluon-multimodal==1.5.1b20260522

+ autogluon-tabular==1.5.1b20260522

+ autogluon-timeseries==1.5.1b20260522

+ beartype==0.22.9

+ beautifulsoup4==4.14.3

+ blis==1.3.3

+ boto3==1.43.13

+ botocore==1.43.13

+ catalogue==2.0.10

- + catboost==1.2.10
- + certifi==2026.5.20
- + cffi==2.0.0
- + chardet==7.4.3
- + charset-normalizer==3.4.7
- + chronos-forecasting==2.2.2
- + click==8.4.1
- + cloudpathlib==0.24.0
- + cloudpickle==3.1.2
- + colorama==0.4.6
- + colorful==0.6.0a1
- + colorlog==6.10.1
- + confection==1.3.3
- + contourpy==1.3.3
- + coreforecast==0.0.16
- + cryptography==48.0.0
- + cycler==0.12.1
- + cymem==2.0.13
- + datasets==4.0.0
- + defusedxml==0.7.1
- + dill==0.3.8
- + distlib==0.4.0
- + einops==0.8.2
- + einx==0.4.3
- + evaluate==0.4.6
- + fastai==2.8.5
- + fastcore==1.8.18
- + fastdownload==0.0.7
- + fastprogress==1.0.5
- + fasttransform==0.0.2
- + filelock==3.29.0
- + fonttools==4.63.0
- + frozendict==2.4.7
- + frozenlist==1.8.0
- + fsspec==2025.3.0
- + fugue==0.9.7
- + future==1.0.0
- + gdown==6.0.0
- + gluonts==0.16.2
- + google-api-core==2.30.3
- + google-auth==2.53.0
- + googleapis-common-protos==1.75.0
- + graphviz==0.21
- + grpcio==1.81.0rc1
- + hf-xet==1.5.0

```
+ httpx==1.0.dev3
+ huggingface-hub==0.36.2
+ hyperopt==0.2.7
+ idna==3.16
... [truncated, 9403 chars total]
```

Error Analysis:

ERROR_SUMMARY: The error occurs because the hyperparameter 'env.eval_metric' is not recognized in the AutoGluon MultiModal configuration. When you pass 'env.eval_metric' in the hyperparameters dictionary, AutoGluon raises a KeyError since this key does not exist in its expected config schema for the current version, causing the training script to crash before model training begins.

SUGGESTED_FIX:

Remove 'env.eval_metric' from the hyperparameters dictionary in your script. Instead, specify the evaluation metric directly in the fit() call using the metrics argument (e.g., metrics="roc_auc"), or rely on AutoGluon's default metric for binary classification. Double-check the [AutoGluon MultiModal documentation](<https://auto.gluon.ai/stable/tutorials/multimodal/index.html>) for the correct way to set evaluation metrics for your version.

Node 4 (debug)

Property	Value
uct_value	1.1772
ctime	2026-05-22 17:26:54
debug_attempts	1
depth	2
execution_time	0.0
expected_child_count	0
failure_visits	1
id	4
is_debug_successful	✗
is_leaf	✓
is_successful	✗
is_terminal	✓
num_children	0
prev_tutorial_prompt	<pre>### Condensed: Intro to Use Machine Learning or Deep Learning algorithms # Condensed: Intro to Use Machine Learning or Deep Learning algorithms Summary: You can use any machine learning or deep learning algorithms to complete the tasks. Make sure you have the necessary tools and knowledge. # Intro to Use Machine Learning or Deep Learning algorithms You can use any machine learning or deep learning algorithms to complete the tasks. Make sure you have the necessary tools and knowledge.</pre>
stage	debug
time_step	4
tool_used	machine learning
tools_available	['autogluon.multimodal', 'machine learning', 'FlagEmbedding']
unvalidated_visits	0
validated_reward	0.0
validated_visits	0

validation_score	None
visits	1
parent_id	1
child_ids	[]

Error Message:

stderr:

==> WARNING: A newer version of conda exists. <==

current version: 25.11.0

latest version: 26.5.0

Please update conda by running

\$ conda update -n base -c conda-forge conda

warning: Requirements file `~/home/anri21/.conda/envs/mlzero\_env/lib/python3.11/site-packages/autogluon/assistant/tools\_registry/machine learning/requirements.txt` does not contain any dependencies

Using Python 3.11.15 environment at: 53-addition_3/node_4/conda_env

Resolved 79 packages in 535ms

Uninstalled 1 package in 1.77s

Installed 78 packages in 36.96s

+ aiohappyeyeballs==2.6.2

+ aiohttp==3.13.5

+ aiosignal==1.4.0

+ annotated-doc==0.0.4

+ annotated-types==0.7.0

+ anyio==4.13.0

+ attrs==26.1.0

+ certifi==2026.5.20

+ chardet==7.4.3

+ charset-normalizer==3.4.7

+ click==8.4.1

+ cuda-bindings==13.2.0

+ cuda-pathfinder==1.5.4

+ cuda-toolkit==13.0.2

+ datasets==4.8.5

+ dill==0.4.1

+ filelock==3.29.0

+ frozenlist==1.8.0

+ fsspec==2026.2.0

+ h11==0.16.0

+ hf-xet==1.5.0

+ httpcore==1.0.9

+ httpx==0.28.1

+ huggingface-hub==1.16.1

+ idna==3.16

- + jinja2==3.1.6
- + markdown-it-py==4.2.0
- + markupsafe==3.0.3
- + mdurl==0.1.2
- + mpmath==1.3.0
- + multidict==6.7.1
- + multiprocessing==0.70.19
- + networkx==3.6.1
- + numpy==2.4.6
- + nvidia-cublas==13.1.1.3
- + nvidia-cuda-cupti==13.0.85
- + nvidia-cuda-nvrtc==13.0.88
- + nvidia-cuda-runtime==13.0.96
- + nvidia-cudnn-cu13==9.20.0.48
- + nvidia-cufft==12.0.0.61
- + nvidia-cufile==1.15.1.6
- + nvidia-curand==10.4.0.35
- + nvidia-cusolver==12.0.4.66
- + nvidia-cusparselt-cu13==0.8.1
- + nvidia-nccl-cu13==2.29.7
- + nvidia-nvjitlink==13.0.88
- + nvidia-nvshmem-cu13==3.4.5
- + nvidia-nvtx==13.0.85
- + opencv-python==4.13.0.92
- + pandas==3.0.3
- + pillow==12.2.0
- + propcache==0.5.2
- + pyarrow==24.0.0
- + pydantic==2.14.0a1
- + pydantic-core==2.47.0
- + pygments==2.20.0
- + python-calamine==0.6.2
- + python-dateutil==2.9.0.post0
- + pytz==2026.2
- + pyyaml==6.0.3
- + requests==2.34.2
- + rich==15.0.0
- setuptools==82.0.1
- + s... [truncated, 66058 chars total]

Error Analysis:

ERROR_SUMMARY: The error "ValueError: too many values to unpack (expected 7)" occurs because the code attempts to unpack 7 outputs from the ``train_test_split`` function, but only 6 arrays are returned. This is due to passing 4 arrays (``X``, ``y``, ``sample_weights``, and ``train_df[group_col].values``) to ``train_test_split``, which returns 2 splits for each input (train and validation), totaling 8 outputs; however, only 6 outputs are being returned because of incorrect unpacking or a mismatch in the number of

input arrays.

SUGGESTED_FIX:

Check the number of arrays passed to `train_test_split` and ensure you unpack exactly 2 outputs per input array. If you pass 4 arrays, you must unpack 8 outputs (e.g., `X_train, X_val, y_train, y_val, sw_train, sw_val, group_train, group_val`). Adjust the unpacking statement to match the number of arrays returned by `train_test_split`.

Node 5 (debug)

Property	Value
uct_value	1.4821
ctime	2026-05-22 17:33:02
debug_attempts	2
depth	2
execution_time	0.0
expected_child_count	0
exploitation	0.0
exploration	1.482079962591042
failure_penalty	-0.0
failure_visits	1
id	5
is_debug_successful	✗
is_leaf	✓
is_successful	✗
is_terminal	✓
normalized_failure_visit	0
num_children	0
prev_tutorial_prompt	### Condensed: ```python # Condensed: ```python Summary: This tutorial demonstrates image classification using AutoGluon MultiModal, covering implementation
stage	debug
time_step	5
tool_used	autogluon.multimodal
tools_available	['autogluon.multimodal', 'machine learning', 'FlagEmbedding']
unvalidated_visits	0
validated_contribution	0.0
validated_reward	0.0

validated_visits	0
validation_score	None
visits	1
parent_id	0
child_ids	[]

Error Message:

stderr:

==> WARNING: A newer version of conda exists. <==

current version: 25.11.0

latest version: 26.5.0

Please update conda by running

\$ conda update -n base -c conda-forge conda

Using Python 3.11.15 environment at: 53-addition_3/node_5/conda_env

Resolved 235 packages in 1.19s

Uninstalled 1 package in 1.72s

Installed 233 packages in 1m 34s

+ absl-py==2.4.0

+ accelerate==1.13.0

+ adagio==0.2.6

+ aiohappyeyeballs==2.6.2

+ aiohttp==3.13.5

+ aiohttp-cors==0.8.1

+ aiosignal==1.4.0

+ alembic==1.18.4

+ annotated-doc==0.0.4

+ annotated-types==0.7.0

+ antlr4-python3-runtime==4.9.3

+ attrs==26.1.0

+ autogluon==1.5.1b20260522

+ autogluon-common==1.5.1b20260522

+ autogluon-core==1.5.1b20260522

+ autogluon-features==1.5.1b20260522

+ autogluon-multimodal==1.5.1b20260522

+ autogluon-tabular==1.5.1b20260522

+ autogluon-timeseries==1.5.1b20260522

+ beartype==0.22.9

+ beautifulsoup4==4.14.3

+ blis==1.3.3

+ boto3==1.43.13

+ botocore==1.43.13

+ catalogue==2.0.10

- + catboost==1.2.10
- + certifi==2026.5.20
- + cffi==2.0.0
- + chardet==7.4.3
- + charset-normalizer==3.4.7
- + chronos-forecasting==2.2.2
- + click==8.4.1
- + cloudpathlib==0.24.0
- + cloudpickle==3.1.2
- + colorama==0.4.6
- + colorful==0.6.0a1
- + colorlog==6.10.1
- + confection==1.3.3
- + contourpy==1.3.3
- + coreforecast==0.0.16
- + cryptography==48.0.0
- + cycler==0.12.1
- + cymem==2.0.13
- + datasets==4.0.0
- + defusedxml==0.7.1
- + dill==0.3.8
- + distlib==0.4.0
- + einops==0.8.2
- + einx==0.4.3
- + evaluate==0.4.6
- + fastai==2.8.5
- + fastcore==1.8.18
- + fastdownload==0.0.7
- + fastprogress==1.0.5
- + fasttransform==0.0.2
- + filelock==3.29.0
- + fonttools==4.63.0
- + frozendict==2.4.7
- + frozenlist==1.8.0
- + fsspec==2025.3.0
- + fugue==0.9.7
- + future==1.0.0
- + gdown==6.0.0
- + gluonts==0.16.2
- + google-api-core==2.30.3
- + google-auth==2.53.0
- + googleapis-common-protos==1.75.0
- + graphviz==0.21
- + grpcio==1.81.0rc1
- + hf-xet==1.5.0

+ httpx==1.0.dev3
+ huggingface-hub==0.36.2
+ hyperopt==0.2.7
+ idna==3.16
... [truncated, 18598 chars total]

Error Analysis:

ERROR_SUMMARY: The error occurred because the DataFrame passed to ``predictor.predict_proba()`` during test-time prediction was missing required columns: ``['alternative_skin_tone', 'expert_opinion', 'skin_tone']``. AutoGluon MultiModal expects all columns present in the training data (except the label) to also be present in the test data, even if their values are missing or NaN.

SUGGESTED_FIX:

Modify your test DataFrame before prediction to include the missing columns (``'alternative_skin_tone'``, ``'expert_opinion'``, and ``'skin_tone'``). Add these columns to ``test_pred_df`` with values set to ``np.nan`` or another appropriate placeholder, ensuring the column names and order match the training data. This will allow AutoGluon to process the test data without raising a `ValueError`.

Node 6 (debug)

Property	Value
uct_value	1.2355
avg_raw_score	0.6606000000000001
ctime	2026-05-22 18:08:52
debug_attempts	2
depth	2
execution_time	0.0
expected_child_count	0
exploitation	0.011821086261980949
exploration	0.9098754692839941
failure_penalty	-0.0
failure_visits	2
id	6
is_debug_successful	✗
is_leaf	✗
is_successful	✓
is_terminal	✗
normalized_failure_visit	0
normalized_score	0.023642172523961898
num_children	3
prev_tutorial_prompt	None
stage	debug
time_step	6
tool_used	machine learning
tools_available	['autogluon.multimodal', 'machine learning', 'FlagEmbedding']
unvalidated_visits	0
validated_contribution	0.011821086261980949
validated_reward	1.3212000000000002

validated_visits	2
validated_weight	0.5
validation_score	0.6532
visits	4
parent_id	-1
child_ids	[8, 9, 7]

Node 7 (evolve)

Property	Value
uct_value	1.6649
ctime	2026-05-22 18:15:16
debug_attempts	0
depth	3
execution_time	0.0
expected_child_count	0
exploitation	0.0
exploration	1.482079962591042
failure_penalty	-0.0
failure_visits	1
id	7
is_debug_successful	✗
is_leaf	✓
is_successful	✗
is_terminal	✗
normalized_failure_visit	0
num_children	0
prev_tutorial_prompt	### Condensed: Intro to Use Machine Learning or Deep Learning algorithms # Condensed: Intro to Use Machine Learning or Deep Learning algorithms Summary: You can use any machine learning or deep learning algorithms to complete the tasks. Make sure you # Intro to Use Machine Learning or Deep Learning algorithms You can use any machine learning or deep learning algorithms to complete the tasks. Make sure you have them
stage	evolve
time_step	7
tool_used	machine learning

tools_available	['autogluon.multimodal', 'machine learning', 'FlagEmbedding']
unvalidated_visits	0
validated_contribution	0.0
validated_reward	0.0
validated_visits	0
validation_score	None
visits	1
parent_id	6
child_ids	[]

Error Message:

```

stderr:
==> WARNING: A newer version of conda exists. <==
current version: 25.11.0
latest version: 26.5.0
Please update conda by running
$ conda update -n base -c conda-forge conda
warning: Requirements file `~/home/anri21/.conda/envs/mlzero_env/lib/python3.11/site-packages/autogluon/assistant/tools_registry/machine learning/requirements.txt`
does not contain any dependencies
Using Python 3.11.15 environment at: 53-addition_3/node_7/conda_env
Resolved 79 packages in 339ms
Uninstalled 1 package in 1.75s
Installed 78 packages in 43.40s
+ aiohappyeyeballs==2.6.2
+ aiohttp==3.13.5
+ aiosignal==1.4.0
+ annotated-doc==0.0.4
+ annotated-types==0.7.0
+ anyio==4.13.0
+ attrs==26.1.0
+ certifi==2026.5.20
+ chardet==7.4.3
+ charset-normalizer==3.4.7
+ click==8.4.1
+ cuda-bindings==13.2.0
+ cuda-pathfinder==1.5.4
+ cuda-toolkit==13.0.2
+ datasets==4.8.5
+ dill==0.4.1
+ filelock==3.29.0

```


- + frozenlist==1.8.0
- + fsspec==2026.2.0
- + h11==0.16.0
- + hf-xet==1.5.0
- + httpcore==1.0.9
- + httpx==0.28.1
- + huggingface-hub==1.16.1
- + idna==3.16
- + jinja2==3.1.6
- + markdown-it-py==4.2.0
- + markupsafe==3.0.3
- + mdurl==0.1.2
- + mpmath==1.3.0
- + multidict==6.7.1
- + multiprocessing==0.70.19
- + networkx==3.6.1
- + numpy==2.4.6
- + nvidia-cublas==13.1.1.3
- + nvidia-cuda-cupti==13.0.85
- + nvidia-cuda-nvrtc==13.0.88
- + nvidia-cuda-runtime==13.0.96
- + nvidia-cudnn-cu13==9.20.0.48
- + nvidia-cufft==12.0.0.61
- + nvidia-cufile==1.15.1.6
- + nvidia-curand==10.4.0.35
- + nvidia-cusolver==12.0.4.66
- + nvidia-cusparselt-cu13==0.8.1
- + nvidia-cusparse==12.6.3.3
- + nvidia-nccl-cu13==2.29.7
- + nvidia-nvjitlink==13.0.88
- + nvidia-nvshmem-cu13==3.4.5
- + nvidia-nvtx==13.0.85
- + opencv-python==4.13.0.92
- + pandas==3.0.3
- + pillow==12.2.0
- + propcache==0.5.2
- + pyarrow==24.0.0
- + pydantic==2.14.0a1
- + pydantic-core==2.47.0
- + pygments==2.20.0
- + python-calamine==0.6.2
- + python-dateutil==2.9.0.post0
- + pytz==2026.2
- + pyyaml==6.0.3
- + requests==2.34.2

+ rich==15.0.0
- setuptools==82.0.1
+ s... [truncated, 67591 chars total]

Error Analysis:

ERROR_SUMMARY: The error occurs because the LightGBM `train()` function in recent versions ($\geq 4.0.0$) no longer accepts the `early_stopping_rounds` argument directly. Instead, early stopping must be implemented via the `callbacks` parameter using `lgb.early_stopping()`. Passing `early_stopping_rounds` as a direct argument now results in a `TypeError`.

SUGGESTED_FIX:

Remove the `early_stopping_rounds` argument from the `lgb.train()` call and instead add `callbacks=[lgb.early_stopping(30)]` to the function arguments. This will enable early stopping in a way compatible with the latest LightGBM API.

Node 8 (evolve)

Property	Value
uct_value	1.6649
ctime	2026-05-22 18:22:23
debug_attempts	0
depth	3
execution_time	0.0
expected_child_count	0
exploitation	0.0
exploration	1.482079962591042
failure_penalty	-0.0
failure_visits	1
id	8
is_debug_successful	✗
is_leaf	✓
is_successful	✗
is_terminal	✓
normalized_failure_visit	0
num_children	0
prev_tutorial_prompt	### Condensed: Intro to Use Machine Learning or Deep Learning algorithms # Condensed: Intro to Use Machine Learning or Deep Learning algorithms Summary: You can use any machine learning or deep learning algorithms to complete the tasks. Make sure you # Intro to Use Machine Learning or Deep Learning algorithms You can use any machine learning or deep learning algorithms to complete the tasks. Make sure you have them
stage	evolve
time_step	8
tool_used	machine learning

tools_available	['autogluon.multimodal', 'machine learning', 'FlagEmbedding']
unvalidated_visits	0
validated_contribution	0.0
validated_reward	0.0
validated_visits	0
validation_score	None
visits	1
parent_id	6
child_ids	[]

Error Message:

```

stderr:
==> WARNING: A newer version of conda exists. <==
current version: 25.11.0
latest version: 26.5.0
Please update conda by running
$ conda update -n base -c conda-forge conda
warning: Requirements file `~/home/anri21/.conda/envs/mlzero_env/lib/python3.11/site-packages/autogluon/assistant/tools_registry/machine learning/requirements.txt`
does not contain any dependencies
Using Python 3.11.15 environment at: 53-addition_3/node_8/conda_env
Resolved 79 packages in 613ms
Uninstalled 1 package in 1.96s
Installed 78 packages in 43.99s
+ aiohappyeyeballs==2.6.2
+ aiohttp==3.13.5
+ aiosignal==1.4.0
+ annotated-doc==0.0.4
+ annotated-types==0.7.0
+ anyio==4.13.0
+ attrs==26.1.0
+ certifi==2026.5.20
+ chardet==7.4.3
+ charset-normalizer==3.4.7
+ click==8.4.1
+ cuda-bindings==13.2.0
+ cuda-pathfinder==1.5.4
+ cuda-toolkit==13.0.2
+ datasets==4.8.5
+ dill==0.4.1
+ filelock==3.29.0

```

- + frozenlist==1.8.0
- + fsspec==2026.2.0
- + h11==0.16.0
- + hf-xet==1.5.0
- + httpcore==1.0.9
- + httpx==0.28.1
- + huggingface-hub==1.16.1
- + idna==3.16
- + jinja2==3.1.6
- + markdown-it-py==4.2.0
- + markupsafe==3.0.3
- + mdurl==0.1.2
- + mpmath==1.3.0
- + multidict==6.7.1
- + multiprocessing==0.70.19
- + networkx==3.6.1
- + numpy==2.4.6
- + nvidia-cublas==13.1.1.3
- + nvidia-cuda-cupti==13.0.85
- + nvidia-cuda-nvrtc==13.0.88
- + nvidia-cuda-runtime==13.0.96
- + nvidia-cudnn-cu13==9.20.0.48
- + nvidia-cufft==12.0.0.61
- + nvidia-cufile==1.15.1.6
- + nvidia-curand==10.4.0.35
- + nvidia-cusolver==12.0.4.66
- + nvidia-cusparselt-cu13==0.8.1
- + nvidia-cusparse==12.6.3.3
- + nvidia-nccl-cu13==2.29.7
- + nvidia-nvjitlink==13.0.88
- + nvidia-nvshmem-cu13==3.4.5
- + nvidia-nvtx==13.0.85
- + opencv-python==4.13.0.92
- + pandas==3.0.3
- + pillow==12.2.0
- + propcache==0.5.2
- + pyarrow==24.0.0
- + pydantic==2.14.0a1
- + pydantic-core==2.47.0
- + pygments==2.20.0
- + python-calamine==0.6.2
- + python-dateutil==2.9.0.post0
- + pytz==2026.2
- + pyyaml==6.0.3
- + requests==2.34.2

+ rich==15.0.0
- setuptools==82.0.1
+ s... [truncated, 67127 chars total]

Error Analysis:

ERROR_SUMMARY: The error occurs because the LightGBM `train()` function no longer accepts the `verbose_eval` keyword argument in recent versions. Instead, verbosity should be controlled via the `callbacks` parameter or by setting the `verbosity` parameter in the LightGBM parameters dictionary.

SUGGESTED_FIX:

Remove the `verbose_eval=100` argument from the `lgb.train()` call. If you want to control logging frequency, add a `lgb.log_evaluation(period=100)` callback to the `callbacks` list instead.

Node 9 (debug)

Property	Value
uct_value	1.7120
ctime	2026-05-22 18:29:19
debug_attempts	1
depth	4
execution_time	0.0
expected_child_count	0
failure_visits	0
id	9
is_debug_successful	✗
is_leaf	✓
is_successful	✓
is_terminal	✗
num_children	0
prev_tutorial_prompt	### Condensed: Intro to Use Machine Learning or Deep Learning algorithms # Condensed: Intro to Use Machine Learning or Deep Learning algorithms Summary: You can use any machine learning or deep learning algorithms to complete the tasks. Make sure you # Intro to Use Machine Learning or Deep Learning algorithms You can use any machine learning or deep learning algorithms to complete the tasks. Make sure you have ther
stage	debug
time_step	9
tool_used	machine learning
tools_available	['autogluon.multimodal', 'machine learning', 'FlagEmbedding']
unvalidated_visits	0
validated_reward	0.668
validated_visits	1

validation_score	0.6680
visits	1
parent_id	6
child_ids	[]

Node 10 (debug)

Property	Value
uct_value	1.1772
ctime	2026-05-22 18:36:49
debug_attempts	1
depth	2
execution_time	0.0
expected_child_count	0
failure_visits	1
id	10
is_debug_successful	✗
is_leaf	✓
is_successful	✗
is_terminal	✗
num_children	0
prev_tutorial_prompt	### Condensed: Fine-tuning # Condensed: Fine-tuning Summary: This tutorial provides implementation guidance for fine-tuning BGE (BAAI General Embedding) model
stage	debug
time_step	10
tool_used	FlagEmbedding
tools_available	['autogluon.multimodal', 'machine learning', 'FlagEmbedding']
unvalidated_visits	0
validated_reward	0.0
validated_visits	0
validation_score	None
visits	1
parent_id	2
child_ids	[]

Error Message:

stderr:

==> WARNING: A newer version of conda exists. <==

current version: 25.11.0

latest version: 26.5.0

Please update conda by running

\$ conda update -n base -c conda-forge conda

Using Python 3.11.15 environment at: 53-addition_3/node_10/conda_env

Resolved 109 packages in 945ms

Uninstalled 1 package in 2.90s

Installed 108 packages in 58.84s

+ accelerate==1.13.0

+ aiohappyeyeballs==2.6.2

+ aiohttp==3.13.5

+ aiosignal==1.4.0

+ annotated-doc==0.0.4

+ annotated-types==0.7.0

+ anyio==4.13.0

+ attrs==26.1.0

+ beautifulsoup4==4.14.3

+ cbor==1.0.0

+ certifi==2026.5.20

+ chardet==7.4.3

+ charset-normalizer==3.4.7

+ click==8.4.1

+ cuda-bindings==13.2.0

+ cuda-pathfinder==1.5.4

+ cuda-toolkit==13.0.2

+ datasets==4.8.5

+ dill==0.4.1

+ faiss-cpu==1.13.2

+ filelock==3.29.0

+ flagembedding==1.4.0

+ frozenlist==1.8.0

+ fsspec==2026.2.0

+ h11==0.16.0

+ hf-xet==1.5.0

+ httpcore==1.0.9

+ httpx==0.28.1

+ huggingface-hub==1.16.1

+ idna==3.16

+ ijson==3.5.0

+ inscriptis==2.7.1

+ ir-datasets==0.5.11

+ jinja2==3.1.6
+ joblib==1.5.3
+ lxml==6.0.4
+ lz4==4.4.5
+ markdown-it-py==4.2.0
+ markupsafe==3.0.3
+ mdurl==0.1.2
+ mpmath==1.3.0
+ multidict==6.7.1
+ multiprocessing==0.70.19
+ narwhals==2.21.2
+ networkx==3.6.1
+ numpy==2.4.6
+ nvidia-cublas==13.1.1.3
+ nvidia-cuda-cupti==13.0.85
+ nvidia-cuda-nvrtc==13.0.88
+ nvidia-cuda-runtime==13.0.96
+ nvidia-cudnn-cu13==9.20.0.48
+ nvidia-cufft==12.0.0.61
+ nvidia-cufile==1.15.1.6
+ nvidia-curand==10.4.0.35
+ nvidia-cusolver==12.0.4.66
+ nvidia-cusparselt-cu13==0.8.1
+ nvidia-nccl-cu13==2.29.7
+ nvidia-nvjitlink==13.0.88
+ nvidia-nvshmem-cu13==3.4.5
+ nvidia-nvtx==13.0.85
+ opencv-python==4.13.0.92
+ pandas==3.0.3
+ peft==0.19.1
+ pillow==12.2.0
+ propcache==0.5.2
+ protobuf==7.35.0
+ psutil==7.2.2
+ pyarrow==24.0.0
+ pydantic==2.14.0a1
+ pydantic-core==2.47.0
+ pygments==2.20.0
+ python-calamine==0.6.2
+ python-dateutil==2.9.0.post0
+... [truncated, 10605 chars total]

Error Analysis:

ERROR_SUMMARY: The error occurs because the code attempts to load the model `BAAI/CLIP-ViT-B-16` from the HuggingFace Hub using the FlagEmbedding library, but receives a 401 Unauthorized error. This indicates that the model repository is either private, does not exist, or requires authentication, and no valid HuggingFace access token was provided in the environment.

SUGGESTED_FIX:

Check if the model identifier `BAAI/CLIP-ViT-B-16` is correct and publicly available on HuggingFace. If the model is private, obtain an access token with the necessary permissions and authenticate using `huggingface-cli login` or by passing the token explicitly to the FlagModel. Alternatively, use a different, publicly available model checkpoint compatible with FlagEmbedding.

Node 11 (debug)

Property	Value
uct_value	1.7965
avg_raw_score	0.9605000000000001
ctime	2026-05-22 18:43:11
debug_attempts	2
depth	3
execution_time	0.0
expected_child_count	0
exploitation	0.9817891373801922
exploration	0.8578388191546724
failure_penalty	-0.0
failure_visits	0
id	11
is_debug_successful	✗
is_leaf	✗
is_successful	✓
is_terminal	✗
normalized_failure_visit	0
normalized_score	0.9817891373801922
num_children	2
prev_tutorial_prompt	None
stage	debug
time_step	11
tool_used	autogluon.multimodal
tools_available	['autogluon.multimodal', 'machine learning', 'FlagEmbedding']
unvalidated_visits	0
validated_contribution	0.9817891373801922
validated_reward	8.6513

validated_visits	9
validated_weight	1.0
validation_score	0.9542
visits	9
parent_id	-1
child_ids	[12, 13]

Node 12 (evolve)

Property	Value
uct_value	2.0301
avg_raw_score	0.9598
ctime	2026-05-22 19:17:55
debug_attempts	0
depth	4
execution_time	0.0
expected_child_count	0
exploitation	0.9795527156549522
exploration	1.1772322201769845
failure_penalty	-0.0
failure_visits	0
id	12
is_debug_successful	✗
is_leaf	✗
is_successful	✓
is_terminal	✗
normalized_failure_visit	0
normalized_score	0.9795527156549522
num_children	2
prev_tutorial_prompt	### Condensed: ```python # Condensed: ```python Summary: This tutorial demonstrates image classification using AutoGluon MultiModal, covering implementation
stage	evolve
time_step	12
tool_used	autogluon.multimodal
tools_available	['autogluon.multimodal', 'machine learning', 'FlagEmbedding']
unvalidated_visits	0

validated_contribution	0.9795527156549522
validated_reward	3.8467000000000002
validated_visits	4
validated_weight	1.0
validation_score	0.9587
visits	4
parent_id	11
child_ids	[17, 15]

Node 13 (evolve)

Property	Value
uct_value	2.0330
avg_raw_score	0.9626
ctime	2026-05-22 19:43:00
debug_attempts	0
depth	4
execution_time	0.0
expected_child_count	0
exploitation	0.9884984025559107
exploration	1.0195130088268243
failure_penalty	-0.0
failure_visits	0
id	13
is_debug_successful	✗
is_leaf	✗
is_successful	✓
is_terminal	✗
normalized_failure_visit	0
normalized_score	0.9884984025559107
num_children	2
prev_tutorial_prompt	### Condensed: ```python # Condensed: ```python Summary: This tutorial demonstrates image classification using AutoGluon MultiModal, covering implementation
stage	evolve
time_step	13
tool_used	autogluon.multimodal
tools_available	['autogluon.multimodal', 'machine learning', 'FlagEmbedding']
unvalidated_visits	0

validated_contribution	0.9884984025559107
validated_reward	3.8504
validated_visits	4
validated_weight	1.0
validation_score	0.9662
visits	4
parent_id	11
child_ids	[16, 14]

Node 14 (evolve)

Property	Value
uct_value	2.6410
avg_raw_score	0.9598
ctime	2026-05-22 20:26:14
debug_attempts	0
depth	5
execution_time	0.0
expected_child_count	0
exploitation	0.9795527156549522
exploration	1.482079962591042
failure_penalty	-0.0
failure_visits	0
id	14
is_debug_successful	✗
is_leaf	✓
is_successful	✓
is_terminal	✗
normalized_failure_visit	0
normalized_score	0.9795527156549522
num_children	0
prev_tutorial_prompt	### Condensed: ```python # Condensed: ```python Summary: This tutorial demonstrates image classification using AutoGluon MultiModal, covering implementation
stage	evolve
time_step	14
tool_used	autogluon.multimodal
tools_available	['autogluon.multimodal', 'machine learning', 'FlagEmbedding']
unvalidated_visits	0

validated_contribution	0.9795527156549522
validated_reward	0.9598
validated_visits	1
validated_weight	1.0
validation_score	0.9598
visits	1
parent_id	13
child_ids	[]

Node 15 (evolve)

Property	Value
uct_value	2.1701
avg_raw_score	0.9628
ctime	2026-05-22 20:56:02
debug_attempts	0
depth	5
execution_time	0.0
expected_child_count	0
exploitation	0.9891373801916934
exploration	1.482079962591042
failure_penalty	-0.0
failure_visits	0
id	15
is_debug_successful	✗
is_leaf	✗
is_successful	✓
is_terminal	✗
normalized_failure_visit	0
normalized_score	0.9891373801916934
num_children	1
prev_tutorial_prompt	### Condensed: ```python # Condensed: ```python Summary: This tutorial demonstrates image classification using AutoGluon MultiModal, covering implementation
stage	evolve
time_step	15
tool_used	autogluon.multimodal
tools_available	['autogluon.multimodal', 'machine learning', 'FlagEmbedding']
unvalidated_visits	0

validated_contribution	0.9891373801916934
validated_reward	1.9301
validated_visits	2
validated_weight	1.0
validation_score	0.9628
visits	2
parent_id	12
child_ids	[19]

Node 16 (evolve)

Property	Value
uct_value	2.1610
avg_raw_score	0.9618
ctime	2026-05-22 21:23:38
debug_attempts	0
depth	5
execution_time	0.0
expected_child_count	0
exploitation	0.9859424920127797
exploration	1.482079962591042
failure_penalty	-0.0
failure_visits	0
id	16
is_debug_successful	✗
is_leaf	✗
is_successful	✓
is_terminal	✗
normalized_failure_visit	0
normalized_score	0.9859424920127797
num_children	1
prev_tutorial_prompt	### Condensed: ```python # Condensed: ```python Summary: This tutorial demonstrates image classification using AutoGluon MultiModal, covering implementation
stage	evolve
time_step	16
tool_used	autogluon.multimodal
tools_available	['autogluon.multimodal', 'machine learning', 'FlagEmbedding']
unvalidated_visits	0

validated_contribution	0.9859424920127797
validated_reward	1.9243999999999999
validated_visits	2
validated_weight	1.0
validation_score	0.9618
visits	2
parent_id	13
child_ids	[18]

Node 17 (evolve)

Property	Value
uct_value	2.6349
avg_raw_score	0.9579
ctime	2026-05-22 21:50:27
debug_attempts	0
depth	5
execution_time	0.0
expected_child_count	0
exploitation	0.9734824281150161
exploration	1.482079962591042
failure_penalty	-0.0
failure_visits	0
id	17
is_debug_successful	✗
is_leaf	✓
is_successful	✓
is_terminal	✗
normalized_failure_visit	0
normalized_score	0.9734824281150161
num_children	0
prev_tutorial_prompt	### Condensed: ```python # Condensed: ```python Summary: This tutorial demonstrates image classification using AutoGluon MultiModal, covering implementation
stage	evolve
time_step	17
tool_used	autogluon.multimodal
tools_available	['autogluon.multimodal', 'machine learning', 'FlagEmbedding']
unvalidated_visits	0

validated_contribution	0.9734824281150161
validated_reward	0.9579
validated_visits	1
validated_weight	1.0
validation_score	0.9579
visits	1
parent_id	12
child_ids	[]

Node 18 (evolve)

Property	Value
uct_value	2.1623
ctime	2026-05-22 22:16:28
debug_attempts	0
depth	6
execution_time	0.0
expected_child_count	0
failure_visits	0
id	18
is_debug_successful	✗
is_leaf	✓
is_successful	✓
is_terminal	✗
num_children	0
prev_tutorial_prompt	### Condensed: ```python # Condensed: ```python Summary: This tutorial demonstrates image classification using AutoGluon MultiModal, covering implementation
stage	evolve
time_step	18
tool_used	autogluon.multimodal
tools_available	['autogluon.multimodal', 'machine learning', 'FlagEmbedding']
unvalidated_visits	0
validated_reward	0.9626
validated_visits	1
validation_score	0.9626
visits	1
parent_id	16
child_ids	[]

Node 19 (evolve)

Property	Value
uct_value	2.1772
ctime	2026-05-22 22:45:53
debug_attempts	0
depth	6
execution_time	0.0
expected_child_count	0
failure_visits	0
id	19
is_debug_successful	✗
is_leaf	✓
is_successful	✓
is_terminal	✗
num_children	0
prev_tutorial_prompt	### Condensed: ```python # Condensed: ```python Summary: This tutorial demonstrates image classification using AutoGluon MultiModal, covering implementation
stage	evolve
time_step	19
tool_used	autogluon.multimodal
tools_available	['autogluon.multimodal', 'machine learning', 'FlagEmbedding']
unvalidated_visits	0
validated_reward	0.9673
validated_visits	1
validation_score	0.9673
visits	1
parent_id	15
child_ids	[]

